











Mode	27																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																																																												
ANT	SISO																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5145.05</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>41.63</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5145.05	57.91	74.00	-16.09	41.63	34.12	12.03	29.87	0.00	100	59	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>97.98</td><td>-----</td><td>-----</td><td>81.35</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	97.98	-----	-----	81.35	34.40	12.14	29.91	0.00	100	59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5145.05	57.91	74.00	-16.09	41.63	34.12	12.03	29.87	0.00	100	59	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5290.00	97.98	-----	-----	81.35	34.40	12.14	29.91	0.00	100	59	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5111.45</td><td>47.50</td><td>54.00</td><td>-6.50</td><td>31.09</td><td>34.25</td><td>12.01</td><td>29.85</td><td>0.00</td><td>100</td><td>59</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5111.45	47.50	54.00	-6.50	31.09	34.25	12.01	29.85	0.00	100	59	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>89.94</td><td>-----</td><td>-----</td><td>73.31</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>100</td><td>59</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	89.94	-----	-----	73.31	34.40	12.14	29.91	0.00	100	59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5111.45	47.50	54.00	-6.50	31.09	34.25	12.01	29.85	0.00	100	59	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5290.00	89.94	-----	-----	73.31	34.40	12.14	29.91	0.00	100	59	AVERAGE																																																																																																																	







Mode	27																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																															
ANT	SISO																																															
Pol.	Vertical						Fundamental																																									
Peak							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.35</td><td>61.28</td><td>74.00</td><td>-12.72</td><td>44.30</td><td>34.54</td><td>12.24</td><td>29.80</td><td>0.00</td><td>100</td><td>59 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.35	61.28	74.00	-12.72	44.30
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5384.35	61.28	74.00	-12.72	44.30	34.54	12.24	29.80	0.00	100	59 PEAK																																					
Avg							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.45</td><td>50.51</td><td>54.00</td><td>-3.49</td><td>33.73</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>59 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.45	50.51	54.00	-3.49	33.73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5353.45	50.51	54.00	-3.49	33.73	34.41	12.21	29.84	0.00	100	59 AVERAGE																																					



		27																																																							
Mode		Harmonic																																																							
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																							
ANT		SISO																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.77</td><td>68.20</td><td>-22.43</td><td>56.89</td><td>37.60</td><td>17.75</td><td>66.47</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.77	68.20	-22.43	56.89	37.60	17.75	66.47	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10580.00	45.77	68.20	-22.43	56.89	37.60	17.75	66.47	0.00	--	--	PEAK																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.47</td><td>68.20</td><td>-22.73</td><td>56.63</td><td>37.60</td><td>17.73</td><td>66.49</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.47	68.20	-22.73	56.63	37.60	17.73	66.49	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10580.00	45.47	68.20	-22.73	56.63	37.60	17.73	66.49	0.00	--	--	PEAK																																													







Mode	28																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.93</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>38.52</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>102</td><td>200</td><td>PEAK</td></tr><tr><td>2</td><td>5465.77</td><td>59.00</td><td>68.20</td><td>-9.20</td><td>41.98</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>102</td><td>200</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.93	55.56	74.00	-18.44	38.52	34.58	12.33	29.87	0.00	102	200	PEAK	2	5465.77	59.00	68.20	-9.20	41.98	34.57	12.34	29.89	0.00	102	200	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.32</td><td>-----</td><td>-----</td><td>79.28</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>102</td><td>200</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.32	-----	-----	79.28	34.50	12.42	29.88	0.00	102	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.93	55.56	74.00	-18.44	38.52	34.58	12.33	29.87	0.00	102	200	PEAK																																																																																																				
2	5465.77	59.00	68.20	-9.20	41.98	34.57	12.34	29.89	0.00	102	200	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	96.32	-----	-----	79.28	34.50	12.42	29.88	0.00	102	200	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.49</td><td>48.34</td><td>54.00</td><td>-5.66</td><td>31.29</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>102</td><td>200</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.49	48.34	54.00	-5.66	31.29	34.59	12.33	29.87	0.00	102	200	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.16</td><td>-----</td><td>-----</td><td>71.12</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>102</td><td>200</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.16	-----	-----	71.12	34.50	12.42	29.88	0.00	102	200	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.49	48.34	54.00	-5.66	31.29	34.59	12.33	29.87	0.00	102	200	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	88.16	-----	-----	71.12	34.50	12.42	29.88	0.00	102	200	AVERAGE																																																																																																				




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																							
ANT	SISO																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.72</td><td>55.75</td><td>68.20</td><td>-12.45</td><td>38.16</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>102</td><td>200</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.72	55.75	68.20	-12.45	38.16	34.72	12.72	29.85	0.00	102	200	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.72	55.75	68.20	-12.45	38.16	34.72	12.72	29.85	0.00	102	200	PEAK																																												






		28																																																																			
Mode	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																				
ANT	SISO																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.13</td><td>63.21</td><td>74.00</td><td>-10.79</td><td>46.16</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5461.45</td><td>64.57</td><td>68.20</td><td>-3.63</td><td>47.54</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.13	63.21	74.00	-10.79	46.16	34.59	12.33	29.87	0.00	100	118	PEAK	2	5461.45	64.57	68.20	-3.63	47.54	34.58	12.33	29.88	0.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5457.13	63.21	74.00	-10.79	46.16	34.59	12.33	29.87	0.00	100	118	PEAK																																																									
2	5461.45	64.57	68.20	-3.63	47.54	34.58	12.33	29.88	0.00	100	118	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.69</td><td>50.58</td><td>54.00</td><td>-3.42</td><td>33.55</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	50.58	54.00	-3.42	33.55	34.58	12.33	29.88	0.00	100	118	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5459.69	50.58	54.00	-3.42	33.55	34.58	12.33	29.88	0.00	100	118	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.81</td><td>-----</td><td>-----</td><td>81.77</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.81	-----	-----	81.77	34.50	12.42	29.88	0.00	100	118	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5530.00	98.81	-----	-----	81.77	34.50	12.42	29.88	0.00	100	118	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.55</td><td>-----</td><td>-----</td><td>73.54</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.55	-----	-----	73.54	34.50	12.41	29.90	0.00	100	118	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5530.00	90.55	-----	-----	73.54	34.50	12.41	29.90	0.00	100	118	AVERAGE																																																									






Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																													
ANT	SISO																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.40</td><td>56.05</td><td>68.20</td><td>-12.15</td><td>38.46</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.40	56.05	68.20	-12.15	38.46	34.72	12.72	29.85	0.00	100	118	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5758.40	56.05	68.20	-12.15	38.46	34.72	12.72	29.85	0.00	100	118	PEAK																																		






		28																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																							
ANT		SISO																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>55.30</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.60	74.00	-28.40	55.30	37.86	18.20	65.76	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11060.00	45.60	74.00	-28.40	55.30	37.86	18.20	65.76	0.00	--	--	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>55.07</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.37	74.00	-28.63	55.07	37.86	18.20	65.76	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11060.00	45.37	74.00	-28.63	55.07	37.86	18.20	65.76	0.00	--	--	PEAK																																													







Mode	29																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.60</td><td>55.91</td><td>68.20</td><td>-12.29</td><td>38.60</td><td>34.56</td><td>12.55</td><td>29.80</td><td>0.00</td><td>100</td><td>203</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>55.54</td><td>68.80</td><td>-13.26</td><td>38.23</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>203</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>61.21</td><td>110.68</td><td>-49.47</td><td>43.85</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>203</td><td>PEAK</td></tr><tr><td>4</td><td>5728.40</td><td>60.57</td><td>111.81</td><td>-51.24</td><td>43.21</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>203</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.60	55.91	68.20	-12.29	38.60	34.56	12.55	29.80	0.00	100	203	PEAK	2	5650.80	55.54	68.80	-13.26	38.23	34.60	12.58	29.87	0.00	100	203	PEAK	3	5719.20	61.21	110.68	-49.47	43.85	34.64	12.67	29.95	0.00	100	203	PEAK	4	5728.40	60.57	111.81	-51.24	43.21	34.64	12.67	29.95	0.00	100	203	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.84</td><td>-----</td><td>-----</td><td>88.34</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>203</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.84	-----	-----	88.34	34.69	12.70	29.89	0.00	100	203	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5627.60	55.91	68.20	-12.29	38.60	34.56	12.55	29.80	0.00	100	203	PEAK																																																																																																																															
2	5650.80	55.54	68.80	-13.26	38.23	34.60	12.58	29.87	0.00	100	203	PEAK																																																																																																																															
3	5719.20	61.21	110.68	-49.47	43.85	34.64	12.67	29.95	0.00	100	203	PEAK																																																																																																																															
4	5728.40	60.57	111.81	-51.24	43.21	34.64	12.67	29.95	0.00	100	203	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.84	-----	-----	88.34	34.69	12.70	29.89	0.00	100	203	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.13</td><td>-----</td><td>-----</td><td>80.63</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>203</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.13	-----	-----	80.63	34.69	12.70	29.89	0.00	100	203	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.13	-----	-----	80.63	34.69	12.70	29.89	0.00	100	203	AVERAGE																																																																																																																															





Mode	29																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																					
ANT	SISO																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.20</td><td>56.39</td><td>68.20</td><td>-11.81</td><td>39.10</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>105</td><td>87 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.04</td><td>68.80</td><td>-13.76</td><td>37.73</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>105</td><td>87 PEAK</td></tr><tr><td>3</td><td>5714.00</td><td>65.19</td><td>109.22</td><td>-44.03</td><td>47.87</td><td>34.63</td><td>12.66</td><td>29.97</td><td>0.00</td><td>105</td><td>87 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>65.67</td><td>110.90</td><td>-45.23</td><td>48.31</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>105</td><td>87 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5601.20	56.39	68.20	-11.81	39.10	34.50	12.52	29.73	0.00	105	87 PEAK	2	5650.00	55.04	68.80	-13.76	37.73	34.60	12.58	29.87	0.00	105	87 PEAK	3	5714.00	65.19	109.22	-44.03	47.87	34.63	12.66	29.97	0.00	105	87 PEAK	4	5720.00	65.67	110.90	-45.23	48.31	34.64	12.67	29.95	0.00	105	87 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.39</td><td>-----</td><td>-----</td><td>89.89</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>105</td><td>87 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.39	-----	-----	89.89	34.69	12.70	29.89	0.00	105	87 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5601.20	56.39	68.20	-11.81	39.10	34.50	12.52	29.73	0.00	105	87 PEAK																																																																																																																											
2	5650.00	55.04	68.80	-13.76	37.73	34.60	12.58	29.87	0.00	105	87 PEAK																																																																																																																											
3	5714.00	65.19	109.22	-44.03	47.87	34.63	12.66	29.97	0.00	105	87 PEAK																																																																																																																											
4	5720.00	65.67	110.90	-45.23	48.31	34.64	12.67	29.95	0.00	105	87 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	107.39	-----	-----	89.89	34.69	12.70	29.89	0.00	105	87 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.39</td><td>-----</td><td>-----</td><td>82.89</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>105</td><td>87 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.39	-----	-----	82.89	34.69	12.70	29.89	0.00	105	87 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	100.39	-----	-----	82.89	34.69	12.70	29.89	0.00	105	87 AVERAGE																																																																																																																											






		29																																																								
Mode		Harmonic																																																								
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																								
ANT		SISO																																																								
Pol.		Horizontal					Vertical																																																			
Peak Avg																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>54.14</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	46.62	74.00	-27.38	54.14	38.00	18.58	64.10	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11490.00	46.62	74.00	-27.38	54.14	38.00	18.58	64.10	0.00	--	--	PEAK																																															
																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>53.98</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	46.46	74.00	-27.54	53.98	38.00	18.58	64.10	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11490.00	46.46	74.00	-27.54	53.98	38.00	18.58	64.10	0.00	--	--	PEAK																																															






Mode	30																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																												
ANT	SISO																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>54.47</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>36.95</td><td>54.00</td><td>-17.05</td><td>44.31</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.09	74.00	-26.91	54.47	38.07	18.65	64.10	0.00	300	0 PEAK	2	11570.00	36.95	54.00	-17.05	44.31	38.08	18.66	64.10	0.00	300	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>53.73</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.35	74.00	-27.65	53.73	38.07	18.65	64.10	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11570.00	47.09	74.00	-26.91	54.47	38.07	18.65	64.10	0.00	300	0 PEAK																																																																																																		
2	11570.00	36.95	54.00	-17.05	44.31	38.08	18.66	64.10	0.00	300	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11570.00	46.35	74.00	-27.65	53.73	38.07	18.65	64.10	0.00	--	-- PEAK																																																																																																		





Mode	31																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.40</td><td>66.16</td><td>116.83</td><td>-50.67</td><td>48.30</td><td>34.81</td><td>12.86</td><td>29.81</td><td>0.00</td><td>115</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>57.13</td><td>106.70</td><td>-49.57</td><td>39.15</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>115</td><td>206</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.60</td><td>68.64</td><td>-14.04</td><td>36.37</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>115</td><td>206</td><td>PEAK</td></tr><tr><td>4</td><td>5978.40</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>38.23</td><td>35.10</td><td>13.07</td><td>29.81</td><td>0.00</td><td>115</td><td>206</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.40	66.16	116.83	-50.67	48.30	34.81	12.86	29.81	0.00	115	206	PEAK	2	5870.00	57.13	106.70	-49.57	39.15	34.92	12.89	29.83	0.00	115	206	PEAK	3	5924.40	54.60	68.64	-14.04	36.37	35.10	12.98	29.85	0.00	115	206	PEAK	4	5978.40	56.59	68.20	-11.61	38.23	35.10	13.07	29.81	0.00	115	206	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.96</td><td>-----</td><td>-----</td><td>88.13</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>115</td><td>206</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.96	-----	-----	88.13	34.80	12.81	29.78	0.00	115	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5852.40	66.16	116.83	-50.67	48.30	34.81	12.86	29.81	0.00	115	206	PEAK																																																																																																																														
2	5870.00	57.13	106.70	-49.57	39.15	34.92	12.89	29.83	0.00	115	206	PEAK																																																																																																																														
3	5924.40	54.60	68.64	-14.04	36.37	35.10	12.98	29.85	0.00	115	206	PEAK																																																																																																																														
4	5978.40	56.59	68.20	-11.61	38.23	35.10	13.07	29.81	0.00	115	206	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	105.96	-----	-----	88.13	34.80	12.81	29.78	0.00	115	206	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.82</td><td>-----</td><td>-----</td><td>79.99</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>115</td><td>206</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.82	-----	-----	79.99	34.80	12.81	29.78	0.00	115	206	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	97.82	-----	-----	79.99	34.80	12.81	29.78	0.00	115	206	AVERAGE																																																																																																																														






Mode	31																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	SISO																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>60.46</td><td>112.27</td><td>-51.81</td><td>42.59</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>106</td><td>83 PEAK</td></tr><tr><td>2 5873.60</td><td>58.00</td><td>105.69</td><td>-47.61</td><td>40.08</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>106</td><td>83 PEAK</td></tr><tr><td>3 5924.40</td><td>55.02</td><td>68.64</td><td>-13.62</td><td>36.79</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>106</td><td>83 PEAK</td></tr><tr><td>4 5982.80</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>39.12</td><td>35.10</td><td>13.08</td><td>29.80</td><td>0.00</td><td>106</td><td>83 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	60.46	112.27	-51.81	42.59	34.83	12.86	29.82	0.00	106	83 PEAK	2 5873.60	58.00	105.69	-47.61	40.08	34.94	12.90	29.84	0.00	106	83 PEAK	3 5924.40	55.02	68.64	-13.62	36.79	35.10	12.98	29.85	0.00	106	83 PEAK	4 5982.80	57.50	68.20	-10.70	39.12	35.10	13.08	29.80	0.00	106	83 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.26</td><td>-----</td><td>-----</td><td>89.43</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>106</td><td>83 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.26	-----	-----	89.43	34.80	12.81	29.78	0.00	106	83 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.40	60.46	112.27	-51.81	42.59	34.83	12.86	29.82	0.00	106	83 PEAK																																																																																																																										
2 5873.60	58.00	105.69	-47.61	40.08	34.94	12.90	29.84	0.00	106	83 PEAK																																																																																																																										
3 5924.40	55.02	68.64	-13.62	36.79	35.10	12.98	29.85	0.00	106	83 PEAK																																																																																																																										
4 5982.80	57.50	68.20	-10.70	39.12	35.10	13.08	29.80	0.00	106	83 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	107.26	-----	-----	89.43	34.80	12.81	29.78	0.00	106	83 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.48</td><td>-----</td><td>-----</td><td>82.65</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>106</td><td>83 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.48	-----	-----	82.65	34.80	12.81	29.78	0.00	106	83 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	100.48	-----	-----	82.65	34.80	12.81	29.78	0.00	106	83 AVERAGE																																																																																																																										







Mode	31																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>53.14</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	45.92	74.00	-28.08	53.14	38.20	18.72	64.14	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>53.12</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	45.90	74.00	-28.10	53.12	38.20	18.72	64.14	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11650.00	45.92	74.00	-28.08	53.14	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11650.00	45.90	74.00	-28.10	53.12	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																														





Mode	32																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.60</td><td>56.29</td><td>68.20</td><td>-11.91</td><td>38.97</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>101</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>56.31</td><td>68.50</td><td>-12.19</td><td>39.00</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>101</td><td>204</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>55.66</td><td>106.20</td><td>-50.54</td><td>38.39</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>101</td><td>204</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.22</td><td>110.90</td><td>-55.68</td><td>37.86</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>101</td><td>204</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.60	56.29	68.20	-11.91	38.97	34.59	12.58	29.85	0.00	101	204	PEAK	2	5650.40	56.31	68.50	-12.19	39.00	34.60	12.58	29.87	0.00	101	204	PEAK	3	5703.20	55.66	106.20	-50.54	38.39	34.61	12.65	29.99	0.00	101	204	PEAK	4	5720.00	55.22	110.90	-55.68	37.86	34.64	12.67	29.95	0.00	101	204	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.73</td><td>-----</td><td>-----</td><td>86.23</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>101</td><td>204</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.73	-----	-----	86.23	34.69	12.70	29.89	0.00	101	204	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5645.60	56.29	68.20	-11.91	38.97	34.59	12.58	29.85	0.00	101	204	PEAK																																																																																																																															
2	5650.40	56.31	68.50	-12.19	39.00	34.60	12.58	29.87	0.00	101	204	PEAK																																																																																																																															
3	5703.20	55.66	106.20	-50.54	38.39	34.61	12.65	29.99	0.00	101	204	PEAK																																																																																																																															
4	5720.00	55.22	110.90	-55.68	37.86	34.64	12.67	29.95	0.00	101	204	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	103.73	-----	-----	86.23	34.69	12.70	29.89	0.00	101	204	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.01</td><td>-----</td><td>-----</td><td>79.51</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>101</td><td>204</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.01	-----	-----	79.51	34.69	12.70	29.89	0.00	101	204	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	97.01	-----	-----	79.51	34.69	12.70	29.89	0.00	101	204	AVERAGE																																																																																																																															





Mode	32																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5630.00</td><td>56.75</td><td>68.20</td><td>-11.45</td><td>39.44</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.68</td><td>68.20</td><td>-12.52</td><td>38.36</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>59.82</td><td>107.43</td><td>-47.61</td><td>42.53</td><td>34.62</td><td>12.65</td><td>29.98</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>57.86</td><td>111.81</td><td>-53.95</td><td>40.50</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.00	56.75	68.20	-11.45	39.44	34.56	12.56	29.81	0.00	100	73	PEAK	2	5650.00	55.68	68.20	-12.52	38.36	34.60	12.58	29.86	0.00	100	73	PEAK	3	5707.60	59.82	107.43	-47.61	42.53	34.62	12.65	29.98	0.00	100	73	PEAK	4	5720.40	57.86	111.81	-53.95	40.50	34.64	12.67	29.95	0.00	100	73	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.51</td><td>-----</td><td>-----</td><td>89.81</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.51	-----	-----	89.81	34.69	12.70	29.89	0.00	100	73	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5630.00	56.75	68.20	-11.45	39.44	34.56	12.56	29.81	0.00	100	73	PEAK																																																																																																																															
2	5650.00	55.68	68.20	-12.52	38.36	34.60	12.58	29.86	0.00	100	73	PEAK																																																																																																																															
3	5707.60	59.82	107.43	-47.61	42.53	34.62	12.65	29.98	0.00	100	73	PEAK																																																																																																																															
4	5720.40	57.86	111.81	-53.95	40.50	34.64	12.67	29.95	0.00	100	73	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.51	-----	-----	89.81	34.69	12.70	29.89	0.00	100	73	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>98.61</td><td>-----</td><td>-----</td><td>81.11</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>73</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.61	-----	-----	81.11	34.69	12.70	29.89	0.00	100	73	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>98.61</td><td>-----</td><td>-----</td><td>81.11</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>73</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.61	-----	-----	81.11	34.69	12.70	29.89	0.00	100	73	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.61	-----	-----	81.11	34.69	12.70	29.89	0.00	100	73	AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.61	-----	-----	81.11	34.69	12.70	29.89	0.00	100	73	AVERAGE																																																																																																																															
	Blank																																																																																																																																										



Mode	32																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>54.48</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	46.96	74.00	-27.04	54.48	38.00	18.58	64.10	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>54.70</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>300</td><td>23</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.16</td><td>54.00</td><td>-16.84</td><td>44.64</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>300</td><td>23</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	47.18	74.00	-26.82	54.70	38.00	18.58	64.10	0.00	300	23	PEAK	2	11490.00	37.16	54.00	-16.84	44.64	38.00	18.59	64.07	0.00	300	23
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11490.00	46.96	74.00	-27.04	54.48	38.00	18.58	64.10	0.00	--	--	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11490.00	47.18	74.00	-26.82	54.70	38.00	18.58	64.10	0.00	300	23	PEAK																																																																																																								
2	11490.00	37.16	54.00	-16.84	44.64	38.00	18.59	64.07	0.00	300	23	AVERAGE																																																																																																								






		33																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																							
ANT		SISO																																																							
Pol.		Horizontal					Vertical																																																		
Peak Avg																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11578.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>53.22</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11578.00	45.84	74.00	-28.16	53.22	38.07	18.65	64.10	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11578.00	45.84	74.00	-28.16	53.22	38.07	18.65	64.10	0.00	--	--	PEAK																																														
Peak Avg																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11578.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>53.80</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11578.00	46.42	74.00	-27.58	53.80	38.07	18.65	64.10	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11578.00	46.42	74.00	-27.58	53.80	38.07	18.65	64.10	0.00	--	--	PEAK																																														





Mode	34																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>61.11</td><td>112.27</td><td>-51.16</td><td>43.24</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>58.85</td><td>107.71</td><td>-48.86</td><td>40.90</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.64</td><td>68.35</td><td>-12.71</td><td>37.41</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>4</td><td>5930.40</td><td>57.08</td><td>68.20</td><td>-11.12</td><td>38.84</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	61.11	112.27	-51.16	43.24	34.83	12.86	29.82	0.00	100	206	PEAK	2	5866.40	58.85	107.71	-48.86	40.90	34.90	12.88	29.83	0.00	100	206	PEAK	3	5924.00	55.64	68.35	-12.71	37.41	35.10	12.98	29.85	0.00	100	206	PEAK	4	5930.40	57.08	68.20	-11.12	38.84	35.10	12.99	29.85	0.00	100	206	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>104.36</td><td>-----</td><td>-----</td><td>86.53</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.36	-----	-----	86.53	34.80	12.81	29.78	0.00	100	206	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.40	61.11	112.27	-51.16	43.24	34.83	12.86	29.82	0.00	100	206	PEAK																																																																																																																															
2	5866.40	58.85	107.71	-48.86	40.90	34.90	12.88	29.83	0.00	100	206	PEAK																																																																																																																															
3	5924.00	55.64	68.35	-12.71	37.41	35.10	12.98	29.85	0.00	100	206	PEAK																																																																																																																															
4	5930.40	57.08	68.20	-11.12	38.84	35.10	12.99	29.85	0.00	100	206	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	104.36	-----	-----	86.53	34.80	12.81	29.78	0.00	100	206	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.56</td><td>-----</td><td>-----</td><td>78.73</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.56	-----	-----	78.73	34.80	12.81	29.78	0.00	100	206	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	96.56	-----	-----	78.73	34.80	12.81	29.78	0.00	100	206	AVERAGE																																																																																																																															






Mode	34																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																																															
ANT	SISO																																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5851.20</td><td>69.91</td><td>119.56</td><td>-49.65</td><td>52.05</td><td>34.81</td><td>12.86</td><td>29.81</td><td>0.00</td><td>102</td><td>82 PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>64.10</td><td>110.51</td><td>-46.41</td><td>46.21</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>102</td><td>82 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.91</td><td>68.64</td><td>-12.73</td><td>37.68</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>102</td><td>82 PEAK</td></tr><tr><td>4</td><td>5975.20</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>39.14</td><td>35.10</td><td>13.07</td><td>29.81</td><td>0.00</td><td>102</td><td>82 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5851.20	69.91	119.56	-49.65	52.05	34.81	12.86	29.81	0.00	102	82 PEAK	2	5856.40	64.10	110.51	-46.41	46.21	34.84	12.87	29.82	0.00	102	82 PEAK	3	5924.40	55.91	68.64	-12.73	37.68	35.10	12.98	29.85	0.00	102	82 PEAK	4	5975.20	57.50	68.20	-10.70	39.14	35.10	13.07	29.81	0.00	102	82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.78</td><td>-----</td><td>-----</td><td>89.95</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>102</td><td>82 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	107.78	-----	-----	89.95	34.80	12.81	29.78	0.00	102	82 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5851.20	69.91	119.56	-49.65	52.05	34.81	12.86	29.81	0.00	102	82 PEAK																																																																																																																																					
2	5856.40	64.10	110.51	-46.41	46.21	34.84	12.87	29.82	0.00	102	82 PEAK																																																																																																																																					
3	5924.40	55.91	68.64	-12.73	37.68	35.10	12.98	29.85	0.00	102	82 PEAK																																																																																																																																					
4	5975.20	57.50	68.20	-10.70	39.14	35.10	13.07	29.81	0.00	102	82 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5825.00	107.78	-----	-----	89.95	34.80	12.81	29.78	0.00	102	82 PEAK																																																																																																																																					
Avg	Blank																																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.68</td><td>-----</td><td>-----</td><td>81.85</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>102</td><td>82 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	99.68	-----	-----	81.85	34.80	12.81	29.78	0.00	102	82 AVERAGE																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5825.00	99.68	-----	-----	81.85	34.80	12.81	29.78	0.00	102	82 AVERAGE																																																																																																																																					




		34																																																								
Mode		Harmonic																																																								
		U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																								
ANT		SISO																																																								
Pol.		Horizontal					Vertical																																																			
Peak Avg																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>53.58</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	46.36	74.00	-27.64	53.58	38.20	18.72	64.14	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11650.00	46.36	74.00	-27.64	53.58	38.20	18.72	64.14	0.00	--	--	PEAK																																															
																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>54.08</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	46.86	74.00	-27.14	54.08	38.20	18.72	64.14	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11650.00	46.86	74.00	-27.14	54.08	38.20	18.72	64.14	0.00	--	--	PEAK																																															






Mode	35																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																												
ANT	SISO																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5601.71</td><td>57.29</td><td>68.20</td><td>-10.91</td><td>40.00</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>2 5650.22</td><td>56.21</td><td>68.36</td><td>-12.15</td><td>38.90</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>3 5700.44</td><td>55.71</td><td>105.42</td><td>-49.71</td><td>38.46</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>4 5720.13</td><td>54.77</td><td>111.19</td><td>-56.42</td><td>37.41</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5601.71	57.29	68.20	-10.91	40.00	34.50	12.52	29.73	0.00	100	206	PEAK	2 5650.22	56.21	68.36	-12.15	38.90	34.60	12.58	29.87	0.00	100	206	PEAK	3 5700.44	55.71	105.42	-49.71	38.46	34.60	12.65	30.00	0.00	100	206	PEAK	4 5720.13	54.77	111.19	-56.42	37.41	34.64	12.67	29.95	0.00	100	206	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.39</td><td>-----</td><td>-----</td><td>85.80</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5755.00	103.39	-----	-----	85.80	34.72	12.72	29.85	0.00	100	206	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																					
1 5601.71	57.29	68.20	-10.91	40.00	34.50	12.52	29.73	0.00	100	206	PEAK																																																																																																																		
2 5650.22	56.21	68.36	-12.15	38.90	34.60	12.58	29.87	0.00	100	206	PEAK																																																																																																																		
3 5700.44	55.71	105.42	-49.71	38.46	34.60	12.65	30.00	0.00	100	206	PEAK																																																																																																																		
4 5720.13	54.77	111.19	-56.42	37.41	34.64	12.67	29.95	0.00	100	206	PEAK																																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																					
1 5755.00	103.39	-----	-----	85.80	34.72	12.72	29.85	0.00	100	206	PEAK																																																																																																																		
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5755.00</td><td>95.58</td><td>-----</td><td>-----</td><td>78.04</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>100</td><td>206</td><td>AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5755.00	95.58	-----	-----	78.04	34.70	12.71	29.87	0.00	100	206	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																					
1 5755.00	95.58	-----	-----	78.04	34.70	12.71	29.87	0.00	100	206	AVERAGE																																																																																																																		




Mode	35																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																				
ANT	SISO																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>55.00</td><td>111.26</td><td>-56.26</td><td>37.13</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>5870.05</td><td>56.56</td><td>106.68</td><td>-50.12</td><td>38.58</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>54.85</td><td>68.60</td><td>-13.75</td><td>36.62</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>4</td><td>5932.06</td><td>57.14</td><td>68.20</td><td>-11.06</td><td>38.89</td><td>35.10</td><td>12.99</td><td>29.84</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	55.00	111.26	-56.26	37.13	34.83	12.86	29.82	0.00	100	206	PEAK	2	5870.05	56.56	106.68	-50.12	38.58	34.92	12.89	29.83	0.00	100	206	PEAK	3	5924.46	54.85	68.60	-13.75	36.62	35.10	12.98	29.85	0.00	100	206	PEAK	4	5932.06	57.14	68.20	-11.06	38.89	35.10	12.99	29.84	0.00	100	206	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	55.00	111.26	-56.26	37.13	34.83	12.86	29.82	0.00	100	206	PEAK																																																																									
2	5870.05	56.56	106.68	-50.12	38.58	34.92	12.89	29.83	0.00	100	206	PEAK																																																																									
3	5924.46	54.85	68.60	-13.75	36.62	35.10	12.98	29.85	0.00	100	206	PEAK																																																																									
4	5932.06	57.14	68.20	-11.06	38.89	35.10	12.99	29.84	0.00	100	206	PEAK																																																																									





Mode	35																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																								
ANT	SISO																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5613.18</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>39.82</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>2</td><td>5651.15</td><td>55.54</td><td>69.06</td><td>-13.52</td><td>38.23</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>3</td><td>5708.66</td><td>58.49</td><td>107.73</td><td>-49.24</td><td>41.19</td><td>34.62</td><td>12.66</td><td>29.98</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>4</td><td>5722.14</td><td>62.72</td><td>115.78</td><td>-53.06</td><td>45.35</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5613.18	57.12	68.20	-11.08	39.82	34.53	12.54	29.77	0.00	100	75 PEAK	2	5651.15	55.54	69.06	-13.52	38.23	34.60	12.58	29.87	0.00	100	75 PEAK	3	5708.66	58.49	107.73	-49.24	41.19	34.62	12.66	29.98	0.00	100	75 PEAK	4	5722.14	62.72	115.78	-53.06	45.35	34.64	12.67	29.94	0.00	100	75 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.92</td><td>-----</td><td>-----</td><td>89.33</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.92	-----	-----	89.33	34.72	12.72	29.85	0.00	100	75 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5613.18	57.12	68.20	-11.08	39.82	34.53	12.54	29.77	0.00	100	75 PEAK																																																																																																																														
2	5651.15	55.54	69.06	-13.52	38.23	34.60	12.58	29.87	0.00	100	75 PEAK																																																																																																																														
3	5708.66	58.49	107.73	-49.24	41.19	34.62	12.66	29.98	0.00	100	75 PEAK																																																																																																																														
4	5722.14	62.72	115.78	-53.06	45.35	34.64	12.67	29.94	0.00	100	75 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	106.92	-----	-----	89.33	34.72	12.72	29.85	0.00	100	75 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.48</td><td>-----</td><td>-----</td><td>81.94</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>100</td><td>75 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.48	-----	-----	81.94	34.70	12.71	29.87	0.00	100	75 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	99.48	-----	-----	81.94	34.70	12.71	29.87	0.00	100	75 AVERAGE																																																																																																																														






Mode	35																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.69</td><td>111.26</td><td>-56.57</td><td>36.82</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>2</td><td>5872.98</td><td>56.62</td><td>105.87</td><td>-49.25</td><td>38.63</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>54.53</td><td>68.46</td><td>-13.93</td><td>36.30</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>4</td><td>5942.20</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>38.63</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	54.69	111.26	-56.57	36.82	34.83	12.86	29.82	0.00	100	75 PEAK	2	5872.98	56.62	105.87	-49.25	38.63	34.94	12.89	29.84	0.00	100	75 PEAK	3	5924.65	54.53	68.46	-13.93	36.30	35.10	12.98	29.85	0.00	100	75 PEAK	4	5942.20	56.90	68.20	-11.30	38.63	35.10	13.01	29.84	0.00	100	75 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.84	54.69	111.26	-56.57	36.82	34.83	12.86	29.82	0.00	100	75 PEAK																																																																															
2	5872.98	56.62	105.87	-49.25	38.63	34.94	12.89	29.84	0.00	100	75 PEAK																																																																															
3	5924.65	54.53	68.46	-13.93	36.30	35.10	12.98	29.85	0.00	100	75 PEAK																																																																															
4	5942.20	56.90	68.20	-11.30	38.63	35.10	13.01	29.84	0.00	100	75 PEAK																																																																															




Mode	35																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																								
ANT	SISO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11510.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>54.09</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11510.00	46.63	74.00	-27.37	54.09	38.01	18.60	64.07	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11510.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>53.72</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11510.00	46.26	74.00	-27.74	53.72	38.01	18.60	64.07	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11510.00	46.63	74.00	-27.37	54.09	38.01	18.60	64.07	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11510.00	46.26	74.00	-27.74	53.72	38.01	18.60	64.07	0.00	--	--	PEAK																																																																																														






Mode	36																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. Four peaks are marked with vertical lines and numbered 1 to 4. The test signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.60</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>39.26</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>108</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>56.59</td><td>69.39</td><td>-12.80</td><td>39.28</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>108</td><td>206</td><td>PEAK</td></tr><tr><td>3</td><td>5780.40</td><td>54.51</td><td>105.41</td><td>-50.90</td><td>37.26</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>108</td><td>206</td><td>PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>54.96</td><td>110.90</td><td>-55.94</td><td>37.60</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>108</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5625.60	56.56	68.20	-11.64	39.26	34.55	12.55	29.80	0.00	108	206	PEAK	2	5651.60	56.59	69.39	-12.80	39.28	34.60	12.58	29.87	0.00	108	206	PEAK	3	5780.40	54.51	105.41	-50.90	37.26	34.60	12.65	30.00	0.00	108	206	PEAK	4	5728.00	54.96	110.90	-55.94	37.60	34.64	12.67	29.95	0.00	108	206	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1. The test signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>104.72</td><td>-----</td><td>-----</td><td>86.93</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>108</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.72	-----	-----	86.93	34.79	12.76	29.76	0.00	108	206	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5625.60	56.56	68.20	-11.64	39.26	34.55	12.55	29.80	0.00	108	206	PEAK																																																																																																																															
2	5651.60	56.59	69.39	-12.80	39.28	34.60	12.58	29.87	0.00	108	206	PEAK																																																																																																																															
3	5780.40	54.51	105.41	-50.90	37.26	34.60	12.65	30.00	0.00	108	206	PEAK																																																																																																																															
4	5728.00	54.96	110.90	-55.94	37.60	34.64	12.67	29.95	0.00	108	206	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	104.72	-----	-----	86.93	34.79	12.76	29.76	0.00	108	206	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1. The test signal is labeled U-NII-3(AVG). <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>96.54</td><td>-----</td><td>-----</td><td>78.75</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>108</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	96.54	-----	-----	78.75	34.79	12.76	29.76	0.00	108	206	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	96.54	-----	-----	78.75	34.79	12.76	29.76	0.00	108	206	AVERAGE																																																																																																																															




Mode	36																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																			
ANT	SISO																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.50</td><td>111.36</td><td>-56.86</td><td>36.63</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>58.67</td><td>105.80</td><td>-47.13</td><td>40.68</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.67</td><td>68.35</td><td>-12.68</td><td>37.44</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>4</td><td>5938.40</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>38.79</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	54.50	111.36	-56.86	36.63	34.83	12.86	29.82	0.00	100	206	PEAK	2	5873.20	58.67	105.80	-47.13	40.68	34.94	12.89	29.84	0.00	100	206	PEAK	3	5924.80	55.67	68.35	-12.68	37.44	35.10	12.98	29.85	0.00	100	206	PEAK	4	5938.40	57.03	68.20	-11.17	38.79	35.10	12.99	29.85	0.00	100	206	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	54.50	111.36	-56.86	36.63	34.83	12.86	29.82	0.00	100	206	PEAK																																																																								
2	5873.20	58.67	105.80	-47.13	40.68	34.94	12.89	29.84	0.00	100	206	PEAK																																																																								
3	5924.80	55.67	68.35	-12.68	37.44	35.10	12.98	29.85	0.00	100	206	PEAK																																																																								
4	5938.40	57.03	68.20	-11.17	38.79	35.10	12.99	29.85	0.00	100	206	PEAK																																																																								





Mode	36																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.20</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>38.50</td><td>34.59</td><td>12.57</td><td>29.85</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>55.21</td><td>68.80</td><td>-13.59</td><td>37.90</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>55.36</td><td>106.31</td><td>-50.95</td><td>38.09</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>54.19</td><td>112.72</td><td>-58.53</td><td>36.83</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.20	55.81	68.20	-12.39	38.50	34.59	12.57	29.85	0.00	100	73	PEAK	2	5650.80	55.21	68.80	-13.59	37.90	34.60	12.58	29.87	0.00	100	73	PEAK	3	5703.60	55.36	106.31	-50.95	38.09	34.61	12.65	29.99	0.00	100	73	PEAK	4	5720.80	54.19	112.72	-58.53	36.83	34.64	12.67	29.95	0.00	100	73	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.34</td><td>-----</td><td>-----</td><td>89.55</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>100</td><td>73</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	107.34	-----	-----	89.55	34.79	12.76	29.76	0.00	100	73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5643.20	55.81	68.20	-12.39	38.50	34.59	12.57	29.85	0.00	100	73	PEAK																																																																																																																														
2	5650.80	55.21	68.80	-13.59	37.90	34.60	12.58	29.87	0.00	100	73	PEAK																																																																																																																														
3	5703.60	55.36	106.31	-50.95	38.09	34.61	12.65	29.99	0.00	100	73	PEAK																																																																																																																														
4	5720.80	54.19	112.72	-58.53	36.83	34.64	12.67	29.95	0.00	100	73	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	107.34	-----	-----	89.55	34.79	12.76	29.76	0.00	100	73	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.15</td><td>-----</td><td>-----</td><td>81.36</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>100</td><td>73</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.15	-----	-----	81.36	34.79	12.76	29.76	0.00	100	73	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	99.15	-----	-----	81.36	34.79	12.76	29.76	0.00	100	73	AVERAGE																																																																																																																														






Mode	36																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																							
ANT	SISO																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>54.37</td><td>111.36</td><td>-56.99</td><td>36.50</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100 73 PEAK</td></tr><tr><td>2 5874.00</td><td>55.92</td><td>105.58</td><td>-49.66</td><td>37.92</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100 73 PEAK</td></tr><tr><td>3 5924.00</td><td>57.85</td><td>68.94</td><td>-11.09</td><td>39.62</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100 73 PEAK</td></tr><tr><td>4 5978.80</td><td>57.62</td><td>68.20</td><td>-10.58</td><td>39.27</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>100 73 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	54.37	111.36	-56.99	36.50	34.83	12.86	29.82	0.00	100 73 PEAK	2 5874.00	55.92	105.58	-49.66	37.92	34.94	12.90	29.84	0.00	100 73 PEAK	3 5924.00	57.85	68.94	-11.09	39.62	35.10	12.98	29.85	0.00	100 73 PEAK	4 5978.80	57.62	68.20	-10.58	39.27	35.10	13.06	29.81	0.00	100 73 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5854.00	54.37	111.36	-56.99	36.50	34.83	12.86	29.82	0.00	100 73 PEAK																																																															
2 5874.00	55.92	105.58	-49.66	37.92	34.94	12.90	29.84	0.00	100 73 PEAK																																																															
3 5924.00	57.85	68.94	-11.09	39.62	35.10	12.98	29.85	0.00	100 73 PEAK																																																															
4 5978.80	57.62	68.20	-10.58	39.27	35.10	13.06	29.81	0.00	100 73 PEAK																																																															




		36																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																							
ANT		SISO																																																							
Pol.		Horizontal					Vertical																																																		
Peak Avg																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11590.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>53.48</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	46.13	74.00	-27.87	53.48	38.09	18.67	64.11	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11590.00	46.13	74.00	-27.87	53.48	38.09	18.67	64.11	0.00	--	--	PEAK																																														
																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11590.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>53.88</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	46.53	74.00	-27.47	53.88	38.09	18.67	64.11	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11590.00	46.53	74.00	-27.47	53.88	38.09	18.67	64.11	0.00	--	--	PEAK																																														



Mode	37																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.40</td><td>59.44</td><td>68.20</td><td>-8.76</td><td>42.13</td><td>34.57</td><td>12.57</td><td>29.83</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5657.20</td><td>62.28</td><td>73.56</td><td>-11.28</td><td>44.97</td><td>34.60</td><td>12.59</td><td>29.88</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>61.05</td><td>105.30</td><td>-44.25</td><td>43.80</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>60.14</td><td>111.81</td><td>-51.67</td><td>42.78</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.40	59.44	68.20	-8.76	42.13	34.57	12.57	29.83	0.00	111	205	PEAK	2	5657.20	62.28	73.56	-11.28	44.97	34.60	12.59	29.88	0.00	111	205	PEAK	3	5700.00	61.05	105.30	-44.25	43.80	34.60	12.65	30.00	0.00	111	205	PEAK	4	5720.40	60.14	111.81	-51.67	42.78	34.64	12.67	29.95	0.00	111	205	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.54</td><td>-----</td><td>-----</td><td>80.83</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.54	-----	-----	80.83	34.76	12.75	29.80	0.00	111	205	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5636.40	59.44	68.20	-8.76	42.13	34.57	12.57	29.83	0.00	111	205	PEAK																																																																																																																															
2	5657.20	62.28	73.56	-11.28	44.97	34.60	12.59	29.88	0.00	111	205	PEAK																																																																																																																															
3	5700.00	61.05	105.30	-44.25	43.80	34.60	12.65	30.00	0.00	111	205	PEAK																																																																																																																															
4	5720.40	60.14	111.81	-51.67	42.78	34.64	12.67	29.95	0.00	111	205	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	90.54	-----	-----	80.83	34.76	12.75	29.80	0.00	111	205	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.19</td><td>-----</td><td>-----</td><td>73.48</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>111</td><td>205</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	91.19	-----	-----	73.48	34.76	12.75	29.80	0.00	111	205	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	91.19	-----	-----	73.48	34.76	12.75	29.80	0.00	111	205	AVERAGE																																																																																																																															




Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
ANT	SISO																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.80</td><td>62.11</td><td>115.92</td><td>-53.81</td><td>44.24</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>60.07</td><td>105.69</td><td>-45.62</td><td>42.07</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>57.19</td><td>68.64</td><td>-11.45</td><td>38.96</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>57.47</td><td>68.20</td><td>-10.73</td><td>39.23</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>111</td><td>205</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.80	62.11	115.92	-53.81	44.24	34.82	12.86	29.81	0.00	111	205	PEAK	2	5873.60	60.07	105.69	-45.62	42.07	34.94	12.90	29.84	0.00	111	205	PEAK	3	5924.40	57.19	68.64	-11.45	38.96	35.10	12.98	29.85	0.00	111	205	PEAK	4	5927.60	57.47	68.20	-10.73	39.23	35.10	12.99	29.85	0.00	111	205	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5852.80	62.11	115.92	-53.81	44.24	34.82	12.86	29.81	0.00	111	205	PEAK																																																																									
2	5873.60	60.07	105.69	-45.62	42.07	34.94	12.90	29.84	0.00	111	205	PEAK																																																																									
3	5924.40	57.19	68.64	-11.45	38.96	35.10	12.98	29.85	0.00	111	205	PEAK																																																																									
4	5927.60	57.47	68.20	-10.73	39.23	35.10	12.99	29.85	0.00	111	205	PEAK																																																																									



Mode	37																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																																			
ANT	SISO																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5606.40</td><td>58.67</td><td>68.20</td><td>-9.53</td><td>41.38</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>103</td><td>84 PEAK</td></tr><tr><td>2 5661.20</td><td>66.36</td><td>76.54</td><td>-10.18</td><td>49.06</td><td>34.60</td><td>12.60</td><td>29.90</td><td>0.00</td><td>103</td><td>84 PEAK</td></tr><tr><td>3 5709.60</td><td>67.54</td><td>107.99</td><td>-40.45</td><td>50.24</td><td>34.62</td><td>12.66</td><td>29.98</td><td>0.00</td><td>103</td><td>84 PEAK</td></tr><tr><td>4 5728.80</td><td>65.48</td><td>112.72</td><td>-47.24</td><td>48.12</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>103</td><td>84 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5606.40	58.67	68.20	-9.53	41.38	34.51	12.53	29.75	0.00	103	84 PEAK	2 5661.20	66.36	76.54	-10.18	49.06	34.60	12.60	29.90	0.00	103	84 PEAK	3 5709.60	67.54	107.99	-40.45	50.24	34.62	12.66	29.98	0.00	103	84 PEAK	4 5728.80	65.48	112.72	-47.24	48.12	34.64	12.67	29.95	0.00	103	84 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>102.20</td><td>-----</td><td>-----</td><td>84.49</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>103</td><td>84 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	102.20	-----	-----	84.49	34.76	12.75	29.80	0.00	103	84 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5606.40	58.67	68.20	-9.53	41.38	34.51	12.53	29.75	0.00	103	84 PEAK																																																																																																																										
2 5661.20	66.36	76.54	-10.18	49.06	34.60	12.60	29.90	0.00	103	84 PEAK																																																																																																																										
3 5709.60	67.54	107.99	-40.45	50.24	34.62	12.66	29.98	0.00	103	84 PEAK																																																																																																																										
4 5728.80	65.48	112.72	-47.24	48.12	34.64	12.67	29.95	0.00	103	84 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	102.20	-----	-----	84.49	34.76	12.75	29.80	0.00	103	84 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>94.81</td><td>-----</td><td>-----</td><td>77.10</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>103</td><td>84 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	94.81	-----	-----	77.10	34.76	12.75	29.80	0.00	103	84 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	94.81	-----	-----	77.10	34.76	12.75	29.80	0.00	103	84 AVERAGE																																																																																																																										







Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																				
ANT	SISO																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>60.93</td><td>111.36</td><td>-50.43</td><td>43.06</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>103</td><td>84</td><td>PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>64.02</td><td>108.71</td><td>-44.69</td><td>46.09</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>103</td><td>84</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.72</td><td>68.35</td><td>-13.63</td><td>36.49</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>103</td><td>84</td><td>PEAK</td></tr><tr><td>4</td><td>5937.20</td><td>56.88</td><td>68.20</td><td>-11.32</td><td>38.62</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>103</td><td>84</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	60.93	111.36	-50.43	43.06	34.83	12.86	29.82	0.00	103	84	PEAK	2	5862.80	64.02	108.71	-44.69	46.09	34.88	12.88	29.83	0.00	103	84	PEAK	3	5924.80	54.72	68.35	-13.63	36.49	35.10	12.98	29.85	0.00	103	84	PEAK	4	5937.20	56.88	68.20	-11.32	38.62	35.10	13.00	29.84	0.00	103	84	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	60.93	111.36	-50.43	43.06	34.83	12.86	29.82	0.00	103	84	PEAK																																																																									
2	5862.80	64.02	108.71	-44.69	46.09	34.88	12.88	29.83	0.00	103	84	PEAK																																																																									
3	5924.80	54.72	68.35	-13.63	36.49	35.10	12.98	29.85	0.00	103	84	PEAK																																																																									
4	5937.20	56.88	68.20	-11.32	38.62	35.10	13.00	29.84	0.00	103	84	PEAK																																																																									





Mode	37																																																																						
	Harmonic																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																						
ANT	SISO																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>53.94</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11550.00	46.53	74.00	-27.47	53.94	38.05	18.63	64.09	0.00	--	--	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11550.00	46.53	74.00	-27.47	53.94	38.05	18.63	64.09	0.00	--	--	PEAK																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>54.54</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>100</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>37.73</td><td>54.00</td><td>-16.27</td><td>45.09</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>67</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11550.00	47.13	74.00	-26.87	54.54	38.05	18.63	64.09	0.00	100	67	PEAK	2	11550.00	37.73	54.00	-16.27	45.09	38.08	18.66	64.10	0.00	100	67	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11550.00	47.13	74.00	-26.87	54.54	38.05	18.63	64.09	0.00	100	67	PEAK																																																											
2	11550.00	37.73	54.00	-16.27	45.09	38.08	18.66	64.10	0.00	100	67	AVERAGE																																																											







Mode	38																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																														
ANT	SISO																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.09</td><td>56.94</td><td>74.00</td><td>-17.06</td><td>40.66</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>333</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5144.09	56.94	74.00	-17.06	40.66	34.12	12.03	29.87	0.00	333	278	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5305.20</td><td>100.74</td><td>-----</td><td>-----</td><td>84.08</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>333</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5305.20	100.74	-----	-----	84.08	34.40	12.16	29.90	0.00	333	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5144.09	56.94	74.00	-17.06	40.66	34.12	12.03	29.87	0.00	333	278	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5305.20	100.74	-----	-----	84.08	34.40	12.16	29.90	0.00	333	278	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.09</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>30.43</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>333</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5104.09	46.86	54.00	-7.14	30.43	34.28	12.00	29.85	0.00	333	278	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5311.20</td><td>92.23</td><td>-----</td><td>-----</td><td>75.56</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>333</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5311.20	92.23	-----	-----	75.56	34.40	12.17	29.90	0.00	333	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5104.09	46.86	54.00	-7.14	30.43	34.28	12.00	29.85	0.00	333	278	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5311.20	92.23	-----	-----	75.56	34.40	12.17	29.90	0.00	333	278	AVERAGE																																																																																																			

Note: The frequency point over limit line which not marked is LTE Band 41 RF signal which can be ignored.





Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																							
ANT	SISO																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>64.38</td><td>74.00</td><td>-9.62</td><td>47.61</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>333</td><td>278</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.35	64.38	74.00	-9.62	47.61	34.40	12.21	29.84	0.00	333	278	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.35	64.38	74.00	-9.62	47.61	34.40	12.21	29.84	0.00	333	278	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.95</td><td>48.09</td><td>54.00</td><td>-5.91</td><td>31.31</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>333</td><td>278</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.95	48.09	54.00	-5.91	31.31	34.41	12.21	29.84	0.00	333	278	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.95	48.09	54.00	-5.91	31.31	34.41	12.21	29.84	0.00	333	278	AVERAGE																																												





Mode	38																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.05</td><td>56.46</td><td>74.00</td><td>-17.54</td><td>40.14</td><td>34.15</td><td>12.03</td><td>29.86</td><td>0.00</td><td>104</td><td>257</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.05	56.46	74.00	-17.54	40.14	34.15	12.03	29.86	0.00	104	257	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5305.20</td><td>102.31</td><td>-----</td><td>-----</td><td>85.65</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>104</td><td>257</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5305.20	102.31	-----	-----	85.65	34.40	12.16	29.90	0.00	104	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5137.05	56.46	74.00	-17.54	40.14	34.15	12.03	29.86	0.00	104	257	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5305.20	102.31	-----	-----	85.65	34.40	12.16	29.90	0.00	104	257	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.37</td><td>46.81</td><td>54.00</td><td>-7.19</td><td>30.45</td><td>34.21</td><td>12.01</td><td>29.86</td><td>0.00</td><td>104</td><td>257</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.37	46.81	54.00	-7.19	30.45	34.21	12.01	29.86	0.00	104	257	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5311.20</td><td>93.41</td><td>-----</td><td>-----</td><td>76.74</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>104</td><td>257</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5311.20	93.41	-----	-----	76.74	34.40	12.17	29.90	0.00	104	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5121.37	46.81	54.00	-7.19	30.45	34.21	12.01	29.86	0.00	104	257	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5311.20	93.41	-----	-----	76.74	34.40	12.17	29.90	0.00	104	257	AVERAGE																																																																																							

Note: The frequency point over limit line which not marked is LTE Band 41 RF signal which can be ignored.



Mode	38																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																					
ANT	SISO																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.55</td><td>65.91</td><td>74.00</td><td>-8.09</td><td>49.14</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>104</td><td>257 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.55	65.91	74.00	-8.09	49.14	34.40	12.21	29.84	0.00	104	257 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.55	65.91	74.00	-8.09	49.14	34.40	12.21	29.84	0.00	104	257 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>49.27</td><td>54.00</td><td>-4.73</td><td>32.50</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>104</td><td>257 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.35	49.27	54.00	-4.73	32.50	34.40	12.21	29.84	0.00	104	257 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.35	49.27	54.00	-4.73	32.50	34.40	12.21	29.84	0.00	104	257 AVERAGE																																											




Mode	38																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																																
ANT	SISO																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>56.29</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.28	74.00	-28.72	56.29	37.62	17.79	66.42	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>56.48</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.47	74.00	-28.53	56.48	37.62	17.79	66.42	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10620.00	45.28	74.00	-28.72	56.29	37.62	17.79	66.42	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10620.00	45.47	74.00	-28.53	56.48	37.62	17.79	66.42	0.00	--	PEAK																																																																																						


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	0.72 kHz
802.11n HT20	96.74	1.290	0.775	0.82 kHz
802.11n HT40	93.62	0.638	1.568	1.8 kHz
802.11ac VHT80	88.23	0.326	3.067	3.2 kHz


802.11a



802.11n HT20



802.11n HT40





802.11ac VHT80

