FCC RF Test Report

APPLICANT	:	CASTLES TECHNOLOGY CO., LTD.
EQUIPMENT	:	POS Terminal
BRAND NAME	:	CASTLES TECHNOLOGY
MODEL NAME	:	S1F4
FCC ID	:	WIYS1F4001
STANDARD	:	47 CFR Part 90(S)
CLASSIFICATION	:	PCS Licensed Transmitter (PCB)
TEST DATE(S)	:	Mar. 05, 2025 ~ Mar. 21, 2025

We, Sporton International Inc. (Kunshan), would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Kunshan), the test report shall not be reproduced except in full.

Jason Jia

Approved by: Jason Jia

ACCREDITED
Cert #5145.02

Sporton International Inc. (Kunshan)
No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China

TABLE OF CONTENTS

REVISION HISTORY **3**

SUMMARY OF TEST RESULT **4**

1 GENERAL DESCRIPTION **5**

1.1 Applicant 5
1.2 Manufacturer 5
1.3 Feature of Equipment Under Test 5
1.4 Product Specification of Equipment Under Test 5
1.5 Modification of EUT 5
1.6 Maximum Conducted Power and Emission Designator 6
1.7 Testing Site 6
1.8 Test Software 6
1.9 Applied Standards 7

2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST **8**

2.1 Test Mode 8
2.2 Connection Diagram of Test System 9
2.3 Support Unit used in test configuration and system 9
2.4 Measurement Results Explanation Example 9
2.5 Frequency List of Low/Middle/High Channels 10

3 TEST RESULT **11**

3.1 Conducted Output Power Measurement 11
3.2 99% Occupied Bandwidth and 26dB Bandwidth Measurement 12
3.3 Emissions Mask Measurement 13
3.4 Emissions Mask – Out Of Band Emissions Measurement 15
3.5 Field Strength of Spurious Radiation Measurement 16
3.6 Frequency Stability Measurement 19

4 LIST OF MEASURING EQUIPMENT **21**

5 MEASUREMENT UNCERTAINTY **22**

APPENDIX A. TEST RESULTS OF CONDUCTED TEST

APPENDIX B. TEST RESULTS OF RADIATED TEST

APPENDIX C. TEST SETUP PHOTOGRAPHS

REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG520601B	Rev. 01	Initial issue of report	Jun. 03, 2025

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.1	§2.1046	Conducted Output Power	—	Report only	-
3.2	§2.1049 §90.209	Occupied Bandwidth and 26dB Bandwidth	—	Report only	-
3.3	§2.1051 §90.691	Emission masks – In-band emissions	< 50+10log$_{10}$(P[Watts])	PASS	-
3.4	§2.1051 §90.691	Emission masks – Out of band emissions	< 43+10log$_{10}$(P[Watts])	PASS	-
3.5	§2.1053 §90.691	Field Strength of Spurious Radiation	< 43+10log$_{10}$(P[Watts])	PASS	Under limit 22.45 dB at 2440.00 MHz
3.6	§2.1055 §90.213	Frequency Stability for Temperature & Voltage	< 2.5 ppm	PASS	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the section “Measurement Uncertainty”

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

1 General Description

1.1 Applicant

CASTLES TECHNOLOGY CO., LTD.
6F, NO. 207-5, SEC. 3, BEIXIN RD., XINDIAN DISTRICT, NEW TAIPEI CITY 231030, TAIWAN (R.O.C.)

1.2 Manufacturer

CASTLES TECHNOLOGY CO., LTD.
6F, NO. 207-5, SEC. 3, BEIXIN RD., XINDIAN DISTRICT, NEW TAIPEI CITY 231030, TAIWAN (R.O.C.)

1.3 Feature of Equipment Under Test

Product Feature	
Equipment	POS Terminal
Brand Name	CASTLES TECHNOLOGY
Model Name	S1F4
FCC ID	WIYS1F4001
IMEI Code	Conducted: 350512260008461/350512260008479 Radiation: 350512260007661/350512260007679
EUT Stage	Identical Prototype

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.4 Product Specification of Equipment Under Test

Product Specification subjective to this standard	
Tx Frequency	814 ~ 824 MHz
Rx Frequency	859 ~ 869 MHz
Bandwidth	1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz
Maximum Output Power to Antenna	23.60 dBm
Antenna Gain	-1.9 dBi
Type of Modulation	QPSK / 16QAM / 64QAM

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Maximum Conducted Power and Emission Designator

LTE Band 26		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum Conducted power (W)	Emission Designator (99%OBW)	Maximum Conducted power (W)	Emission Designator (99%OBW)
1.4	814.7 ~ 823.3	0.2244	1M09G7D	0.1795	1M09W7D
3	815.5 ~ 822.5	0.2275	2M70G7D	0.1892	2M70W7D
5	816.5 ~ 821.5	0.2280	4M49G7D	0.1871	4M46W7D
10	819.0	0.2291	9M09G7D	0.1875	9M05W7D
15	824	0.2208	14M4G7D	0.1928	13M5W7D

Note: All modulations have been tested, and only the worst test results of PSK & QAM are shown in the report.

1.7 Testing Site

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

Test Firm	Sporton International Inc. (Kunshan)		
Test Site Location	No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158		
Test Site No.	**Sporton Site No.**	**FCC Designation No.**	**FCC Test Firm Registration No.**
	03CH04-KS TH01-KS	CN1257	314309

1.8 Test Software

Item	Site	Manufacture	Name	Version
1.	TH01-KS	SPORTON	FCC LTE_Ver2.0 Auto_china_210503	2.0
2.	03CH04-KS	AUDIX	E3	210616

1.9 Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- 47 CFR 90(S)
- ANSI C63.26-2015
- FCC KDB 971168 D01 Power Meas. License Digital Systems v03r01
- FCC KDB 971168 D02 Misc Rev Approv License Devices v02r02

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.

2 Test Configuration of Equipment Under Test

2.1 Test Mode

During all testing, EUT is in link mode with base station emulator at maximum power level. The spurious emission measurements were carried out in semi-anechoic chamber with 3-meter test range, and EUT is rotated on three test planes to find out the worst emission.

Frequency range investigated for radiated emission is 30 MHz to 9000 MHz.

Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	26	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v
26dB and 99% Bandwidth	26	v	v	v	v	v	-	v	v				v		v	
Emission masks In-band emissions	26	v	v	v	v	v	-	v	v	v	v		v	v		v
Emission masks – Out of band emissions	26	v	v	v	v	v	-	v			v			v	v	v
Frequency Stability	26				v		-	v					v		v	
Radiated Spurious Emission	26	Worse Case													v	
Note	1. The mark "**v** " means that this configuration is chosen for testing 2. The mark "-" means that this bandwidth is not supported. 3. LTE Band26 transmit frequency for part22 rule is 824MHz-849MHz, for part90 rule is 814MHz-824MHz. ERP over 15MHz bandwidth complies the ERP limit line of part22 rule, therefore ERP of the partial frequency spectrum which falls within part 22 also complies.															

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	System Simulator	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m
2.	Adapter1	N/A	N/A	N/A	N/A	N/A

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss between RF conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level will be exactly the RF output level.

The spectrum analyzer offset is derived from RF cable loss.

Offset = RF cable loss

The following shows an offset computation example with RF cable loss 4.6 dB attenuator.

Example :

Offset(dB) = RF cable loss(dB).

= 4.6 (dB)

2.5 Frequency List of Low/Middle/High Channels

LTE Band 26 Channel and Frequency List				
BW [MHz]	**Channel/Frequency(MHz)**	**Lowest**	**Middle**	**Highest**
10	Channel	-	26740	-
	Frequency	-	819	-
5	Channel	26715	26740	26765
	Frequency	816.5	819	821.5
3	Channel	26705	26740	26775
	Frequency	815.5	819	822.5
1.4	Channel	26697	26740	26783
	Frequency	814.7	819	823.3

LTE Band 26 Cross-rule Channel and Frequency List				
BW [MHz]	**Channel/Frequency(MHz)**	**-**	**Middle**	**-**
15	Channel	-	26790	-
	Frequency	-	824	-
10	Channel	-	26790	-
	Frequency	-	824	-
5	Channel	-	26790	-
	Frequency	-	824	-
3	Channel	-	26790	-
	Frequency	-	824	-
1.4	Channel	-	26790	-
	Frequency	-	824	-

3 Test Result

3.1 Conducted Output Power Measurement

3.1.1 Description of the Conducted Output Power Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to enforce EUT transmitting at the maximum power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

3.1.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.1.3 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.

3.1.4 Test Setup



3.1.5 Test Result of Conducted Output Power

Please refer to Appendix A.

3.2 99% Occupied Bandwidth and 26dB Bandwidth Measurement

3.2.1 Description of (Occupied) Bandwidth Limitations Measurement

The 99% occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The emission bandwidth is defined as the width of the signal between two points, located at the 2 sides of the carrier frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

3.2.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.2.3 Test Procedures

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The 26dB and 99% occupied bandwidth (BW) of the middle channel for the highest RF power with full RB sizes were measured.

3.2.4 Test Setup



3.2.5 Test Result of 99% Occupied Bandwidth and 26dB Bandwidth

Please refer to Appendix A.

3.3 Emissions Mask Measurement

3.3.1 Description of Emissions Mask Measurement

Equipment used in this licensed to EA or non-EA systems shall comply with the emission mask provisions of FCC Part 90.691.(a):

(a) Out-of-band emission requirement shall apply only to the “outer” channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:

(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 $Log_{10}(f/6.1)$ decibels or 50 + 10 $Log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 43 + $10Log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

3.3.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.3.3 Test Procedures

1. The EUT was connected to spectrum analyzer and base station via power divider.
2. The emissions mask of low and high channels for the highest RF powers were measured.
3. The measured RBW and the VBW set 3 times of RBW are then set in spectrum analyzer, and the RBW correction factor 10log (1% of OBW/measured RBW)(dB) was compensated, if required.
4. The test results were shown below plots with a correction offset factor including cable loss, insertion loss of power divider.

3.3.4 Test Setup



3.3.5 Test Result (Plots) of Conducted Emissions Mask

Please refer to Appendix A.

3.4 Emissions Mask – Out Of Band Emissions Measurement

3.4.1 Description of Conducted Emissions Out of band emissions measurement

The power of any emission FCC Part 90.691 (a)(2) on any frequency removed from the assigned frequency by out of the authorized bandwidth at least 43 + 10 log (P) dB. It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.4.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.4.3 Test Procedures

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. The middle channel for the highest RF power within the transmitting frequency was measured.
4. The conducted spurious emission for the whole frequency range was taken.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
7. The limit line is derived from 43 + 10log(P)dB below the transmitter power P(Watts)

3.4.4 Test Setup



3.4.5 Test Result (Plots) of Conducted Emission

Please refer to Appendix A.

3.5 Field Strength of Spurious Radiation Measurement

3.5.1 Description of Field Strength of Spurious Radiated Measurement

The radiated spurious emission was measured by substitution method according to ANSI C63.26. The power of any emission FCC Part 90.691 on any frequency removed from the assigned frequency by more than 250 percent of the authorized bandwidth at least 43 + 10 log (P) dB. The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43+10\log_{10}(P[Watts])$ dB. The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

3.5.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.5.3 Test Procedures

1. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, Sweep = 500ms, Taking the record of maximum spurious emission.
6. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
7. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
8. Taking the record of output power at antenna port.
9. Repeat step 7 to step 8 for another polarization.
10. EIRP (dBm) = S.G. Power – Tx Cable Loss + Tx Antenna Gain
11. ERP (dBm) = EIRP - 2.15
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
13. The limit line is derived from 43 + 10log(P) dB below the transmitter power P(Watts)

3.5.4 Test Setup

For radiated test from 30MHz



For radiated test from 30MHz to 1GHz



For radiated test above 1GHz



3.5.5 Test Result of Field Strength of Spurious Radiated

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

Please refer to Appendix B.

3.6 Frequency Stability Measurement

3.6.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within ±0.00025% (±2.5ppm) of the center frequency according to FCC Part 90.213.

3.6.2 Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

3.6.3 Test Procedures for Temperature Variation

1. The EUT was set up in the thermal chamber and connected with the base station.
2. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized for three hours. Power was applied and the maximum change in frequency was recorded within one minute.
3. With power OFF, the temperature was raised in 10°C step up to 50°C. The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.6.4 Test Procedures for Voltage Variation

1. The EUT was placed in a temperature chamber at 20±5°C and connected with the system simulator.
2. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
3. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the
4. battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.

3.6.5 Test Setup



3.6.6 Test Result of Temperature Variation

Please refer to Appendix A.

4 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Oct. 10, 2024	Mar. 05, 2025~ Mar. 21, 2025	Oct. 09, 2025	Conducted (TH01-KS)
Power divider	STI	STI08-0055	-	0.5~40GHz	NCR	Mar. 05, 2025~ Mar. 21, 2025	NCR	Conducted (TH01-KS)
Temperature &humidity chamber	Hongzhan	LP-150U	H2014011440	-40~+150°C 20%~95%RH	Jul. 04, 2024	Mar. 05, 2025~ Mar. 21, 2025	Jul. 03, 2025	Conducted (TH01-KS)
EXA Spectrum Analyzer	Keysight	N9010A	MY55370528	10Hz-44G,MAX 30dB	Oct. 11, 2024	Mar. 18, 2025	Oct. 10, 2025	Radiation (03CH04-KS)
Loop Antenna	R&S	HFH2-Z2E	101125	9kHz~30MHz	Sep. 08, 2024	Mar. 18, 2025	Sep. 07, 2025	Radiation (03CH04-KS)
Bilog Antenna	TeseQ	CBL6111D	44483	30MHz-1GHz	Nov. 23, 2024	Mar. 18, 2025	Nov. 22, 2025	Radiation (03CH04-KS)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00227860	1GHz~18GHz	Aug. 16, 2024	Mar. 18, 2025	Aug. 15, 2025	Radiation (03CH04-KS)
SHF-EHF Horn	Com-power	AH-840	101116	18GHz~40GHz	Oct. 22, 2024	Mar. 18, 2025	Oct. 21, 2025	Radiation (03CH04-KS)
Amplifier	SONOMA	310N	380826	9KHz-1GHz	Jul. 03, 2024	Mar. 18, 2025	Jul. 02, 2025	Radiation (03CH04-KS)
Amplifier	EM	EM18G40GA	060852	18~40GHz	Jan. 03, 2025	Mar. 18, 2025	Jan. 02, 2026	Radiation (03CH04-KS)
high gain Amplifier	EM	EM01G18GA	060840	1Ghz-18Ghz	Oct. 09, 2024	Mar. 18, 2025	Oct. 08, 2025	Radiation (03CH04-KS)
Amplifier	EM	EM01G18GA	060892	1Ghz-18Ghz	Oct. 09, 2024	Mar. 18, 2025	Oct. 08, 2025	Radiation (03CH04-KS)
AC Power Source	Chroma	61601	F104090004	N/A	NCR	Mar. 18, 2025	NCR	Radiation (03CH04-KS)
Turn Table	ChamPro	EM 1000-T	060762-T	0~360 degree	NCR	Mar. 18, 2025	NCR	Radiation (03CH04-KS)
Antenna Mast	ChamPro	EM 1000-A	060762-A	1 m~4 m	NCR	Mar. 18, 2025	NCR	Radiation (03CH04-KS)

NCR: No Calibration Required

5 Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Spurious Emission & Bandedge	±2.22 dB
Occupied Channel Bandwidth	±0.1%
Conducted Power	±0.50 dB
Frequency Stability	±0.04 ppm

Uncertainty of Radiated Emission Measurement (30MHz~1GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.83 dB

Uncertainty of Radiated Emission Measurement (1GHz~18GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.83 dB

Uncertainty of Radiated Emission Measurement (18GHz~40GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.82 dB

---------- THE END ----------

Appendix A. Test Results of Conducted Test

Test Engineer :	Simle Wang	Temperature :	22~23℃
		Relative Humidity :	40~42%

Conducted Output Power (Average power)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.
Channel					26790	
Frequency (MHz)					824	
15	QPSK	1	0		23.44	
15	QPSK	1	37		23.30	
15	QPSK	1	74		23.35	
15	QPSK	36	0		22.58	
15	QPSK	36	20		22.36	
15	QPSK	36	39		22.53	
15	QPSK	75	0		22.52	
15	16QAM	1	0		22.85	
15	16QAM	1	37		22.66	
15	16QAM	1	74		22.80	
15	16QAM	36	0		21.67	
15	16QAM	36	20		21.41	
15	16QAM	36	39		21.46	
15	16QAM	75	0		21.60	
15	64QAM	1	0		21.64	
15	64QAM	1	37		21.49	
15	64QAM	1	74		21.59	
15	64QAM	36	0		20.54	
15	64QAM	36	20		20.55	
15	64QAM	36	39		20.45	
15	64QAM	75	0		20.58	
Channel					26740	
Frequency (MHz)					819	
10	QPSK	1	0		23.60	
10	QPSK	1	25		23.50	
10	QPSK	1	49		23.53	
10	QPSK	25	0		22.46	
10	QPSK	25	12		22.53	
10	QPSK	25	25		22.51	
10	QPSK	50	0		22.51	
10	16QAM	1	0		22.73	
10	16QAM	1	25		22.68	
10	16QAM	1	49		22.59	
10	16QAM	25	0		21.38	
10	16QAM	25	12		21.49	
10	16QAM	25	25		21.47	
10	16QAM	50	0		21.60	

10	64QAM	1	0		21.48	
10	64QAM	1	25		21.54	
10	64QAM	1	49		21.52	
10	64QAM	25	0		20.66	
10	64QAM	25	12		20.41	
10	64QAM	25	25		20.45	
10	64QAM	50	0		20.45	
Channel				26715	26740	26765
Frequency (MHz)				816.5	819	821.5
5	QPSK	1	0	23.40	23.58	23.39
5	QPSK	1	12	23.23	23.42	23.35
5	QPSK	1	24	23.31	23.53	23.20
5	QPSK	12	0	22.45	22.62	22.56
5	QPSK	12	7	22.43	22.43	22.37
5	QPSK	12	13	22.46	22.47	22.59
5	QPSK	25	0	22.55	22.43	22.37
5	16QAM	1	0	22.67	22.72	22.57
5	16QAM	1	12	22.62	22.72	22.49
5	16QAM	1	24	22.65	22.56	22.67
5	16QAM	12	0	21.55	21.63	21.48
5	16QAM	12	7	21.33	21.47	21.29
5	16QAM	12	13	21.47	21.44	21.39
5	16QAM	25	0	21.57	21.47	21.57
5	64QAM	1	0	21.56	21.54	21.58
5	64QAM	1	12	21.40	21.54	21.30
5	64QAM	1	24	21.32	21.49	21.40
5	64QAM	12	0	20.44	20.67	20.43
5	64QAM	12	7	20.32	20.43	20.41
5	64QAM	12	13	20.46	20.39	20.42
5	64QAM	25	0	20.59	20.61	20.43
Channel				26705	26740	26775
Frequency (MHz)				815.5	819	822.5
3	QPSK	1	0	23.41	23.48	23.38
3	QPSK	1	8	23.28	23.32	23.20
3	QPSK	1	14	23.21	23.57	23.25
3	QPSK	8	0	22.41	22.62	22.49
3	QPSK	8	4	22.43	22.50	22.33
3	QPSK	8	7	22.38	22.35	22.52
3	QPSK	15	0	22.34	22.53	22.52
3	16QAM	1	0	22.56	22.77	22.69
3	16QAM	1	8	22.54	22.52	22.56
3	16QAM	1	14	22.73	22.49	22.59
3	16QAM	8	0	21.56	21.50	21.43
3	16QAM	8	4	21.39	21.47	21.28
3	16QAM	8	7	21.41	21.34	21.36
3	16QAM	15	0	21.58	21.45	21.42
3	64QAM	1	0	21.64	21.49	21.40
3	64QAM	1	8	21.38	21.44	21.43
3	64QAM	1	14	21.48	21.48	21.54
3	64QAM	8	0	20.55	20.73	20.46

3	64QAM	8	4	20.46	20.45	20.39
3	64QAM	8	7	20.28	20.52	20.52
3	64QAM	15	0	20.58	20.49	20.44
Channel				26697	26740	26783
Frequency (MHz)				814.7	819	823.3
1.4	QPSK	1	0	23.44	23.50	23.48
1.4	QPSK	1	3	23.30	23.47	23.29
1.4	QPSK	1	5	23.38	23.45	23.33
1.4	QPSK	3	0	23.42	23.51	23.43
1.4	QPSK	3	1	23.36	23.50	23.35
1.4	QPSK	3	3	23.34	23.47	23.33
1.4	QPSK	6	0	22.50	22.50	22.53
1.4	16QAM	1	0	22.37	22.52	22.39
1.4	16QAM	1	3	22.43	22.48	22.48
1.4	16QAM	1	5	22.43	22.53	22.48
1.4	16QAM	3	0	22.50	22.46	22.42
1.4	16QAM	3	1	22.34	22.49	22.42
1.4	16QAM	3	3	22.33	22.48	22.54
1.4	16QAM	6	0	21.42	21.32	21.28
1.4	64QAM	1	0	21.38	21.39	21.46
1.4	64QAM	1	3	21.58	21.37	21.34
1.4	64QAM	1	5	21.54	21.41	21.39
1.4	64QAM	3	0	21.43	21.53	21.42
1.4	64QAM	3	1	21.49	21.51	21.45
1.4	64QAM	3	3	21.40	21.42	21.41
1.4	64QAM	6	0	20.59	20.54	20.59

LTE Band 26_Part 90S

26dB Bandwidth

Mode	LTE Band 26 : 26dB BW(MHz)	
BW	15MHz	
Mod.	QPSK	16QAM
High CH	14.27	14.33
BW	10MHz	
Mod.	QPSK	16QAM
Mid CH	9.75	9.77
BW	5MHz	
Mod.	QPSK	16QAM
Mid CH	4.81	4.89
BW	3MHz	
Mod.	QPSK	16QAM
Mid CH	2.95	2.96
BW	1.4MHz	
Mod.	QPSK	16QAM
Mid CH	1.26	1.28

LTE Band 26

Highest Channel / 15MHz / QPSK



Highest Channel / 15MHz / 16QAM



Middle Channel / 10MHz / QPSK



Middle Channel / 10MHz / 16QAM



LTE Band 26

Middle Channel / 5MHz / QPSK



Middle Channel / 5MHz / 16QAM



LTE Band 26

Middle Channel / 3MHz / QPSK



Middle Channel / 3MHz / 16QAM



LTE Band 26

Middle Channel / 1.4MHz / QPSK



Middle Channel / 1.4MHz / 16QAM



Occupied Bandwidth

Mode	LTE Band 26 : 99%OBW(MHz)	
BW	15MHz	
Mod.	QPSK	16QAM
Mid CH	13.43	13.49
BW	10MHz	
Mod.	QPSK	16QAM
Mid CH	9.09	9.05
BW	5MHz	
Mod.	QPSK	16QAM
Mid CH	4.49	4.46
BW	3MHz	
Mod.	QPSK	16QAM
Mid CH	2.70	2.70
BW	1.4MHz	
Mod.	QPSK	16QAM
Mid CH	1.09	1.09

LTE Band 26

Middle Channel / 15MHz / QPSK



Middle Channel / 15MHz / 16QAM



Middle Channel / 10MHz / QPSK



Middle Channel / 10MHz / 16QAM



LTE Band 26

Middle Channel / 5MHz / QPSK



Middle Channel / 5MHz / 16QAM



LTE Band 26

Middle Channel / 3MHz / QPSK



Middle Channel / 3MHz / 16QAM



LTE Band 26

Middle Channel / 1.4MHz / QPSK



Middle Channel / 1.4MHz / 16QAM



Conducted Band Edge

LTE Band 26 / 1.4MHz / QPSK

Lowest Band Edge / 1RB



Spectrum Emission Mask Standard: None
Tx Power 22.19 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	813.95447 MHz	-19.23 dBm	-41.43 dB	-6.23 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	813.99732 MHz	-40.58 dBm	-62.77 dB	-20.58 dB
700.000 kHz	737.500 kHz	300.000 Hz	815.41339 MHz	-67.12 dBm	-89.31 dB	-47.12 dB
737.500 kHz	3.000 MHz	100.000 kHz	815.44232 MHz	-42.94 dBm	-65.13 dB	-29.94 dB

Date: 5.MAR.2025 03:51:19

Highest Band Edge / 1RB



Spectrum Emission Mask Standard: None
Tx Power 22.15 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	822.43234 MHz	-41.55 dBm	-63.70 dB	-28.55 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	822.58661 MHz	-66.60 dBm	-88.75 dB	-46.60 dB
700.000 kHz	737.500 kHz	300.000 Hz	824.00589 MHz	-41.31 dBm	-63.46 dB	-21.31 dB
737.500 kHz	3.000 MHz	100.000 kHz	824.05196 MHz	-19.78 dBm	-41.93 dB	-6.78 dB

Date: 5.MAR.2025 03:57:10

Lowest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 21.26 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	813.95018 MHz	-24.69 dBm	-45.95 dB	-11.69 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	813.99625 MHz	-48.33 dBm	-69.59 dB	-28.33 dB
700.000 kHz	737.500 kHz	300.000 Hz	815.40482 MHz	-47.44 dBm	-68.70 dB	-27.44 dB
737.500 kHz	3.000 MHz	100.000 kHz	815.44018 MHz	-22.84 dBm	-44.10 dB	-9.84 dB

Date: 5.MAR.2025 03:56:11

Highest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 21.29 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	822.56196 MHz	-23.72 dBm	-45.01 dB	-10.72 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	822.59625 MHz	-47.74 dBm	-69.03 dB	-27.74 dB
700.000 kHz	737.500 kHz	300.000 Hz	824.00482 MHz	-47.78 dBm	-69.07 dB	-27.78 dB
737.500 kHz	3.000 MHz	100.000 kHz	824.04339 MHz	-23.85 dBm	-45.14 dB	-10.85 dB

Date: 5.MAR.2025 04:02:03

LTE Band 26 / 1.4MHz / 16QAM

Lowest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 21.34 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	813.95875 MHz	-18.44 dBm	-39.78 dB	-5.44 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	813.99625 MHz	-41.02 dBm	-62.35 dB	-21.02 dB
700.000 kHz	737.500 kHz	300.000 Hz	815.43268 MHz	-66.92 dBm	-88.26 dB	-46.92 dB
737.500 kHz	3.000 MHz	100.000 kHz	815.43804 MHz	-43.07 dBm	-64.41 dB	-30.07 dB

Date: 5.MAR.2025 03:52:15

Highest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 21.37 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	822.55768 MHz	-42.89 dBm	-64.26 dB	-29.89 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	822.59518 MHz	-67.69 dBm	-89.06 dB	-47.69 dB
700.000 kHz	737.500 kHz	300.000 Hz	824.00161 MHz	-42.80 dBm	-64.17 dB	-22.80 dB
737.500 kHz	3.000 MHz	100.000 kHz	824.03804 MHz	-20.79 dBm	-42.16 dB	-7.79 dB

Date: 5.MAR.2025 03:58:06

Lowest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 20.30 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	813.96196 MHz	-25.59 dBm	-45.89 dB	-12.59 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	813.99518 MHz	-48.94 dBm	-69.24 dB	-28.94 dB
700.000 kHz	737.500 kHz	300.000 Hz	815.40589 MHz	-47.50 dBm	-67.80 dB	-27.50 dB
737.500 kHz	3.000 MHz	100.000 kHz	815.45839 MHz	-25.70 dBm	-46.00 dB	-12.70 dB

Date: 5.MAR.2025 03:55:12

Highest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 20.30 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	822.55875 MHz	-24.74 dBm	-45.03 dB	-11.74 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	822.59518 MHz	-47.93 dBm	-68.23 dB	-27.93 dB
700.000 kHz	737.500 kHz	300.000 Hz	824.00589 MHz	-47.11 dBm	-67.41 dB	-27.11 dB
737.500 kHz	3.000 MHz	100.000 kHz	824.03804 MHz	-24.39 dBm	-44.69 dB	-11.39 dB

Date: 5.MAR.2025 04:01:03

LTE Band 26 / 1.4MHz / 64QAM

Lowest Band Edge / 1 RB



Spectrum Emission Mask Standard: None

Tx Power 20.38 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	813.95447 MHz	-22.51 dBm	-42.89 dB	-9.51 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	813.99839 MHz	-43.91 dBm	-64.29 dB	-23.91 dB
700.000 kHz	737.500 kHz	300.000 Hz	815.40589 MHz	-68.22 dBm	-88.59 dB	-48.22 dB
737.500 kHz	3.000 MHz	100.000 kHz	815.45410 MHz	-43.36 dBm	-63.74 dB	-30.36 dB

Date: 5.MAR.2025 03:53:14

Highest Band Edge / 1 RB



Spectrum Emission Mask Standard: None

Tx Power 20.17 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	822.54804 MHz	-43.63 dBm	-63.81 dB	-30.63 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	822.56839 MHz	-68.32 dBm	-88.49 dB	-48.32 dB
700.000 kHz	737.500 kHz	300.000 Hz	824.00482 MHz	-42.34 dBm	-62.51 dB	-22.34 dB
737.500 kHz	3.000 MHz	100.000 kHz	824.05089 MHz	-23.31 dBm	-43.48 dB	-10.31 dB

Date: 5.MAR.2025 03:59:05

Lowest Band Edge / Full RB



Spectrum Emission Mask Standard: None

Tx Power 19.24 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	813.95447 MHz	-26.51 dBm	-45.75 dB	-13.51 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	813.99411 MHz	-49.94 dBm	-69.18 dB	-29.94 dB
700.000 kHz	737.500 kHz	300.000 Hz	815.41768 MHz	-49.74 dBm	-68.97 dB	-29.74 dB
737.500 kHz	3.000 MHz	100.000 kHz	815.44446 MHz	-26.82 dBm	-46.05 dB	-13.82 dB

Date: 5.MAR.2025 03:54:13

Highest Band Edge / Full RB



Spectrum Emission Mask Standard: None

Tx Power 19.27 dBm Tx Bandwidth 1.400 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-3.000 MHz	-737.500 kHz	100.000 kHz	822.56196 MHz	-25.89 dBm	-45.16 dB	-12.89 dB
-737.500 kHz	-700.000 kHz	300.000 Hz	822.59411 MHz	-49.41 dBm	-68.68 dB	-29.41 dB
700.000 kHz	737.500 kHz	300.000 Hz	824.01768 MHz	-49.21 dBm	-68.48 dB	-29.21 dB
737.500 kHz	3.000 MHz	100.000 kHz	824.04125 MHz	-26.22 dBm	-45.50 dB	-13.22 dB

Date: 5.MAR.2025 04:00:04

LTE Band 26 / 3MHz / QPSK

Lowest Band Edge / 1RB



Spectrum Emission Mask Standard: None
Tx Power 21.73 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	813.96161 MHz	-19.94 dBm	-41.67 dB	-6.94 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	813.99554 MHz	-43.86 dBm	-65.59 dB	-23.86 dB
1.500 MHz	1.538 MHz	300.000 Hz	817.00982 MHz	-70.72 dBm	-92.45 dB	-50.72 dB
1.538 MHz	5.000 MHz	100.000 kHz	818.03125 MHz	-46.37 dBm	-68.10 dB	-33.37 dB

Date: 5.MAR.2025 04:10:07

Highest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 21.78 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	820.92589 MHz	-46.57 dBm	-68.35 dB	-33.57 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	820.97946 MHz	-70.38 dBm	-92.16 dB	-50.38 dB
1.500 MHz	1.538 MHz	300.000 Hz	824.00089 MHz	-42.08 dBm	-63.86 dB	-22.08 dB
1.538 MHz	5.000 MHz	100.000 kHz	824.05982 MHz	-21.26 dBm	-43.04 dB	-8.26 dB

Date: 5.MAR.2025 04:15:59

Lowest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 21.05 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	813.96161 MHz	-30.72 dBm	-51.77 dB	-17.72 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	813.98482 MHz	-53.59 dBm	-74.64 dB	-33.59 dB
1.500 MHz	1.538 MHz	300.000 Hz	817.00089 MHz	-51.93 dBm	-72.98 dB	-31.93 dB
1.538 MHz	5.000 MHz	100.000 kHz	817.03839 MHz	-28.35 dBm	-49.40 dB	-15.35 dB

Date: 5.MAR.2025 04:15:00

Highest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 21.09 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	820.90804 MHz	-29.32 dBm	-50.41 dB	-16.32 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	820.98482 MHz	-52.42 dBm	-73.51 dB	-32.42 dB
1.500 MHz	1.538 MHz	300.000 Hz	824.00089 MHz	-51.44 dBm	-72.52 dB	-31.44 dB
1.538 MHz	5.000 MHz	100.000 kHz	824.03839 MHz	-27.04 dBm	-48.12 dB	-14.04 dB

Date: 5.MAR.2025 04:20:02

LTE Band 26 / 3MHz / 16QAM

Lowest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 20.85 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	813.96161 MHz	-20.68 dBm	-41.53 dB	-7.68 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	813.99911 MHz	-43.68 dBm	-64.53 dB	-23.68 dB
1.500 MHz	1.538 MHz	300.000 Hz	817.00446 MHz	-71.21 dBm	-92.06 dB	-51.21 dB
1.538 MHz	5.000 MHz	100.000 kHz	817.07232 MHz	-46.06 dBm	-66.91 dB	-33.06 dB

Date: 5.MAR.2025 04:11:03

Highest Band Edge /1 RB



Spectrum Emission Mask Standard: None
Tx Power 20.88 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	820.96161 MHz	-46.46 dBm	-67.34 dB	-33.46 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	820.98839 MHz	-70.47 dBm	-91.35 dB	-50.47 dB
1.500 MHz	1.538 MHz	300.000 Hz	824.00268 MHz	-42.36 dBm	-63.24 dB	-22.36 dB
1.538 MHz	5.000 MHz	100.000 kHz	824.03839 MHz	-16.65 dBm	-37.53 dB	-3.65 dB

Date: 5.MAR.2025 04:16:45

Lowest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 20.10 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	813.96161 MHz	-30.61 dBm	-50.71 dB	-17.61 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	813.99375 MHz	-54.02 dBm	-74.13 dB	-34.02 dB
1.500 MHz	1.538 MHz	300.000 Hz	817.00089 MHz	-53.54 dBm	-73.64 dB	-33.54 dB
1.538 MHz	5.000 MHz	100.000 kHz	817.03839 MHz	-29.38 dBm	-49.48 dB	-16.38 dB

Date: 5.MAR.2025 04:14:01

Highest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 20.15 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	820.95268 MHz	-28.93 dBm	-49.08 dB	-15.93 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	820.99375 MHz	-52.64 dBm	-72.79 dB	-32.64 dB
1.500 MHz	1.538 MHz	300.000 Hz	824.00089 MHz	-53.21 dBm	-73.37 dB	-33.21 dB
1.538 MHz	5.000 MHz	100.000 kHz	824.03839 MHz	-29.27 dBm	-49.42 dB	-16.27 dB

Date: 5.MAR.2025 04:19:13

LTE Band 26 / 3MHz / 64QAM

Lowest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 20.00 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	813.96161 MHz	-22.04 dBm	-42.04 dB	-9.04 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	813.99911 MHz	-45.82 dBm	-65.82 dB	-25.82 dB
1.500 MHz	1.538 MHz	300.000 Hz	817.00268 MHz	-71.60 dBm	-91.60 dB	-51.60 dB
1.538 MHz	5.000 MHz	100.000 kHz	818.05089 MHz	-47.08 dBm	-67.08 dB	-34.08 dB

Date: 5.MAR.2025 04:12:03

Highest Band Edge /1 RB



Spectrum Emission Mask Standard: None
Tx Power 19.94 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	820.91875 MHz	-47.55 dBm	-67.49 dB	-34.55 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	820.99018 MHz	-71.53 dBm	-91.47 dB	-51.53 dB
1.500 MHz	1.538 MHz	300.000 Hz	824.00446 MHz	-45.09 dBm	-65.04 dB	-25.09 dB
1.538 MHz	5.000 MHz	100.000 kHz	824.04911 MHz	-20.69 dBm	-40.63 dB	-7.69 dB

Date: 5.MAR.2025 04:17:35

Lowest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 19.05 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	813.93661 MHz	-31.36 dBm	-50.41 dB	-18.36 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	813.99554 MHz	-54.57 dBm	-73.62 dB	-34.57 dB
1.500 MHz	1.538 MHz	300.000 Hz	817.01696 MHz	-53.55 dBm	-72.60 dB	-33.55 dB
1.538 MHz	5.000 MHz	100.000 kHz	817.04732 MHz	-29.96 dBm	-49.01 dB	-16.96 dB

Date: 5.MAR.2025 04:13:02

Highest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 19.13 dBm Tx Bandwidth 3.000 MHz RBW 30.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-5.000 MHz	-1.538 MHz	100.000 kHz	820.92946 MHz	-30.27 dBm	-49.39 dB	-17.27 dB
-1.538 MHz	-1.500 MHz	300.000 Hz	820.99554 MHz	-53.21 dBm	-72.34 dB	-33.21 dB
1.500 MHz	1.538 MHz	300.000 Hz	824.01696 MHz	-53.21 dBm	-72.34 dB	-33.21 dB
1.538 MHz	5.000 MHz	100.000 kHz	824.04375 MHz	-30.10 dBm	-49.23 dB	-17.10 dB

Date: 5.MAR.2025 04:18:24

LTE Band 26 / 5MHz / QPSK

Lowest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 21.41 dBm Tx Bandwidth 5.000 MHz RBW 50.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	813.94776 MHz	-21.93 dBm	-43.33 dB	-8.93 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	813.99866 MHz	-42.66 dBm	-64.06 dB	-22.66 dB
2.500 MHz	2.538 MHz	300.000 Hz	819.02813 MHz	-71.24 dBm	-92.65 dB	-51.24 dB
2.538 MHz	7.500 MHz	100.000 kHz	819.05224 MHz	-46.53 dBm	-67.94 dB	-33.53 dB

Date: 5.MAR.2025 04:21:31

Highest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 21.81 dBm Tx Bandwidth 5.000 MHz RBW 50.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	816.03243 MHz	-46.51 dBm	-68.32 dB	-33.51 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	818.96384 MHz	-71.71 dBm	-93.51 dB	-51.71 dB
2.500 MHz	2.538 MHz	300.000 Hz	824.00134 MHz	-44.14 dBm	-65.94 dB	-24.14 dB
2.538 MHz	7.500 MHz	100.000 kHz	824.03884 MHz	-20.24 dBm	-42.05 dB	-7.24 dB

Date: 5.MAR.2025 04:26:23

Lowest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 21.06 dBm Tx Bandwidth 5.000 MHz RBW 50.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	813.96116 MHz	-31.47 dBm	-52.53 dB	-18.47 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	813.98795 MHz	-54.88 dBm	-75.93 dB	-34.88 dB
2.500 MHz	2.538 MHz	300.000 Hz	819.02545 MHz	-54.47 dBm	-75.53 dB	-34.47 dB
2.538 MHz	7.500 MHz	100.000 kHz	819.08171 MHz	-30.34 dBm	-51.40 dB	-17.34 dB

Date: 5.MAR.2025 04:25:34

Highest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 21.12 dBm Tx Bandwidth 5.000 MHz RBW 50.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	818.95312 MHz	-30.50 dBm	-51.61 dB	-17.50 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	818.98795 MHz	-53.97 dBm	-75.08 dB	-33.97 dB
2.500 MHz	2.538 MHz	300.000 Hz	824.03080 MHz	-54.23 dBm	-75.35 dB	-34.23 dB
2.538 MHz	7.500 MHz	100.000 kHz	824.05224 MHz	-30.22 dBm	-51.33 dB	-17.22 dB

Date: 5.MAR.2025 04:30:25

LTE Band 26 / 5MHz / 16QAM

Lowest Band Edge / 1RB



Spectrum Emission Mask Standard: None
Tx Power 20.78 dBm Tx Bandwidth 5.000 MHz RBW 50.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	813.96116 MHz	-22.03 dBm	-42.81 dB	-9.03 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	813.98795 MHz	-42.63 dBm	-63.41 dB	-22.63 dB
2.500 MHz	2.538 MHz	300.000 Hz	819.00937 MHz	-71.87 dBm	-92.66 dB	-51.87 dB
2.538 MHz	7.500 MHz	100.000 kHz	819.08171 MHz	-46.97 dBm	-67.75 dB	-33.97 dB

Date: 5.MAR.2025 04:22:17

Highest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 20.67 dBm Tx Bandwidth 5.000 MHz RBW 50.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	818.90221 MHz	-47.02 dBm	-67.69 dB	-34.02 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	818.97723 MHz	-71.87 dBm	-92.54 dB	-51.87 dB
2.500 MHz	2.538 MHz	300.000 Hz	824.01205 MHz	-44.05 dBm	-64.72 dB	-24.05 dB
2.538 MHz	7.500 MHz	100.000 kHz	824.03884 MHz	-22.87 dBm	-43.54 dB	-9.87 dB

Date: 5.MAR.2025 04:27:09

Lowest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 20.16 dBm Tx Bandwidth 5.000 MHz RBW 50.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	813.96116 MHz	-32.08 dBm	-52.24 dB	-19.08 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	813.99063 MHz	-55.38 dBm	-75.53 dB	-35.38 dB
2.500 MHz	2.538 MHz	300.000 Hz	819.02277 MHz	-55.48 dBm	-75.63 dB	-35.48 dB
2.538 MHz	7.500 MHz	100.000 kHz	819.04956 MHz	-31.47 dBm	-51.62 dB	-18.47 dB

Date: 5.MAR.2025 04:24:45

Highest Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 20.15 dBm Tx Bandwidth 5.000 MHz RBW 50.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	818.92365 MHz	-31.21 dBm	-51.36 dB	-18.21 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	818.99063 MHz	-54.21 dBm	-74.36 dB	-34.21 dB
2.500 MHz	2.538 MHz	300.000 Hz	824.02277 MHz	-55.38 dBm	-75.53 dB	-35.38 dB
2.538 MHz	7.500 MHz	100.000 kHz	824.41933 MHz	-30.94 dBm	-51.09 dB	-17.94 dB

Date: 5.MAR.2025 04:29:36

LTE Band 26 / 5MHz / 64QAM

Lowest Band Edge / 1RB



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	813.95848 MHz	-22.92 dBm	-42.83 dB	-9.92 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	813.99866 MHz	-45.86 dBm	-65.77 dB	-25.86 dB
2.500 MHz	2.538 MHz	300.000 Hz	819.00402 MHz	-72.00 dBm	-91.91 dB	-52.00 dB
2.538 MHz	7.500 MHz	100.000 kHz	819.16210 MHz	-47.21 dBm	-67.13 dB	-34.21 dB

Date: 5.MAR.2025 04:23:06

Highest Band Edge / 1 RB



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	818.89685 MHz	-47.80 dBm	-67.27 dB	-34.80 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	818.97188 MHz	-72.80 dBm	-92.28 dB	-52.80 dB
2.500 MHz	2.538 MHz	300.000 Hz	824.01205 MHz	-44.92 dBm	-64.40 dB	-24.92 dB
2.538 MHz	7.500 MHz	100.000 kHz	824.05760 MHz	-23.42 dBm	-42.90 dB	-10.42 dB

Date: 5.MAR.2025 04:27:58

Lowest Band Edge / Full RB



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	813.94508 MHz	-32.33 dBm	-51.45 dB	-19.33 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	813.96920 MHz	-57.10 dBm	-76.22 dB	-37.10 dB
2.500 MHz	2.538 MHz	300.000 Hz	819.01741 MHz	-55.80 dBm	-74.92 dB	-35.80 dB
2.538 MHz	7.500 MHz	100.000 kHz	819.03884 MHz	-31.03 dBm	-50.15 dB	-18.03 dB

Date: 5.MAR.2025 04:23:56

Highest Band Edge / Full RB



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-7.500 MHz	-2.538 MHz	100.000 kHz	818.93972 MHz	-32.44 dBm	-51.57 dB	-19.44 dB
-2.538 MHz	-2.500 MHz	300.000 Hz	818.96920 MHz	-56.24 dBm	-75.37 dB	-36.24 dB
2.500 MHz	2.538 MHz	300.000 Hz	824.01741 MHz	-55.69 dBm	-74.82 dB	-35.69 dB
2.538 MHz	7.500 MHz	100.000 kHz	824.06296 MHz	-32.00 dBm	-51.13 dB	-19.00 dB

Date: 5.MAR.2025 04:28:47

LTE Band 26 / 10MHz / QPSK

Middle Band Edge / 1 RB



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	813.96071 MHz	-26.95 dBm	-48.53 dB	-13.95 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.99813 MHz	-48.52 dBm	-70.11 dB	-28.52 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.03188 MHz	-73.58 dBm	-95.17 dB	-53.58 dB
5.038 MHz	10.000 MHz	100.000 kHz	827.77992 MHz	-47.95 dBm	-69.54 dB	-34.95 dB

Date: 5.MAR.2025 04:31:54

Middle Band Edge / 1 RB max



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	813.57486 MHz	-44.24 dBm	-65.92 dB	-31.24 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.99063 MHz	-73.90 dBm	-95.57 dB	-53.90 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.00188 MHz	-48.90 dBm	-70.58 dB	-28.90 dB
5.038 MHz	10.000 MHz	100.000 kHz	824.06072 MHz	-26.07 dBm	-47.74 dB	-13.07 dB

Date: 5.MAR.2025 04:36:04

Band Edge / Full RB



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	813.92499 MHz	-35.77 dBm	-56.94 dB	-22.77 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.99813 MHz	-60.40 dBm	-81.57 dB	-40.40 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.01688 MHz	-58.85 dBm	-80.02 dB	-38.85 dB
5.038 MHz	10.000 MHz	100.000 kHz	824.25722 MHz	-34.37 dBm	-55.54 dB	-21.37 dB

Date: 5.MAR.2025 04:36:50

LTE Band 26 / 10MHz / 16QAM

Middle Band Edge / 1 RB



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	813.96071 MHz	-25.06 dBm	-45.50 dB	-12.06 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.99813 MHz	-49.21 dBm	-69.66 dB	-29.21 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.00563 MHz	-73.93 dBm	-94.37 dB	-53.93 dB
5.038 MHz	10.000 MHz	100.000 kHz	824.11789 MHz	-48.20 dBm	-68.64 dB	-35.20 dB

Date: 5.MAR.2025 04:32:43

Middle Band Edge / 1 RB max



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	810.23080 MHz	-46.59 dBm	-67.36 dB	-33.59 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.97563 MHz	-73.98 dBm	-94.75 dB	-53.98 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.00188 MHz	-48.49 dBm	-69.26 dB	-28.49 dB
5.038 MHz	10.000 MHz	100.000 kHz	824.08930 MHz	-26.50 dBm	-47.27 dB	-13.50 dB

Date: 5.MAR.2025 04:35:15

Band Edge / Full RB



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	813.91070 MHz	-36.67 dBm	-56.91 dB	-23.67 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.98312 MHz	-60.75 dBm	-80.99 dB	-40.75 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.01313 MHz	-59.51 dBm	-79.75 dB	-39.51 dB
5.038 MHz	10.000 MHz	100.000 kHz	824.08930 MHz	-34.17 dBm	-54.41 dB	-21.17 dB

Date: 5.MAR.2025 04:37:39

LTE Band 26 / 10MHz / 64QAM

Middle Band Edge / 1 RB



Spectrum Emission Mask — Standard: None
Tx Power 19.50 dBm — Tx Bandwidth 10.000 MHz — RBW 100.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	813.95714 MHz	-25.88 dBm	-45.39 dB	-12.88 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.99813 MHz	-50.13 dBm	-69.64 dB	-30.13 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.02062 MHz	-74.48 dBm	-93.98 dB	-54.48 dB
5.038 MHz	10.000 MHz	100.000 kHz	824.04286 MHz	-48.62 dBm	-68.12 dB	-35.62 dB

Date: 5.MAR.2025 04:33:37

Middle Band Edge / 1 RB max



Spectrum Emission Mask — Standard: None
Tx Power 19.72 dBm — Tx Bandwidth 10.000 MHz — RBW 100.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	813.94285 MHz	-50.19 dBm	-69.91 dB	-37.19 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.96438 MHz	-74.74 dBm	-94.46 dB	-54.74 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.00188 MHz	-50.63 dBm	-70.35 dB	-30.63 dB
5.038 MHz	10.000 MHz	100.000 kHz	824.04286 MHz	-25.99 dBm	-45.70 dB	-12.99 dB

Date: 5.MAR.2025 04:34:26

Band Edge / Full RB



Spectrum Emission Mask — Standard: None
Tx Power 19.23 dBm — Tx Bandwidth 10.000 MHz — RBW 100.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-10.000 MHz	-5.038 MHz	100.000 kHz	813.96071 MHz	-36.31 dBm	-55.54 dB	-23.31 dB
-5.038 MHz	-5.000 MHz	300.000 Hz	813.97188 MHz	-60.76 dBm	-79.98 dB	-40.76 dB
5.000 MHz	5.038 MHz	300.000 Hz	824.00188 MHz	-59.89 dBm	-79.11 dB	-39.89 dB
5.038 MHz	10.000 MHz	100.000 kHz	824.04643 MHz	-34.32 dBm	-53.55 dB	-21.32 dB

Date: 5.MAR.2025 04:38:28

LTE Band 26 / 15MHz / QPSK

Highest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 21.77 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	816.44068 MHz	-28.61 dBm	-50.39 dB	-15.61 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-52.36 dBm	-74.13 dB	-32.36 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-76.96 dBm	-98.73 dB	-56.96 dB
7.538 MHz	15.000 MHz	100.000 kHz	837.31985 MHz	-37.88 dBm	-59.66 dB	-24.88 dB

Date: 21.MAR.2025 11:02:04

Highest Band Edge / 1 RB max



Spectrum Emission Mask Standard: None
Tx Power 21.63 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	810.68015 MHz	-39.05 dBm	-60.68 dB	-26.05 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-77.03 dBm	-98.66 dB	-57.03 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-52.75 dBm	-74.38 dB	-32.75 dB
7.538 MHz	15.000 MHz	100.000 kHz	831.64660 MHz	-29.65 dBm	-51.28 dB	-16.65 dB

Date: 21.MAR.2025 11:10:15

Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 21.54 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	816.30976 MHz	-35.55 dBm	-57.09 dB	-22.55 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-60.86 dBm	-82.40 dB	-40.86 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-61.23 dBm	-82.77 dB	-41.23 dB
7.538 MHz	15.000 MHz	100.000 kHz	831.55932 MHz	-36.07 dBm	-57.61 dB	-23.07 dB

Date: 21.MAR.2025 11:08:53

LTE Band 26 / 15MHz / 16QAM

Highest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 21.00 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	816.44068 MHz	-28.20 dBm	-49.20 dB	-15.20 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-52.42 dBm	-73.43 dB	-32.42 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-77.13 dBm	-98.13 dB	-57.13 dB
7.538 MHz	15.000 MHz	100.000 kHz	837.36349 MHz	-38.88 dBm	-59.88 dB	-25.88 dB

Date: 21.MAR.2025 11:03:26

Highest Band Edge / 1 RB max



Spectrum Emission Mask Standard: None
Tx Power 20.95 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	810.68015 MHz	-40.62 dBm	-61.57 dB	-27.62 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-77.03 dBm	-97.99 dB	-57.03 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-53.07 dBm	-74.02 dB	-33.07 dB
7.538 MHz	15.000 MHz	100.000 kHz	831.55932 MHz	-28.55 dBm	-49.50 dB	-15.55 dB

Date: 21.MAR.2025 11:11:37

Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 20.57 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	816.44068 MHz	-36.92 dBm	-57.50 dB	-23.92 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-62.03 dBm	-82.60 dB	-42.03 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-61.58 dBm	-82.15 dB	-41.58 dB
7.538 MHz	15.000 MHz	100.000 kHz	831.69024 MHz	-36.71 dBm	-57.28 dB	-23.71 dB

Date: 21.MAR.2025 11:07:32

LTE Band 26 / 15MHz / 64QAM

Highest Band Edge / 1 RB



Spectrum Emission Mask Standard: None
Tx Power 19.94 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	816.44068 MHz	-30.77 dBm	-50.71 dB	-17.77 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-54.04 dBm	-73.98 dB	-34.04 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-77.09 dBm	-97.03 dB	-57.09 dB
7.538 MHz	15.000 MHz	100.000 kHz	837.31985 MHz	-39.47 dBm	-59.41 dB	-26.47 dB

Date: 21.MAR.2025 11:04:48

Highest Band Edge / 1 RB max



Spectrum Emission Mask Standard: None
Tx Power 19.82 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	810.68015 MHz	-40.95 dBm	-60.77 dB	-27.95 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-78.20 dBm	-98.03 dB	-58.20 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-53.30 dBm	-73.13 dB	-33.30 dB
7.538 MHz	15.000 MHz	100.000 kHz	831.55932 MHz	-28.59 dBm	-48.41 dB	-15.59 dB

Date: 21.MAR.2025 11:12:59

Band Edge / Full RB



Spectrum Emission Mask Standard: None
Tx Power 19.61 dBm Tx Bandwidth 15.000 MHz RBW 150.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-15.000 MHz	-7.538 MHz	100.000 kHz	816.35340 MHz	-37.60 dBm	-57.21 dB	-24.60 dB
-7.538 MHz	-7.500 MHz	300.000 Hz	816.48125 MHz	-62.85 dBm	-82.47 dB	-42.85 dB
7.500 MHz	7.538 MHz	300.000 Hz	831.51875 MHz	-62.32 dBm	-81.93 dB	-42.32 dB
7.538 MHz	15.000 MHz	100.000 kHz	831.64660 MHz	-37.08 dBm	-56.70 dB	-24.08 dB

Date: 21.MAR.2025 11:06:09

Conducted Spurious Emission

LTE Band 26 / 1.4MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	623.28172 MHz	-63.09 dBm	-50.09 dB
836.500 MHz	1.000 GHz	100.000 kHz	958.77774 MHz	-62.75 dBm	-49.75 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.62859 GHz	-44.65 dBm	-31.65 dB
3.000 GHz	7.000 GHz	1.000 MHz	5.87789 GHz	-47.76 dBm	-34.76 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.72107 GHz	-49.20 dBm	-36.20 dB

Date: 5.MAR.2025 04:40:04

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	773.18538 MHz	-63.32 dBm	-50.32 dB
836.500 MHz	1.000 GHz	100.000 kHz	950.60682 MHz	-62.83 dBm	-49.83 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.63759 GHz	-43.99 dBm	-30.99 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.94076 GHz	-47.96 dBm	-34.96 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.05174 GHz	-49.34 dBm	-36.34 dB

Date: 5.MAR.2025 04:40:56

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	805.79634 MHz	-63.26 dBm	-50.26 dB
836.500 MHz	1.000 GHz	100.000 kHz	980.34895 MHz	-62.56 dBm	-49.56 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.64609 GHz	-45.33 dBm	-32.33 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.93826 GHz	-47.84 dBm	-34.84 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.04824 GHz	-49.26 dBm	-36.26 dB

Date: 5.MAR.2025 04:41:47

LTE Band 26 / 3MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	803.12729 MHz	-62.96 dBm	-49.96 dB
836.500 MHz	1.000 GHz	100.000 kHz	996.77249 MHz	-62.64 dBm	-49.64 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.62859 GHz	-44.09 dBm	-31.09 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.92476 GHz	-47.91 dBm	-34.91 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.04874 GHz	-49.05 dBm	-36.05 dB

Date: 5.MAR.2025 04:43:22

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	781.09548 MHz	-63.39 dBm	-50.39 dB
836.500 MHz	1.000 GHz	100.000 kHz	977.32571 MHz	-62.90 dBm	-49.90 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.63559 GHz	-44.52 dBm	-31.52 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.95276 GHz	-47.85 dBm	-34.85 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.05174 GHz	-49.17 dBm	-36.17 dB

Date: 5.MAR.2025 04:44:14

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	795.70247 MHz	-63.12 dBm	-50.12 dB
836.500 MHz	1.000 GHz	100.000 kHz	840.38118 MHz	-62.47 dBm	-49.47 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.64259 GHz	-44.96 dBm	-31.96 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.93726 GHz	-47.84 dBm	-34.84 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.02974 GHz	-48.95 dBm	-35.95 dB

Date: 5.MAR.2025 04:45:06

LTE Band 26 / 5MHz

Lowest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	800.84646 MHz	-62.99 dBm	-49.99 dB
836.500 MHz	1.000 GHz	100.000 kHz	991.46139 MHz	-62.62 dBm	-49.62 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.62909 GHz	-43.41 dBm	-30.41 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.76078 GHz	-47.69 dBm	-34.69 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.04874 GHz	-49.23 dBm	-36.23 dB

Date: 5.MAR.2025 04:46:41

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	799.97295 MHz	-63.01 dBm	-50.01 dB
836.500 MHz	1.000 GHz	100.000 kHz	998.32496 MHz	-62.76 dBm	-49.76 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.63409 GHz	-43.92 dBm	-30.92 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.93076 GHz	-47.59 dBm	-34.59 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.05774 GHz	-49.14 dBm	-36.14 dB

Date: 5.MAR.2025 04:47:33

Highest Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	806.33015 MHz	-63.32 dBm	-50.32 dB
836.500 MHz	1.000 GHz	100.000 kHz	836.62256 MHz	-61.76 dBm	-48.76 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.63909 GHz	-45.04 dBm	-32.04 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.04787 GHz	-47.88 dBm	-34.88 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.04774 GHz	-49.00 dBm	-36.00 dB

Date: 5.MAR.2025 04:48:24

LTE Band 26 / 10MHz

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	806.500 MHz	100.000 kHz	805.89340 MHz	-62.30 dBm	-49.30 dB
836.500 MHz	1.000 GHz	100.000 kHz	960.82046 MHz	-62.90 dBm	-49.90 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.62959 GHz	-43.16 dBm	-30.16 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.77878 GHz	-47.80 dBm	-34.80 dB
7.000 GHz	9.000 GHz	1.000 MHz	7.05274 GHz	-49.10 dBm	-36.10 dB

Date: 5.MAR.2025 04:49:59

LTE Band 26 / 15MHz

Middle Channel / QPSK



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
30.000 MHz	814.000 MHz	100.000 kHz	810.66967 MHz	-41.98 dBm	-28.98 dB
829.000 MHz	1.000 GHz	100.000 kHz	830.62288 MHz	-22.36 dBm	-9.36 dB
1.000 GHz	3.000 GHz	1.000 MHz	1.63509 GHz	-41.76 dBm	-28.76 dB
3.000 GHz	7.000 GHz	1.000 MHz	6.99525 GHz	-52.49 dBm	-39.49 dB
7.000 GHz	9.000 GHz	1.000 MHz	8.94976 GHz	-58.24 dBm	-45.24 dB

Date: 21.MAR.2025 11:00:43

Frequency Stability

Test Conditions		LTE Band 26 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0031	PASS
40	Normal Voltage	0.0045	
30	Normal Voltage	0.0028	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0005	
0	Normal Voltage	0.0017	
-10	Normal Voltage	0.0016	
-20	Normal Voltage	0.0026	
-30	Normal Voltage	0.0022	
20	Maximum Voltage	0.0006	
20	Normal Voltage	0.0009	
20	Battery End Point	0.0014	

Note:

1. Normal Voltage =7.2 V. ; Battery End Point (BEP) =6.8 V. ; Maximum Voltage =8.26 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.

Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Jake	**Temperature :**	22~25℃
		Relative Humidity :	51~54%

LTE Band 26 / 10MHz / QPSK								
Channel	**Frequency (MHz)**	**ERP (dBm)**	**Limit (dBm)**	**Over Limit (dB)**	**S.G. Power (dBm)**	**TX Cable loss (dB)**	**TX Antenna Gain (dBi)**	**Polarization (H/V)**
Middle	1632	-56.61	-13	-43.61	-63.58	1.58	10.70	H
	2440	-44.41	-13	-31.41	-52.66	2.102	12.50	H
	3256	-59.70	-13	-46.70	-68.59	2.856	13.90	H
	1632	-55.31	-13	-42.31	-62.28	1.58	10.70	V
	2440	-35.45	-13	-22.45	-43.70	2.10	12.50	V
	3256	-59.02	-13	-46.02	-67.91	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.