









Mode	27																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.97</td><td>58.45</td><td>74.00</td><td>-15.55</td><td>41.97</td><td>34.21</td><td>12.48</td><td>30.21</td><td>0.00</td><td>138</td><td>183</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.97	58.45	74.00	-15.55	41.97	34.21	12.48	30.21	0.00	138	183	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>95.68</td><td>-----</td><td>-----</td><td>78.64</td><td>34.40</td><td>12.78</td><td>30.14</td><td>0.00</td><td>138</td><td>183</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	95.68	-----	-----	78.64	34.40	12.78	30.14	0.00	138	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5122.97	58.45	74.00	-15.55	41.97	34.21	12.48	30.21	0.00	138	183	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	95.68	-----	-----	78.64	34.40	12.78	30.14	0.00	138	183	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.57</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>30.74</td><td>34.28</td><td>12.46</td><td>30.22</td><td>0.00</td><td>138</td><td>183</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.57	47.26	54.00	-6.74	30.74	34.28	12.46	30.22	0.00	138	183	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>86.61</td><td>-----</td><td>-----</td><td>69.57</td><td>34.40</td><td>12.78</td><td>30.14</td><td>0.00</td><td>138</td><td>183</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	86.61	-----	-----	69.57	34.40	12.78	30.14	0.00	138	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5104.57	47.26	54.00	-6.74	30.74	34.28	12.46	30.22	0.00	138	183	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	86.61	-----	-----	69.57	34.40	12.78	30.14	0.00	138	183	AVERAGE																																																																																																			







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5385.45</td><td>57.66</td><td>74.00</td><td>-16.34</td><td>40.22</td><td>34.54</td><td>13.00</td><td>30.10</td><td>0.00</td><td>138</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.45	57.66	74.00	-16.34	40.22	34.54	13.00	30.10	0.00	138	183	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5385.45	57.66	74.00	-16.34	40.22	34.54	13.00	30.10	0.00	138	183	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5359.21</td><td>47.81</td><td>54.00</td><td>-6.19</td><td>30.54</td><td>34.44</td><td>12.94</td><td>30.11</td><td>0.00</td><td>138</td><td>183</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.21	47.81	54.00	-6.19	30.54	34.44	12.94	30.11	0.00	138	183	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5359.21	47.81	54.00	-6.19	30.54	34.44	12.94	30.11	0.00	138	183	AVERAGE																																												




Mode	27											
	Harmonic											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz											
ANT	1											
Pol.	Horizontal						Vertical					
Peak Avg												







Mode	28																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.01</td><td>58.93</td><td>74.00</td><td>-15.07</td><td>41.34</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>102</td><td>247</td><td>PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>40.15</td><td>34.56</td><td>13.07</td><td>30.06</td><td>0.00</td><td>102</td><td>247</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.01	58.93	74.00	-15.07	41.34	34.60	13.06	30.07	0.00	102	247	PEAK	2	5467.53	57.72	68.20	-10.48	40.15	34.56	13.07	30.06	0.00	102	247	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.91</td><td>-----</td><td>-----</td><td>77.35</td><td>34.50</td><td>13.10</td><td>30.04</td><td>0.00</td><td>102</td><td>247</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.91	-----	-----	77.35	34.50	13.10	30.04	0.00	102	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5452.01	58.93	74.00	-15.07	41.34	34.60	13.06	30.07	0.00	102	247	PEAK																																																																																																																
2	5467.53	57.72	68.20	-10.48	40.15	34.56	13.07	30.06	0.00	102	247	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	94.91	-----	-----	77.35	34.50	13.10	30.04	0.00	102	247	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.54</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>31.24</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>102</td><td>247</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.54	48.82	54.00	-5.18	31.24	34.58	13.07	30.07	0.00	102	247	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>86.29</td><td>-----</td><td>-----</td><td>68.73</td><td>34.50</td><td>13.10</td><td>30.04</td><td>0.00</td><td>102</td><td>247</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	86.29	-----	-----	68.73	34.50	13.10	30.04	0.00	102	247	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.54	48.82	54.00	-5.18	31.24	34.58	13.07	30.07	0.00	102	247	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	86.29	-----	-----	68.73	34.50	13.10	30.04	0.00	102	247	AVERAGE																																																																																																																



Mode	28																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5747.76</td><td>58.18</td><td>68.20</td><td>-10.02</td><td>39.61</td><td>34.70</td><td>14.05</td><td>30.18</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5747.76	58.18	68.20	-10.02	39.61	34.70	14.05	30.18	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5747.76	58.18	68.20	-10.02	39.61	34.70	14.05	30.18																														




Mode	28																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	57.96	74.00	-16.04	40.38	34.58	13.07	30.07	0.00	147	180	PEAK	2	5463.16	57.86	68.20	-10.34	40.29	34.57	13.07	30.07	0.00	147	180	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>96.13</td><td>-----</td><td>-----</td><td>78.57</td><td>34.50</td><td>13.10</td><td>30.04</td><td>0.00</td><td>147</td><td>180</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.13	-----	-----	78.57	34.50	13.10	30.04	0.00	147	180
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.21	57.96	74.00	-16.04	40.38	34.58	13.07	30.07	0.00	147	180	PEAK																																																																																									
2	5463.16	57.86	68.20	-10.34	40.29	34.57	13.07	30.07	0.00	147	180	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	96.13	-----	-----	78.57	34.50	13.10	30.04	0.00	147	180	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.25	49.01	54.00	-4.99	31.42	34.60	13.06	30.07	0.00	147	180	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>87.67</td><td>-----</td><td>-----</td><td>70.11</td><td>34.50</td><td>13.10</td><td>30.04</td><td>0.00</td><td>147</td><td>180</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.67	-----	-----	70.11	34.50	13.10	30.04	0.00	147	180	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5450.25	49.01	54.00	-4.99	31.42	34.60	13.06	30.07	0.00	147	180	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	87.67	-----	-----	70.11	34.50	13.10	30.04	0.00	147	180	AVERAGE																																																																																									






Mode	28	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz	
ANT	1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) </	






		28																																																																																									
Mode		Harmonic																																																																																									
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																									
ANT		1																																																																																									
Pol.		Horizontal						Vertical																																																																																			
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7373.32</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>66.16</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>2</td><td>7373.32</td><td>48.98</td><td>54.00</td><td>-5.02</td><td>64.03</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>100</td><td>24</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>54.35</td><td>37.86</td><td>18.20</td><td>64.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7373.32	51.11	74.00	-22.89	66.16	35.75	14.56	65.36	0.00	100	24	PEAK	2	7373.32	48.98	54.00	-5.02	64.03	35.75	14.56	65.36	0.00	100	24	AVERAGE	3	11060.00	45.78	74.00	-28.22	54.35	37.86	18.20	64.63	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	7373.32	51.11	74.00	-22.89	66.16	35.75	14.56	65.36	0.00	100	24	PEAK																																																																															
2	7373.32	48.98	54.00	-5.02	64.03	35.75	14.56	65.36	0.00	100	24	AVERAGE																																																																															
3	11060.00	45.78	74.00	-28.22	54.35	37.86	18.20	64.63	0.00	--	--	PEAK																																																																															
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7373.32</td><td>50.76</td><td>74.00</td><td>-23.24</td><td>65.81</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>164</td><td>19</td><td>PEAK</td></tr><tr><td>2</td><td>7373.32</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>63.87</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>164</td><td>19</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>54.53</td><td>37.86</td><td>18.20</td><td>64.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7373.32	50.76	74.00	-23.24	65.81	35.75	14.56	65.36	0.00	164	19	PEAK	2	7373.32	48.82	54.00	-5.18	63.87	35.75	14.56	65.36	0.00	164	19	AVERAGE	3	11060.00	45.96	74.00	-28.04	54.53	37.86	18.20	64.63	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	7373.32	50.76	74.00	-23.24	65.81	35.75	14.56	65.36	0.00	164	19	PEAK																																																																															
2	7373.32	48.82	54.00	-5.18	63.87	35.75	14.56	65.36	0.00	164	19	AVERAGE																																																																															
3	11060.00	45.96	74.00	-28.04	54.53	37.86	18.20	64.63	0.00	--	--	PEAK																																																																															







Mode	29																																																																																																																																											
	Band Edge																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.00</td><td>57.48</td><td>68.20</td><td>-10.72</td><td>39.53</td><td>34.57</td><td>13.37</td><td>29.99</td><td>0.00</td><td>144</td><td>257</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.20</td><td>68.00</td><td>-13.60</td><td>37.15</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>144</td><td>257</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>56.85</td><td>105.52</td><td>-48.67</td><td>38.59</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>144</td><td>257</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.01</td><td>110.90</td><td>-54.89</td><td>37.62</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>144</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.00	57.48	68.20	-10.72	39.53	34.57	13.37	29.99	0.00	144	257	PEAK	2	5650.00	55.20	68.00	-13.60	37.15	34.60	13.46	30.01	0.00	144	257	PEAK	3	5700.00	56.85	105.52	-48.67	38.59	34.60	13.76	30.10	0.00	144	257	PEAK	4	5720.00	56.01	110.90	-54.89	37.62	34.64	13.88	30.13	0.00	144	257	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.60</td><td>-----</td><td>-----</td><td>88.05</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>144</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.60	-----	-----	88.05	34.69	14.04	30.18	0.00	144	257	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5636.00	57.48	68.20	-10.72	39.53	34.57	13.37	29.99	0.00	144	257	PEAK																																																																																																																																
2	5650.00	55.20	68.00	-13.60	37.15	34.60	13.46	30.01	0.00	144	257	PEAK																																																																																																																																
3	5700.00	56.85	105.52	-48.67	38.59	34.60	13.76	30.10	0.00	144	257	PEAK																																																																																																																																
4	5720.00	56.01	110.90	-54.89	37.62	34.64	13.88	30.13	0.00	144	257	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.60	-----	-----	88.05	34.69	14.04	30.18	0.00	144	257	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.22</td><td>-----</td><td>-----</td><td>79.67</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>144</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.22	-----	-----	79.67	34.69	14.04	30.18	0.00	144	257	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.22	-----	-----	79.67	34.69	14.04	30.18	0.00	144	257	AVERAGE																																																																																																																																





Mode	29																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.40</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>38.95</td><td>34.57</td><td>13.37</td><td>29.99</td><td>0.00</td><td>117</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.84</td><td>68.50</td><td>-13.66</td><td>36.79</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>117</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>56.41</td><td>105.75</td><td>-49.34</td><td>38.14</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>117</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.25</td><td>111.81</td><td>-55.56</td><td>37.86</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>117</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.40	56.90	68.20	-11.30	38.95	34.57	13.37	29.99	0.00	117	180	PEAK	2	5650.40	54.84	68.50	-13.66	36.79	34.60	13.46	30.01	0.00	117	180	PEAK	3	5701.60	56.41	105.75	-49.34	38.14	34.60	13.77	30.10	0.00	117	180	PEAK	4	5720.40	56.25	111.81	-55.56	37.86	34.64	13.88	30.13	0.00	117	180	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.86</td><td>-----</td><td>-----</td><td>86.35</td><td>34.68</td><td>14.00</td><td>30.17</td><td>0.00</td><td>117</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.86	-----	-----	86.35	34.68	14.00	30.17	0.00	117	180
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5636.40	56.90	68.20	-11.30	38.95	34.57	13.37	29.99	0.00	117	180	PEAK																																																																																																																														
2	5650.40	54.84	68.50	-13.66	36.79	34.60	13.46	30.01	0.00	117	180	PEAK																																																																																																																														
3	5701.60	56.41	105.75	-49.34	38.14	34.60	13.77	30.10	0.00	117	180	PEAK																																																																																																																														
4	5720.40	56.25	111.81	-55.56	37.86	34.64	13.88	30.13	0.00	117	180	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	104.86	-----	-----	86.35	34.68	14.00	30.17	0.00	117	180	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.63</td><td>-----</td><td>-----</td><td>79.08</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>117</td><td>180</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.63	-----	-----	79.08	34.69	14.04	30.18	0.00	117	180	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	97.63	-----	-----	79.08	34.69	14.04	30.18	0.00	117	180	AVERAGE																																																																																																																														






Mode	29																																																																																			
	Harmonic																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7659.98</td><td>48.74</td><td>74.00</td><td>-25.26</td><td>64.00</td><td>35.94</td><td>14.82</td><td>66.02</td><td>0.00</td><td>100</td><td>355</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>60.22</td><td>35.94</td><td>14.82</td><td>66.02</td><td>0.00</td><td>100</td><td>355</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>54.11</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7659.98	48.74	74.00	-25.26	64.00	35.94	14.82	66.02	0.00	100	355	PEAK	2	7659.98	44.96	54.00	-9.04	60.22	35.94	14.82	66.02	0.00	100	355	AVERAGE	3	11490.00	46.57	74.00	-27.43	54.11	38.00	18.58	64.12	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	7659.98	48.74	74.00	-25.26	64.00	35.94	14.82	66.02	0.00	100	355	PEAK																																																																								
2	7659.98	44.96	54.00	-9.04	60.22	35.94	14.82	66.02	0.00	100	355	AVERAGE																																																																								
3	11490.00	46.57	74.00	-27.43	54.11	38.00	18.58	64.12	0.00	--	--	PEAK																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7659.98</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>59.54</td><td>35.94</td><td>14.82</td><td>66.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>54.14</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7659.98	44.28	74.00	-29.72	59.54	35.94	14.82	66.02	0.00	--	--	PEAK	2	11490.00	46.60	74.00	-27.40	54.14	38.00	18.58	64.12	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	7659.98	44.28	74.00	-29.72	59.54	35.94	14.82	66.02	0.00	--	--	PEAK																																																																								
2	11490.00	46.60	74.00	-27.40	54.14	38.00	18.58	64.12	0.00	--	--	PEAK																																																																								






Mode	30																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>60.23</td><td>35.73</td><td>14.87</td><td>66.10</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>54.26</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.31	44.73	74.00	-29.27	60.23	35.73	14.87	66.10	0.00	--	PEAK	2	11570.00	46.75	74.00	-27.25	54.26	38.07	18.65	64.23	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>58.73</td><td>35.73</td><td>14.87</td><td>66.10</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>54.34</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.31	43.23	74.00	-30.77	58.73	35.73	14.87	66.10	0.00	--	PEAK	2	11570.00	46.83	74.00	-27.17	54.34	38.07	18.65	64.23	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7713.31	44.73	74.00	-29.27	60.23	35.73	14.87	66.10	0.00	--	PEAK																																																																																																															
2	11570.00	46.75	74.00	-27.25	54.26	38.07	18.65	64.23	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7713.31	43.23	74.00	-30.77	58.73	35.73	14.87	66.10	0.00	--	PEAK																																																																																																															
2	11570.00	46.83	74.00	-27.17	54.34	38.07	18.65	64.23	0.00	--	PEAK																																																																																																															





Mode	31																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>55.29</td><td>111.36</td><td>-56.07</td><td>36.68</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>2 5873.60</td><td>56.97</td><td>105.69</td><td>-48.72</td><td>38.34</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>3 5924.40</td><td>55.99</td><td>68.64</td><td>-12.65</td><td>37.43</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr><tr><td>4 5948.00</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>38.16</td><td>35.10</td><td>13.76</td><td>30.42</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	55.29	111.36	-56.07	36.68	34.83	14.15	30.37	0.00	100	269 PEAK	2 5873.60	56.97	105.69	-48.72	38.34	34.94	14.07	30.38	0.00	100	269 PEAK	3 5924.40	55.99	68.64	-12.65	37.43	35.10	13.86	30.40	0.00	100	269 PEAK	4 5948.00	56.60	68.20	-11.60	38.16	35.10	13.76	30.42	0.00	100	269 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.68</td><td>-----</td><td>-----</td><td>87.93</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>100</td><td>269 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.68	-----	-----	87.93	34.80	14.27	30.32	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5854.80	55.29	111.36	-56.07	36.68	34.83	14.15	30.37	0.00	100	269 PEAK																																																																																																																				
2 5873.60	56.97	105.69	-48.72	38.34	34.94	14.07	30.38	0.00	100	269 PEAK																																																																																																																				
3 5924.40	55.99	68.64	-12.65	37.43	35.10	13.86	30.40	0.00	100	269 PEAK																																																																																																																				
4 5948.00	56.60	68.20	-11.60	38.16	35.10	13.76	30.42	0.00	100	269 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	106.68	-----	-----	87.93	34.80	14.27	30.32	0.00	100	269 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.00</td><td>-----</td><td>-----</td><td>80.33</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>100</td><td>269 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.00	-----	-----	80.33	34.80	14.27	30.32	0.00	100	269 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	99.00	-----	-----	80.33	34.80	14.27	30.32	0.00	100	269 AVERAGE																																																																																																																				





Mode	31																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Vertical					Fundamental																																																																																																																									
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>57.82</td><td>112.27</td><td>-54.45</td><td>39.21</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr><tr><td>2 5874.00</td><td>55.73</td><td>105.36</td><td>-49.63</td><td>37.10</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr><tr><td>3 5924.00</td><td>54.87</td><td>68.35</td><td>-13.48</td><td>36.32</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr><tr><td>4 5928.00</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>39.00</td><td>35.10</td><td>13.85</td><td>30.41</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	57.82	112.27	-54.45	39.21	34.83	14.15	30.37	0.00	100	176 PEAK	2 5874.00	55.73	105.36	-49.63	37.10	34.95	14.06	30.38	0.00	100	176 PEAK	3 5924.00	54.87	68.35	-13.48	36.32	35.10	13.86	30.41	0.00	100	176 PEAK	4 5928.00	57.54	68.20	-10.66	39.00	35.10	13.85	30.41	0.00	100	176 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.88</td><td>-----</td><td>-----</td><td>86.13</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.88	-----	-----	86.13	34.80	14.27	30.32	0.00	100	176 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5854.40	57.82	112.27	-54.45	39.21	34.83	14.15	30.37	0.00	100	176 PEAK																																																																																																																					
2 5874.00	55.73	105.36	-49.63	37.10	34.95	14.06	30.38	0.00	100	176 PEAK																																																																																																																					
3 5924.00	54.87	68.35	-13.48	36.32	35.10	13.86	30.41	0.00	100	176 PEAK																																																																																																																					
4 5928.00	57.54	68.20	-10.66	39.00	35.10	13.85	30.41	0.00	100	176 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5825.00	104.88	-----	-----	86.13	34.80	14.27	30.32	0.00	100	176 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.57</td><td>-----</td><td>-----</td><td>77.82</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>100</td><td>176 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	96.57	-----	-----	77.82	34.80	14.27	30.32	0.00	100	176 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5825.00	96.57	-----	-----	77.82	34.80	14.27	30.32	0.00	100	176 AVERAGE																																																																																																																					







Mode	31																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>59.90</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>54.00</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	44.47	68.20	-23.73	59.90	35.83	14.93	66.19	0.00	--	--	PEAK	2	11650.00	46.56	74.00	-27.44	54.00	38.20	18.72	64.36	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>42.40</td><td>68.20</td><td>-25.80</td><td>57.83</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>53.85</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	42.40	68.20	-25.80	57.83	35.83	14.93	66.19	0.00	--	--	PEAK	2	11650.00	46.41	74.00	-27.59	53.85	38.20	18.72	64.36	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7766.65	44.47	68.20	-23.73	59.90	35.83	14.93	66.19	0.00	--	--	PEAK																																																																																																																												
2	11650.00	46.56	74.00	-27.44	54.00	38.20	18.72	64.36	0.00	--	--	PEAK																																																																																																																												
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7766.65	42.40	68.20	-25.80	57.83	35.83	14.93	66.19	0.00	--	--	PEAK																																																																																																																												
2	11650.00	46.41	74.00	-27.59	53.85	38.20	18.72	64.36	0.00	--	--	PEAK																																																																																																																												





Mode	32																																																																																																			
	Band Edge																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5607.60</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>39.47</td><td>34.52</td><td>13.20</td><td>30.00</td><td>0.00</td><td>165</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.38</td><td>68.80</td><td>-13.42</td><td>37.33</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>165</td><td>260</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.77</td><td>105.30</td><td>-49.53</td><td>37.51</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>165</td><td>260</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>59.99</td><td>111.81</td><td>-51.82</td><td>41.60</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>165</td><td>260</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5607.60	57.19	68.20	-11.01	39.47	34.52	13.20	30.00	0.00	165	260	PEAK	2	5650.00	55.38	68.80	-13.42	37.33	34.60	13.46	30.01	0.00	165	260	PEAK	3	5700.00	55.77	105.30	-49.53	37.51	34.60	13.76	30.10	0.00	165	260	PEAK	4	5720.40	59.99	111.81	-51.82	41.60	34.64	13.88	30.13	0.00	165	260	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5607.60	57.19	68.20	-11.01	39.47	34.52	13.20	30.00	0.00	165	260	PEAK																																																																																								
2	5650.00	55.38	68.80	-13.42	37.33	34.60	13.46	30.01	0.00	165	260	PEAK																																																																																								
3	5700.00	55.77	105.30	-49.53	37.51	34.60	13.76	30.10	0.00	165	260	PEAK																																																																																								
4	5720.40	59.99	111.81	-51.82	41.60	34.64	13.88	30.13	0.00	165	260	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5745.00</td><td>97.84</td><td>-----</td><td>-----</td><td>79.29</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>165</td><td>260</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	97.84	-----	-----	79.29	34.69	14.04	30.18	0.00	165	260	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5745.00	97.84	-----	-----	79.29	34.69	14.04	30.18	0.00	165	260	AVERAGE																																																																																								



		32																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																			
ANT		1																																																																																																			
Pol.		Vertical																																																																																																			
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5640.40</td><td>56.87</td><td>68.20</td><td>-11.33</td><td>38.88</td><td>34.58</td><td>13.40</td><td>29.99</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>37.77</td><td>34.60</td><td>13.45</td><td>30.01</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>57.78</td><td>105.30</td><td>-47.52</td><td>39.52</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>58.26</td><td>111.81</td><td>-53.55</td><td>39.87</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5640.40	56.87	68.20	-11.33	38.88	34.58	13.40	29.99	0.00	100	180	PEAK	2	5650.00	55.81	68.20	-12.39	37.77	34.60	13.45	30.01	0.00	100	180	PEAK	3	5700.00	57.78	105.30	-47.52	39.52	34.60	13.76	30.10	0.00	100	180	PEAK	4	5720.40	58.26	111.81	-53.55	39.87	34.64	13.88	30.13	0.00	100	180
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5640.40	56.87	68.20	-11.33	38.88	34.58	13.40	29.99	0.00	100	180	PEAK																																																																																									
2	5650.00	55.81	68.20	-12.39	37.77	34.60	13.45	30.01	0.00	100	180	PEAK																																																																																									
3	5700.00	57.78	105.30	-47.52	39.52	34.60	13.76	30.10	0.00	100	180	PEAK																																																																																									
4	5720.40	58.26	111.81	-53.55	39.87	34.64	13.88	30.13	0.00	100	180	PEAK																																																																																									
																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5745.00</td><td>103.74</td><td>-----</td><td>-----</td><td>85.19</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	103.74	-----	-----	85.19	34.69	14.04	30.18	0.00	100	180	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5745.00	103.74	-----	-----	85.19	34.69	14.04	30.18	0.00	100	180	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5745.00</td><td>95.33</td><td>-----</td><td>-----</td><td>76.78</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>100</td><td>180</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	95.33	-----	-----	76.78	34.69	14.04	30.18	0.00	100	180	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5745.00	95.33	-----	-----	76.78	34.69	14.04	30.18	0.00	100	180	AVERAGE																																																																																									
																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5745.00</td><td>95.33</td><td>-----</td><td>-----</td><td>76.78</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>100</td><td>180</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	95.33	-----	-----	76.78	34.69	14.04	30.18	0.00	100	180	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5745.00	95.33	-----	-----	76.78	34.69	14.04	30.18	0.00	100	180	AVERAGE																																																																																									






Mode	32																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7659.98</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>61.50</td><td>35.94</td><td>14.82</td><td>66.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>54.54</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7659.98	46.24	74.00	-27.76	61.50	35.94	14.82	66.02	0.00	--	--	PEAK	2	11490.00	47.00	74.00	-27.00	54.54	38.00	18.58	64.12	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7659.98</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>58.31</td><td>35.94</td><td>14.82</td><td>66.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>54.57</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>37.28</td><td>54.00</td><td>-16.72</td><td>44.82</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7659.98	43.05	74.00	-30.95	58.31	35.94	14.82	66.02	0.00	--	--	PEAK	2	11490.00	47.03	74.00	-26.97	54.57	38.00	18.58	64.12	0.00	100	360	PEAK	3	11490.00	37.28	54.00	-16.72	44.82	38.00	18.58	64.12	0.00	100	360
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	7659.98	46.24	74.00	-27.76	61.50	35.94	14.82	66.02	0.00	--	--	PEAK																																																																																																																																												
2	11490.00	47.00	74.00	-27.00	54.54	38.00	18.58	64.12	0.00	--	--	PEAK																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	7659.98	43.05	74.00	-30.95	58.31	35.94	14.82	66.02	0.00	--	--	PEAK																																																																																																																																												
2	11490.00	47.03	74.00	-26.97	54.57	38.00	18.58	64.12	0.00	100	360	PEAK																																																																																																																																												
3	11490.00	37.28	54.00	-16.72	44.82	38.00	18.58	64.12	0.00	100	360	AVERAGE																																																																																																																																												






Mode	33																																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th colspan="2">Level</th><th colspan="2">Line</th><th colspan="2">Level</th><th colspan="2">Factor</th><th colspan="2">Loss</th><th colspan="2">Factor</th><th colspan="2">Factor</th><th colspan="3"></th></tr><tr><th colspan="2">MHz</th><th colspan="2">dBuV/m</th><th colspan="2">dB</th><th colspan="2">dBuV</th><th colspan="2">dB/m</th><th colspan="2">dB</th><th colspan="2">dB</th><th colspan="2">dB</th><th colspan="3">cm</th></tr><tr><td>1</td><td>7713.31</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>60.94</td><td>35.73</td><td>14.87</td><td>66.10</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>53.63</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq		Level		Line		Level		Factor		Loss		Factor		Factor					MHz		dBuV/m		dB		dBuV		dB/m		dB		dB		dB		cm			1	7713.31	45.44	74.00	-28.56	60.94	35.73	14.87	66.10	0.00	--	--	--	--	--	--	--	--	PEAK	2	11570.00	46.12	74.00	-27.88	53.63	38.07	18.65	64.23	0.00	--	--	--	--	--	--	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th colspan="2">Level</th><th colspan="2">Line</th><th colspan="2">Level</th><th colspan="2">Factor</th><th colspan="2">Loss</th><th colspan="2">Factor</th><th colspan="2">Factor</th><th colspan="3"></th></tr><tr><th colspan="2">MHz</th><th colspan="2">dBuV/m</th><th colspan="2">dB</th><th colspan="2">dBuV</th><th colspan="2">dB/m</th><th colspan="2">dB</th><th colspan="2">dB</th><th colspan="2">dB</th><th colspan="3">cm</th></tr><tr><td>1</td><td>7713.31</td><td>42.92</td><td>74.00</td><td>-31.08</td><td>58.42</td><td>35.73</td><td>14.87</td><td>66.10</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>54.85</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>3</td><td>11570.00</td><td>37.04</td><td>54.00</td><td>-16.96</td><td>44.55</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td><td></td><td></td><td></td><td></td><td></td></tr></table>										Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq		Level		Line		Level		Factor		Loss		Factor		Factor					MHz		dBuV/m		dB		dBuV		dB/m		dB		dB		dB		cm			1	7713.31	42.92	74.00	-31.08	58.42	35.73	14.87	66.10	0.00	--	--	--	--	--	--	--	--	PEAK	2	11570.00	47.34	74.00	-26.66	54.85	38.07	18.65	64.23	0.00	100	360	PEAK						3	11570.00	37.04	54.00	-16.96	44.55	38.07	18.65	64.23	0.00	100	360	AVERAGE					
			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																												
Freq		Level		Line		Level		Factor		Loss		Factor		Factor																																																																																																																																																																																																																	
MHz		dBuV/m		dB		dBuV		dB/m		dB		dB		dB		cm																																																																																																																																																																																																															
1	7713.31	45.44	74.00	-28.56	60.94	35.73	14.87	66.10	0.00	--	--	--	--	--	--	--	--	PEAK																																																																																																																																																																																																													
2	11570.00	46.12	74.00	-27.88	53.63	38.07	18.65	64.23	0.00	--	--	--	--	--	--	--	--	PEAK																																																																																																																																																																																																													
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																													
Freq		Level		Line		Level		Factor		Loss		Factor		Factor																																																																																																																																																																																																																	
MHz		dBuV/m		dB		dBuV		dB/m		dB		dB		dB		cm																																																																																																																																																																																																															
1	7713.31	42.92	74.00	-31.08	58.42	35.73	14.87	66.10	0.00	--	--	--	--	--	--	--	--	PEAK																																																																																																																																																																																																													
2	11570.00	47.34	74.00	-26.66	54.85	38.07	18.65	64.23	0.00	100	360	PEAK																																																																																																																																																																																																																			
3	11570.00	37.04	54.00	-16.96	44.55	38.07	18.65	64.23	0.00	100	360	AVERAGE																																																																																																																																																																																																																			





Mode	34																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.48</td><td>111.36</td><td>-55.88</td><td>36.87</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>55.20</td><td>105.69</td><td>-50.49</td><td>36.57</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.07</td><td>68.35</td><td>-13.28</td><td>36.52</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr><tr><td>4</td><td>5972.40</td><td>57.15</td><td>68.20</td><td>-11.05</td><td>38.82</td><td>35.10</td><td>13.66</td><td>30.43</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	55.48	111.36	-55.88	36.87	34.83	14.15	30.37	0.00	100	264	PEAK	2	5873.60	55.20	105.69	-50.49	36.57	34.94	14.07	30.38	0.00	100	264	PEAK	3	5924.80	55.07	68.35	-13.28	36.52	35.10	13.86	30.41	0.00	100	264	PEAK	4	5972.40	57.15	68.20	-11.05	38.82	35.10	13.66	30.43	0.00	100	264	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.73</td><td>-----</td><td>-----</td><td>86.98</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.73	-----	-----	86.98	34.80	14.27	30.32	0.00	100	264	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.80	55.48	111.36	-55.88	36.87	34.83	14.15	30.37	0.00	100	264	PEAK																																																																																																																															
2	5873.60	55.20	105.69	-50.49	36.57	34.94	14.07	30.38	0.00	100	264	PEAK																																																																																																																															
3	5924.80	55.07	68.35	-13.28	36.52	35.10	13.86	30.41	0.00	100	264	PEAK																																																																																																																															
4	5972.40	57.15	68.20	-11.05	38.82	35.10	13.66	30.43	0.00	100	264	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	105.73	-----	-----	86.98	34.80	14.27	30.32	0.00	100	264	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.46</td><td>-----</td><td>-----</td><td>78.71</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>100</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.46	-----	-----	78.71	34.80	14.27	30.32	0.00	100	264	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	97.46	-----	-----	78.71	34.80	14.27	30.32	0.00	100	264	AVERAGE																																																																																																																															






Mode	34																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>54.25</td><td>111.36</td><td>-57.11</td><td>35.64</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>125</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.86</td><td>105.36</td><td>-49.50</td><td>37.23</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>125</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.32</td><td>68.35</td><td>-11.03</td><td>38.77</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>125</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>58.01</td><td>68.20</td><td>-10.19</td><td>39.57</td><td>35.10</td><td>13.76</td><td>30.42</td><td>0.00</td><td>125</td><td>176</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	54.25	111.36	-57.11	35.64	34.83	14.15	30.37	0.00	125	176	PEAK	2	5874.00	55.86	105.36	-49.50	37.23	34.95	14.06	30.38	0.00	125	176	PEAK	3	5924.00	57.32	68.35	-11.03	38.77	35.10	13.86	30.41	0.00	125	176	PEAK	4	5948.00	58.01	68.20	-10.19	39.57	35.10	13.76	30.42	0.00	125	176	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.68</td><td>-----</td><td>-----</td><td>86.93</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>125</td><td>176</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.68	-----	-----	86.93	34.80	14.27	30.32	0.00	125	176	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5854.00	54.25	111.36	-57.11	35.64	34.83	14.15	30.37	0.00	125	176	PEAK																																																																																																																																		
2	5874.00	55.86	105.36	-49.50	37.23	34.95	14.06	30.38	0.00	125	176	PEAK																																																																																																																																		
3	5924.00	57.32	68.35	-11.03	38.77	35.10	13.86	30.41	0.00	125	176	PEAK																																																																																																																																		
4	5948.00	58.01	68.20	-10.19	39.57	35.10	13.76	30.42	0.00	125	176	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	105.68	-----	-----	86.93	34.80	14.27	30.32	0.00	125	176	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.86</td><td>-----</td><td>-----</td><td>78.11</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>125</td><td>176</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.86	-----	-----	78.11	34.80	14.27	30.32	0.00	125	176	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	96.86	-----	-----	78.11	34.80	14.27	30.32	0.00	125	176	AVERAGE																																																																																																																																		




Mode	34																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal												Vertical																																																																																																																																							
Peak Avg																																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>45.22</td><td>68.20</td><td>-22.98</td><td>60.65</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>53.58</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	45.22	68.20	-22.98	60.65	35.83	14.93	66.19	0.00	--	--	PEAK	2	11650.00	46.14	74.00	-27.86	53.58	38.20	18.72	64.36	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>43.10</td><td>68.20</td><td>-25.10</td><td>58.53</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>53.15</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	43.10	68.20	-25.10	58.53	35.83	14.93	66.19	0.00	--	--	PEAK	2	11650.00	45.71	74.00	-28.29	53.15	38.20	18.72	64.36	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	7766.65	45.22	68.20	-22.98	60.65	35.83	14.93	66.19	0.00	--	--	PEAK																																																																																																																																								
2	11650.00	46.14	74.00	-27.86	53.58	38.20	18.72	64.36	0.00	--	--	PEAK																																																																																																																																								
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	7766.65	43.10	68.20	-25.10	58.53	35.83	14.93	66.19	0.00	--	--	PEAK																																																																																																																																								
2	11650.00	45.71	74.00	-28.29	53.15	38.20	18.72	64.36	0.00	--	--	PEAK																																																																																																																																								



Mode	35																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.86</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>39.75</td><td>34.50</td><td>13.16</td><td>30.01</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>55.95</td><td>69.75</td><td>-13.00</td><td>37.89</td><td>34.60</td><td>13.47</td><td>30.01</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr><tr><td>3</td><td>5717.96</td><td>63.71</td><td>110.33</td><td>-46.62</td><td>45.33</td><td>34.64</td><td>13.87</td><td>30.13</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>61.25</td><td>111.54</td><td>-50.29</td><td>42.86</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5601.86	57.40	68.20	-10.80	39.75	34.50	13.16	30.01	0.00	165	261	PEAK	2	5652.00	55.95	69.75	-13.00	37.89	34.60	13.47	30.01	0.00	165	261	PEAK	3	5717.96	63.71	110.33	-46.62	45.33	34.64	13.87	30.13	0.00	165	261	PEAK	4	5720.28	61.25	111.54	-50.29	42.86	34.64	13.88	30.13	0.00	165	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.39</td><td>-----</td><td>-----</td><td>82.84</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.39	-----	-----	82.84	34.69	14.04	30.18	0.00	165	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5601.86	57.40	68.20	-10.80	39.75	34.50	13.16	30.01	0.00	165	261	PEAK																																																																																																																														
2	5652.00	55.95	69.75	-13.00	37.89	34.60	13.47	30.01	0.00	165	261	PEAK																																																																																																																														
3	5717.96	63.71	110.33	-46.62	45.33	34.64	13.87	30.13	0.00	165	261	PEAK																																																																																																																														
4	5720.28	61.25	111.54	-50.29	42.86	34.64	13.88	30.13	0.00	165	261	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	101.39	-----	-----	82.84	34.69	14.04	30.18	0.00	165	261	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.06</td><td>-----</td><td>-----</td><td>75.47</td><td>34.70</td><td>14.08</td><td>30.19</td><td>0.00</td><td>165</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	94.06	-----	-----	75.47	34.70	14.08	30.19	0.00	165	261	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	94.06	-----	-----	75.47	34.70	14.08	30.19	0.00	165	261	AVERAGE																																																																																																																														




Mode	35																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>55.60</td><td>111.71</td><td>-56.11</td><td>36.99</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>5869.66</td><td>56.49</td><td>106.79</td><td>-50.30</td><td>37.87</td><td>34.92</td><td>14.00</td><td>30.38</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>55.85</td><td>68.75</td><td>-12.90</td><td>37.29</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr><tr><td>4</td><td>5931.48</td><td>57.42</td><td>68.20</td><td>-10.78</td><td>38.90</td><td>35.10</td><td>13.83</td><td>30.41</td><td>0.00</td><td>165</td><td>261</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	55.60	111.71	-56.11	36.99	34.83	14.15	30.37	0.00	165	261	PEAK	2	5869.66	56.49	106.79	-50.30	37.87	34.92	14.00	30.38	0.00	165	261	PEAK	3	5924.26	55.85	68.75	-12.90	37.29	35.10	13.86	30.40	0.00	165	261	PEAK	4	5931.48	57.42	68.20	-10.78	38.90	35.10	13.83	30.41	0.00	165	261	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.65	55.60	111.71	-56.11	36.99	34.83	14.15	30.37	0.00	165	261	PEAK																																																																									
2	5869.66	56.49	106.79	-50.30	37.87	34.92	14.00	30.38	0.00	165	261	PEAK																																																																									
3	5924.26	55.85	68.75	-12.90	37.29	35.10	13.86	30.40	0.00	165	261	PEAK																																																																									
4	5931.48	57.42	68.20	-10.78	38.90	35.10	13.83	30.41	0.00	165	261	PEAK																																																																									





Mode	35																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5685.74</td><td>57.30</td><td>68.20</td><td>-10.90</td><td>39.61</td><td>34.51</td><td>13.18</td><td>30.00</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5652.70</td><td>56.75</td><td>70.21</td><td>-13.46</td><td>38.69</td><td>34.60</td><td>13.47</td><td>30.01</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5719.97</td><td>61.92</td><td>110.89</td><td>-48.97</td><td>43.53</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>58.20</td><td>111.19</td><td>-52.99</td><td>39.81</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5685.74	57.30	68.20	-10.90	39.61	34.51	13.18	30.00	0.00	100	179	PEAK	2	5652.70	56.75	70.21	-13.46	38.69	34.60	13.47	30.01	0.00	100	179	PEAK	3	5719.97	61.92	110.89	-48.97	43.53	34.64	13.88	30.13	0.00	100	179	PEAK	4	5720.13	58.20	111.19	-52.99	39.81	34.64	13.88	30.13	0.00	100	179	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.76</td><td>-----</td><td>-----</td><td>81.13</td><td>34.72</td><td>14.11</td><td>30.20</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	99.76	-----	-----	81.13	34.72	14.11	30.20	0.00	100	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5685.74	57.30	68.20	-10.90	39.61	34.51	13.18	30.00	0.00	100	179	PEAK																																																																																																																																		
2	5652.70	56.75	70.21	-13.46	38.69	34.60	13.47	30.01	0.00	100	179	PEAK																																																																																																																																		
3	5719.97	61.92	110.89	-48.97	43.53	34.64	13.88	30.13	0.00	100	179	PEAK																																																																																																																																		
4	5720.13	58.20	111.19	-52.99	39.81	34.64	13.88	30.13	0.00	100	179	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	99.76	-----	-----	81.13	34.72	14.11	30.20	0.00	100	179	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>92.28</td><td>-----</td><td>-----</td><td>73.65</td><td>34.72</td><td>14.11</td><td>30.20</td><td>0.00</td><td>100</td><td>179</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	92.28	-----	-----	73.65	34.72	14.11	30.20	0.00	100	179	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	92.28	-----	-----	73.65	34.72	14.11	30.20	0.00	100	179	AVERAGE																																																																																																																																		






Mode	35																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>55.56</td><td>111.26</td><td>-55.70</td><td>36.95</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5873.76</td><td>56.00</td><td>105.65</td><td>-48.85</td><td>38.17</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5922.90</td><td>57.50</td><td>69.76</td><td>-12.26</td><td>38.93</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5939.28</td><td>57.96</td><td>68.20</td><td>-10.24</td><td>39.47</td><td>35.10</td><td>13.80</td><td>30.41</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	55.56	111.26	-55.70	36.95	34.83	14.15	30.37	0.00	100	179	PEAK	2	5873.76	56.00	105.65	-48.85	38.17	34.94	14.07	30.38	0.00	100	179	PEAK	3	5922.90	57.50	69.76	-12.26	38.93	35.10	13.87	30.40	0.00	100	179	PEAK	4	5939.28	57.96	68.20	-10.24	39.47	35.10	13.80	30.41	0.00	100	179	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.84	55.56	111.26	-55.70	36.95	34.83	14.15	30.37	0.00	100	179	PEAK																																																																									
2	5873.76	56.00	105.65	-48.85	38.17	34.94	14.07	30.38	0.00	100	179	PEAK																																																																									
3	5922.90	57.50	69.76	-12.26	38.93	35.10	13.87	30.40	0.00	100	179	PEAK																																																																									
4	5939.28	57.96	68.20	-10.24	39.47	35.10	13.80	30.41	0.00	100	179	PEAK																																																																									




Mode	35																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.31</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>61.22</td><td>35.86</td><td>14.83</td><td>66.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>53.77</td><td>38.01</td><td>18.60</td><td>64.13</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.31	45.87	74.00	-28.13	61.22	35.86	14.83	66.04	0.00	--	--	PEAK	2	11510.00	46.25	74.00	-27.75	53.77	38.01	18.60	64.13	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.31</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>58.71</td><td>35.86</td><td>14.83</td><td>66.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>54.13</td><td>38.01</td><td>18.60</td><td>64.13</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.31	43.36	74.00	-30.64	58.71	35.86	14.83	66.04	0.00	--	--	PEAK	2	11510.00	46.61	74.00	-27.39	54.13	38.01	18.60	64.13	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7673.31	45.87	74.00	-28.13	61.22	35.86	14.83	66.04	0.00	--	--	PEAK																																																																																																																												
2	11510.00	46.25	74.00	-27.75	53.77	38.01	18.60	64.13	0.00	--	--	PEAK																																																																																																																												
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7673.31	43.36	74.00	-30.64	58.71	35.86	14.83	66.04	0.00	--	--	PEAK																																																																																																																												
2	11510.00	46.61	74.00	-27.39	54.13	38.01	18.60	64.13	0.00	--	--	PEAK																																																																																																																												






Mode	36																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5626.40</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>39.70</td><td>34.55</td><td>13.31</td><td>30.00</td><td>0.00</td><td>111</td><td>269 PEAK</td></tr><tr><td>2 5650.40</td><td>54.38</td><td>68.50</td><td>-14.12</td><td>36.33</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>111</td><td>269 PEAK</td></tr><tr><td>3 5701.20</td><td>55.79</td><td>105.64</td><td>-49.85</td><td>37.52</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>111</td><td>269 PEAK</td></tr><tr><td>4 5720.00</td><td>53.79</td><td>110.90</td><td>-57.11</td><td>35.40</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>111</td><td>269 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5626.40	57.56	68.20	-10.64	39.70	34.55	13.31	30.00	0.00	111	269 PEAK	2 5650.40	54.38	68.50	-14.12	36.33	34.60	13.46	30.01	0.00	111	269 PEAK	3 5701.20	55.79	105.64	-49.85	37.52	34.60	13.77	30.10	0.00	111	269 PEAK	4 5720.00	53.79	110.90	-57.11	35.40	34.64	13.88	30.13	0.00	111	269 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>100.55</td><td>-----</td><td>-----</td><td>81.65</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>111</td><td>269 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	100.55	-----	-----	81.65	34.80	14.37	30.27	0.00	111	269 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5626.40	57.56	68.20	-10.64	39.70	34.55	13.31	30.00	0.00	111	269 PEAK																																																																																																													
2 5650.40	54.38	68.50	-14.12	36.33	34.60	13.46	30.01	0.00	111	269 PEAK																																																																																																													
3 5701.20	55.79	105.64	-49.85	37.52	34.60	13.77	30.10	0.00	111	269 PEAK																																																																																																													
4 5720.00	53.79	110.90	-57.11	35.40	34.64	13.88	30.13	0.00	111	269 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5795.00	100.55	-----	-----	81.65	34.80	14.37	30.27	0.00	111	269 PEAK																																																																																																													
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>92.95</td><td>-----</td><td>-----</td><td>74.05</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>111</td><td>269 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	92.95	-----	-----	74.05	34.80	14.37	30.27	0.00	111	269 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 5795.00	92.95	-----	-----	74.05	34.80	14.37	30.27	0.00	111	269 AVERAGE																																																																																																													




Mode	36																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.01</td><td>111.36</td><td>-56.35</td><td>36.40</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>111</td><td>269</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>56.38</td><td>105.80</td><td>-49.42</td><td>37.75</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>111</td><td>269</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>58.48</td><td>68.94</td><td>-10.46</td><td>39.92</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>111</td><td>269</td><td>PEAK</td></tr><tr><td>4</td><td>5976.00</td><td>57.95</td><td>68.20</td><td>-10.25</td><td>39.63</td><td>35.10</td><td>13.65</td><td>30.43</td><td>0.00</td><td>111</td><td>269</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	55.01	111.36	-56.35	36.40	34.83	14.15	30.37	0.00	111	269	PEAK	2	5873.20	56.38	105.80	-49.42	37.75	34.94	14.07	30.38	0.00	111	269	PEAK	3	5924.00	58.48	68.94	-10.46	39.92	35.10	13.86	30.40	0.00	111	269	PEAK	4	5976.00	57.95	68.20	-10.25	39.63	35.10	13.65	30.43	0.00	111	269	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	55.01	111.36	-56.35	36.40	34.83	14.15	30.37	0.00	111	269	PEAK																																																																																			
2	5873.20	56.38	105.80	-49.42	37.75	34.94	14.07	30.38	0.00	111	269	PEAK																																																																																			
3	5924.00	58.48	68.94	-10.46	39.92	35.10	13.86	30.40	0.00	111	269	PEAK																																																																																			
4	5976.00	57.95	68.20	-10.25	39.63	35.10	13.65	30.43	0.00	111	269	PEAK																																																																																			





Mode	36																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.20</td><td>57.28</td><td>68.20</td><td>-10.92</td><td>39.28</td><td>34.59</td><td>13.41</td><td>30.00</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.03</td><td>68.20</td><td>-14.17</td><td>35.99</td><td>34.60</td><td>13.45</td><td>30.01</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>55.58</td><td>105.97</td><td>-50.39</td><td>37.31</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.67</td><td>110.90</td><td>-57.23</td><td>35.28</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.20	57.28	68.20	-10.92	39.28	34.59	13.41	30.00	0.00	112	179	PEAK	2	5650.00	54.03	68.20	-14.17	35.99	34.60	13.45	30.01	0.00	112	179	PEAK	3	5702.40	55.58	105.97	-50.39	37.31	34.60	13.77	30.10	0.00	112	179	PEAK	4	5720.00	53.67	110.90	-57.23	35.28	34.64	13.88	30.13	0.00	112	179	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.86</td><td>-----</td><td>-----</td><td>81.96</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.86	-----	-----	81.96	34.80	14.37	30.27	0.00	112	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5643.20	57.28	68.20	-10.92	39.28	34.59	13.41	30.00	0.00	112	179	PEAK																																																																																																																															
2	5650.00	54.03	68.20	-14.17	35.99	34.60	13.45	30.01	0.00	112	179	PEAK																																																																																																																															
3	5702.40	55.58	105.97	-50.39	37.31	34.60	13.77	30.10	0.00	112	179	PEAK																																																																																																																															
4	5720.00	53.67	110.90	-57.23	35.28	34.64	13.88	30.13	0.00	112	179	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	100.86	-----	-----	81.96	34.80	14.37	30.27	0.00	112	179	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>92.39</td><td>-----</td><td>-----</td><td>73.49</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>112</td><td>179</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	92.39	-----	-----	73.49	34.80	14.37	30.27	0.00	112	179	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	92.39	-----	-----	73.49	34.80	14.37	30.27	0.00	112	179	AVERAGE																																																																																																																															






Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.58</td><td>111.36</td><td>-56.78</td><td>35.97</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>55.84</td><td>105.47</td><td>-49.63</td><td>37.21</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.39</td><td>69.23</td><td>-13.84</td><td>36.83</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5946.80</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>38.74</td><td>35.10</td><td>13.77</td><td>30.42</td><td>0.00</td><td>112</td><td>179</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	54.58	111.36	-56.78	35.97	34.83	14.15	30.37	0.00	112	179	PEAK	2	5874.40	55.84	105.47	-49.63	37.21	34.95	14.06	30.38	0.00	112	179	PEAK	3	5923.60	55.39	69.23	-13.84	36.83	35.10	13.86	30.40	0.00	112	179	PEAK	4	5946.80	57.19	68.20	-11.01	38.74	35.10	13.77	30.42	0.00	112	179	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	54.58	111.36	-56.78	35.97	34.83	14.15	30.37	0.00	112	179	PEAK																																																																									
2	5874.40	55.84	105.47	-49.63	37.21	34.95	14.06	30.38	0.00	112	179	PEAK																																																																									
3	5923.60	55.39	69.23	-13.84	36.83	35.10	13.86	30.40	0.00	112	179	PEAK																																																																									
4	5946.80	57.19	68.20	-11.01	38.74	35.10	13.77	30.42	0.00	112	179	PEAK																																																																									




Mode	36																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>60.88</td><td>35.75</td><td>14.89</td><td>66.13</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>54.47</td><td>38.09</td><td>18.67</td><td>64.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	45.39	74.00	-28.61	60.88	35.75	14.89	66.13	0.00	--	--	PEAK	2	11590.00	46.97	74.00	-27.03	54.47	38.09	18.67	64.26	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>58.14</td><td>35.75</td><td>14.89</td><td>66.13</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>54.31</td><td>38.09</td><td>18.67</td><td>64.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	42.65	74.00	-31.35	58.14	35.75	14.89	66.13	0.00	--	--	PEAK	2	11590.00	46.81	74.00	-27.19	54.31	38.09	18.67	64.26	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7726.65	45.39	74.00	-28.61	60.88	35.75	14.89	66.13	0.00	--	--	PEAK																																																																																																																				
2	11590.00	46.97	74.00	-27.03	54.47	38.09	18.67	64.26	0.00	--	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7726.65	42.65	74.00	-31.35	58.14	35.75	14.89	66.13	0.00	--	--	PEAK																																																																																																																				
2	11590.00	46.81	74.00	-27.19	54.31	38.09	18.67	64.26	0.00	--	--	PEAK																																																																																																																				






Mode	37																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.80</td><td>56.88</td><td>68.20</td><td>-11.32</td><td>39.04</td><td>34.55</td><td>13.29</td><td>30.00</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>54.31</td><td>68.80</td><td>-14.49</td><td>36.26</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>57.69</td><td>105.30</td><td>-47.61</td><td>39.43</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>59.10</td><td>111.81</td><td>-52.71</td><td>40.71</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.80	56.88	68.20	-11.32	39.04	34.55	13.29	30.00	0.00	152	260	PEAK	2	5650.80	54.31	68.80	-14.49	36.26	34.60	13.46	30.01	0.00	152	260	PEAK	3	5700.00	57.69	105.30	-47.61	39.43	34.60	13.76	30.10	0.00	152	260	PEAK	4	5720.40	59.10	111.81	-52.71	40.71	34.64	13.88	30.13	0.00	152	260	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.13</td><td>-----</td><td>-----</td><td>78.42</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.13	-----	-----	78.42	34.74	14.19	30.22	0.00	152	260	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5622.80	56.88	68.20	-11.32	39.04	34.55	13.29	30.00	0.00	152	260	PEAK																																																																																																																													
2	5650.80	54.31	68.80	-14.49	36.26	34.60	13.46	30.01	0.00	152	260	PEAK																																																																																																																													
3	5700.00	57.69	105.30	-47.61	39.43	34.60	13.76	30.10	0.00	152	260	PEAK																																																																																																																													
4	5720.40	59.10	111.81	-52.71	40.71	34.64	13.88	30.13	0.00	152	260	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	97.13	-----	-----	78.42	34.74	14.19	30.22	0.00	152	260	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.87</td><td>-----</td><td>-----</td><td>70.16</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>152</td><td>260</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	88.87	-----	-----	70.16	34.74	14.19	30.22	0.00	152	260	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	88.87	-----	-----	70.16	34.74	14.19	30.22	0.00	152	260	AVERAGE																																																																																																																													




Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>59.31</td><td>114.09</td><td>-54.78</td><td>40.71</td><td>34.82</td><td>14.15</td><td>30.37</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>57.05</td><td>105.36</td><td>-48.31</td><td>38.42</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.86</td><td>69.23</td><td>-13.37</td><td>37.30</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>56.69</td><td>68.20</td><td>-11.51</td><td>38.18</td><td>35.10</td><td>13.82</td><td>30.41</td><td>0.00</td><td>152</td><td>260</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	59.31	114.09	-54.78	40.71	34.82	14.15	30.37	0.00	152	260	PEAK	2	5874.00	57.05	105.36	-48.31	38.42	34.95	14.06	30.38	0.00	152	260	PEAK	3	5923.60	55.86	69.23	-13.37	37.30	35.10	13.86	30.40	0.00	152	260	PEAK	4	5933.60	56.69	68.20	-11.51	38.18	35.10	13.82	30.41	0.00	152	260	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5853.60	59.31	114.09	-54.78	40.71	34.82	14.15	30.37	0.00	152	260	PEAK																																																																									
2	5874.00	57.05	105.36	-48.31	38.42	34.95	14.06	30.38	0.00	152	260	PEAK																																																																									
3	5923.60	55.86	69.23	-13.37	37.30	35.10	13.86	30.40	0.00	152	260	PEAK																																																																									
4	5933.60	56.69	68.20	-11.51	38.18	35.10	13.82	30.41	0.00	152	260	PEAK																																																																									




Mode	37																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.00</td><td>56.80</td><td>68.20</td><td>-11.40</td><td>38.78</td><td>34.59</td><td>13.43</td><td>30.00</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.33</td><td>68.50</td><td>-13.17</td><td>37.28</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>59.49</td><td>105.75</td><td>-46.26</td><td>41.22</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.61</td><td>110.90</td><td>-52.29</td><td>40.22</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5646.00	56.80	68.20	-11.40	38.78	34.59	13.43	30.00	0.00	112	181	PEAK	2	5650.40	55.33	68.50	-13.17	37.28	34.60	13.46	30.01	0.00	112	181	PEAK	3	5701.60	59.49	105.75	-46.26	41.22	34.60	13.77	30.10	0.00	112	181	PEAK	4	5720.00	58.61	110.90	-52.29	40.22	34.64	13.88	30.13	0.00	112	181	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.36</td><td>-----</td><td>-----</td><td>77.65</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	96.36	-----	-----	77.65	34.74	14.19	30.22	0.00	112	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5646.00	56.80	68.20	-11.40	38.78	34.59	13.43	30.00	0.00	112	181	PEAK																																																																																																											
2	5650.40	55.33	68.50	-13.17	37.28	34.60	13.46	30.01	0.00	112	181	PEAK																																																																																																											
3	5701.60	59.49	105.75	-46.26	41.22	34.60	13.77	30.10	0.00	112	181	PEAK																																																																																																											
4	5720.00	58.61	110.90	-52.29	40.22	34.64	13.88	30.13	0.00	112	181	PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5775.00	96.36	-----	-----	77.65	34.74	14.19	30.22	0.00	112	181	PEAK																																																																																																											
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.18</td><td>-----</td><td>-----</td><td>69.51</td><td>34.73</td><td>14.15</td><td>30.21</td><td>0.00</td><td>112</td><td>181</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	88.18	-----	-----	69.51	34.73	14.15	30.21	0.00	112	181	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5775.00	88.18	-----	-----	69.51	34.73	14.15	30.21	0.00	112	181	AVERAGE																																																																																																											







Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>56.42</td><td>111.36</td><td>-54.94</td><td>37.81</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>56.65</td><td>106.25</td><td>-49.60</td><td>38.02</td><td>34.93</td><td>14.00</td><td>30.38</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5920.80</td><td>58.50</td><td>71.30</td><td>-12.80</td><td>39.93</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5934.80</td><td>57.20</td><td>68.20</td><td>-11.00</td><td>38.69</td><td>35.10</td><td>13.82</td><td>30.41</td><td>0.00</td><td>112</td><td>181</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	56.42	111.36	-54.94	37.81	34.83	14.15	30.37	0.00	112	181	PEAK	2	5871.60	56.65	106.25	-49.60	38.02	34.93	14.00	30.38	0.00	112	181	PEAK	3	5920.80	58.50	71.30	-12.80	39.93	35.10	13.87	30.40	0.00	112	181	PEAK	4	5934.80	57.20	68.20	-11.00	38.69	35.10	13.82	30.41	0.00	112	181	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	56.42	111.36	-54.94	37.81	34.83	14.15	30.37	0.00	112	181	PEAK																																																																									
2	5871.60	56.65	106.25	-49.60	38.02	34.93	14.00	30.38	0.00	112	181	PEAK																																																																									
3	5920.80	58.50	71.30	-12.80	39.93	35.10	13.87	30.40	0.00	112	181	PEAK																																																																									
4	5934.80	57.20	68.20	-11.00	38.69	35.10	13.82	30.41	0.00	112	181	PEAK																																																																									







Mode	37																																																																
	Harmonic																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																
ANT	1																																																																
Pol.	Horizontal												Vertical																																																				
Peak Avg																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="2">Remark</th></tr></thead><tbody><tr><td>1</td><td>7699.98</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>61.73</td><td>35.70</td><td>14.86</td><td>66.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>53.75</td><td>38.05</td><td>18.63</td><td>64.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		1	7699.98	46.21	74.00	-27.79	61.73	35.70	14.86	66.08	0.00	--	--	PEAK	2	11550.00	46.24	74.00	-27.76	53.75	38.05	18.63	64.19	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																						
1	7699.98	46.21	74.00	-27.79	61.73	35.70	14.86	66.08	0.00	--	--	PEAK																																																					
2	11550.00	46.24	74.00	-27.76	53.75	38.05	18.63	64.19	0.00	--	--	PEAK																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="2">Remark</th></tr></thead><tbody><tr><td>1</td><td>7699.98</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>57.82</td><td>35.70</td><td>14.86</td><td>66.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>53.33</td><td>38.05</td><td>18.63</td><td>64.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		1	7699.98	42.30	74.00	-31.70	57.82	35.70	14.86	66.08	0.00	--	--	PEAK	2	11550.00	45.82	74.00	-28.18	53.33	38.05	18.63	64.19	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																						
1	7699.98	42.30	74.00	-31.70	57.82	35.70	14.86	66.08	0.00	--	--	PEAK																																																					
2	11550.00	45.82	74.00	-28.18	53.33	38.05	18.63	64.19	0.00	--	--	PEAK																																																					







		38																																																																		
Mode	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
Pol.	Fundamental																																																																			
Peak	Horizontal																																																																			
	Fundamental																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.53</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>38.50</td><td>34.60</td><td>12.31</td><td>29.86</td><td>0.00</td><td>300</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>5464.17</td><td>55.73</td><td>68.20</td><td>-12.47</td><td>38.70</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>300</td><td>204</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.53	55.55	74.00	-18.45	38.50	34.60	12.31	29.86	0.00	300	204	PEAK	2	5464.17	55.73	68.20	-12.47	38.70	34.57	12.34	29.88	0.00	300	204
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5447.53	55.55	74.00	-18.45	38.50	34.60	12.31	29.86	0.00	300	204	PEAK																																																								
2	5464.17	55.73	68.20	-12.47	38.70	34.57	12.34	29.88	0.00	300	204	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>44.97</td><td>54.00</td><td>-9.03</td><td>27.93</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>204</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	44.97	54.00	-9.03	27.93	34.58	12.33	29.87	0.00	300	204	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.28	44.97	54.00	-9.03	27.93	34.58	12.33	29.87	0.00	300	204	AVERAGE																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.43</td><td>-----</td><td>-----</td><td>86.48</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>300</td><td>204</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.43	-----	-----	86.48	34.51	12.38	29.94	0.00	300	204	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	103.43	-----	-----	86.48	34.51	12.38	29.94	0.00	300	204	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.24</td><td>-----</td><td>-----</td><td>78.29</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>300</td><td>204</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.24	-----	-----	78.29	34.51	12.38	29.94	0.00	300	204	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	95.24	-----	-----	78.29	34.51	12.38	29.94	0.00	300	204	AVERAGE																																																								



Mode	38																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.25</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>39.23</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5466.89</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>39.95</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.25	56.27	74.00	-17.73	39.23	34.58	12.33	29.87	0.00	100	116	PEAK	2	5466.89	56.97	68.20	-11.23	39.95	34.57	12.34	29.89	0.00	100	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.70</td><td>-----</td><td>-----</td><td>88.74</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	105.70	-----	-----	88.74	34.52	12.37	29.93	0.00	100	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5458.25	56.27	74.00	-17.73	39.23	34.58	12.33	29.87	0.00	100	116	PEAK																																																																																																																				
2	5466.89	56.97	68.20	-11.23	39.95	34.57	12.34	29.89	0.00	100	116	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5500.00	105.70	-----	-----	88.74	34.52	12.37	29.93	0.00	100	116	PEAK																																																																																																																				
Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.52</td><td>45.49</td><td>54.00</td><td>-8.51</td><td>28.46</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.52	45.49	54.00	-8.51	28.46	34.58	12.33	29.88	0.00	100	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.46</td><td>-----</td><td>-----</td><td>80.51</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	97.46	-----	-----	80.51	34.51	12.38	29.94	0.00	100	116	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5459.52	45.49	54.00	-8.51	28.46	34.58	12.33	29.88	0.00	100	116	AVERAGE																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5500.00	97.46	-----	-----	80.51	34.51	12.38	29.94	0.00	100	116	AVERAGE																																																																																																																				




Mode	38																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.33</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>70.50</td><td>35.73</td><td>14.51</td><td>65.24</td><td>0.00</td><td>262</td><td>219</td><td>PEAK</td></tr><tr><td>2</td><td>7333.33</td><td>52.82</td><td>54.00</td><td>-1.18</td><td>67.82</td><td>35.73</td><td>14.51</td><td>65.24</td><td>0.00</td><td>262</td><td>219</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>53.98</td><td>37.80</td><td>18.15</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.33	55.50	74.00	-18.50	70.50	35.73	14.51	65.24	0.00	262	219	PEAK	2	7333.33	52.82	54.00	-1.18	67.82	35.73	14.51	65.24	0.00	262	219	AVERAGE	3	11000.00	45.23	74.00	-28.77	53.98	37.80	18.15	64.70	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.33</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>69.27</td><td>35.73</td><td>14.51</td><td>65.24</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>7333.33</td><td>52.80</td><td>54.00</td><td>-1.20</td><td>67.80</td><td>35.73</td><td>14.51</td><td>65.24</td><td>0.00</td><td>100</td><td>92</td><td>AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>53.58</td><td>37.80</td><td>18.15</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.33	54.27	74.00	-19.73	69.27	35.73	14.51	65.24	0.00	100	92	PEAK	2	7333.33	52.80	54.00	-1.20	67.80	35.73	14.51	65.24	0.00	100	92	AVERAGE	3	11000.00	44.83	74.00	-29.17	53.58	37.80	18.15	64.70	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	7333.33	55.50	74.00	-18.50	70.50	35.73	14.51	65.24	0.00	262	219	PEAK																																																																																																																																											
2	7333.33	52.82	54.00	-1.18	67.82	35.73	14.51	65.24	0.00	262	219	AVERAGE																																																																																																																																											
3	11000.00	45.23	74.00	-28.77	53.98	37.80	18.15	64.70	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	7333.33	54.27	74.00	-19.73	69.27	35.73	14.51	65.24	0.00	100	92	PEAK																																																																																																																																											
2	7333.33	52.80	54.00	-1.20	67.80	35.73	14.51	65.24	0.00	100	92	AVERAGE																																																																																																																																											
3	11000.00	44.83	74.00	-29.17	53.58	37.80	18.15	64.70	0.00	--	--	PEAK																																																																																																																																											

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.25	-	-	10Hz
802.11ac VHT20	98.13	-	-	10Hz
802.11ac VHT40	96.27	0.935	1.070	3kHz
802.11ac VHT80	93.24	0.459	2.179	3kHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

