


**802.11a**

**CH 48 (Horizontal)**

**CH 48 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 10480.000 | 56.24  | 61.61 | -5.37 | 68.20  | -11.96 | 300  | 272  | Peak    | Horizontal |           |      |
| 2 15720.000 | 43.89  | 41.91 | 1.98  | 54.00  | -10.11 | 100  | 337  | Average | Horizontal |           |      |
| 3 15720.000 | 58.33  | 56.35 | 1.98  | 74.00  | -15.67 | 100  | 337  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 10480.000 | 57.61  | 62.98 | -5.37 | 68.20  | -10.59 | 200  | 268  | Peak    | Vertical |           |      |
| 2 15720.000 | 51.57  | 49.59 | 1.98  | 54.00  | -2.43  | 309  | 152  | Average | Vertical |           |      |
| 3 15720.000 | 67.59  | 65.61 | 1.98  | 74.00  | -6.41  | 309  | 152  | Peak    | Vertical |           |      |


**802.11ac VHT20**

**CH 36 (Horizontal)**

**CH 36 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 10360.000  | 56.73  | 62.55 | -5.82 | 68.20  | -11.47 | 220  | 103  | Peak    | Horizontal |           |      |
| 2 115540.000 | 50.60  | 49.25 | 1.35  | 54.00  | -3.40  | 190  | 284  | Average | Horizontal |           |      |
| 3 15540.000  | 65.43  | 64.08 | 1.35  | 74.00  | -8.57  | 190  | 284  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 10360.000  | 57.69  | 63.51 | -5.82 | 68.20  | -10.51 | 204  | 110  | Peak    | Vertical |           |      |
| 2 115540.000 | 52.73  | 51.38 | 1.35  | 54.00  | -1.27  | 225  | 262  | Average | Vertical |           |      |
| 3 15540.000  | 72.01  | 70.66 | 1.35  | 74.00  | -1.99  | 225  | 262  | Peak    | Vertical |           |      |


**802.11ac VHT20**

**CH 40 (Horizontal)**

**CH 40 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 10400.000 | 58.55  | 64.25 | -5.70 | 68.20  | -9.65  | 278  | 101  | Peak    | Horizontal |      |
| 2 15600.000 | 46.11  | 44.79 | 1.32  | 54.00  | -7.89  | 200  | 295  | Average | Horizontal |      |
| 3 15600.000 | 59.03  | 57.71 | 1.32  | 74.00  | -14.97 | 200  | 295  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq        | Level  | Read  | Level | Limit  | Over  | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|-------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm   | deg  |         |           |      |
| 1 10400.000 | 59.76  | 65.46 | -5.70 | 68.20  | -8.44 | 243  | 97   | Peak    | Vertical  |      |
| 2 15600.000 | 52.96  | 51.64 | 1.32  | 54.00  | -1.04 | 278  | 103  | Average | Vertical  |      |
| 3 15600.000 | 67.24  | 65.92 | 1.32  | 74.00  | -6.76 | 278  | 103  | Peak    | Vertical  |      |

**802.11ac VHT20**

**CH 48 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq         | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|-------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |            |           |      |
| 1 10480.000  | 59.54  | 64.91 | -5.37 | 68.20  | -8.66 | 257  | 98   | Peak    | Horizontal |           |      |
| 2 115720.000 | 49.56  | 47.58 | 1.98  | 54.00  | -4.44 | 258  | 293  | Average | Horizontal |           |      |
| 3 15720.000  | 64.58  | 62.60 | 1.98  | 74.00  | -9.42 | 258  | 293  | Peak    | Horizontal |           |      |

**CH 48 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 10480.000  | 56.53  | 61.90 | -5.37 | 68.20  | -11.67 | 100  | 61   | Peak    | Vertical |           |      |
| 2 115720.000 | 52.85  | 50.87 | 1.98  | 54.00  | -1.15  | 249  | 282  | Average | Vertical |           |      |
| 3 15720.000  | 69.87  | 67.89 | 1.98  | 74.00  | -4.13  | 249  | 282  | Peak    | Vertical |           |      |

**802.11ac VHT40**

**CH 38 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 10380.000 | 52.33  | 58.09 | -5.76 | 68.20  | -15.87 | 282  | 108  | Peak    | Horizontal |           |      |
| 2 15570.000 | 41.69  | 48.36 | 1.33  | 54.00  | -12.31 | 222  | 293  | Average | Horizontal |           |      |
| 3 15570.000 | 56.05  | 54.72 | 1.33  | 74.00  | -17.95 | 222  | 293  | Peak    | Horizontal |           |      |

**CH 38 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 10380.000 | 55.36  | 61.12 | -5.76 | 68.20  | -12.84 | 230  | 283  | Peak    | Vertical |           |      |
| 2 15570.000 | 51.27  | 49.94 | 1.33  | 54.00  | -2.73  | 199  | 283  | Average | Vertical |           |      |
| 3 15570.000 | 63.69  | 62.36 | 1.33  | 74.00  | -10.31 | 199  | 283  | Peak    | Vertical |           |      |

**802.11ac VHT40**

**CH 46 (Horizontal)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|-------|--------|--------|------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |         |            |      |
| 1 10460.000 | 53.73  | 59.18 | -5.45 | 68.20  | -14.47 |      | 211  | 298  | Peak    | Horizontal |      |
| 2 15690.000 | 43.12  | 41.22 | 1.90  | 54.00  | -10.88 |      | 198  | 307  | Average | Horizontal |      |
| 3 15990.000 | 55.37  | 53.47 | 1.90  | 74.00  | -18.63 |      | 198  | 307  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |         |           |      |
| 1 10460.000 | 57.99  | 63.44 | -5.45 | 68.20  | -10.21 |      | 218  | 264  | Peak    | Vertical  |      |
| 2 15690.000 | 52.71  | 50.81 | 1.90  | 54.00  | -1.29  |      | 189  | 253  | Average | Vertical  |      |
| 3 15990.000 | 64.49  | 62.59 | 1.90  | 74.00  | -9.51  |      | 189  | 253  | Peak    | Vertical  |      |

**802.11ac VHT80**

**CH 42 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 10420.000 | 49.83  | 55.45 | -5.62 | 68.20  | -18.37 | 233  | 101  | Peak    | Horizontal |           |      |
| 2 15630.000 | 41.19  | 39.68 | 1.51  | 54.00  | -12.81 | 106  | 82   | Average | Horizontal |           |      |
| 3 15630.000 | 53.41  | 51.90 | 1.51  | 74.00  | -20.59 | 106  | 82   | Peak    | Horizontal |           |      |

**CH 42 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 10420.000 | 50.85  | 56.47 | -5.62 | 68.20  | -17.35 | 261  | 109  | Peak    | Vertical |           |      |
| 2 15630.000 | 47.03  | 45.52 | 1.51  | 54.00  | -6.97  | 253  | 112  | Average | Vertical |           |      |
| 3 15630.000 | 58.62  | 57.11 | 1.51  | 74.00  | -15.38 | 253  | 112  | Peak    | Vertical |           |      |

Seite B39 von B48  
Page B39 of B48


**802.11a**

**CH 157 (Horizontal)**

**CH 157 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq       | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|------------|--------|--------------|-------|-------|--------|------|-------------|------------|------|
|   | MHz        | dBuV/m | Level Factor | Line  | Limit |        |      |             |            |      |
| 1 | 11570.000  | 47.45  | 50.67        | -3.22 | 54.00 | -6.55  | 103  | 107 Average | Horizontal |      |
| 2 | 11570.000  | 60.38  | 63.60        | -3.22 | 74.00 | -13.62 | 103  | 107 Peak    | Horizontal |      |
| 3 | 117355.000 | 63.38  | 59.17        | 4.21  | 68.20 | -4.82  | 100  | 248 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq       | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|------------|--------|--------------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz        | dBuV/m | Level Factor | Line  | Limit |        |      |             |           |      |
| 1 | 11570.000  | 48.03  | 51.25        | -3.22 | 54.00 | -5.97  | 100  | 211 Average | Vertical  |      |
| 2 | 11570.000  | 61.37  | 64.59        | -3.22 | 74.00 | -12.63 | 100  | 211 Peak    | Vertical  |      |
| 3 | 117355.000 | 66.64  | 62.43        | 4.21  | 68.20 | -1.56  | 193  | 171 Peak    | Vertical  |      |

**802.11a**

**CH 165 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 11650.000  | 47.40  | 50.46 | -3.06 | 54.00  | -6.60  | 100  | 115  | Average | Horizontal |           |      |
| 2 11650.000  | 59.86  | 62.92 | -3.06 | 74.00  | -14.14 | 100  | 115  | Peak    | Horizontal |           |      |
| 3 117475.000 | 63.20  | 58.76 | 4.44  | 68.20  | -5.00  | 100  | 245  | Peak    | Horizontal |           |      |

**CH 165 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 11650.000  | 48.51  | 51.57 | -3.06 | 54.00  | -5.49  | 112  | 210  | Average | Vertical |           |      |
| 2 11650.000  | 61.09  | 64.15 | -3.06 | 74.00  | -12.91 | 112  | 210  | Peak    | Vertical |           |      |
| 3 117475.000 | 66.78  | 62.34 | 4.44  | 68.20  | -1.42  | 191  | 172  | Peak    | Vertical |           |      |

**802.11ac VHT20**

**CH 149 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq       | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz        | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 11490.000  | 46.78  | 50.09 | -3.31 | 54.00  | -7.22  | 224  | 104  | Average | Horizontal |           |      |
| 2 | 11490.000  | 61.30  | 64.61 | -3.31 | 74.00  | -12.70 | 224  | 104  | Peak    | Horizontal |           |      |
| 3 | 117235.000 | 62.51  | 58.67 | 3.84  | 68.20  | -5.69  | 227  | 111  | Peak    | Horizontal |           |      |

**CH 149 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq       | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz        | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 11490.000  | 46.90  | 50.21 | -3.31 | 54.00  | -7.10  | 378  | 182  | Average | Vertical |           |      |
| 2 | 11490.000  | 62.43  | 65.74 | -3.31 | 74.00  | -11.57 | 378  | 182  | Peak    | Vertical |           |      |
| 3 | 117235.000 | 66.97  | 63.13 | 3.84  | 68.20  | -1.23  | 100  | 38   | Peak    | Vertical |           |      |

**802.11ac VHT20**

**CH 157 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq       | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz        | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 11570.000  | 45.29  | 48.51 | -3.22 | 54.00  | -8.71  | 335  | 124  | Average | Horizontal |           |      |
| 2 | 11570.000  | 58.88  | 62.10 | -3.22 | 74.00  | -15.12 | 335  | 124  | Peak    | Horizontal |           |      |
| 3 | 117355.000 | 62.60  | 58.39 | 4.21  | 68.20  | -5.60  | 262  | 117  | Peak    | Horizontal |           |      |

**CH 157 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq       | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz        | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 11570.000  | 50.95  | 54.17 | -3.22 | 54.00  | -3.05  | 300  | 188  | Average | Vertical |           |      |
| 2 | 11570.000  | 63.82  | 67.04 | -3.22 | 74.00  | -10.18 | 300  | 188  | Peak    | Vertical |           |      |
| 3 | 117355.000 | 66.86  | 62.65 | 4.21  | 68.20  | -1.34  | 376  | 17   | Peak    | Vertical |           |      |

**802.11ac VHT20**

**CH 165 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 11650.000  | 50.25  | 53.31 | -3.06 | 54.00  | -3.75  | 105  | 108  | Average | Horizontal |           |      |
| 2 11650.000  | 63.16  | 66.22 | -3.06 | 74.00  | -10.84 | 105  | 108  | Peak    | Horizontal |           |      |
| 3 117475.000 | 63.94  | 59.50 | 4.44  | 68.20  | -4.26  | 100  | 246  | Peak    | Horizontal |           |      |

**CH 165 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq         | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|-------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |          |           |      |
| 1 11650.000  | 51.35  | 54.41 | -3.06 | 54.00  | -2.65 | 103  | 210  | Average | Vertical |           |      |
| 2 11650.000  | 64.42  | 67.48 | -3.06 | 74.00  | -9.58 | 103  | 210  | Peak    | Vertical |           |      |
| 3 117475.000 | 67.11  | 62.67 | 4.44  | 68.20  | -1.09 | 194  | 172  | Peak    | Vertical |           |      |

**802.11ac VHT40**

**CH 151 (Horizontal)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase  | Note |
|-------------|--------|-------|-------|--------|--------|------|------|------|---------|------------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |         |            |      |
| 1 11510.000 | 49.14  | 52.42 | -3.28 | 54.00  | -4.86  |      | 317  | 99   | Average | Horizontal |      |
| 2 11510.000 | 61.61  | 64.89 | -3.28 | 74.00  | -12.39 |      | 317  | 99   | Peak    | Horizontal |      |
| 3 17265.000 | 61.65  | 57.81 | 3.84  | 68.20  | -6.55  |      | 265  | 291  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq        | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark  | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|--------|------|------|------|---------|-----------|------|
| MHz         | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |         |           |      |
| 1 11510.000 | 49.26  | 52.54 | -3.28 | 54.00  | -4.74  |      | 359  | 159  | Average | Vertical  |      |
| 2 11510.000 | 61.80  | 65.08 | -3.28 | 74.00  | -12.20 |      | 359  | 159  | Peak    | Vertical  |      |
| 3 17265.000 | 66.70  | 62.86 | 3.84  | 68.20  | -1.50  |      | 333  | 21   | Peak    | Vertical  |      |

**802.11ac VHT40**

**CH 159 (Horizontal)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq          | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz           | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1  11590.000  | 48.67  | 51.88 | -3.21 | 54.00  | -5.33  | 316  | 99   | Average | Horizontal |           |      |
| 2  11590.000  | 61.11  | 64.32 | -3.21 | 74.00  | -12.89 | 316  | 99   | Peak    | Horizontal |           |      |
| 3  117385.000 | 64.05  | 59.65 | 4.40  | 68.20  | -4.15  | 200  | 114  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq          | Level  | Read  | Level | Factor | Limit | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---------------|--------|-------|-------|--------|-------|------|------|---------|----------|-----------|------|
| MHz           | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | dB   | cm   | deg     |          |           |      |
| 1  11590.000  | 52.22  | 55.43 | -3.21 | 54.00  | -1.78 | 301  | 203  | Average | Vertical |           |      |
| 2  11590.000  | 64.52  | 67.73 | -3.21 | 74.00  | -9.48 | 301  | 203  | Peak    | Vertical |           |      |
| 3  117385.000 | 66.86  | 62.46 | 4.40  | 68.20  | -1.34 | 348  | 19   | Peak    | Vertical |           |      |

**802.11ac VHT80**

**CH 155 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1  11550.000 | 50.34  | 53.58 | -3.24 | 54.00  | -3.66  | 225  | 106  | Average | Horizontal |           |      |
| 2  11550.000 | 63.13  | 66.37 | -3.24 | 74.00  | -10.87 | 225  | 106  | Peak    | Horizontal |           |      |
| 3  17325.000 | 64.13  | 60.12 | 4.01  | 68.20  | -4.07  | 220  | 114  | Peak    | Horizontal |           |      |

**CH 155 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1  11550.000 | 50.31  | 53.55 | -3.24 | 54.00  | -3.69  | 306  | 210  | Average | Vertical |           |      |
| 2  11550.000 | 63.65  | 66.89 | -3.24 | 74.00  | -10.35 | 306  | 210  | Peak    | Vertical |           |      |
| 3  17325.000 | 66.92  | 62.91 | 4.01  | 68.20  | -1.28  | 111  | 221  | Peak    | Vertical |           |      |

## Mains Conducted Emission, (150kHz ~ 30MHz)


### Worst Band

#### (Line)

#### (Neutral)



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322

