



	Type5	18	10	654516.0	12	2	82.7	1710.0	1990.0	---
	Type5	18	11	8083.0	12	1	50.7	1234.0	---	---
	Type5	18	12	215435.0	12	2	78.4	1047.0	1109.0	---
	Type5	18	13	421325.0	12	3	99.5	1299.0	1965.0	1869.0

TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	19	0	733725.0	10	3	88.6	1501.0	1067.0	1927.0
		Type5	19	1	977882.0	10	1	57.4	1723.0	---	---
		Type5	19	2	221197.0	10	3	96.6	1086.0	1658.0	1324.0
		Type5	19	3	462915.0	10	2	69.7	1751.0	1945.0	---
		Type5	19	4	705071.0	10	2	77.9	1642.0	1317.0	---
		Type5	19	5	947923.0	10	1	62.0	1866.0	---	---
		Type5	19	6	191373.0	10	3	88.4	1997.0	1077.0	1366.0
		Type5	19	7	432561.0	10	3	97.3	1790.0	1896.0	1367.0
		Type5	19	8	674004.0	10	3	96.2	1391.0	1787.0	1672.0
		Type5	19	9	915842.0	10	3	95.4	1020.0	1892.0	1414.0
		Type5	19	10	162176.0	10	1	54.8	1084.0	---	---
11N40MIMO	5270	Type5	19	11	403553.0	10	2	80.4	1850.0	1436.0	---
		Type5	19	0	733725.0	10	3	88.6	1501.0	1067.0	1927.0
		Type5	19	1	977882.0	10	1	57.4	1723.0	---	---
		Type5	19	2	221197.0	10	3	96.6	1086.0	1658.0	1324.0
		Type5	19	3	462915.0	10	2	69.7	1751.0	1945.0	---
		Type5	19	4	705071.0	10	2	77.9	1642.0	1317.0	---
		Type5	19	5	947923.0	10	1	62.0	1866.0	---	---
		Type5	19	6	191373.0	10	3	88.4	1997.0	1077.0	1366.0
		Type5	19	7	432561.0	10	3	97.3	1790.0	1896.0	1367.0
		Type5	19	8	674004.0	10	3	96.2	1391.0	1787.0	1672.0
		Type5	19	9	915842.0	10	3	95.4	1020.0	1892.0	1414.0
11AC80MIMO	5290	Type5	19	10	162176.0	10	1	54.8	1084.0	---	---
		Type5	19	11	403553.0	10	2	80.4	1850.0	1436.0	---
		Type5	19	0	733725.0	10	3	88.6	1501.0	1067.0	1927.0
		Type5	19	1	977882.0	10	1	57.4	1723.0	---	---
		Type5	19	2	221197.0	10	3	96.6	1086.0	1658.0	1324.0
		Type5	19	3	462915.0	10	2	69.7	1751.0	1945.0	---
		Type5	19	4	705071.0	10	2	77.9	1642.0	1317.0	---
		Type5	19	5	947923.0	10	1	62.0	1866.0	---	---
		Type5	19	6	191373.0	10	3	88.4	1997.0	1077.0	1366.0
		Type5	19	7	432561.0	10	3	97.3	1790.0	1896.0	1367.0
		Type5	19	8	674004.0	10	3	96.2	1391.0	1787.0	1672.0

TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	20	0	483470.0	15	2	74.7	1619.0	1611.0	---
		Type5	20	1	666072.0	15	1	57.1	1560.0	---	---
		Type5	20	2	98810.0	15	3	91.9	1392.0	1475.0	1276.0
		Type5	20	3	279914.0	15	2	83.1	1809.0	1772.0	---
		Type5	20	4	462536.0	15	1	50.7	1003.0	---	---
		Type5	20	5	642324.0	15	2	79.2	1574.0	1600.0	---
		Type5	20	6	76831.0	15	1	58.7	1186.0	---	---
		Type5	20	7	257785.0	15	2	71.0	1521.0	1567.0	---
		Type5	20	8	438554.0	15	2	79.0	1777.0	1960.0	---
		Type5	20	9	620397.0	15	2	68.5	1284.0	1428.0	---
		Type5	20	10	54310.0	15	2	73.5	1904.0	1352.0	---
		Type5	20	11	235506.0	15	2	70.5	1864.0	1115.0	---
		Type5	20	12	417036.0	15	2	76.6	1045.0	1300.0	---
		Type5	20	13	597974.0	15	2	81.2	1160.0	1675.0	---
		Type5	20	14	32086.0	15	1	61.8	1277.0	---	---

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type5	20	15	212751.0	15	3	94.9	1450.0	1206.0	1860.0
11N40MIMO	5270	Type5	20	0	483470.0	15	2	74.7	1619.0	1611.0	---
		Type5	20	1	666072.0	15	1	57.1	1560.0	---	---
		Type5	20	2	98810.0	15	3	91.9	1392.0	1475.0	1276.0
		Type5	20	3	279914.0	15	2	83.1	1809.0	1772.0	---
		Type5	20	4	462536.0	15	1	50.7	1003.0	---	---
		Type5	20	5	642324.0	15	2	79.2	1574.0	1600.0	---
		Type5	20	6	76831.0	15	1	58.7	1186.0	---	---
		Type5	20	7	257785.0	15	2	71.0	1521.0	1567.0	---
		Type5	20	8	438554.0	15	2	79.0	1777.0	1960.0	---
		Type5	20	9	620397.0	15	2	68.5	1284.0	1428.0	---
		Type5	20	10	54310.0	15	2	73.5	1904.0	1352.0	---
		Type5	20	11	235506.0	15	2	70.5	1864.0	1115.0	---
		Type5	20	12	417036.0	15	2	76.6	1045.0	1300.0	---
		Type5	20	13	597974.0	15	2	81.2	1160.0	1675.0	---
		Type5	20	14	32086.0	15	1	61.8	1277.0	---	---
11AC80MIMO	5290	Type5	20	15	212751.0	15	3	94.9	1450.0	1206.0	1860.0
		Type5	20	0	483470.0	15	2	74.7	1619.0	1611.0	---
		Type5	20	1	666072.0	15	1	57.1	1560.0	---	---
		Type5	20	2	98810.0	15	3	91.9	1392.0	1475.0	1276.0
		Type5	20	3	279914.0	15	2	83.1	1809.0	1772.0	---
		Type5	20	4	462536.0	15	1	50.7	1003.0	---	---
		Type5	20	5	642324.0	15	2	79.2	1574.0	1600.0	---
		Type5	20	6	76831.0	15	1	58.7	1186.0	---	---
		Type5	20	7	257785.0	15	2	71.0	1521.0	1567.0	---
		Type5	20	8	438554.0	15	2	79.0	1777.0	1960.0	---
		Type5	20	9	620397.0	15	2	68.5	1284.0	1428.0	---
		Type5	20	10	54310.0	15	2	73.5	1904.0	1352.0	---
		Type5	20	11	235506.0	15	2	70.5	1864.0	1115.0	---
		Type5	20	12	417036.0	15	2	76.6	1045.0	1300.0	---
		Type5	20	13	597974.0	15	2	81.2	1160.0	1675.0	---
		Type5	20	14	32086.0	15	1	61.8	1277.0	---	---
		Type5	20	15	212751.0	15	3	94.9	1450.0	1206.0	1860.0

TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	21	0	526149.0	9	2	78.5	1653.0	1698.0	---
		Type5	21	1	767135.0	9	3	89.8	1174.0	1962.0	1167.0
		Type5	21	2	12955.0	9	1	59.4	1982.0	---	---
		Type5	21	3	254612.0	9	2	79.6	1633.0	1890.0	---
		Type5	21	4	496588.0	9	2	76.0	1112.0	1811.0	---
		Type5	21	5	739728.0	9	1	53.6	1144.0	---	---
		Type5	21	6	980872.0	9	2	80.9	1220.0	1053.0	---
		Type5	21	7	225249.0	9	1	61.6	1724.0	---	---
		Type5	21	8	467279.0	9	1	53.4	1901.0	---	---
		Type5	21	9	709720.0	9	1	59.9	1379.0	---	---
		Type5	21	10	951847.0	9	1	60.4	1453.0	---	---
11N40MIMO	5270	Type5	21	11	194839.0	9	3	91.4	1768.0	1726.0	1227.0
		Type5	21	0	526149.0	9	2	78.5	1653.0	1698.0	---
		Type5	21	1	767135.0	9	3	89.8	1174.0	1962.0	1167.0
		Type5	21	2	12955.0	9	1	59.4	1982.0	---	---
		Type5	21	3	254612.0	9	2	79.6	1633.0	1890.0	---
		Type5	21	4	496588.0	9	2	76.0	1112.0	1811.0	---
		Type5	21	5	739728.0	9	1	53.6	1144.0	---	---
		Type5	21	6	980872.0	9	2	80.9	1220.0	1053.0	---
		Type5	21	7	225249.0	9	1	61.6	1724.0	---	---
		Type5	21	8	467279.0	9	1	53.4	1901.0	---	---
		Type5	21	9	709720.0	9	1	59.9	1379.0	---	---
11AC80MIMO	5290	Type5	21	10	951847.0	9	1	60.4	1453.0	---	---
		Type5	21	11	194839.0	9	3	91.4	1768.0	1726.0	1227.0
		Type5	21	0	526149.0	9	2	78.5	1653.0	1698.0	---
		Type5	21	1	767135.0	9	3	89.8	1174.0	1962.0	1167.0
		Type5	21	2	12955.0	9	1	59.4	1982.0	---	---

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type5	21	3	254612.0	9	2	79.6	1633.0	1890.0	---
Type5	21	4	496588.0	9	2	76.0	1112.0	1811.0	---
Type5	21	5	739728.0	9	1	53.6	1144.0	---	---
Type5	21	6	980872.0	9	2	80.9	1220.0	1053.0	---
Type5	21	7	225249.0	9	1	61.6	1724.0	---	---
Type5	21	8	467279.0	9	1	53.4	1901.0	---	---
Type5	21	9	709720.0	9	1	59.9	1379.0	---	---
Type5	21	10	951847.0	9	1	60.4	1453.0	---	---
Type5	21	11	194839.0	9	3	91.4	1768.0	1726.0	1227.0

TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	22	0	261858.0	20	2	77.0	1191.0	1363.0	---
		Type5	22	1	407646.0	20	1	58.1	1248.0	---	---
		Type5	22	2	552319.0	20	1	62.1	1836.0	---	---
		Type5	22	3	99107.0	20	2	76.9	1334.0	1236.0	---
		Type5	22	4	243514.0	20	2	80.0	1914.0	1852.0	---
		Type5	22	5	389464.0	20	1	52.0	1701.0	---	---
		Type5	22	6	531093.0	20	3	88.6	1693.0	1995.0	1905.0
		Type5	22	7	81159.0	20	2	72.9	1922.0	1387.0	---
		Type5	22	8	225245.0	20	3	98.5	1839.0	1746.0	1389.0
		Type5	22	9	371906.0	20	1	57.9	1193.0	---	---
		Type5	22	10	514197.0	20	3	95.9	1659.0	1870.0	1066.0
		Type5	22	11	63561.0	20	1	53.5	1162.0	---	---
		Type5	22	12	207510.0	20	3	92.0	1745.0	1654.0	1458.0
		Type5	22	13	353638.0	20	1	57.3	1834.0	---	---
		Type5	22	14	497515.0	20	2	70.5	1684.0	1586.0	---
		Type5	22	15	45553.0	20	2	70.0	1042.0	1664.0	---
		Type5	22	16	189821.0	20	3	84.0	1765.0	1630.0	1176.0
		Type5	22	17	335330.0	20	2	76.1	1557.0	1057.0	---
		Type5	22	18	478825.0	20	3	93.2	1985.0	1018.0	1340.0
		Type5	22	19	27594.0	20	3	96.8	1760.0	1614.0	1817.0
11N40MIMO	5270	Type5	22	0	261858.0	20	2	77.0	1191.0	1363.0	---
		Type5	22	1	407646.0	20	1	58.1	1248.0	---	---
		Type5	22	2	552319.0	20	1	62.1	1836.0	---	---
		Type5	22	3	99107.0	20	2	76.9	1334.0	1236.0	---
		Type5	22	4	243514.0	20	2	80.0	1914.0	1852.0	---
		Type5	22	5	389464.0	20	1	52.0	1701.0	---	---
		Type5	22	6	531093.0	20	3	88.6	1693.0	1995.0	1905.0
		Type5	22	7	81159.0	20	2	72.9	1922.0	1387.0	---
		Type5	22	8	225245.0	20	3	98.5	1839.0	1746.0	1389.0
		Type5	22	9	371906.0	20	1	57.9	1193.0	---	---
		Type5	22	10	514197.0	20	3	95.9	1659.0	1870.0	1066.0
		Type5	22	11	63561.0	20	1	53.5	1162.0	---	---
		Type5	22	12	207510.0	20	3	92.0	1745.0	1654.0	1458.0
		Type5	22	13	353638.0	20	1	57.3	1834.0	---	---
		Type5	22	14	497515.0	20	2	70.5	1684.0	1586.0	---
		Type5	22	15	45553.0	20	2	70.0	1042.0	1664.0	---
		Type5	22	16	189821.0	20	3	84.0	1765.0	1630.0	1176.0
		Type5	22	17	335330.0	20	2	76.1	1557.0	1057.0	---
		Type5	22	18	478825.0	20	3	93.2	1985.0	1018.0	1340.0
		Type5	22	19	27594.0	20	3	96.8	1760.0	1614.0	1817.0
11AC80MIMO	5290	Type5	22	0	261858.0	20	2	77.0	1191.0	1363.0	---
		Type5	22	1	407646.0	20	1	58.1	1248.0	---	---
		Type5	22	2	552319.0	20	1	62.1	1836.0	---	---
		Type5	22	3	99107.0	20	2	76.9	1334.0	1236.0	---
		Type5	22	4	243514.0	20	2	80.0	1914.0	1852.0	---
		Type5	22	5	389464.0	20	1	52.0	1701.0	---	---
		Type5	22	6	531093.0	20	3	88.6	1693.0	1995.0	1905.0
		Type5	22	7	81159.0	20	2	72.9	1922.0	1387.0	---
		Type5	22	8	225245.0	20	3	98.5	1839.0	1746.0	1389.0
		Type5	22	9	371906.0	20	1	57.9	1193.0	---	---
		Type5	22	10	514197.0	20	3	95.9	1659.0	1870.0	1066.0

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



	Type5	22	11	63561.0	20	1	53.5	1162.0	---	---
	Type5	22	12	207510.0	20	3	92.0	1745.0	1654.0	1458.0
	Type5	22	13	353638.0	20	1	57.3	1834.0	---	---
	Type5	22	14	497515.0	20	2	70.5	1684.0	1586.0	---
	Type5	22	15	45553.0	20	2	70.0	1042.0	1664.0	---
	Type5	22	16	189821.0	20	3	84.0	1765.0	1630.0	1176.0
	Type5	22	17	335330.0	20	2	76.1	1557.0	1057.0	---
	Type5	22	18	478825.0	20	3	93.2	1985.0	1018.0	1340.0
	Type5	22	19	27594.0	20	3	96.8	1760.0	1614.0	1817.0

TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	23	0	247117.0	12	1	50.1	1841.0	---	---
		Type5	23	1	453362.0	12	3	93.5	1590.0	1081.0	1413.0
		Type5	23	2	660875.0	12	2	68.8	1707.0	1577.0	---
		Type5	23	3	14140.0	12	1	56.3	1056.0	---	---
		Type5	23	4	220734.0	12	3	86.0	1953.0	1108.0	1987.0
		Type5	23	5	428367.0	12	2	75.2	1572.0	1536.0	---
		Type5	23	6	636681.0	12	1	54.4	1517.0	---	---
		Type5	23	7	843157.0	12	2	71.1	1329.0	1243.0	---
		Type5	23	8	195585.0	12	2	76.2	1940.0	1770.0	---
		Type5	23	9	403231.0	12	2	80.2	1098.0	1209.0	---
		Type5	23	10	610202.0	12	2	79.7	1588.0	1214.0	---
		Type5	23	11	815229.0	12	3	90.9	1615.0	1862.0	1601.0
		Type5	23	12	170267.0	12	2	68.7	1377.0	1441.0	---
11N40MIMO	5270	Type5	23	13	377306.0	12	2	67.4	1872.0	1313.0	---
		Type5	23	0	247117.0	12	1	50.1	1841.0	---	---
		Type5	23	1	453362.0	12	3	93.5	1590.0	1081.0	1413.0
		Type5	23	2	660875.0	12	2	68.8	1707.0	1577.0	---
		Type5	23	3	14140.0	12	1	56.3	1056.0	---	---
		Type5	23	4	220734.0	12	3	86.0	1953.0	1108.0	1987.0
		Type5	23	5	428367.0	12	2	75.2	1572.0	1536.0	---
		Type5	23	6	636681.0	12	1	54.4	1517.0	---	---
		Type5	23	7	843157.0	12	2	71.1	1329.0	1243.0	---
		Type5	23	8	195585.0	12	2	76.2	1940.0	1770.0	---
		Type5	23	9	403231.0	12	2	80.2	1098.0	1209.0	---
		Type5	23	10	610202.0	12	2	79.7	1588.0	1214.0	---
		Type5	23	11	815229.0	12	3	90.9	1615.0	1862.0	1601.0
11AC80MIMO	5290	Type5	23	12	170267.0	12	2	68.7	1377.0	1441.0	---
		Type5	23	13	377306.0	12	2	67.4	1872.0	1313.0	---
		Type5	23	0	247117.0	12	1	50.1	1841.0	---	---
		Type5	23	1	453362.0	12	3	93.5	1590.0	1081.0	1413.0
		Type5	23	2	660875.0	12	2	68.8	1707.0	1577.0	---
		Type5	23	3	14140.0	12	1	56.3	1056.0	---	---
		Type5	23	4	220734.0	12	3	86.0	1953.0	1108.0	1987.0
		Type5	23	5	428367.0	12	2	75.2	1572.0	1536.0	---
		Type5	23	6	636681.0	12	1	54.4	1517.0	---	---
		Type5	23	7	843157.0	12	2	71.1	1329.0	1243.0	---
		Type5	23	8	195585.0	12	2	76.2	1940.0	1770.0	---
		Type5	23	9	403231.0	12	2	80.2	1098.0	1209.0	---
		Type5	23	10	610202.0	12	2	79.7	1588.0	1214.0	---
		Type5	23	11	815229.0	12	3	90.9	1615.0	1862.0	1601.0
		Type5	23	12	170267.0	12	2	68.7	1377.0	1441.0	---
		Type5	23	13	377306.0	12	2	67.4	1872.0	1313.0	---



TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	24	0	628071.0	11	3	94.0	1643.0	1748.0	1941.0
		Type5	24	1	853391.0	11	2	70.8	1177.0	1201.0	---
		Type5	24	2	156223.0	11	1	56.3	1006.0	---	---
		Type5	24	3	378734.0	11	3	96.7	1230.0	1163.0	1332.0
		Type5	24	4	601331.0	11	3	90.6	1217.0	1582.0	1498.0
		Type5	24	5	825462.0	11	2	74.5	1569.0	1281.0	---
		Type5	24	6	128265.0	11	3	92.6	1065.0	1669.0	1222.0
		Type5	24	7	351161.0	11	3	89.0	1493.0	1135.0	1380.0
		Type5	24	8	573425.0	11	3	96.5	1607.0	1822.0	1602.0
		Type5	24	9	798431.0	11	2	70.5	1141.0	1178.0	---
		Type5	24	10	100737.0	11	3	94.0	1009.0	1629.0	1956.0
		Type5	24	11	324661.0	11	1	55.8	1290.0	---	---
11N40MIMO	5270	Type5	24	0	628071.0	11	3	94.0	1643.0	1748.0	1941.0
		Type5	24	1	853391.0	11	2	70.8	1177.0	1201.0	---
		Type5	24	2	156223.0	11	1	56.3	1006.0	---	---
		Type5	24	3	378734.0	11	3	96.7	1230.0	1163.0	1332.0
		Type5	24	4	601331.0	11	3	90.6	1217.0	1582.0	1498.0
		Type5	24	5	825462.0	11	2	74.5	1569.0	1281.0	---
		Type5	24	6	128265.0	11	3	92.6	1065.0	1669.0	1222.0
		Type5	24	7	351161.0	11	3	89.0	1493.0	1135.0	1380.0
		Type5	24	8	573425.0	11	3	96.5	1607.0	1822.0	1602.0
		Type5	24	9	798431.0	11	2	70.5	1141.0	1178.0	---
		Type5	24	10	100737.0	11	3	94.0	1009.0	1629.0	1956.0
		Type5	24	11	324661.0	11	1	55.8	1290.0	---	---
11AC80MIMO	5290	Type5	24	0	628071.0	11	3	94.0	1643.0	1748.0	1941.0
		Type5	24	1	853391.0	11	2	70.8	1177.0	1201.0	---
		Type5	24	2	156223.0	11	1	56.3	1006.0	---	---
		Type5	24	3	378734.0	11	3	96.7	1230.0	1163.0	1332.0
		Type5	24	4	601331.0	11	3	90.6	1217.0	1582.0	1498.0
		Type5	24	5	825462.0	11	2	74.5	1569.0	1281.0	---
		Type5	24	6	128265.0	11	3	92.6	1065.0	1669.0	1222.0
		Type5	24	7	351161.0	11	3	89.0	1493.0	1135.0	1380.0
		Type5	24	8	573425.0	11	3	96.5	1607.0	1822.0	1602.0
		Type5	24	9	798431.0	11	2	70.5	1141.0	1178.0	---
		Type5	24	10	100737.0	11	3	94.0	1009.0	1629.0	1956.0
		Type5	24	11	324661.0	11	1	55.8	1290.0	---	---
		Type5	24	12	546278.0	11	3	87.7	1435.0	1963.0	1164.0



TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	25	0	1253842.0	5	2	68.6	1306.0	1161.0	---
		Type5	25	1	119486.0	5	2	83.1	1420.0	1315.0	---
		Type5	25	2	482958.0	5	1	60.9	1687.0	---	---
		Type5	25	3	845641.0	5	2	77.7	1776.0	1158.0	---
		Type5	25	4	1208428.0	5	2	77.4	1793.0	1510.0	---
		Type5	25	5	74748.0	5	2	66.8	1576.0	1323.0	---
		Type5	25	6	438300.0	5	1	63.7	1333.0	---	---
		Type5	25	7	800152.0	5	3	91.2	1409.0	1681.0	1275.0
11N40MIMO	5270	Type5	25	0	1253842.0	5	2	68.6	1306.0	1161.0	---
		Type5	25	1	119486.0	5	2	83.1	1420.0	1315.0	---
		Type5	25	2	482958.0	5	1	60.9	1687.0	---	---
		Type5	25	3	845641.0	5	2	77.7	1776.0	1158.0	---
		Type5	25	4	1208428.0	5	2	77.4	1793.0	1510.0	---
		Type5	25	5	74748.0	5	2	66.8	1576.0	1323.0	---
		Type5	25	6	438300.0	5	1	63.7	1333.0	---	---
		Type5	25	7	800152.0	5	3	91.2	1409.0	1681.0	1275.0
11AC80MIMO	5290	Type5	25	0	1253842.0	5	2	68.6	1306.0	1161.0	---
		Type5	25	1	119486.0	5	2	83.1	1420.0	1315.0	---
		Type5	25	2	482958.0	5	1	60.9	1687.0	---	---
		Type5	25	3	845641.0	5	2	77.7	1776.0	1158.0	---
		Type5	25	4	1208428.0	5	2	77.4	1793.0	1510.0	---
		Type5	25	5	74748.0	5	2	66.8	1576.0	1323.0	---
		Type5	25	6	438300.0	5	1	63.7	1333.0	---	---
		Type5	25	7	800152.0	5	3	91.2	1409.0	1681.0	1275.0

TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	26	0	545865.0	16	3	83.6	1632.0	1195.0	1000.0
		Type5	26	1	14067.0	16	3	89.4	1173.0	1627.0	1656.0
		Type5	26	2	184953.0	16	1	55.8	1532.0	---	---
		Type5	26	3	353759.0	16	3	90.9	1981.0	1554.0	1998.0
		Type5	26	4	526388.0	16	1	54.7	1825.0	---	---
		Type5	26	5	694806.0	16	3	97.7	1734.0	1202.0	1250.0
		Type5	26	6	163568.0	16	2	67.5	1571.0	1434.0	---
		Type5	26	7	333410.0	16	3	96.7	1589.0	1469.0	1268.0
		Type5	26	8	504006.0	16	2	68.3	1750.0	1954.0	---
		Type5	26	9	675297.0	16	2	78.3	1591.0	1082.0	---
		Type5	26	10	142890.0	16	1	55.0	1427.0	---	---
		Type5	26	11	312479.0	16	3	84.9	1129.0	1936.0	1199.0
		Type5	26	12	482953.0	16	2	74.6	1959.0	1856.0	---
		Type5	26	13	655022.0	16	1	63.3	1885.0	---	---
		Type5	26	14	121457.0	16	3	99.8	1035.0	1515.0	1120.0
		Type5	26	15	292606.0	16	1	63.6	1647.0	---	---
		Type5	26	16	461322.0	16	3	87.3	1931.0	1051.0	1831.0
11N40MIMO	5270	Type5	26	0	545865.0	16	3	83.6	1632.0	1195.0	1000.0
		Type5	26	1	14067.0	16	3	89.4	1173.0	1627.0	1656.0
		Type5	26	2	184953.0	16	1	55.8	1532.0	---	---
		Type5	26	3	353759.0	16	3	90.9	1981.0	1554.0	1998.0
		Type5	26	4	526388.0	16	1	54.7	1825.0	---	---
		Type5	26	5	694806.0	16	3	97.7	1734.0	1202.0	1250.0
		Type5	26	6	163568.0	16	2	67.5	1571.0	1434.0	---
		Type5	26	7	333410.0	16	3	96.7	1589.0	1469.0	1268.0
		Type5	26	8	504006.0	16	2	68.3	1750.0	1954.0	---
		Type5	26	9	675297.0	16	2	78.3	1591.0	1082.0	---
		Type5	26	10	142890.0	16	1	55.0	1427.0	---	---
		Type5	26	11	312479.0	16	3	84.9	1129.0	1936.0	1199.0
		Type5	26	12	482953.0	16	2	74.6	1959.0	1856.0	---
		Type5	26	13	655022.0	16	1	63.3	1885.0	---	---

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



11AC80MIMO	5290	Type5	26	14	121457.0	16	3	99.8	1035.0	1515.0	1120.0
		Type5	26	15	292606.0	16	1	63.6	1647.0	---	---
		Type5	26	16	461322.0	16	3	87.3	1931.0	1051.0	1831.0
		Type5	26	0	545865.0	16	3	83.6	1632.0	1195.0	1000.0
		Type5	26	1	14067.0	16	3	89.4	1173.0	1627.0	1656.0
		Type5	26	2	184953.0	16	1	55.8	1532.0	---	---
		Type5	26	3	353759.0	16	3	90.9	1981.0	1554.0	1998.0
		Type5	26	4	526388.0	16	1	54.7	1825.0	---	---
		Type5	26	5	694806.0	16	3	97.7	1734.0	1202.0	1250.0
		Type5	26	6	163568.0	16	2	67.5	1571.0	1434.0	---
		Type5	26	7	333410.0	16	3	96.7	1589.0	1469.0	1268.0
		Type5	26	8	504006.0	16	2	68.3	1750.0	1954.0	---
		Type5	26	9	675297.0	16	2	78.3	1591.0	1082.0	---
		Type5	26	10	142890.0	16	1	55.0	1427.0	---	---
		Type5	26	11	312479.0	16	3	84.9	1129.0	1936.0	1199.0
		Type5	26	12	482953.0	16	2	74.6	1959.0	1856.0	---
		Type5	26	13	655022.0	16	1	63.3	1885.0	---	---
		Type5	26	14	121457.0	16	3	99.8	1035.0	1515.0	1120.0
		Type5	26	15	292606.0	16	1	63.6	1647.0	---	---
		Type5	26	16	461322.0	16	3	87.3	1931.0	1051.0	1831.0

TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	27	0	565136.0	19	3	85.6	1946.0	1078.0	1015.0
		Type5	27	1	89970.0	19	2	68.6	1029.0	1780.0	---
		Type5	27	2	243121.0	19	1	54.2	1111.0	---	---
		Type5	27	3	396034.0	19	1	61.2	1104.0	---	---
		Type5	27	4	546225.0	19	3	97.1	1157.0	1969.0	1100.0
		Type5	27	5	70998.0	19	3	98.3	1142.0	1699.0	1622.0
		Type5	27	6	224093.0	19	1	62.4	1655.0	---	---
		Type5	27	7	376127.0	19	2	80.2	1126.0	1769.0	---
		Type5	27	8	527806.0	19	3	87.5	1216.0	1448.0	1179.0
		Type5	27	9	52247.0	19	3	85.8	1847.0	1348.0	1472.0
		Type5	27	10	204582.0	19	3	88.1	1023.0	1124.0	1631.0
		Type5	27	11	357941.0	19	1	65.3	1848.0	---	---
		Type5	27	12	510977.0	19	1	52.5	1470.0	---	---
		Type5	27	13	33698.0	19	1	52.3	1312.0	---	---
		Type5	27	14	186023.0	19	2	74.1	1915.0	1200.0	---
		Type5	27	15	339327.0	19	1	54.9	1479.0	---	---
		Type5	27	16	491053.0	19	2	76.2	1376.0	1502.0	---
		Type5	27	17	14858.0	19	1	60.4	1758.0	---	---
11N40MIMO	5270	Type5	27	18	167387.0	19	2	81.5	1491.0	1103.0	---
		Type5	27	0	565136.0	19	3	85.6	1946.0	1078.0	1015.0
		Type5	27	1	89970.0	19	2	68.6	1029.0	1780.0	---
		Type5	27	2	243121.0	19	1	54.2	1111.0	---	---
		Type5	27	3	396034.0	19	1	61.2	1104.0	---	---
		Type5	27	4	546225.0	19	3	97.1	1157.0	1969.0	1100.0
		Type5	27	5	70998.0	19	3	98.3	1142.0	1699.0	1622.0
		Type5	27	6	224093.0	19	1	62.4	1655.0	---	---
		Type5	27	7	376127.0	19	2	80.2	1126.0	1769.0	---
		Type5	27	8	527806.0	19	3	87.5	1216.0	1448.0	1179.0
		Type5	27	9	52247.0	19	3	85.8	1847.0	1348.0	1472.0
		Type5	27	10	204582.0	19	3	88.1	1023.0	1124.0	1631.0
		Type5	27	11	357941.0	19	1	65.3	1848.0	---	---
		Type5	27	12	510977.0	19	1	52.5	1470.0	---	---
		Type5	27	13	33698.0	19	1	52.3	1312.0	---	---
		Type5	27	14	186023.0	19	2	74.1	1915.0	1200.0	---
		Type5	27	15	339327.0	19	1	54.9	1479.0	---	---
		Type5	27	16	491053.0	19	2	76.2	1376.0	1502.0	---
11AC80MIMO	5290	Type5	27	17	14858.0	19	1	60.4	1758.0	---	---
		Type5	27	18	167387.0	19	2	81.5	1491.0	1103.0	---
11AC80MIMO	5290	Type5	27	0	565136.0	19	3	85.6	1946.0	1078.0	1015.0
		Type5	27	1	89970.0	19	2	68.6	1029.0	1780.0	---

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type5	27	2	243121.0	19	1	54.2	1111.0	---	---
		Type5	27	3	396034.0	19	1	61.2	1104.0	---	---
		Type5	27	4	546225.0	19	3	97.1	1157.0	1969.0	1100.0
		Type5	27	5	70998.0	19	3	98.3	1142.0	1699.0	1622.0
		Type5	27	6	224093.0	19	1	62.4	1655.0	---	---
		Type5	27	7	376127.0	19	2	80.2	1126.0	1769.0	---
		Type5	27	8	527806.0	19	3	87.5	1216.0	1448.0	1179.0
		Type5	27	9	52247.0	19	3	85.8	1847.0	1348.0	1472.0
		Type5	27	10	204582.0	19	3	88.1	1023.0	1124.0	1631.0
		Type5	27	11	357941.0	19	1	65.3	1848.0	---	---
		Type5	27	12	510977.0	19	1	52.5	1470.0	---	---
		Type5	27	13	33698.0	19	1	52.3	1312.0	---	---
		Type5	27	14	186023.0	19	2	74.1	1915.0	1200.0	---
		Type5	27	15	339327.0	19	1	54.9	1479.0	---	---
		Type5	27	16	491053.0	19	2	76.2	1376.0	1502.0	---
		Type5	27	17	14858.0	19	1	60.4	1758.0	---	---
		Type5	27	18	167387.0	19	2	81.5	1491.0	1103.0	---

TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	28	0	507709.0	10	1	50.5	1857.0	---	---
		Type5	28	1	750249.0	10	1	55.7	1246.0	---	---
		Type5	28	2	989003.0	10	3	85.8	1774.0	1002.0	1967.0
		Type5	28	3	235634.0	10	2	76.9	1125.0	1474.0	---
		Type5	28	4	477675.0	10	2	75.1	1254.0	1052.0	---
		Type5	28	5	718312.0	10	3	92.3	1180.0	1486.0	1492.0
		Type5	28	6	960895.0	10	2	78.1	1301.0	1757.0	---
		Type5	28	7	205370.0	10	3	92.2	1898.0	1252.0	1713.0
		Type5	28	8	446940.0	10	3	89.0	1260.0	1706.0	1411.0
		Type5	28	9	689225.0	10	2	70.9	1578.0	1620.0	---
		Type5	28	10	932305.0	10	1	63.1	1782.0	---	---
11N40MIMO	5270	Type5	28	0	507709.0	10	1	50.5	1857.0	---	---
		Type5	28	1	750249.0	10	1	55.7	1246.0	---	---
		Type5	28	2	989003.0	10	3	85.8	1774.0	1002.0	1967.0
		Type5	28	3	235634.0	10	2	76.9	1125.0	1474.0	---
		Type5	28	4	477675.0	10	2	75.1	1254.0	1052.0	---
		Type5	28	5	718312.0	10	3	92.3	1180.0	1486.0	1492.0
		Type5	28	6	960895.0	10	2	78.1	1301.0	1757.0	---
		Type5	28	7	205370.0	10	3	92.2	1898.0	1252.0	1713.0
		Type5	28	8	446940.0	10	3	89.0	1260.0	1706.0	1411.0
		Type5	28	9	689225.0	10	2	70.9	1578.0	1620.0	---
		Type5	28	10	932305.0	10	1	63.1	1782.0	---	---
11AC80MIMO	5290	Type5	28	0	507709.0	10	1	50.5	1857.0	---	---
		Type5	28	1	750249.0	10	1	55.7	1246.0	---	---
		Type5	28	2	989003.0	10	3	85.8	1774.0	1002.0	1967.0
		Type5	28	3	235634.0	10	2	76.9	1125.0	1474.0	---
		Type5	28	4	477675.0	10	2	75.1	1254.0	1052.0	---
		Type5	28	5	718312.0	10	3	92.3	1180.0	1486.0	1492.0
		Type5	28	6	960895.0	10	2	78.1	1301.0	1757.0	---
		Type5	28	7	205370.0	10	3	92.2	1898.0	1252.0	1713.0
		Type5	28	8	446940.0	10	3	89.0	1260.0	1706.0	1411.0
		Type5	28	9	689225.0	10	2	70.9	1578.0	1620.0	---
		Type5	28	10	932305.0	10	1	63.1	1782.0	---	---
		Type5	28	11	176231.0	10	1	55.3	1522.0	---	---



TestMode	Channel	Radar Type	Trial ID	Burst ID	Burst Offset (μs)	Chirp Width (MHz)	Number Of Pulses	Pulse Width (μs)	PRI1 (μs)	PRI2 (μs)	PRI3 (μs)
11N20MIMO	5260	Type5	29	0	277485.0	17	3	83.4	1454.0	1205.0	1801.0
		Type5	29	1	437880.0	17	3	97.3	1319.0	1826.0	1635.0
		Type5	29	2	598445.0	17	3	90.4	1079.0	1986.0	1674.0
		Type5	29	3	97088.0	17	3	91.8	1563.0	1151.0	1802.0
		Type5	29	4	257251.0	17	3	98.2	1876.0	1977.0	1766.0
		Type5	29	5	419893.0	17	1	59.5	1952.0	---	---
		Type5	29	6	580724.0	17	2	80.0	1253.0	1137.0	---
		Type5	29	7	77366.0	17	3	86.5	1054.0	1128.0	1828.0
		Type5	29	8	238032.0	17	3	91.1	1105.0	1599.0	1442.0
		Type5	29	9	398605.0	17	3	93.5	1867.0	1373.0	1087.0
		Type5	29	10	562025.0	17	1	60.7	1033.0	---	---
		Type5	29	11	57684.0	17	2	67.2	1288.0	1405.0	---
		Type5	29	12	219083.0	17	1	61.8	1585.0	---	---
		Type5	29	13	379234.0	17	2	79.4	1933.0	1667.0	---
		Type5	29	14	540896.0	17	2	81.4	1096.0	1464.0	---
		Type5	29	15	37916.0	17	1	65.7	1496.0	---	---
		Type5	29	16	198794.0	17	2	76.0	1733.0	1255.0	---
		Type5	29	17	359754.0	17	2	81.0	1326.0	1668.0	---
11N40MIMO	5270	Type5	29	0	277485.0	17	3	83.4	1454.0	1205.0	1801.0
		Type5	29	1	437880.0	17	3	97.3	1319.0	1826.0	1635.0
		Type5	29	2	598445.0	17	3	90.4	1079.0	1986.0	1674.0
		Type5	29	3	97088.0	17	3	91.8	1563.0	1151.0	1802.0
		Type5	29	4	257251.0	17	3	98.2	1876.0	1977.0	1766.0
		Type5	29	5	419893.0	17	1	59.5	1952.0	---	---
		Type5	29	6	580724.0	17	2	80.0	1253.0	1137.0	---
		Type5	29	7	77366.0	17	3	86.5	1054.0	1128.0	1828.0
		Type5	29	8	238032.0	17	3	91.1	1105.0	1599.0	1442.0
		Type5	29	9	398605.0	17	3	93.5	1867.0	1373.0	1087.0
		Type5	29	10	562025.0	17	1	60.7	1033.0	---	---
		Type5	29	11	57684.0	17	2	67.2	1288.0	1405.0	---
		Type5	29	12	219083.0	17	1	61.8	1585.0	---	---
		Type5	29	13	379234.0	17	2	79.4	1933.0	1667.0	---
		Type5	29	14	540896.0	17	2	81.4	1096.0	1464.0	---
		Type5	29	15	37916.0	17	1	65.7	1496.0	---	---
		Type5	29	16	198794.0	17	2	76.0	1733.0	1255.0	---
		Type5	29	17	359754.0	17	2	81.0	1326.0	1668.0	---
11AC80MIMO	5290	Type5	29	0	277485.0	17	3	83.4	1454.0	1205.0	1801.0
		Type5	29	1	437880.0	17	3	97.3	1319.0	1826.0	1635.0
		Type5	29	2	598445.0	17	3	90.4	1079.0	1986.0	1674.0
		Type5	29	3	97088.0	17	3	91.8	1563.0	1151.0	1802.0
		Type5	29	4	257251.0	17	3	98.2	1876.0	1977.0	1766.0
		Type5	29	5	419893.0	17	1	59.5	1952.0	---	---
		Type5	29	6	580724.0	17	2	80.0	1253.0	1137.0	---
		Type5	29	7	77366.0	17	3	86.5	1054.0	1128.0	1828.0
		Type5	29	8	238032.0	17	3	91.1	1105.0	1599.0	1442.0
		Type5	29	9	398605.0	17	3	93.5	1867.0	1373.0	1087.0
		Type5	29	10	562025.0	17	1	60.7	1033.0	---	---
		Type5	29	11	57684.0	17	2	67.2	1288.0	1405.0	---
		Type5	29	12	219083.0	17	1	61.8	1585.0	---	---
		Type5	29	13	379234.0	17	2	79.4	1933.0	1667.0	---
		Type5	29	14	540896.0	17	2	81.4	1096.0	1464.0	---
		Type5	29	15	37916.0	17	1	65.7	1496.0	---	---
		Type5	29	16	198794.0	17	2	76.0	1733.0	1255.0	---
		Type5	29	17	359754.0	17	2	81.0	1326.0	1668.0	---



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11N20MIMO	5260	Type6	0	1	333.3	9	0.3333	300	5676	1
		Type6	0	1	333.3	9	0.3333	300	5555	1
		Type6	0	1	333.3	9	0.3333	300	5474	1
		Type6	0	1	333.3	9	0.3333	300	5388	1
		Type6	0	1	333.3	9	0.3333	300	5272	1
		Type6	0	1	333.3	9	0.3333	300	5475	1
		Type6	0	1	333.3	9	0.3333	300	5258	1
		Type6	0	1	333.3	9	0.3333	300	5537	1
		Type6	0	1	333.3	9	0.3333	300	5277	1
		Type6	0	1	333.3	9	0.3333	300	5392	1
		Type6	0	1	333.3	9	0.3333	300	5382	1
		Type6	0	1	333.3	9	0.3333	300	5561	1
		Type6	0	1	333.3	9	0.3333	300	5615	1
		Type6	0	1	333.3	9	0.3333	300	5544	1
		Type6	0	1	333.3	9	0.3333	300	5720	1
		Type6	0	1	333.3	9	0.3333	300	5612	1
		Type6	0	1	333.3	9	0.3333	300	5330	1
		Type6	0	1	333.3	9	0.3333	300	5375	1
		Type6	0	1	333.3	9	0.3333	300	5313	1
		Type6	0	1	333.3	9	0.3333	300	5704	1
		Type6	0	1	333.3	9	0.3333	300	5630	1
		Type6	0	1	333.3	9	0.3333	300	5263	1
		Type6	0	1	333.3	9	0.3333	300	5368	1
		Type6	0	1	333.3	9	0.3333	300	5383	1
		Type6	0	1	333.3	9	0.3333	300	5723	1
		Type6	0	1	333.3	9	0.3333	300	5278	1
		Type6	0	1	333.3	9	0.3333	300	5387	1
		Type6	0	1	333.3	9	0.3333	300	5410	1
		Type6	0	1	333.3	9	0.3333	300	5366	1
		Type6	0	1	333.3	9	0.3333	300	5355	1
		Type6	0	1	333.3	9	0.3333	300	5525	1
		Type6	0	1	333.3	9	0.3333	300	5706	1
		Type6	0	1	333.3	9	0.3333	300	5489	1
		Type6	0	1	333.3	9	0.3333	300	5268	1
		Type6	0	1	333.3	9	0.3333	300	5721	1
		Type6	0	1	333.3	9	0.3333	300	5697	1
		Type6	0	1	333.3	9	0.3333	300	5664	1
		Type6	0	1	333.3	9	0.3333	300	5502	1
		Type6	0	1	333.3	9	0.3333	300	5290	1
		Type6	0	1	333.3	9	0.3333	300	5636	1
		Type6	0	1	333.3	9	0.3333	300	5508	1
		Type6	0	1	333.3	9	0.3333	300	5292	1
		Type6	0	1	333.3	9	0.3333	300	5447	1
		Type6	0	1	333.3	9	0.3333	300	5588	1
		Type6	0	1	333.3	9	0.3333	300	5621	1
		Type6	0	1	333.3	9	0.3333	300	5638	1
		Type6	0	1	333.3	9	0.3333	300	5296	1
		Type6	0	1	333.3	9	0.3333	300	5403	1
		Type6	0	1	333.3	9	0.3333	300	5455	1
		Type6	0	1	333.3	9	0.3333	300	5503	1
		Type6	0	1	333.3	9	0.3333	300	5593	1
		Type6	0	1	333.3	9	0.3333	300	5434	1
		Type6	0	1	333.3	9	0.3333	300	5306	1
		Type6	0	1	333.3	9	0.3333	300	5411	1
		Type6	0	1	333.3	9	0.3333	300	5556	1
		Type6	0	1	333.3	9	0.3333	300	5378	1
		Type6	0	1	333.3	9	0.3333	300	5478	1
		Type6	0	1	333.3	9	0.3333	300	5482	1
		Type6	0	1	333.3	9	0.3333	300	5364	1
		Type6	0	1	333.3	9	0.3333	300	5293	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	0	1	333.3	9	0.3333	300	5327	1
		Type6	0	1	333.3	9	0.3333	300	5285	1
		Type6	0	1	333.3	9	0.3333	300	5496	1
		Type6	0	1	333.3	9	0.3333	300	5294	1
		Type6	0	1	333.3	9	0.3333	300	5438	1
		Type6	0	1	333.3	9	0.3333	300	5341	1
		Type6	0	1	333.3	9	0.3333	300	5347	1
		Type6	0	1	333.3	9	0.3333	300	5359	1
		Type6	0	1	333.3	9	0.3333	300	5570	1
		Type6	0	1	333.3	9	0.3333	300	5717	1
		Type6	0	1	333.3	9	0.3333	300	5334	1
		Type6	0	1	333.3	9	0.3333	300	5705	1
		Type6	0	1	333.3	9	0.3333	300	5549	1
		Type6	0	1	333.3	9	0.3333	300	5312	1
		Type6	0	1	333.3	9	0.3333	300	5260	1
		Type6	0	1	333.3	9	0.3333	300	5635	1
		Type6	0	1	333.3	9	0.3333	300	5386	1
		Type6	0	1	333.3	9	0.3333	300	5432	1
		Type6	0	1	333.3	9	0.3333	300	5466	1
		Type6	0	1	333.3	9	0.3333	300	5517	1
		Type6	0	1	333.3	9	0.3333	300	5354	1
		Type6	0	1	333.3	9	0.3333	300	5545	1
		Type6	0	1	333.3	9	0.3333	300	5611	1
		Type6	0	1	333.3	9	0.3333	300	5715	1
		Type6	0	1	333.3	9	0.3333	300	5402	1
		Type6	0	1	333.3	9	0.3333	300	5568	1
		Type6	0	1	333.3	9	0.3333	300	5641	1
		Type6	0	1	333.3	9	0.3333	300	5396	1
		Type6	0	1	333.3	9	0.3333	300	5567	1
		Type6	0	1	333.3	9	0.3333	300	5557	1
		Type6	0	1	333.3	9	0.3333	300	5453	1
		Type6	0	1	333.3	9	0.3333	300	5718	1
		Type6	0	1	333.3	9	0.3333	300	5400	1
		Type6	0	1	333.3	9	0.3333	300	5262	1
		Type6	0	1	333.3	9	0.3333	300	5467	1
		Type6	0	1	333.3	9	0.3333	300	5479	1
		Type6	0	1	333.3	9	0.3333	300	5509	1
		Type6	0	1	333.3	9	0.3333	300	5674	1
		Type6	0	1	333.3	9	0.3333	300	5281	1
		Type6	0	1	333.3	9	0.3333	300	5604	1
11N40MIMO	5270	Type6	0	1	333.3	9	0.3333	300	5544	0
		Type6	0	1	333.3	9	0.3333	300	5720	0
		Type6	0	1	333.3	9	0.3333	300	5612	0
		Type6	0	1	333.3	9	0.3333	300	5330	0
		Type6	0	1	333.3	9	0.3333	300	5615	0
		Type6	0	1	333.3	9	0.3333	300	5277	0
		Type6	0	1	333.3	9	0.3333	300	5306	0
		Type6	0	1	333.3	9	0.3333	300	5502	0
		Type6	0	1	333.3	9	0.3333	300	5293	0
		Type6	0	1	333.3	9	0.3333	300	5327	0
		Type6	0	1	333.3	9	0.3333	300	5403	0
		Type6	0	1	333.3	9	0.3333	300	5334	0
		Type6	0	1	333.3	9	0.3333	300	5717	0
		Type6	0	1	333.3	9	0.3333	300	5364	0
		Type6	0	1	333.3	9	0.3333	300	5355	0
		Type6	0	1	333.3	9	0.3333	300	5555	0
		Type6	0	1	333.3	9	0.3333	300	5434	0
		Type6	0	1	333.3	9	0.3333	300	5285	0
		Type6	0	1	333.3	9	0.3333	300	5503	0
		Type6	0	1	333.3	9	0.3333	300	5455	0
		Type6	0	1	333.3	9	0.3333	300	5636	0
		Type6	0	1	333.3	9	0.3333	300	5593	0
		Type6	0	1	333.3	9	0.3333	300	5410	0
		Type6	0	1	333.3	9	0.3333	300	5570	0
		Type6	0	1	333.3	9	0.3333	300	5556	0

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	0	1	333.3	9	0.3333	300	5378	0
Type6	0	1	333.3	9	0.3333	300	5525	0
Type6	0	1	333.3	9	0.3333	300	5706	0
Type6	0	1	333.3	9	0.3333	300	5489	0
Type6	0	1	333.3	9	0.3333	300	5268	0
Type6	0	1	333.3	9	0.3333	300	5721	0
Type6	0	1	333.3	9	0.3333	300	5697	0
Type6	0	1	333.3	9	0.3333	300	5664	0
Type6	0	1	333.3	9	0.3333	300	5386	0
Type6	0	1	333.3	9	0.3333	300	5260	0
Type6	0	1	333.3	9	0.3333	300	5517	0
Type6	0	1	333.3	9	0.3333	300	5496	0
Type6	0	1	333.3	9	0.3333	300	5392	0
Type6	0	1	333.3	9	0.3333	300	5635	0
Type6	0	1	333.3	9	0.3333	300	5474	0
Type6	0	1	333.3	9	0.3333	300	5312	0
Type6	0	1	333.3	9	0.3333	300	5549	0
Type6	0	1	333.3	9	0.3333	300	5705	0
Type6	0	1	333.3	9	0.3333	300	5478	0
Type6	0	1	333.3	9	0.3333	300	5432	0
Type6	0	1	333.3	9	0.3333	300	5341	0
Type6	0	1	333.3	9	0.3333	300	5438	0
Type6	0	1	333.3	9	0.3333	300	5294	0
Type6	0	1	333.3	9	0.3333	300	5382	0
Type6	0	1	333.3	9	0.3333	300	5723	0
Type6	0	1	333.3	9	0.3333	300	5537	0
Type6	0	1	333.3	9	0.3333	300	5453	0
Type6	0	1	333.3	9	0.3333	300	5604	0
Type6	0	1	333.3	9	0.3333	300	5281	0
Type6	0	1	333.3	9	0.3333	300	5718	0
Type6	0	1	333.3	9	0.3333	300	5621	0
Type6	0	1	333.3	9	0.3333	300	5375	0
Type6	0	1	333.3	9	0.3333	300	5588	0
Type6	0	1	333.3	9	0.3333	300	5630	0
Type6	0	1	333.3	9	0.3333	300	5263	0
Type6	0	1	333.3	9	0.3333	300	5479	0
Type6	0	1	333.3	9	0.3333	300	5383	0
Type6	0	1	333.3	9	0.3333	300	5400	0
Type6	0	1	333.3	9	0.3333	300	5278	0
Type6	0	1	333.3	9	0.3333	300	5387	0
Type6	0	1	333.3	9	0.3333	300	5447	0
Type6	0	1	333.3	9	0.3333	300	5292	0
Type6	0	1	333.3	9	0.3333	300	5508	0
Type6	0	1	333.3	9	0.3333	300	5347	0
Type6	0	1	333.3	9	0.3333	300	5290	0
Type6	0	1	333.3	9	0.3333	300	5366	0
Type6	0	1	333.3	9	0.3333	300	5704	0
Type6	0	1	333.3	9	0.3333	300	5676	0
Type6	0	1	333.3	9	0.3333	300	5561	0
Type6	0	1	333.3	9	0.3333	300	5368	0
Type6	0	1	333.3	9	0.3333	300	5567	0
Type6	0	1	333.3	9	0.3333	300	5296	0
Type6	0	1	333.3	9	0.3333	300	5638	0
Type6	0	1	333.3	9	0.3333	300	5388	0
Type6	0	1	333.3	9	0.3333	300	5272	0
Type6	0	1	333.3	9	0.3333	300	5475	0
Type6	0	1	333.3	9	0.3333	300	5258	0
Type6	0	1	333.3	9	0.3333	300	5411	0
Type6	0	1	333.3	9	0.3333	300	5313	0
Type6	0	1	333.3	9	0.3333	300	5359	0
Type6	0	1	333.3	9	0.3333	300	5509	0
Type6	0	1	333.3	9	0.3333	300	5557	0
Type6	0	1	333.3	9	0.3333	300	5482	0
Type6	0	1	333.3	9	0.3333	300	5396	0
Type6	0	1	333.3	9	0.3333	300	5641	0

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



		Type6	0	1	333.3	9	0.3333	300	5568	0
		Type6	0	1	333.3	9	0.3333	300	5402	0
		Type6	0	1	333.3	9	0.3333	300	5715	0
		Type6	0	1	333.3	9	0.3333	300	5611	0
		Type6	0	1	333.3	9	0.3333	300	5466	0
		Type6	0	1	333.3	9	0.3333	300	5545	0
		Type6	0	1	333.3	9	0.3333	300	5467	0
		Type6	0	1	333.3	9	0.3333	300	5354	0
		Type6	0	1	333.3	9	0.3333	300	5262	0
		Type6	0	1	333.3	9	0.3333	300	5674	0
11AC80MIMO	5290	Type6	0	1	333.3	9	0.3333	300	5556	1
		Type6	0	1	333.3	9	0.3333	300	5341	1
		Type6	0	1	333.3	9	0.3333	300	5621	1
		Type6	0	1	333.3	9	0.3333	300	5717	1
		Type6	0	1	333.3	9	0.3333	300	5334	1
		Type6	0	1	333.3	9	0.3333	300	5705	1
		Type6	0	1	333.3	9	0.3333	300	5549	1
		Type6	0	1	333.3	9	0.3333	300	5312	1
		Type6	0	1	333.3	9	0.3333	300	5260	1
		Type6	0	1	333.3	9	0.3333	300	5635	1
		Type6	0	1	333.3	9	0.3333	300	5503	1
		Type6	0	1	333.3	9	0.3333	300	5570	1
		Type6	0	1	333.3	9	0.3333	300	5347	1
		Type6	0	1	333.3	9	0.3333	300	5508	1
		Type6	0	1	333.3	9	0.3333	300	5292	1
		Type6	0	1	333.3	9	0.3333	300	5478	1
		Type6	0	1	333.3	9	0.3333	300	5588	1
		Type6	0	1	333.3	9	0.3333	300	5432	1
		Type6	0	1	333.3	9	0.3333	300	5638	1
		Type6	0	1	333.3	9	0.3333	300	5296	1
		Type6	0	1	333.3	9	0.3333	300	5482	1
		Type6	0	1	333.3	9	0.3333	300	5604	1
		Type6	0	1	333.3	9	0.3333	300	5438	1
		Type6	0	1	333.3	9	0.3333	300	5455	1
		Type6	0	1	333.3	9	0.3333	300	5636	1
		Type6	0	1	333.3	9	0.3333	300	5593	1
		Type6	0	1	333.3	9	0.3333	300	5434	1
		Type6	0	1	333.3	9	0.3333	300	5306	1
		Type6	0	1	333.3	9	0.3333	300	5411	1
		Type6	0	1	333.3	9	0.3333	300	5378	1
		Type6	0	1	333.3	9	0.3333	300	5447	1
		Type6	0	1	333.3	9	0.3333	300	5263	1
		Type6	0	1	333.3	9	0.3333	300	5718	1
		Type6	0	1	333.3	9	0.3333	300	5479	1
		Type6	0	1	333.3	9	0.3333	300	5509	1
		Type6	0	1	333.3	9	0.3333	300	5453	1
		Type6	0	1	333.3	9	0.3333	300	5281	1
		Type6	0	1	333.3	9	0.3333	300	5364	1
		Type6	0	1	333.3	9	0.3333	300	5262	1
		Type6	0	1	333.3	9	0.3333	300	5630	1
		Type6	0	1	333.3	9	0.3333	300	5354	1
		Type6	0	1	333.3	9	0.3333	300	5368	1
		Type6	0	1	333.3	9	0.3333	300	5383	1
		Type6	0	1	333.3	9	0.3333	300	5723	1
		Type6	0	1	333.3	9	0.3333	300	5278	1
		Type6	0	1	333.3	9	0.3333	300	5387	1
		Type6	0	1	333.3	9	0.3333	300	5290	1
		Type6	0	1	333.3	9	0.3333	300	5375	1
		Type6	0	1	333.3	9	0.3333	300	5568	1
		Type6	0	1	333.3	9	0.3333	300	5313	1
		Type6	0	1	333.3	9	0.3333	300	5392	1
		Type6	0	1	333.3	9	0.3333	300	5359	1
		Type6	0	1	333.3	9	0.3333	300	5674	1
		Type6	0	1	333.3	9	0.3333	300	5557	1
		Type6	0	1	333.3	9	0.3333	300	5567	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



Type6	0	1	333.3	9	0.3333	300	5400	1
Type6	0	1	333.3	9	0.3333	300	5641	1
Type6	0	1	333.3	9	0.3333	300	5525	1
Type6	0	1	333.3	9	0.3333	300	5402	1
Type6	0	1	333.3	9	0.3333	300	5715	1
Type6	0	1	333.3	9	0.3333	300	5611	1
Type6	0	1	333.3	9	0.3333	300	5466	1
Type6	0	1	333.3	9	0.3333	300	5545	1
Type6	0	1	333.3	9	0.3333	300	5467	1
Type6	0	1	333.3	9	0.3333	300	5396	1
Type6	0	1	333.3	9	0.3333	300	5403	1
Type6	0	1	333.3	9	0.3333	300	5537	1
Type6	0	1	333.3	9	0.3333	300	5676	1
Type6	0	1	333.3	9	0.3333	300	5561	1
Type6	0	1	333.3	9	0.3333	300	5615	1
Type6	0	1	333.3	9	0.3333	300	5544	1
Type6	0	1	333.3	9	0.3333	300	5720	1
Type6	0	1	333.3	9	0.3333	300	5366	1
Type6	0	1	333.3	9	0.3333	300	5330	1
Type6	0	1	333.3	9	0.3333	300	5272	1
Type6	0	1	333.3	9	0.3333	300	5277	1
Type6	0	1	333.3	9	0.3333	300	5502	1
Type6	0	1	333.3	9	0.3333	300	5293	1
Type6	0	1	333.3	9	0.3333	300	5327	1
Type6	0	1	333.3	9	0.3333	300	5285	1
Type6	0	1	333.3	9	0.3333	300	5496	1
Type6	0	1	333.3	9	0.3333	300	5612	1
Type6	0	1	333.3	9	0.3333	300	5382	1
Type6	0	1	333.3	9	0.3333	300	5294	1
Type6	0	1	333.3	9	0.3333	300	5706	1
Type6	0	1	333.3	9	0.3333	300	5489	1
Type6	0	1	333.3	9	0.3333	300	5268	1
Type6	0	1	333.3	9	0.3333	300	5721	1
Type6	0	1	333.3	9	0.3333	300	5697	1
Type6	0	1	333.3	9	0.3333	300	5258	1
Type6	0	1	333.3	9	0.3333	300	5386	1
Type6	0	1	333.3	9	0.3333	300	5475	1
Type6	0	1	333.3	9	0.3333	300	5517	1
Type6	0	1	333.3	9	0.3333	300	5355	1
Type6	0	1	333.3	9	0.3333	300	5410	1
Type6	0	1	333.3	9	0.3333	300	5555	1
Type6	0	1	333.3	9	0.3333	300	5474	1
Type6	0	1	333.3	9	0.3333	300	5388	1
Type6	0	1	333.3	9	0.3333	300	5704	1
Type6	0	1	333.3	9	0.3333	300	5664	1



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11N20MIMO	5260	Type6	1	1	333.3	9	0.3333	300	5373	1
		Type6	1	1	333.3	9	0.3333	300	5703	1
		Type6	1	1	333.3	9	0.3333	300	5634	1
		Type6	1	1	333.3	9	0.3333	300	5336	1
		Type6	1	1	333.3	9	0.3333	300	5456	1
		Type6	1	1	333.3	9	0.3333	300	5349	1
		Type6	1	1	333.3	9	0.3333	300	5458	1
		Type6	1	1	333.3	9	0.3333	300	5669	1
		Type6	1	1	333.3	9	0.3333	300	5623	1
		Type6	1	1	333.3	9	0.3333	300	5716	1
		Type6	1	1	333.3	9	0.3333	300	5313	1
		Type6	1	1	333.3	9	0.3333	300	5724	1
		Type6	1	1	333.3	9	0.3333	300	5633	1
		Type6	1	1	333.3	9	0.3333	300	5673	1
		Type6	1	1	333.3	9	0.3333	300	5704	1
		Type6	1	1	333.3	9	0.3333	300	5553	1
		Type6	1	1	333.3	9	0.3333	300	5627	1
		Type6	1	1	333.3	9	0.3333	300	5471	1
		Type6	1	1	333.3	9	0.3333	300	5385	1
		Type6	1	1	333.3	9	0.3333	300	5348	1
		Type6	1	1	333.3	9	0.3333	300	5672	1
		Type6	1	1	333.3	9	0.3333	300	5257	1
		Type6	1	1	333.3	9	0.3333	300	5697	1
		Type6	1	1	333.3	9	0.3333	300	5585	1
		Type6	1	1	333.3	9	0.3333	300	5314	1
		Type6	1	1	333.3	9	0.3333	300	5544	1
		Type6	1	1	333.3	9	0.3333	300	5637	1
		Type6	1	1	333.3	9	0.3333	300	5352	1
		Type6	1	1	333.3	9	0.3333	300	5331	1
		Type6	1	1	333.3	9	0.3333	300	5280	1
		Type6	1	1	333.3	9	0.3333	300	5590	1
		Type6	1	1	333.3	9	0.3333	300	5490	1
		Type6	1	1	333.3	9	0.3333	300	5289	1
		Type6	1	1	333.3	9	0.3333	300	5546	1
		Type6	1	1	333.3	9	0.3333	300	5628	1
		Type6	1	1	333.3	9	0.3333	300	5631	1
		Type6	1	1	333.3	9	0.3333	300	5326	1
		Type6	1	1	333.3	9	0.3333	300	5580	1
		Type6	1	1	333.3	9	0.3333	300	5513	1
		Type6	1	1	333.3	9	0.3333	300	5375	1
		Type6	1	1	333.3	9	0.3333	300	5333	1
		Type6	1	1	333.3	9	0.3333	300	5642	1
		Type6	1	1	333.3	9	0.3333	300	5609	1
		Type6	1	1	333.3	9	0.3333	300	5709	1
		Type6	1	1	333.3	9	0.3333	300	5668	1
		Type6	1	1	333.3	9	0.3333	300	5527	1
		Type6	1	1	333.3	9	0.3333	300	5647	1
		Type6	1	1	333.3	9	0.3333	300	5559	1
		Type6	1	1	333.3	9	0.3333	300	5284	1
		Type6	1	1	333.3	9	0.3333	300	5399	1
		Type6	1	1	333.3	9	0.3333	300	5395	1
		Type6	1	1	333.3	9	0.3333	300	5384	1
		Type6	1	1	333.3	9	0.3333	300	5444	1
		Type6	1	1	333.3	9	0.3333	300	5705	1
		Type6	1	1	333.3	9	0.3333	300	5584	1
		Type6	1	1	333.3	9	0.3333	300	5536	1
		Type6	1	1	333.3	9	0.3333	300	5480	1
		Type6	1	1	333.3	9	0.3333	300	5547	1
		Type6	1	1	333.3	9	0.3333	300	5619	1
		Type6	1	1	333.3	9	0.3333	300	5674	1
		Type6	1	1	333.3	9	0.3333	300	5465	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	1	1	333.3	9	0.3333	300	5641	1
		Type6	1	1	333.3	9	0.3333	300	5588	1
		Type6	1	1	333.3	9	0.3333	300	5576	1
		Type6	1	1	333.3	9	0.3333	300	5403	1
		Type6	1	1	333.3	9	0.3333	300	5453	1
		Type6	1	1	333.3	9	0.3333	300	5297	1
		Type6	1	1	333.3	9	0.3333	300	5436	1
		Type6	1	1	333.3	9	0.3333	300	5656	1
		Type6	1	1	333.3	9	0.3333	300	5578	1
		Type6	1	1	333.3	9	0.3333	300	5270	1
		Type6	1	1	333.3	9	0.3333	300	5294	1
		Type6	1	1	333.3	9	0.3333	300	5354	1
		Type6	1	1	333.3	9	0.3333	300	5660	1
		Type6	1	1	333.3	9	0.3333	300	5710	1
		Type6	1	1	333.3	9	0.3333	300	5666	1
		Type6	1	1	333.3	9	0.3333	300	5690	1
		Type6	1	1	333.3	9	0.3333	300	5658	1
		Type6	1	1	333.3	9	0.3333	300	5371	1
		Type6	1	1	333.3	9	0.3333	300	5506	1
		Type6	1	1	333.3	9	0.3333	300	5271	1
		Type6	1	1	333.3	9	0.3333	300	5550	1
		Type6	1	1	333.3	9	0.3333	300	5335	1
		Type6	1	1	333.3	9	0.3333	300	5382	1
		Type6	1	1	333.3	9	0.3333	300	5416	1
		Type6	1	1	333.3	9	0.3333	300	5533	1
		Type6	1	1	333.3	9	0.3333	300	5706	1
		Type6	1	1	333.3	9	0.3333	300	5558	1
		Type6	1	1	333.3	9	0.3333	300	5535	1
		Type6	1	1	333.3	9	0.3333	300	5692	1
		Type6	1	1	333.3	9	0.3333	300	5644	1
		Type6	1	1	333.3	9	0.3333	300	5423	1
		Type6	1	1	333.3	9	0.3333	300	5655	1
		Type6	1	1	333.3	9	0.3333	300	5413	1
		Type6	1	1	333.3	9	0.3333	300	5415	1
		Type6	1	1	333.3	9	0.3333	300	5569	1
		Type6	1	1	333.3	9	0.3333	300	5345	1
		Type6	1	1	333.3	9	0.3333	300	5256	1
		Type6	1	1	333.3	9	0.3333	300	5424	1
		Type6	1	1	333.3	9	0.3333	300	5638	1
11N40MIMO	5270	Type6	1	1	333.3	9	0.3333	300	5673	1
		Type6	1	1	333.3	9	0.3333	300	5704	1
		Type6	1	1	333.3	9	0.3333	300	5553	1
		Type6	1	1	333.3	9	0.3333	300	5627	1
		Type6	1	1	333.3	9	0.3333	300	5633	1
		Type6	1	1	333.3	9	0.3333	300	5623	1
		Type6	1	1	333.3	9	0.3333	300	5444	1
		Type6	1	1	333.3	9	0.3333	300	5580	1
		Type6	1	1	333.3	9	0.3333	300	5674	1
		Type6	1	1	333.3	9	0.3333	300	5465	1
		Type6	1	1	333.3	9	0.3333	300	5559	1
		Type6	1	1	333.3	9	0.3333	300	5270	1
		Type6	1	1	333.3	9	0.3333	300	5578	1
		Type6	1	1	333.3	9	0.3333	300	5619	1
		Type6	1	1	333.3	9	0.3333	300	5280	1
		Type6	1	1	333.3	9	0.3333	300	5703	1
		Type6	1	1	333.3	9	0.3333	300	5384	1
		Type6	1	1	333.3	9	0.3333	300	5641	1
		Type6	1	1	333.3	9	0.3333	300	5399	1
		Type6	1	1	333.3	9	0.3333	300	5284	1
		Type6	1	1	333.3	9	0.3333	300	5375	1
		Type6	1	1	333.3	9	0.3333	300	5395	1
		Type6	1	1	333.3	9	0.3333	300	5352	1
		Type6	1	1	333.3	9	0.3333	300	5656	1
		Type6	1	1	333.3	9	0.3333	300	5584	1
		Type6	1	1	333.3	9	0.3333	300	5536	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>