



802.11a CH144



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.75	41.95	---	68.20	26.25	500.00	100.0	H	119.00	-11
1400.75	---	30.91	54.00	23.09	500.00	100.0	H	322.00	-11
1536.38	---	31.54	54.00	22.46	500.00	100.0	V	17.00	-11
1938.00	43.46	---	68.20	24.74	500.00	100.0	H	331.00	-9
2566.25	45.61	---	68.20	22.59	500.00	200.0	H	3.00	-5
2792.00	---	34.62	54.00	19.38	500.00	200.0	H	7.00	-5
3196.25	51.27	---	68.20	16.93	500.00	100.0	V	151.00	-4
3813.13	---	38.96	54.00	15.04	500.00	200.0	H	0.00	-3
5361.88	60.49	---	74.00	13.51	500.00	100.0	H	276.00	2
5362.75	---	52.85	54.00	1.15	500.00	100.0	H	276.00	2
6423.25	55.61	---	68.20	12.59	500.00	200.0	V	190.00	7
7293.88	---	42.82	54.00	11.18	500.00	200.0	V	218.00	10



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8213.75	---	35.99	54.00	18.01	500.00	200.0	H	127.00	1
8895.00	46.08	---	68.20	22.12	500.00	100.0	H	0.00	1
9307.50	---	31.14	54.00	22.86	500.00	200.0	V	344.00	1
9570.00	41.68	---	68.20	26.52	500.00	100.0	V	352.00	1
10585.00	37.33	---	68.20	30.87	500.00	200.0	V	0.00	3
11440.00	---	29.10	54.00	24.90	500.00	200.0	V	200.00	5
12356.25	---	28.22	54.00	25.78	500.00	200.0	H	15.00	6
12785.00	39.35	---	68.20	28.85	500.00	100.0	V	0.00	5
15081.25	42.44	---	68.20	25.76	500.00	200.0	H	55.00	6
15702.50	---	34.22	54.00	19.78	500.00	100.0	V	170.00	7
17398.75	49.40	---	68.20	18.80	500.00	100.0	H	0.00	11
17831.25	---	40.76	54.00	13.24	500.00	100.0	V	358.00	15


802.11a CH149



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1119.88	---	31.47	54.00	22.53	500.00	200.0	H	230.00	-12
1272.13	40.79	---	68.20	27.41	500.00	200.0	V	0.00	-12
1682.50	---	31.16	54.00	22.84	500.00	100.0	V	229.00	-10
1957.25	43.96	---	68.20	24.24	500.00	200.0	V	231.00	-8
2557.50	45.10	---	68.20	23.11	500.00	100.0	V	286.00	-5
2715.88	---	34.41	54.00	19.59	500.00	100.0	V	118.00	-5
3521.75	47.01	---	68.20	21.19	500.00	100.0	V	335.00	-3
3829.75	---	38.30	54.00	15.70	500.00	200.0	H	358.00	-3
5386.38	---	50.34	54.00	3.66	500.00	100.0	H	301.00	2
5620.00	53.22	---	68.20	14.98	500.00	100.0	H	314.00	3
6103.88	58.41	---	68.20	9.79	500.00	100.0	H	340.00	4
7728.75	---	43.45	54.00	10.55	500.00	100.0	V	353.00	11



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8158.75	---	35.98	54.00	18.02	500.00	100.0	V	127.00	1
8616.25	46.90	---	68.20	21.30	500.00	100.0	V	202.00	1
9307.50	---	31.21	54.00	22.79	500.00	100.0	V	0.00	1
9570.00	42.01	---	68.20	26.19	500.00	100.0	V	66.00	1
10541.25	38.19	---	68.20	30.01	500.00	100.0	V	333.00	3
11383.75	---	28.72	54.00	25.28	500.00	200.0	V	0.00	5
12352.50	---	28.23	54.00	25.77	500.00	100.0	V	51.00	6
13728.75	39.31	---	68.20	28.89	500.00	200.0	V	0.00	5
15035.00	43.04	---	68.20	25.16	500.00	200.0	V	345.00	6
15715.00	---	33.86	54.00	20.14	500.00	100.0	V	279.00	7
17466.25	48.74	---	68.20	19.46	500.00	200.0	H	143.00	12
17843.75	---	40.64	54.00	13.36	500.00	100.0	H	5.00	15


802.11a CH157



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.88	41.29	---	68.20	26.91	500.00	100.0	H	4.00	-12
1413.88	---	30.63	54.00	23.37	500.00	100.0	V	0.00	-11
1705.25	---	31.03	54.00	22.97	500.00	100.0	H	130.00	-10
1947.63	44.57	---	68.20	23.63	500.00	100.0	V	217.00	-8
2641.50	45.81	---	68.20	22.39	500.00	100.0	V	187.00	-5
2784.13	---	34.47	54.00	19.53	500.00	200.0	V	0.00	-5
3529.63	47.62	---	68.20	20.58	500.00	100.0	H	49.00	-3
3989.00	---	37.67	54.00	16.33	500.00	100.0	V	159.00	-1
5423.13	61.93	---	74.00	12.07	500.00	100.0	H	316.00	2
5424.00	---	53.70	54.00	0.30	500.00	100.0	H	316.00	2
6146.75	58.12	---	68.20	10.08	500.00	100.0	H	316.00	4
7293.88	---	43.14	54.00	10.86	500.00	100.0	H	115.00	10



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8180.00	---	36.41	54.00	17.59	500.00	200.0	H	2.00	1
8860.00	46.36	---	68.20	21.84	500.00	200.0	V	346.00	1
9303.75	---	30.96	54.00	23.04	500.00	100.0	V	0.00	1
9568.75	42.33	---	68.20	25.87	500.00	200.0	V	353.00	1
10598.75	37.39	---	68.20	30.81	500.00	100.0	V	327.00	3
11440.00	---	28.84	54.00	25.16	500.00	100.0	V	0.00	5
12646.25	---	28.36	54.00	25.64	500.00	100.0	V	282.00	5
13731.25	39.55	---	68.20	28.65	500.00	200.0	V	334.00	5
15316.25	42.35	---	68.20	25.85	500.00	200.0	H	9.00	6
15707.50	---	34.20	54.00	19.80	500.00	100.0	H	0.00	7
17408.75	48.62	---	68.20	19.58	500.00	100.0	H	106.00	12
17835.00	---	40.66	54.00	13.34	500.00	100.0	H	6.00	15


802.11a CH165



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.50	41.20	---	68.20	27.00	500.00	100.0	H	301.00	-11
1388.50	---	30.67	54.00	23.33	500.00	100.0	V	0.00	-11
1695.63	---	31.05	54.00	22.95	500.00	100.0	H	19.00	-10
1876.75	44.01	---	68.20	24.19	500.00	100.0	V	0.00	-9
2590.75	46.05	---	68.20	22.15	500.00	200.0	V	258.00	-5
2794.63	---	34.41	54.00	19.59	500.00	200.0	V	13.00	-5
3325.75	46.80	---	68.20	21.40	500.00	200.0	V	0.00	-3
3966.25	---	37.71	54.00	16.29	500.00	100.0	H	19.00	-1
5459.88	---	48.88	54.00	5.12	500.00	100.0	H	157.00	2
5460.75	62.09	---	68.20	6.11	500.00	100.0	H	157.00	2
6183.50	61.73	---	68.20	6.47	500.00	100.0	H	316.00	5
7748.00	---	45.14	54.00	8.86	500.00	100.0	V	0.00	11



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8152.50	---	35.89	54.00	18.11	500.00	100.0	V	357.00	1
8548.75	45.94	---	68.20	22.26	500.00	100.0	V	263.00	1
9308.75	---	31.16	54.00	22.84	500.00	200.0	V	353.00	1
9566.25	42.83	---	68.20	25.37	500.00	100.0	V	0.00	1
10592.50	37.51	---	68.20	30.69	500.00	200.0	H	0.00	3
11386.25	---	28.58	54.00	25.42	500.00	100.0	V	219.00	5
12661.25	---	28.18	54.00	25.82	500.00	200.0	V	158.00	5
13736.25	38.79	---	68.20	29.41	500.00	200.0	H	215.00	5
15320.00	42.92	---	68.20	25.28	500.00	100.0	V	173.00	6
15691.25	---	34.09	54.00	19.91	500.00	100.0	V	305.00	7
17680.00	49.16	---	68.20	19.04	500.00	100.0	H	7.00	13
17841.25	---	41.10	54.00	12.90	500.00	200.0	H	2.00	15


802.11ax (HE20) CH36



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1253.75	41.71	---	68.20	26.49	500.00	100.0	H	2.00	-12
1399.88	---	30.60	54.00	23.40	500.00	200.0	H	326.00	-11
1707.88	---	31.17	54.00	22.83	500.00	200.0	H	357.00	-10
1945.88	43.45	---	68.20	24.75	500.00	200.0	H	357.00	-8
2125.25	45.84	---	68.20	22.36	500.00	200.0	V	201.00	-8
2783.25	---	34.37	54.00	19.63	500.00	200.0	V	13.00	-5
3453.50	48.95	---	68.20	19.25	500.00	200.0	V	341.00	-3
3996.88	---	37.63	54.00	16.37	500.00	200.0	H	284.00	-1
4856.13	---	43.57	54.00	10.43	500.00	100.0	H	326.00	0
5501.00	53.90	---	68.20	14.30	500.00	100.0	H	314.00	2
6537.00	55.09	---	68.20	13.11	500.00	100.0	H	19.00	7
7740.13	---	45.70	54.00	8.30	500.00	100.0	V	0.00	11



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8215.00	---	36.02	54.00	17.98	500.00	200.0	H	50.00	1
8510.00	46.40	---	68.20	21.80	500.00	200.0	H	17.00	1
9243.75	41.38	---	68.20	26.82	500.00	100.0	V	349.00	2
9307.50	---	30.99	54.00	23.01	500.00	100.0	V	355.00	1
10586.25	37.66	---	68.20	30.54	500.00	200.0	V	357.00	3
11507.50	---	28.58	54.00	25.42	500.00	100.0	V	156.00	6
12185.00	---	28.29	54.00	25.71	500.00	100.0	H	343.00	6
13660.00	39.74	---	68.20	28.46	500.00	200.0	V	315.00	5
15311.25	42.52	---	68.20	25.68	500.00	200.0	V	156.00	6
15688.75	---	34.09	54.00	19.91	500.00	100.0	V	264.00	7
17668.75	48.58	---	68.20	19.62	500.00	200.0	V	324.00	13
17845.00	---	40.53	54.00	13.47	500.00	200.0	V	358.00	15


802.11ax (HE20) CH40



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1265.13	41.08	---	68.20	27.12	500.00	100.0	H	19.00	-11
1398.13	---	30.93	54.00	23.07	500.00	100.0	H	41.00	-11
1696.50	---	31.06	54.00	22.94	500.00	100.0	H	10.00	-10
1981.75	43.74	---	68.20	24.46	500.00	200.0	V	32.00	-8
2428.00	45.95	---	68.20	22.25	500.00	100.0	V	158.00	-6
2826.13	---	34.53	54.00	19.47	500.00	100.0	V	87.00	-5
3180.50	47.36	---	68.20	20.84	500.00	100.0	V	273.00	-4
3983.75	---	37.68	54.00	16.32	500.00	100.0	H	19.00	-1
4875.38	---	42.30	54.00	11.70	500.00	100.0	H	314.00	0
5517.63	52.86	---	68.20	15.34	500.00	100.0	H	314.00	2
6623.63	55.76	---	68.20	12.44	500.00	200.0	V	0.00	7
7321.88	---	42.75	54.00	11.25	500.00	100.0	V	287.00	9



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8147.50	---	36.10	54.00	17.90	500.00	200.0	H	350.00	1
8603.75	45.95	---	68.20	22.25	500.00	200.0	V	319.00	1
9218.75	42.38	---	68.20	25.82	500.00	100.0	H	5.00	2
9307.50	---	31.23	54.00	22.77	500.00	100.0	V	0.00	1
10596.25	37.84	---	68.20	30.36	500.00	200.0	V	40.00	3
11381.25	---	28.72	54.00	25.28	500.00	200.0	V	88.00	5
12686.25	---	28.31	54.00	25.69	500.00	100.0	H	218.00	5
13730.00	39.76	---	68.20	28.44	500.00	200.0	V	75.00	5
15091.25	43.04	---	68.20	25.16	500.00	100.0	V	193.00	6
15697.50	---	34.23	54.00	19.77	500.00	200.0	H	40.00	7
17438.75	49.20	---	68.20	19.00	500.00	100.0	V	162.00	12
17818.75	---	40.82	54.00	13.18	500.00	100.0	H	3.00	15


802.11ax (HE20) CH48



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1263.38	40.87	---	68.20	27.33	500.00	100.0	H	1.00	-11
1393.75	---	30.63	54.00	23.37	500.00	100.0	H	230.00	-11
1695.63	---	31.02	54.00	22.98	500.00	100.0	V	345.00	-10
1958.13	43.87	---	68.20	24.33	500.00	200.0	V	230.00	-8
2679.13	45.40	---	68.20	22.80	500.00	100.0	V	282.00	-5
2783.25	---	34.44	54.00	19.56	500.00	100.0	V	114.00	-5
3521.75	47.80	---	68.20	20.40	500.00	200.0	H	0.00	-3
3965.38	---	37.53	54.00	16.47	500.00	100.0	H	2.00	-1
4912.13	---	45.30	54.00	8.70	500.00	100.0	H	329.00	0
5632.25	52.65	---	68.20	15.55	500.00	200.0	V	115.00	3
6405.75	57.35	---	68.20	10.85	500.00	100.0	V	240.00	7
7738.38	---	45.24	54.00	8.76	500.00	100.0	V	0.00	11



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8005.00	46.20	---	68.20	22.00	500.00	100.0	H	250.00	1
8251.25	---	35.87	54.00	18.13	500.00	100.0	V	324.00	1
9225.00	42.22	---	68.20	25.98	500.00	200.0	H	130.00	2
9307.50	---	30.76	54.00	23.24	500.00	200.0	V	332.00	1
10590.00	37.75	---	68.20	30.45	500.00	200.0	V	357.00	3
11381.25	---	28.52	54.00	25.48	500.00	100.0	V	261.00	5
12375.00	---	28.35	54.00	25.65	500.00	200.0	H	70.00	6
13733.75	39.24	---	68.20	28.96	500.00	100.0	V	64.00	5
15042.50	42.68	---	68.20	25.52	500.00	100.0	V	202.00	6
15706.25	---	33.89	54.00	20.11	500.00	200.0	V	324.00	7
17372.50	49.12	---	68.20	19.08	500.00	100.0	H	11.00	11
17817.50	---	40.96	54.00	13.04	500.00	100.0	V	0.00	15


802.11ax (HE20) CH52



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.38	41.55	---	68.20	26.65	500.00	200.0	H	87.00	-11
1374.50	---	30.90	54.00	23.10	500.00	100.0	H	243.00	-11
1696.50	---	31.02	54.00	22.98	500.00	200.0	H	336.00	-10
1969.50	43.64	---	68.20	24.56	500.00	100.0	V	58.00	-8
2561.00	45.57	---	68.20	22.63	500.00	100.0	H	171.00	-5
2783.25	---	34.45	54.00	19.55	500.00	200.0	V	49.00	-5
3389.63	46.95	---	68.20	21.25	500.00	100.0	H	0.00	-3
3969.75	---	37.55	54.00	16.45	500.00	200.0	H	0.00	-1
4927.00	---	51.29	54.00	2.71	500.00	100.0	H	328.00	0
5583.25	60.30	---	68.20	7.90	500.00	100.0	H	314.00	2
6381.25	55.81	---	68.20	12.39	500.00	100.0	V	259.00	7
7301.75	---	42.96	54.00	11.04	500.00	200.0	V	2.00	9



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8157.50	---	36.11	54.00	17.89	500.00	200.0	H	359.00	1
8865.00	46.05	---	68.20	22.15	500.00	200.0	V	354.00	1
9226.25	41.68	---	68.20	26.52	500.00	100.0	V	245.00	2
9307.50	---	31.07	54.00	22.93	500.00	100.0	V	22.00	1
10520.00	38.70	---	68.20	29.50	500.00	200.0	V	216.00	3
11395.00	---	28.64	54.00	25.36	500.00	100.0	V	322.00	5
12660.00	---	28.22	54.00	25.78	500.00	100.0	V	231.00	5
13676.25	39.71	---	68.20	28.49	500.00	200.0	H	305.00	5
15303.75	42.68	---	68.20	25.52	500.00	100.0	H	12.00	6
15716.25	---	33.94	54.00	20.06	500.00	200.0	H	333.00	7
17323.75	48.46	---	68.20	19.74	500.00	200.0	V	2.00	11
17827.50	---	40.67	54.00	13.33	500.00	200.0	H	203.00	15


802.11ax (HE20) CH60



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1242.38	41.55	---	68.20	26.65	500.00	100.0	H	46.00	-12
1387.63	---	31.20	54.00	22.80	500.00	200.0	H	352.00	-11
1598.50	---	31.60	54.00	22.40	500.00	200.0	H	252.00	-11
1954.63	44.16	---	68.20	24.04	500.00	200.0	V	243.00	-8
2665.13	45.60	---	68.20	22.60	500.00	200.0	H	306.00	-5
2785.88	---	34.60	54.00	19.40	500.00	200.0	V	0.00	-5
3519.13	47.23	---	68.20	20.97	500.00	100.0	V	338.00	-3
3985.50	---	37.56	54.00	16.44	500.00	200.0	V	96.00	-1
4969.00	---	52.47	54.00	1.53	500.00	100.0	H	314.00	0
5629.63	61.14	---	68.20	7.06	500.00	100.0	H	314.00	3
6299.00	55.88	---	68.20	12.33	500.00	200.0	H	359.00	6
7290.38	---	42.74	54.00	11.26	500.00	100.0	V	354.00	10



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8148.75	---	35.91	54.00	18.09	500.00	100.0	H	0.00	1
8590.00	46.21	---	68.20	21.99	500.00	100.0	H	295.00	1
9303.75	---	30.74	54.00	23.26	500.00	200.0	V	276.00	1
9576.25	41.82	---	68.20	26.38	500.00	200.0	V	66.00	1
10592.50	38.03	---	68.20	30.17	500.00	100.0	H	3.00	3
10640.00	---	32.93	54.00	21.07	500.00	200.0	V	201.00	2
12187.50	---	28.18	54.00	25.82	500.00	200.0	H	265.00	6
12793.75	39.88	---	68.20	28.32	500.00	100.0	V	302.00	5
15300.00	42.86	---	68.20	25.34	500.00	200.0	H	46.00	6
15715.00	---	34.20	54.00	19.80	500.00	100.0	H	160.00	7
17693.75	48.94	---	68.20	19.26	500.00	100.0	V	352.00	13
17831.25	---	40.71	54.00	13.29	500.00	200.0	V	36.00	15


802.11ax (HE20) CH64



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.88	41.16	---	68.20	27.04	500.00	100.0	H	4.00	-11
1373.63	---	30.83	54.00	23.17	500.00	100.0	V	217.00	-11
1706.13	---	31.19	54.00	22.81	500.00	200.0	V	5.00	-10
1957.25	43.93	---	68.20	24.27	500.00	200.0	V	239.00	-8
2679.13	45.25	---	68.20	22.95	500.00	100.0	H	44.00	-5
2783.25	---	34.56	54.00	19.44	500.00	200.0	H	309.00	-5
3434.25	47.80	---	68.20	20.40	500.00	200.0	V	0.00	-4
3966.25	---	38.07	54.00	15.93	500.00	200.0	V	27.00	-1
5354.00	---	52.76	54.00	1.24	500.00	100.0	H	314.00	2
6405.75	57.61	---	68.20	10.59	500.00	100.0	V	245.00	7
7737.50	---	45.16	54.00	8.84	500.00	100.0	V	0.00	11
7740.13	---	47.16	54.00	6.84	500.00	100.0	H	247.00	11



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8008.75	46.87	---	68.20	21.33	500.00	100.0	H	57.00	1
8147.50	---	36.07	54.00	17.93	500.00	100.0	H	3.00	1
9227.50	42.67	---	68.20	25.53	500.00	200.0	H	355.00	2
9306.25	---	30.99	54.00	23.01	500.00	100.0	V	359.00	1
10546.25	37.34	---	68.20	30.86	500.00	100.0	H	36.00	3
10640.00	---	34.37	54.00	19.63	500.00	200.0	V	213.00	2
12420.00	---	28.49	54.00	25.51	500.00	200.0	V	62.00	5
12707.50	39.39	---	68.20	28.81	500.00	100.0	V	263.00	5
15338.75	42.74	---	68.20	25.46	500.00	100.0	V	357.00	6
15675.00	---	34.20	54.00	19.80	500.00	100.0	V	346.00	7
17700.00	49.19	---	68.20	19.01	500.00	100.0	V	13.00	13
17832.50	---	41.17	54.00	12.83	500.00	100.0	H	0.00	15


802.11ax (HE20) CH100



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1257.25	41.29	---	68.20	26.91	500.00	200.0	H	279.00	-12
1404.25	---	30.61	54.00	23.39	500.00	200.0	V	23.00	-11
1693.88	---	31.46	54.00	22.54	500.00	200.0	V	2.00	-10
1929.25	43.24	---	68.20	24.96	500.00	100.0	H	358.00	-9
2127.88	46.95	---	68.20	21.25	500.00	200.0	V	187.00	-8
2794.63	---	34.45	54.00	19.55	500.00	100.0	V	0.00	-5
3520.88	47.18	---	68.20	21.02	500.00	200.0	H	331.00	-3
3961.00	---	37.57	54.00	16.43	500.00	100.0	V	58.00	-1
5459.88	---	47.48	54.00	6.52	500.00	100.0	H	315.00	2
5467.75	61.83	---	68.20	6.37	500.00	100.0	H	315.00	2
7731.38	---	45.71	54.00	8.29	500.00	100.0	V	0.00	11
7914.25	55.92	---	68.20	12.28	500.00	100.0	V	0.00	11



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8011.25	46.34	---	68.20	21.86	500.00	200.0	H	1.00	1
8216.25	---	36.10	54.00	17.90	500.00	100.0	V	347.00	1
9243.75	41.76	---	68.20	26.44	500.00	100.0	H	29.00	2
9307.50	---	31.13	54.00	22.87	500.00	200.0	V	359.00	1
10592.50	37.81	---	68.20	30.39	500.00	100.0	V	308.00	3
11000.00	---	30.81	54.00	23.19	500.00	200.0	V	197.00	4
12693.75	---	28.24	54.00	25.76	500.00	200.0	H	281.00	5
13731.25	38.95	---	68.20	29.25	500.00	100.0	V	210.00	5
15311.25	42.62	---	68.20	25.58	500.00	100.0	V	0.00	6
15710.00	---	33.95	54.00	20.05	500.00	100.0	V	240.00	7
17563.75	48.80	---	68.20	19.40	500.00	100.0	H	70.00	12
17813.75	---	40.75	54.00	13.25	500.00	200.0	V	0.00	15


802.11ax (HE20) CH116



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1121.63	---	30.64	54.00	23.36	500.00	200.0	H	259.00	-12
1290.50	41.17	---	68.20	27.03	500.00	200.0	V	4.00	-11
1683.38	---	32.01	54.00	21.99	500.00	200.0	V	228.00	-10
1995.75	43.76	---	68.20	24.44	500.00	100.0	V	131.00	-8
2627.50	45.11	---	68.20	23.09	500.00	200.0	V	0.00	-6
2780.63	---	34.62	54.00	19.38	500.00	200.0	H	355.00	-5
3387.88	48.20	---	68.20	20.00	500.00	200.0	V	354.00	-3
3956.63	---	37.62	54.00	16.38	500.00	100.0	H	135.00	-1
4534.13	---	49.66	54.00	4.34	500.00	100.0	H	315.00	0
5231.50	66.49	---	68.20	1.71	500.00	100.0	H	315.00	1
5923.63	60.55	---	68.20	7.65	500.00	100.0	H	44.00	4
7286.88	---	42.66	54.00	11.34	500.00	200.0	V	36.00	10



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8215.00	---	36.10	54.00	17.90	500.00	100.0	H	14.00	1
8583.75	45.76	---	68.20	22.44	500.00	200.0	H	0.00	1
9308.75	---	31.01	54.00	22.99	500.00	100.0	V	348.00	1
9621.25	41.48	---	68.20	26.72	500.00	200.0	V	273.00	1
10560.00	37.68	---	68.20	30.52	500.00	100.0	H	95.00	3
11160.00	---	30.95	54.00	23.05	500.00	200.0	V	199.00	4
12631.25	---	28.37	54.00	25.63	500.00	200.0	V	348.00	5
12737.50	38.98	---	68.20	29.22	500.00	100.0	V	80.00	5
15338.75	42.54	---	68.20	25.66	500.00	100.0	V	0.00	6
15695.00	---	34.16	54.00	19.84	500.00	100.0	H	3.00	7
17360.00	48.77	---	68.20	19.43	500.00	200.0	H	45.00	11
17815.00	---	40.75	54.00	13.25	500.00	100.0	H	45.00	15


802.11ax (HE20) CH140



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1283.50	41.03	---	68.20	27.17	500.00	100.0	H	20.00	-12
1400.75	---	30.71	54.00	23.29	500.00	100.0	V	336.00	-11
1706.13	---	31.08	54.00	22.92	500.00	200.0	V	13.00	-10
1957.25	44.60	---	68.20	23.60	500.00	200.0	V	234.00	-8
2644.13	45.76	---	68.20	22.44	500.00	200.0	V	13.00	-5
2823.50	---	34.45	54.00	19.55	500.00	100.0	H	327.00	-5
3394.88	47.16	---	68.20	21.04	500.00	100.0	H	298.00	-3
3966.25	---	37.74	54.00	16.26	500.00	100.0	V	357.00	-1
4631.25	---	48.28	54.00	5.72	500.00	100.0	H	313.00	0
5343.50	61.45	---	68.20	6.75	500.00	100.0	H	298.00	2
6055.75	58.78	---	68.20	9.42	500.00	100.0	H	184.00	4
7741.88	---	45.29	54.00	8.71	500.00	100.0	V	0.00	11



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8155.00	---	36.08	54.00	17.92	500.00	100.0	V	351.00	1
8500.00	46.02	---	68.20	22.18	500.00	100.0	V	324.00	1
9283.75	41.87	---	68.20	26.33	500.00	200.0	H	55.00	1
9305.00	---	30.87	54.00	23.13	500.00	100.0	H	0.00	1
10582.50	37.32	---	68.20	30.88	500.00	200.0	V	219.00	3
11400.00	---	30.11	54.00	23.89	500.00	100.0	V	304.00	5
12325.00	---	28.08	54.00	25.92	500.00	200.0	V	357.00	6
12723.75	39.56	---	68.20	28.64	500.00	200.0	H	4.00	5
15055.00	43.08	---	68.20	25.12	500.00	100.0	V	50.00	6
15710.00	---	34.10	54.00	19.90	500.00	200.0	V	356.00	7
17687.50	48.65	---	68.20	19.55	500.00	100.0	H	4.00	13
17840.00	---	40.87	54.00	13.13	500.00	100.0	V	353.00	15


802.11ax (HE20) CH144



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1118.13	---	30.78	54.00	23.22	500.00	100.0	H	38.00	-12
1263.38	40.91	---	68.20	27.29	500.00	100.0	H	285.00	-11
1700.88	---	31.08	54.00	22.92	500.00	100.0	V	232.00	-10
1999.25	43.12	---	68.20	25.08	500.00	200.0	V	48.00	-8
2682.63	45.30	---	68.20	22.90	500.00	100.0	H	3.00	-5
2823.50	---	34.70	54.00	19.30	500.00	100.0	H	0.00	-5
3343.25	47.30	---	68.20	20.90	500.00	100.0	V	132.00	-3
3813.13	---	38.53	54.00	15.47	500.00	100.0	H	4.00	-3
5362.75	---	51.84	54.00	2.16	500.00	100.0	H	241.00	2
5362.75	60.06	---	74.00	13.94	500.00	200.0	H	347.00	2
6076.75	58.05	---	68.20	10.15	500.00	100.0	H	156.00	4
7300.88	---	42.50	54.00	11.50	500.00	200.0	V	0.00	10



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8010.00	46.66	---	68.20	21.54	500.00	100.0	V	0.00	1
8215.00	---	36.07	54.00	17.93	500.00	200.0	V	232.00	1
9308.75	---	31.00	54.00	23.00	500.00	200.0	V	358.00	1
9576.25	42.00	---	68.20	26.20	500.00	200.0	V	216.00	1
10577.50	37.79	---	68.20	30.41	500.00	100.0	H	76.00	3
11440.00	---	28.79	54.00	25.21	500.00	100.0	V	216.00	5
12322.50	---	28.22	54.00	25.78	500.00	100.0	V	142.00	6
13721.25	39.12	---	68.20	29.08	500.00	200.0	H	0.00	5
15337.50	42.74	---	68.20	25.46	500.00	100.0	H	52.00	6
15701.25	---	34.06	54.00	19.94	500.00	100.0	V	358.00	7
17468.75	48.30	---	68.20	19.90	500.00	100.0	V	350.00	12
17827.50	---	40.58	54.00	13.42	500.00	100.0	H	32.00	15


802.11ax (HE20) CH149



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1265.13	40.94	---	68.20	27.26	500.00	200.0	V	5.00	-11
1377.13	---	30.40	54.00	23.60	500.00	200.0	V	20.00	-11
1524.13	---	30.60	54.00	23.40	500.00	100.0	H	69.00	-11
1977.38	43.83	---	68.20	24.37	500.00	200.0	V	44.00	-8
2660.75	45.85	---	68.20	22.35	500.00	200.0	V	34.00	-5
2785.00	---	34.32	54.00	19.68	500.00	100.0	H	154.00	-5
3462.25	46.89	---	68.20	21.31	500.00	200.0	V	44.00	-3
3829.75	---	37.84	54.00	16.16	500.00	200.0	H	0.00	-3
5386.38	---	46.77	54.00	7.23	500.00	200.0	H	48.00	2
5494.88	51.84	---	68.20	16.36	500.00	100.0	H	0.00	2
6748.75	55.30	---	68.20	12.90	500.00	200.0	H	343.00	8
7747.13	---	45.38	54.00	8.62	500.00	100.0	V	0.00	11



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8217.50	---	36.23	54.00	17.77	500.00	100.0	H	19.00	1
8575.00	45.82	---	68.20	22.38	500.00	100.0	V	354.00	1
9222.50	42.68	---	68.20	25.52	500.00	200.0	H	359.00	2
9308.75	---	31.03	54.00	22.97	500.00	200.0	V	52.00	1
10597.50	37.82	---	68.20	30.38	500.00	100.0	V	336.00	3
10738.75	---	25.78	54.00	28.22	500.00	200.0	H	313.00	3
11490.00	---	30.99	54.00	23.01	500.00	200.0	V	266.00	6
12247.50	---	28.27	54.00	25.73	500.00	200.0	H	261.00	6
12701.25	39.33	---	68.20	28.87	500.00	200.0	V	228.00	5
14821.25	40.89	---	68.20	27.31	500.00	200.0	V	52.00	6
15346.25	42.83	---	68.20	25.37	500.00	200.0	V	138.00	6
15698.75	---	34.19	54.00	19.81	500.00	200.0	H	113.00	7


802.11ax (HE20) CH157



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.50	41.62	---	68.20	26.58	500.00	100.0	H	0.00	-11
1404.25	---	30.27	54.00	23.73	500.00	200.0	V	6.00	-11
1488.25	---	30.99	54.00	23.01	500.00	100.0	V	161.00	-11
1840.88	43.04	---	68.20	25.16	500.00	100.0	V	295.00	-9
2657.25	45.20	---	68.20	23.00	500.00	100.0	V	161.00	-5
2724.63	---	34.18	54.00	19.82	500.00	200.0	V	315.00	-5
3306.50	48.10	---	68.20	20.10	500.00	100.0	H	142.00	-3
3969.75	---	37.89	54.00	16.11	500.00	100.0	H	257.00	-1
5323.38	52.20	---	68.20	16.00	500.00	100.0	V	247.00	2
5423.13	---	45.17	54.00	8.83	500.00	200.0	H	33.00	2
6534.38	55.00	---	68.20	13.20	500.00	100.0	H	200.00	7
7297.38	---	43.36	54.00	10.64	500.00	100.0	V	316.00	10



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8211.25	---	36.17	54.00	17.83	500.00	200.0	V	283.00	1
8613.75	46.47	---	68.20	21.73	500.00	200.0	V	313.00	1
9218.75	42.64	---	68.20	25.56	500.00	200.0	H	0.00	2
9307.50	---	31.42	54.00	22.58	500.00	200.0	V	161.00	1
10592.50	38.00	---	68.20	30.20	500.00	200.0	V	37.00	3
10653.75	---	26.56	54.00	27.44	500.00	100.0	H	26.00	3
11570.00	---	29.76	54.00	24.24	500.00	100.0	V	292.00	6
12631.25	---	28.81	54.00	25.19	500.00	100.0	V	345.00	5
12713.75	39.77	---	68.20	28.43	500.00	200.0	V	2.00	5
13963.75	40.22	---	68.20	27.98	500.00	100.0	V	350.00	5
15342.50	42.68	---	68.20	25.52	500.00	200.0	H	13.00	6
15698.75	---	34.27	54.00	19.73	500.00	100.0	V	355.00	7


802.11ax (HE20) CH165



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.75	41.67	---	68.20	26.53	500.00	100.0	V	351.00	-11
1385.00	---	30.66	54.00	23.34	500.00	100.0	V	176.00	-11
1706.13	---	30.91	54.00	23.09	500.00	200.0	V	1.00	-10
1965.13	43.65	---	68.20	24.55	500.00	200.0	V	8.00	-8
2560.13	45.61	---	68.20	22.59	500.00	100.0	H	0.00	-5
2778.00	---	34.52	54.00	19.48	500.00	200.0	V	5.00	-5
3522.63	47.38	---	68.20	20.82	500.00	100.0	H	349.00	-3
3964.50	---	37.85	54.00	16.15	500.00	200.0	V	138.00	-1
4732.75	---	42.38	54.00	11.62	500.00	200.0	H	46.00	0
5460.75	52.84	---	68.20	15.36	500.00	100.0	H	48.00	2
6184.38	56.51	---	68.20	11.69	500.00	200.0	H	46.00	5
7726.13	---	47.33	54.00	6.67	500.00	200.0	V	115.00	11



Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8215.00	---	36.34	54.00	17.66	500.00	200.0	V	0.00	1
8700.00	46.58	---	68.20	21.62	500.00	200.0	V	36.00	2
9211.25	44.14	---	68.20	24.06	500.00	200.0	V	250.00	1
9302.50	---	33.35	54.00	20.65	500.00	100.0	V	0.00	1
10595.00	39.10	---	68.20	29.10	500.00	100.0	V	336.00	3
10677.50	---	30.80	54.00	23.20	500.00	100.0	V	0.00	3
11331.25	---	28.92	54.00	25.08	500.00	100.0	V	336.00	5
12663.75	---	28.99	54.00	25.01	500.00	100.0	V	0.00	5
12713.75	39.89	---	68.20	28.31	500.00	200.0	V	250.00	5
13943.75	40.08	---	68.20	28.12	500.00	100.0	V	352.00	5
15336.25	43.31	---	68.20	24.89	500.00	200.0	H	112.00	6
15676.25	---	34.25	54.00	19.75	500.00	100.0	H	100.00	7

2. Conducted Emission

2.1. Wi-Fi 5GHz

Antenna 1


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition (**802.11a CH52**) was recorded in this report.



Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.173	37.39	64.84	27.44	20.68	54.84	34.16	20.89	L1	9.000	1.000
0.290	29.55	60.54	30.98	20.46	50.54	30.08	20.95	L1	9.000	1.000
0.638	26.70	56.00	29.30	20.44	46.00	25.56	20.63	L1	9.000	1.000
2.099	14.82	56.00	41.18	9.31	46.00	36.69	19.62	L1	9.000	1.000
10.291	18.08	60.00	41.92	11.25	50.00	38.75	19.42	L1	9.000	1.000
28.687	24.54	60.00	35.46	18.52	50.00	31.48	19.81	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz




Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.170	37.48	64.95	27.47	20.81	54.95	34.14	20.90	N	9.000	1.000
0.287	29.75	60.60	30.86	20.53	50.60	30.08	20.96	N	9.000	1.000
0.636	26.69	56.00	29.31	20.40	46.00	25.60	20.65	N	9.000	1.000
1.721	16.81	56.00	39.19	11.05	46.00	34.95	19.75	N	9.000	1.000
9.758	17.44	60.00	42.56	10.94	50.00	39.06	19.43	N	9.000	1.000
28.687	24.54	60.00	35.46	18.58	50.00	31.42	19.88	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz

Antenna 2


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition (**802.11a CH36**) was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.177	35.87	64.63	28.76	24.56	54.63	30.07	21.03	L1	9.000	1.000
0.629	30.24	56.00	25.76	22.33	46.00	23.67	20.64	L1	9.000	1.000
1.086	18.14	56.00	37.86	10.89	46.00	35.11	20.10	L1	9.000	1.000
2.749	13.93	56.00	42.07	8.75	46.00	37.25	19.51	L1	9.000	1.000
7.672	15.34	60.00	44.66	10.10	50.00	39.90	19.41	L1	9.000	1.000
20.807	21.12	60.00	38.88	12.93	50.00	37.07	19.69	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.191	35.32	64.01	28.70	23.56	54.01	30.46	21.03	N	9.000	1.000
0.629	30.14	56.00	25.86	22.32	46.00	23.68	20.65	N	9.000	1.000
1.059	19.58	56.00	36.42	11.58	46.00	34.42	20.13	N	9.000	1.000
2.612	15.38	56.00	40.62	9.65	46.00	36.35	19.54	N	9.000	1.000
7.022	15.47	60.00	44.53	10.11	50.00	39.89	19.41	N	9.000	1.000
20.807	21.04	60.00	38.96	12.95	50.00	37.05	19.74	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz