

Annex 1: Measurement diagrams to
TEST REPORT
No.: 18-1-0244501T06a

According to:
47 CFR Part 95
RSS-Gen Issue 5
RSS-251 Issue 2

for

Veoneer US, Inc.

77V12CRN
77 GHz CRN Radar Sensor

FCC ID: WU877V12CRN
IC: 8436B-77V12CRN

Laboratory Accreditation



accredited according to DIN EN ISO/IEC 17025

CETECOM GmbH

Laboratory Radio Communications & Electromagnetic Compatibility
Im Teelbruch 116 • 45219 Essen • Germany
Registered in Essen, Germany, Reg. No.: HRB Essen 8984
Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964
E-mail: info@cetecom.com • Internet: www.cetecom.com

Table of contents

1. THE MAXIMUM PEAK POWER EIRP / PEAK EIRP SPECTRAL DENSITY. THE MAXIMUM POWER EIRP/ AVERAGE EIRP.....	8
EUT A, Mode 1	8
1.1. RMS Detector, T_{nom}/V_{nom}	8
1.2. Peak Detector, T_{nom}/V_{nom}	8
1.3. RMS Detector, T_{min}/V_{nom}	9
1.4. Peak Detector, T_{min}/V_{nom}	9
1.5. RMS Detector, T_{max}/V_{nom}	10
1.6. Peak Detector, T_{max}/V_{nom}	10
1.7. RMS Detector, T_{nom}/V_{min}	11
1.8. Peak Detector, T_{nom}/V_{min}	11
1.9. RMS Detector, T_{nom}/V_{max}	12
1.10. Peak Detector, T_{nom}/V_{max}	12
EUT B, Mode 1	13
1.11. RMS Detector, T_{nom}/V_{nom}	13
1.12. Peak Detector, T_{nom}/V_{nom}	13
1.13. RMS Detector, T_{min}/V_{nom}	14
1.14. Peak Detector, T_{min}/V_{nom}	14
1.15. RMS Detector, T_{max}/V_{nom}	15
1.16. Peak Detector, T_{max}/V_{nom}	15
1.17. RMS Detector, T_{nom}/V_{min}	16
1.18. Peak Detector, T_{nom}/V_{min}	16
1.19. RMS Detector, T_{nom}/V_{max}	17
1.20. Peak Detector, T_{nom}/V_{max}	17
EUT C, Mode 1	18
1.21. RMS Detector, T_{nom}/V_{nom}	18
1.22. Peak Detector, T_{nom}/V_{nom}	18
1.23. RMS Detector, T_{min}/V_{nom}	19
1.24. Peak Detector, T_{min}/V_{nom}	19
1.25. RMS Detector, T_{max}/V_{nom}	20
1.26. Peak Detector, T_{max}/V_{nom}	20
1.27. RMS Detector, T_{nom}/V_{min}	21
1.28. Peak Detector, T_{nom}/V_{min}	21
1.29. RMS Detector, T_{nom}/V_{max}	22
1.30. Peak Detector, T_{nom}/V_{max}	22
EUT D, Mode 1	23
1.31. RMS Detector, T_{nom}/V_{nom}	23
1.32. Peak Detector, T_{nom}/V_{nom}	23
1.33. RMS Detector, T_{min}/V_{nom}	24
1.34. Peak Detector, T_{min}/V_{nom}	24
1.35. RMS Detector, T_{max}/V_{nom}	25
1.36. Peak Detector, T_{max}/V_{nom}	25
1.37. RMS Detector, T_{nom}/V_{min}	26
1.38. Peak Detector, T_{nom}/V_{min}	26
1.39. RMS Detector, T_{nom}/V_{max}	27
1.40. Peak Detector, T_{nom}/V_{max}	27
2. MODULATION CHARACTERISTICS.....	28
EUT A, Mode 1	28
2.1. Peak Detector, T_{nom}/V_{nom}	28
2.2. Peak Detector, T_{min}/V_{nom}	28
2.3. Peak Detector, T_{max}/V_{nom}	28
2.4. Peak Detector, T_{nom}/V_{min}	28
2.5. Peak Detector, T_{nom}/V_{max}	28
EUT B, Mode 1	28
2.6. Peak Detector, T_{nom}/V_{nom}	28

2.7. Peak Detector, T_{min}/V_{nom}	28
2.8. Peak Detector, T_{max}/V_{nom}	28
2.9. Peak Detector, T_{nom}/V_{min}	28
2.10. Peak Detector, T_{nom}/V_{max}	28
EUT C, Mode 1	28
2.11. Peak Detector, T_{nom}/V_{nom}	28
2.12. Peak Detector, T_{min}/V_{nom}	28
2.13. Peak Detector, T_{max}/V_{nom}	28
2.14. Peak Detector, T_{nom}/V_{min}	28
2.15. Peak Detector, T_{nom}/V_{max}	28
EUT D, Mode 1	29
2.16. Peak Detector, T_{nom}/V_{nom}	29
2.17. Peak Detector, T_{min}/V_{nom}	29
2.18. Peak Detector, T_{max}/V_{nom}	29
2.19. Peak Detector, T_{nom}/V_{min}	29
2.20. Peak Detector, T_{nom}/V_{max}	29
3. OCCUPIED BANDWIDTH.....	30
EUT A, Mode 1	30
3.1. Peak Detector, T_{nom}/V_{nom} , RBW 10 MHz (only required for 99% RSS Gen Occupied BW).....	30
3.2. Peak Detector, T_{nom}/V_{nom}	30
3.3. Peak Detector, T_{min}/V_{nom}	30
3.4. Peak Detector, T_{max}/V_{nom}	30
3.5. Peak Detector, T_{nom}/V_{min}	30
3.6. Peak Detector, T_{nom}/V_{max}	30
EUT B, Mode 1	31
3.7. Peak Detector, T_{nom}/V_{nom} , RBW 10 MHz (only required for 99% RSS Gen Occupied BW).....	31
3.8. Peak Detector, T_{nom}/V_{nom}	31
3.9. Peak Detector, T_{min}/V_{nom}	31
3.10. Peak Detector, T_{max}/V_{nom}	31
3.11. Peak Detector, T_{nom}/V_{min}	31
3.12. Peak Detector, T_{nom}/V_{max}	31
EUT C, Mode 1	32
3.13. Peak Detector, T_{nom}/V_{nom} , RBW 10 MHz(only required for 99% RSS Gen Occupied BW).....	32
3.14. Peak Detector, T_{nom}/V_{nom}	32
3.15. Peak Detector, T_{min}/V_{nom}	32
3.16. Peak Detector, T_{max}/V_{nom}	32
3.17. Peak Detector, T_{nom}/V_{min}	32
3.18. Peak Detector, T_{nom}/V_{max}	32
EUT D, Mode 1	33
3.19. Peak Detector, T_{nom}/V_{nom} , RBW 10 MHz (only required for 99% RSS Gen Occupied BW).....	33
3.20. Peak Detector, T_{nom}/V_{nom}	33
3.21. Peak Detector, T_{min}/V_{nom}	33
3.22. Peak Detector, T_{max}/V_{nom}	33
3.23. Peak Detector, T_{nom}/V_{min}	33
3.24. Peak Detector, T_{nom}/V_{max}	33
4. FIELD STRENGTH OF EMISSIONS (BAND EDGE).....	34
EUT A, Mode 1	34
4.1. RMS Detector, low edge, 74.1 GHz – 75 GHz.....	34
4.2. RMS Detector, low edge, 75 GHz – 76.1 GHz.....	34
4.3. RMS Detector, high edge, SigID USB + LSB.....	35
EUT D, Mode 1	36
4.4. EUT C, RMS Detector, low edge, 74.1 GHz – 75 GHz	36
4.5. EUT D, RMS Detector, low edge, 75 GHz – 76.1 GHz	36
4.6. EUT D, RMS Detector, high edge.....	37
5. FIELD STRENGTH OF EMISSIONS (RADIATED SPURIOUS).....	38
EUT A	38
5.1. 9 kHz – 30 MHz, laying, valid for $f_{CW\_low} + f_{CW\_center} + f_{CW\_high}$	38

5.2. 9 kHz – 30 MHz, standing, valid for f_CW_low + f_CW_center + f_CW_high	38
5.3. 30 MHz – 1 GHz, laying, valid for f_CW_low + f_CW_center + f_CW_high	39
5.4. 30 MHz – 1 GHz, standing, valid for f_CW_low + f_CW_center + f_CW_high	39
5.5. 960 MHz – 1 GHz, valid for f_CW_low + f_CW_center + f_CW_high	40
5.6. 1 GHz – 7 GHz, valid for f_CW_low + f_CW_center + f_CW_high	40
5.7. 7 GHz – 18 GHz, valid for f_CW_low + f_CW_center + f_CW_high	41
5.8. 18 GHz – 40 GHz, ANT VER, valid for f_CW_low + f_CW_center + f_CW_high	41
5.9. 18 GHz – 40 GHz, ANT HOR, valid for f_CW_low + f_CW_center + f_CW_high	42
5.10. 40 GHz – 55 GHz, ANT HOR + VER, all positions, f_CW_low	42
5.11. 40 GHz – 55 GHz, ANT HOR + VER, all positions, f_CW_center	43
5.12. 40 GHz – 55 GHz, ANT HOR + VER, all positions, f_CW_high	43
5.13. 40 GHz – 55 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	44
5.14. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	44
5.15. 55 GHz – 75 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_low	45
5.16. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_low	45
5.17. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	46
5.18. 55 GHz – 75 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_center	46
5.19. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_center	47
5.20. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	47
5.21. 55 GHz – 75 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_high	48
5.22. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_high	48
5.23. 55 GHz – 73.5 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	49
5.24. 73.5 GHz – 74.5 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	49
5.25. 74.5 GHz – 75 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	50
5.26. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	50
5.27. 75 GHz – 97 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_low	51
5.28. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_low	51
5.29. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	52
5.30. 75 GHz – 97 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_center	52
5.31. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_center	53
5.32. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	53
5.33. 75 GHz – 97 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_high	54
5.34. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_high	54
5.35. 75 GHz – 76 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	55
5.36. 77 GHz – 78.5 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	55
5.37. 78.5 GHz – 79.5 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	56
5.38. 79.5 GHz – 81 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	56
5.39. 81 GHz – 90 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	57
5.40. 90 GHz – 98 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	57
5.41. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	58
5.42. 97 GHz – 110 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_low	58
5.43. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_low	59
5.44. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	59
5.45. 97 GHz – 110 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_center	60
5.46. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_center	60
5.47. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	61
5.48. 97 GHz – 110 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_high	61
5.49. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_high	62
5.50. 98 GHz – 110 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	62
5.51. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	63
5.52. 110 GHz – 140 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_low	63
5.53. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_low	64
5.54. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	64

5.55. 110 GHz – 140 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_center	65
5.56. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_center	65
5.57. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	66
5.58. 110 GHz – 140 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_high	66
5.59. 110 GHz – 140 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_high	67
5.60. 110 GHz – 122 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	67
5.61. 122 GHz – 138 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	68
5.62. 138 GHz – 140 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	68
5.63. 140 GHz – 162 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	69
5.64. 140 GHz – 162 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	69
5.65. 140 GHz – 162 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	70
5.66. 140 GHz – 154 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	70
5.67. 154 GHz – 162 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	71
5.68. 162 GHz – 200 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	71
5.69. 162 GHz – 200 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	72
5.70. 162 GHz – 200 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	72
5.71. 162 GHz – 170 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	73
5.72. 170 GHz – 200 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	73
5.73. 200 GHz – 220 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	74
5.74. 200 GHz – 220 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	74
5.75. 200 GHz – 220 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	75
5.76. 200 GHz – 220 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	75
5.77. 220 GHz – 243 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	76
5.78. 220 GHz – 243 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	76
5.79. 220 GHz – 243 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	77
5.80. 220 GHz – 243 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW	77
EUT D	78
5.81. 9 kHz – 30 MHz, EUT D, laying, valid for f_CW_low + f_CW_center + f_CW_high	78
5.82. 9 kHz – 30 MHz, EUT D, standing, valid for f_CW_low + f_CW_center + f_CW_high	78
5.83. 30 MHz – 1 GHz, EUT D, laying, valid for f_CW_low + f_CW_center + f_CW_high	78
5.84. 30 MHz – 1 GHz, EUT D, standing, valid for f_CW_low + f_CW_center + f_CW_high	78
5.85. 960 MHz – 1 GHz, EUT D, valid for f_CW_low + f_CW_center + f_CW_high	78
5.86. 1 GHz – 7 GHz, EUT D, valid for f_CW_low + f_CW_center + f_CW_high	78
5.87. 7 GHz – 18 GHz, EUT D, valid for f_CW_low + f_CW_center + f_CW_high	78
5.88. 18 GHz – 40 GHz, EUT D, ANT VER, valid for f_CW_low + f_CW_center + f_CW_high	78
5.89. 18 GHz – 40 GHz, EUT D, ANT HOR, valid for f_CW_low + f_CW_center + f_CW_high	79
5.90. 40 GHz – 55 GHz, EUT D, ANT HOR + VER, all positions, f_CW_low	79
5.91. 40 GHz – 55 GHz, EUT D, ANT HOR + VER, all positions, f_CW_center	80
5.92. 40 GHz – 55 GHz, EUT D, ANT HOR + VER, all positions, f_CW_high	80
5.93. 40 GHz – 55 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW	81
5.94. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	81
5.95. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_low	82
5.96. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_low	82
5.97. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center	83
5.98. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_center	83
5.99. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_center	84
5.100. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	84
5.101. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_high	85
5.102. 55 GHz – 75 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_high	85
5.103. 55 GHz – 73.5 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	86
5.104. 73.5 GHz – 74.5 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	86
5.105. 74.5 GHz – 75 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW	87
5.106. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	87
5.107. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_low	88
5.108. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_low	88


5.109. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center.....	89
5.110. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_center.....	89
5.111. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_center	90
5.112. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	90
5.113. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_high	91
5.114. 75 GHz – 97 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_high.....	91
5.115. 75 GHz – 76 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW.....	92
5.116. 77 GHz – 78.5 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW.....	92
5.117. 78.5 GHz – 79.5 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	93
5.118. 79.5 GHz – 81 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	93
5.119. 81 GHz – 90 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	94
5.120. 90 GHz – 98 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	94
5.121. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	95
5.122. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_low	95
5.123. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_low	96
5.124. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center.....	96
5.125. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_center.....	97
5.126. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_center	97
5.127. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	98
5.128. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_high	98
5.129. 97 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_high.....	99
5.130. 98 GHz – 110 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	99
5.131. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	100
5.132. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_low	100
5.133. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_low	101
5.134. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center....	101
5.135. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_center.....	102
5.136. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_center	102
5.137. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	103
5.138. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID LSB, all positions, f_CW_high	103
5.139. 110 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB, all positions, f_CW_high.....	104
5.140. 110 GHz – 122 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	104
5.141. 122 GHz – 138 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	105
5.142. 138 GHz – 140 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW	105
5.143. 140 GHz – 162 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	106
5.144. 140 GHz – 162 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center....	106
5.145. 140 GHz – 162 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	107
5.146. 140 GHz – 154 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW..	107
5.147. 154 GHz – 162 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW..	108
5.148. 162 GHz – 200 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	108
5.149. 162 GHz – 200 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center....	109
5.150. 162 GHz – 200 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	109
5.151. 162 GHz – 170 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW..	110
5.152. 170 GHz – 200 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW..	110
5.153. 200 GHz – 220 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	111
5.154. 200 GHz – 220 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center....	111
5.155. 200 GHz – 220 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	112
5.156. 200 GHz – 220 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW..	112
5.157. 220 GHz – 243 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low	113
5.158. 220 GHz – 243 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center....	113
5.159. 220 GHz – 243 GHz, EUT D, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high	114
5.160. 220 GHz – 243 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW..	114

6. FREQUENCY STABILITY	115
EUT A, Mode 1	115
6.1. T_{nom}/V_{nom}	115
6.2. T_{min}/V_{nom}	115
6.3. T_{max}/V_{nom}	116
6.4. T_{nom}/V_{min}	116
6.5. T_{nom}/V_{max}	117
EUT B, Mode 1	118
6.6. T_{nom}/V_{nom}	118
6.7. T_{min}/V_{nom}	118
6.8. T_{max}/V_{nom}	119
6.9. T_{nom}/V_{min}	119
6.10. T_{nom}/V_{max}	120
EUT C, Mode 1	121
6.11. T_{nom}/V_{nom}	121
6.12. T_{min}/V_{nom}	121
6.13. T_{max}/V_{nom}	122
6.14. T_{nom}/V_{min}	122
6.15. T_{nom}/V_{max}	123
EUT D, Mode 1	124
6.16. T_{nom}/V_{nom}	124
6.17. T_{min}/V_{nom}	124
6.18. T_{max}/V_{nom}	125
6.19. T_{nom}/V_{min}	125
6.20. T_{nom}/V_{max}	126

1. The maximum peak power EIRP / peak EIRP spectral density. The maximum power EIRP/ average EIRP.

EUT A, Mode 1


1.1. RMS Detector, T_{nom}/V_{nom}



11:26:55 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.2. Peak Detector, T_{nom}/V_{nom}



11:42:39 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.3. RMS Detector, T_{min}/V_{nom}



11:18:00 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.4. Peak Detector, T_{min}/V_{nom}



11:22:15 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.5. RMS Detector, $T_{\max}/V_{\text{nom}}$



13:49:56 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.6. Peak Detector, $T_{\max}/V_{\text{nom}}$



13:54:34 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.7. RMS Detector, T_{nom}/V_{min}



10:57:48 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.8. Peak Detector, T_{nom}/V_{min}



11:20:01 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.9. RMS Detector, T_{nom}/V_{max}



11:51:04 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

1.10. Peak Detector, T_{nom}/V_{max}




11:48:17 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

EUT B, Mode 1


1.11. RMS Detector, T_{nom}/V_{nom}



12:40:58 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.12. Peak Detector, T_{nom}/V_{nom}



12:46:23 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.13. RMS Detector, T_{min}/V_{nom}



15:27:08 12.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.14. Peak Detector, T_{min}/V_{nom}



15:31:31 12.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.15. RMS Detector, $T_{\max}/V_{\text{nom}}$



14:26:45 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.16. Peak Detector, $T_{\max}/V_{\text{nom}}$



14:31:38 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.17. RMS Detector, T_{nom}/V_{min}



12:33:29 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.18. Peak Detector, T_{nom}/V_{min}



12:38:10 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.19. RMS Detector, T_{nom}/V_{max}



12:51:25 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

1.20. Peak Detector, T_{nom}/V_{max}




12:56:06 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

EUT C, Mode 1


1.21. RMS Detector, T_{nom}/V_{nom}



12:51:31 13.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.22. Peak Detector, T_{nom}/V_{nom}



12:48:56 13.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.23. RMS Detector, T_{min}/V_{nom}



15:47:16 12.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.24. Peak Detector, T_{min}/V_{nom}



15:51:57 12.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.25. RMS Detector, $T_{\max}/V_{\text{nom}}$



13:31:48 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.26. Peak Detector, $T_{\max}/V_{\text{nom}}$



13:36:08 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.27. RMS Detector, T_{nom}/V_{min}



12:39:33 13.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.28. Peak Detector, T_{nom}/V_{min}



12:44:02 13.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.29. RMS Detector, T_{nom}/V_{max}



12:56:58 13.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

1.30. Peak Detector, T_{nom}/V_{max}




13:01:53 13.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

EUT D, Mode 1


1.31. RMS Detector, T_{nom}/V_{nom}



18:25:54 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.32. Peak Detector, T_{nom}/V_{nom}



18:31:11 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.33. RMS Detector, T_{min}/V_{nom}



16:07:05 12.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.34. Peak Detector, T_{min}/V_{nom}



16:11:43 12.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.35. RMS Detector, $T_{\max}/V_{\text{nom}}$



14:07:16 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

1.36. Peak Detector, $T_{\max}/V_{\text{nom}}$



14:11:49 15.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.37. RMS Detector, T_{nom}/V_{min}



18:15:16 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.38. Peak Detector, T_{nom}/V_{min}



18:20:56 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).


1.39. RMS Detector, T_{nom}/V_{max}



18:38:17 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

1.40. Peak Detector, T_{nom}/V_{max}



18:35:57 14.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

2. Modulation characteristics

EUT A, Mode 1

2.1. Peak Detector, T_{nom}/V_{nom}

See diagram 1.2

2.2. Peak Detector, T_{min}/V_{nom}

See diagram 1.4

2.3. Peak Detector, T_{max}/V_{nom}

See diagram 1.6

2.4. Peak Detector, T_{nom}/V_{min}

See diagram 1.8

2.5. Peak Detector, T_{nom}/V_{max}

See diagram 1.10

EUT B, Mode 1

2.6. Peak Detector, T_{nom}/V_{nom}

See diagram 1.12

2.7. Peak Detector, T_{min}/V_{nom}

See diagram 1.14

2.8. Peak Detector, T_{max}/V_{nom}

See diagram 1.16

2.9. Peak Detector, T_{nom}/V_{min}

See diagram 1.18

2.10. Peak Detector, T_{nom}/V_{max}

See diagram 1.20

EUT C, Mode 1

2.11. Peak Detector, T_{nom}/V_{nom}

See diagram 1.22

2.12. Peak Detector, T_{min}/V_{nom}

See diagram 1.24

2.13. Peak Detector, T_{max}/V_{nom}

See diagram 1.26

2.14. Peak Detector, T_{nom}/V_{min}

See diagram 1.28

2.15. Peak Detector, T_{nom}/V_{max}

See diagram 1.30

EUT D, Mode 1

2.16. Peak Detector, T_{nom}/V_{nom}

See diagram 1.32

2.17. Peak Detector, T_{min}/V_{nom}

See diagram 1.34

2.18. Peak Detector, T_{max}/V_{nom}

See diagram 1.36

2.19. Peak Detector, T_{nom}/V_{min}

See diagram 1.38


2.20. Peak Detector, T_{nom}/V_{max}

See diagram 1.40

3. Occupied bandwidth

EUT A, Mode 1

3.1. Peak Detector, T_{nom}/V_{nom} , RBW 10 MHz (only required for 99% RSS Gen Occupied BW)



10:48:42 27.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

3.2. Peak Detector, T_{nom}/V_{nom}

See diagram 1.2

3.3. Peak Detector, T_{min}/V_{nom}

See diagram 1.4

3.4. Peak Detector, T_{max}/V_{nom}

See diagram 1.6

3.5. Peak Detector, T_{nom}/V_{min}


See diagram 1.8

3.6. Peak Detector, T_{nom}/V_{max}

See diagram 1.10

EUT B, Mode 1

3.7. Peak Detector, T_{nom}/V_{nom} , RBW 10 MHz (only required for 99% RSS Gen Occupied BW)



11:16:23 27.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

3.8. Peak Detector, T_{nom}/V_{nom}

See diagram 1.12

3.9. Peak Detector, T_{min}/V_{nom}

See diagram 1.14

3.10. Peak Detector, T_{max}/V_{nom}

See diagram 1.16

3.11. Peak Detector, T_{nom}/V_{min}


See diagram 1.18

3.12. Peak Detector, T_{nom}/V_{max}

See diagram 1.20

EUT C, Mode 1

3.13. Peak Detector, T_{nom}/V_{nom} , RBW 10 MHz(only required for 99% RSS Gen Occupied BW)



10:56:32 27.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

3.14. Peak Detector, T_{nom}/V_{nom}

See diagram 1.22

3.15. Peak Detector, T_{min}/V_{nom}

See diagram 1.24

3.16. Peak Detector, T_{max}/V_{nom}

See diagram 1.26

3.17. Peak Detector, T_{nom}/V_{min}


See diagram 1.28

3.18. Peak Detector, T_{nom}/V_{max}

See diagram 1.30

EUT D, Mode 1

3.19. Peak Detector, T_{nom}/V_{nom} , RBW 10 MHz (only required for 99% RSS Gen Occupied BW)



11:25:29 27.05.2019

* -4 dBm is only a reference line from the FSW67. Limit: 50 dBm (Average), 55 dBm (Peak).

3.20. Peak Detector, T_{nom}/V_{nom}

See diagram 1.32

3.21. Peak Detector, T_{min}/V_{nom}

See diagram 1.34

3.22. Peak Detector, T_{max}/V_{nom}

See diagram 1.36

3.23. Peak Detector, T_{nom}/V_{min}

See diagram 1.38


3.24. Peak Detector, T_{nom}/V_{max}

See diagram 1.40

4. Field strength of emissions (band edge)

EUT A, Mode 1


4.1. RMS Detector, low edge, 74.1 GHz – 75 GHz



17:19:00 19.05.2019

* -21 dBm is only a reference line from the FSW67. Limit is 0 dBm.

4.2. RMS Detector, low edge, 75 GHz – 76.1 GHz



18:30:36 19.05.2019

* -4 dBm is only a reference line from the FSW67. Limit is 0 dBm.


4.3. RMS Detector, high edge, SigID USB + LSB

No emissions above 77 GHz respectively 81 GHz. See diagrams in from section 5.36. 77 GHz – 78.5 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW to 5.38. 79.5 GHz – 81 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW.

* Limit is 0 dBm.

EUT D, Mode 1


4.4. EUT C, RMS Detector, low edge, 74.1 GHz – 75 GHz



17:10:14 19.05.2019

* -21 dBm is only a reference line from the FSW67. Limit is 0 dBm.

4.5. EUT D, RMS Detector, low edge, 75 GHz – 76.1 GHz



18:33:50 19.05.2019

* -4 dBm is only a reference line from the FSW67. Limit is 0 dBm. V1 line marks the frequency for the low edge OBW.

4.6. EUT D, RMS Detector, high edge

No emissions above 77 GHz respectively 81 GHz. See diagrams in section 5.116. 77 GHz – 78.5 GHz, EUT D, ANT HOR + VER, position with the highest power (RMS), FMCW to 5.118. 79.5 GHz – 81 GHz, EUT D, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW.


* Limit is 0 dBm.

5. Field strength of emissions (radiated spurious)

EUT A


5.1. 9 kHz – 30 MHz, laying, valid for f_CW_low + f_CW_center + f_CW_high

Full Spectrum




5.2. 9 kHz – 30 MHz, standing, valid for f_CW_low + f_CW_center + f_CW_high

Full Spectrum




5.3. 30 MHz – 1 GHz, laying, valid for f_CW_low + f_CW_center + f_CW_high

Full Spectrum




5.4. 30 MHz – 1 GHz, standing, valid for f_CW_low + f_CW_center + f_CW_high


Full Spectrum




5.5. 960 MHz – 1 GHz, valid for f_{CW_low} + f_{CW_center} + f_{CW_high}




5.6. 1 GHz – 7 GHz, valid for f_{CW_low} + f_{CW_center} + f_{CW_high}



5.7. 7 GHz – 18 GHz, valid for $f_{CW\_low} + f_{CW\_center} + f_{CW\_high}$




5.8. 18 GHz – 40 GHz, ANT VER, valid for $f_{CW\_low} + f_{CW\_center} + f_{CW\_high}$



13:55:41 19.05.2019

* -27 dBm is only a reference line from the FSW67. Limit is -41.23 dBm.


5.9. 18 GHz – 40 GHz, ANT HOR, valid for f_CW_low + f_CW_center + f_CW_high



14:01:24 19.05.2019

* -27 dBm is only a reference line from the FSW67. Limit is -41.23 dBm.


5.10. 40 GHz – 55 GHz, ANT HOR + VER, all positions, f_CW_low



14:24:14 18.05.2019

* -27 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.11. 40 GHz – 55 GHz, ANT HOR + VER, all positions, f_CW_center



14:26:28 18.05.2019

* -27 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.12. 40 GHz – 55 GHz, ANT HOR + VER, all positions, f_CW_high



14:29:00 18.05.2019

* -27 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.13. 40 GHz – 55 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



14:16:10 18.05.2019

* -27 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.14. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low



13:24:18 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.15. 55 GHz – 75 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_low



13:26:05 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.16. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_low



13:25:33 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.17. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center



13:30:56 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.18. 55 GHz – 75 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_center



13:31:51 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.19. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_center



13:31:20 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.20. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high



13:41:33 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.21. 55 GHz – 75 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_high



13:42:33 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.22. 55 GHz – 75 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_high



13:42:06 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.23. 55 GHz – 73.5 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



11:34:04 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.24. 73.5 GHz – 74.5 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



11:47:24 18.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and 0 dBm (ISED).


5.25. 74.5 GHz – 75 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



11:53:43 18.05.2019

* -21 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and 0 dBm (ISED).


5.26. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low



16:18:46 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.27. 75 GHz – 97 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_low



16:20:18 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.28. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_low



16:19:14 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.29. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center



16:25:16 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.30. 75 GHz – 97 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_center



16:27:01 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.31. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_center



16:26:18 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.32. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high



16:31:27 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.33. 75 GHz – 97 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_high



16:33:31 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSB traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.34. 75 GHz – 97 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_high



16:32:13 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSB traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.35. 75 GHz – 76 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



14:19:46 16.05.2019

*-4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and 0 dBm (ISED).


5.36. 77 GHz – 78.5 GHz, ANT HOR + VER, position with the highest power (RMS), FMCW



14:24:00 16.05.2019

* -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.37. 78.5 GHz – 79.5 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



14:33:11 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.38. 79.5 GHz – 81 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



14:41:34 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.39. 81 GHz – 90 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



15:03:48 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.40. 90 GHz – 98 GHz, ANT HOR + VER, SigID USB+LSB, position with the highest power (RMS), FMCW



15:23:35 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.41. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_low



16:56:45 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.42. 97 GHz – 110 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_low



16:58:43 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.43. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_low



16:57:32 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.44. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_center



16:51:13 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.45. 97 GHz – 110 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_center



16:53:07 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.46. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB, all positions, f_CW_center



16:52:30 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).


5.47. 97 GHz – 110 GHz, ANT HOR + VER, SigID USB + LSB, all positions, f_CW_high



16:41:01 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).

5.48. 97 GHz – 110 GHz, ANT HOR + VER, SigID LSB, all positions, f_CW_high



16:45:02 16.05.2019

* Signal ID function is used. The diagram shows image signals and mixer products. The real input signal is shown, only when USB and LSD traces have the same position on the frequency axis => Apart from the noise floor no real input signal was observed. See subsection 5.8.6. in the main report. -4 dBm is only a reference line from the FSW67. Limit is -1.7 dBm (FCC) and -30 dBm (ISED).