

## LM55811\_ label sample and location

**LED UTILITY LIGHT**  
**PRODUCT CODE: LM55811**  
**INPUT: 120VAC, 60 Hz, 48W**  
**3800 Lumens**

**Suitable for Wet Locations**

FCC ID : WUI-LM55811 / IC: 7297A-LM55811

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-3(B)/NMB-3(B)

CONFORMS TO UL STD.: UL1598

CERTIFIED TO CSA STD.: C22.2 NO. 250

Made in China


**WINPLUS®**



XXXXXX

**20160401**

PL-55811\_V1



## LM55861\_label sample

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>LED UTILITY LIGHT</b><br><b>PRODUCT CODE:</b> LM55861<br><b>INPUT:</b> 120VAC, 60 Hz, 48W<br>3800 Lumens<br><b>Suitable for Wet Locations</b><br>FCC ID : WUI-LM55811 / IC: 7297A-LM55811<br>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.<br>CAN ICES-3(B)/NMB-3(B)<br>CONFORMS TO UL STD.: UL1598<br>CERTIFIED TO CSA STD.: C22.2 NO. 250<br>Made in China | <b>WINPLUS®</b> | <br><b>20160401</b><br>PL-55861_V1 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------|

## LM55860\_label sample

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>LED UTILITY LIGHT</b><br><b>PRODUCT CODE:</b> LM55860<br><b>INPUT:</b> 120VAC, 60 Hz, 48W<br>3800 Lumens<br><b>Suitable for Wet Locations</b><br>FCC ID : WUI-LM55811 / IC: 7297A-LM55811<br>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.<br>CAN ICES-3(B)/NMB-3(B)<br>CONFORMS TO UL STD.: UL1598<br>CERTIFIED TO CSA STD.: C22.2 NO. 250<br>Made in China | <b>WINPLUS®</b> | <br><b>20160401</b><br>PL-55860_V1 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------|

## LM55970\_label sample

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>LED UTILITY LIGHT</b><br><b>PRODUCT CODE:</b> LM55970<br><b>INPUT:</b> 120VAC, 60 Hz, 48W<br>3800 Lumens<br><b>Suitable for Wet Locations</b><br>FCC ID : WUI-LM55811 / IC: 7297A-LM55811<br>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.<br>CAN ICES-3(B)/NMB-3(B)<br>CONFORMS TO UL STD.: UL1598<br>CERTIFIED TO CSA STD.: C22.2 NO. 250<br>Made in China | <b>WINPLUS®</b> | <br><b>20160401</b><br>PL-55860_V1 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------|

## LM55971\_ label sample

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                                                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LED UTILITY LIGHT</b><br><b>PRODUCT CODE: LM55971</b><br><b>INPUT: 120VAC, 60 Hz, 48W</b><br><b>3800 Lumens</b><br><b>Suitable for Wet Locations</b><br>FCC ID : WUI-LM55811 / IC: 7297A-LM55811<br>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.<br>CAN ICES-3(B)/NMB-3(B)<br>CONFORMS TO UL STD.: UL1598<br>CERTIFIED TO CSA STD.: C22.2 NO. 250<br>Made in China | <b>WINPLUS®</b> | <br><b>Intertek</b><br><b>5003382</b><br><br><b>20160401</b><br>PL-55860_V1 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|

## LM55972\_ label sample

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                 |                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LED UTILITY LIGHT</b><br><b>PRODUCT CODE: LM55972</b><br><b>INPUT: 120VAC, 60 Hz, 48W</b><br><b>3800 Lumens</b><br><b>Suitable for Wet Locations</b><br>FCC ID : WUI-LM55811 / IC: 7297A-LM55811<br>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.<br>CAN ICES-3(B)/NMB-3(B)<br>CONFORMS TO UL STD.: UL1598<br>CERTIFIED TO CSA STD.: C22.2 NO. 250<br>Made in China | <b>WINPLUS®</b> | <br><b>Intertek</b><br><b>5003382</b><br><br><b>20160401</b><br>PL-55860_V1 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|