

n66 5M CP-OFDM QPSK Outer_Full Low



n66 5M CP-OFDM 256QAM Outer_Full Low



n66 5M DFT-s-OFDM BPSK Outer_Full Mid



n66 5M DFT-s-OFDM 256QAM Outer_Full Mid



n66 5M CP-OFDM QPSK Outer_Full Mid



n66 5M CP-OFDM 256QAM Outer_Full Mid



n66 5M DFT-s-OFDM BPSK Outer_Full High



n66 5M DFT-s-OFDM 256QAM Outer_Full High



n66 5M CP-OFDM QPSK Outer_Full High



n66 5M CP-OFDM 256QAM Outer_Full High



n66 10M DFT-s-OFDM BPSK Outer_Full Low



n66 10M DFT-s-OFDM 256QAM Outer_Full Low



n66 10M CP-OFDM QPSK Outer_Full Low



n66 10M CP-OFDM 256QAM Outer_Full Low



n66 10M DFT-s-OFDM BPSK Outer_Full Mid



n66 10M DFT-s-OFDM 256QAM Outer_Full Mid



n66 10M CP-OFDM QPSK Outer_Full Mid



n66 10M CP-OFDM 256QAM Outer_Full Mid



n66 10M DFT-s-OFDM BPSK Outer_Full High



n66 10M DFT-s-OFDM 256QAM Outer_Full High



n66 10M CP-OFDM QPSK Outer_Full High



n66 10M CP-OFDM 256QAM Outer_Full High



n66 15M DFT-s-OFDM BPSK Outer_Full Low



n66 15M DFT-s-OFDM 256QAM Outer_Full Low



n66 15M CP-OFDM QPSK Outer_Full Low



n66 15M CP-OFDM 256QAM Outer_Full Low



n66 15M DFT-s-OFDM BPSK Outer_Full Mid



n66 15M DFT-s-OFDM 256QAM Outer_Full Mid



n66 15M CP-OFDM QPSK Outer_Full Mid



n66 15M CP-OFDM 256QAM Outer_Full Mid



n66 15M DFT-s-OFDM BPSK Outer_Full High



n66 15M DFT-s-OFDM 256QAM Outer_Full High



n66 15M CP-OFDM QPSK Outer_Full High



n66 15M CP-OFDM 256QAM Outer_Full High



n66 20M DFT-s-OFDM BPSK Outer_Full Low



n66 20M DFT-s-OFDM 256QAM Outer_Full Low



n66 20M CP-OFDM QPSK Outer_Full Low



n66 20M CP-OFDM 256QAM Outer_Full Low



n66 20M DFT-s-OFDM BPSK Outer_Full Mid



n66 20M DFT-s-OFDM 256QAM Outer_Full Mid



n66 20M CP-OFDM QPSK Outer_Full Mid



n66 20M CP-OFDM 256QAM Outer_Full Mid



n66 20M DFT-s-OFDM BPSK Outer_Full High



n66 20M DFT-s-OFDM 256QAM Outer_Full High



n66 20M CP-OFDM QPSK Outer_Full High



n66 20M CP-OFDM 256QAM Outer_Full High

Band	SCS (KHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dB)	Limit (dB)	Verdict
n77(3450-3550MHz)	30	20	630668	DFT-s-OFDM PI/2 BPSK	50/0	4.69	13	PASS
n77(3450-3550MHz)	30	20	630668	DFT-s-OFDM 256QAM	50/0	6.61	13	PASS
n77(3450-3550MHz)	30	20	630668	CP-OFDM QPSK	51/0	7.25	13	PASS
n77(3450-3550MHz)	30	20	630668	CP-OFDM 256QAM	51/0	8.26	13	PASS
n77(3450-3550MHz)	30	20	633334	DFT-s-OFDM PI/2 BPSK	50/0	4.14	13	PASS
n77(3450-3550MHz)	30	20	633334	DFT-s-OFDM 256QAM	50/0	6.75	13	PASS

n77(3450-3550MHz)	30	20	633334	CP-OFDM QPSK	51/0	7.54	13	PASS
n77(3450-3550MHz)	30	20	633334	CP-OFDM 256QAM	51/0	8.2	13	PASS
n77(3450-3550MHz)	30	20	636000	DFT-s-OFDM PI/2 BPSK	50/0	4.55	13	PASS
n77(3450-3550MHz)	30	20	636000	DFT-s-OFDM 256QAM	50/0	6.63	13	PASS
n77(3450-3550MHz)	30	20	636000	CP-OFDM QPSK	51/0	7.22	13	PASS
n77(3450-3550MHz)	30	20	636000	CP-OFDM 256QAM	51/0	8.16	13	PASS
n77(3450-3550MHz)	30	30	631000	DFT-s-OFDM PI/2 BPSK	75/0	4.59	13	PASS
n77(3450-3550MHz)	30	30	631000	DFT-s-OFDM 256QAM	75/0	6.53	13	PASS
n77(3450-3550MHz)	30	30	631000	CP-OFDM QPSK	78/0	7.25	13	PASS
n77(3450-3550MHz)	30	30	631000	CP-OFDM 256QAM	78/0	8.1	13	PASS
n77(3450-3550MHz)	30	30	633334	DFT-s-OFDM PI/2 BPSK	75/0	4.64	13	PASS
n77(3450-3550MHz)	30	30	633334	DFT-s-OFDM 256QAM	75/0	6.54	13	PASS
n77(3450-3550MHz)	30	30	633334	CP-OFDM QPSK	78/0	7.38	13	PASS
n77(3450-3550MHz)	30	30	633334	CP-OFDM 256QAM	78/0	8.21	13	PASS
n77(3450-3550MHz)	30	30	635666	DFT-s-OFDM PI/2 BPSK	75/0	4.43	13	PASS
n77(3450-3550MHz)	30	30	635666	DFT-s-OFDM 256QAM	75/0	6.63	13	PASS
n77(3450-3550MHz)	30	30	635666	CP-OFDM QPSK	78/0	7.76	13	PASS
n77(3450-3550MHz)	30	30	635666	CP-OFDM 256QAM	78/0	8.26	13	PASS
n77(3450-3550MHz)	30	40	631334	DFT-s-OFDM PI/2 BPSK	100/0	4.67	13	PASS
n77(3450-3550MHz)	30	40	631334	DFT-s-OFDM 256QAM	100/0	7.08	13	PASS
n77(3450-3550MHz)	30	40	631334	CP-OFDM QPSK	106/0	7.34	13	PASS
n77(3450-3550MHz)	30	40	631334	CP-OFDM 256QAM	106/0	8.73	13	PASS
n77(3450-3550MHz)	30	40	633334	DFT-s-OFDM PI/2 BPSK	100/0	4.66	13	PASS
n77(3450-3550MHz)	30	40	633334	DFT-s-OFDM 256QAM	100/0	7.06	13	PASS

n77(3450-3550MHz)	30	40	633334	CP-OFDM QPSK	106/0	7.5	13	PASS
n77(3450-3550MHz)	30	40	633334	CP-OFDM 256QAM	106/0	8.65	13	PASS
n77(3450-3550MHz)	30	40	635332	DFT-s-OFDM PI/2 BPSK	100/0	4.39	13	PASS
n77(3450-3550MHz)	30	40	635332	DFT-s-OFDM 256QAM	100/0	7.08	13	PASS
n77(3450-3550MHz)	30	40	635332	CP-OFDM QPSK	106/0	7.7	13	PASS
n77(3450-3550MHz)	30	40	635332	CP-OFDM 256QAM	106/0	8.74	13	PASS
n77(3450-3550MHz)	30	60	632000	DFT-s-OFDM PI/2 BPSK	162/0	4.17	13	PASS
n77(3450-3550MHz)	30	60	632000	DFT-s-OFDM 256QAM	162/0	6.76	13	PASS
n77(3450-3550MHz)	30	60	632000	CP-OFDM QPSK	162/0	7.57	13	PASS
n77(3450-3550MHz)	30	60	632000	CP-OFDM 256QAM	162/0	8.56	13	PASS
n77(3450-3550MHz)	30	60	633334	DFT-s-OFDM PI/2 BPSK	162/0	4.16	13	PASS
n77(3450-3550MHz)	30	60	633334	DFT-s-OFDM 256QAM	162/0	6.75	13	PASS
n77(3450-3550MHz)	30	60	633334	CP-OFDM QPSK	162/0	7.67	13	PASS
n77(3450-3550MHz)	30	60	633334	CP-OFDM 256QAM	162/0	8.63	13	PASS
n77(3450-3550MHz)	30	60	634666	DFT-s-OFDM PI/2 BPSK	162/0	4.31	13	PASS
n77(3450-3550MHz)	30	60	634666	DFT-s-OFDM 256QAM	162/0	6.76	13	PASS
n77(3450-3550MHz)	30	60	634666	CP-OFDM QPSK	162/0	7.83	13	PASS
n77(3450-3550MHz)	30	60	634666	CP-OFDM 256QAM	162/0	8.52	13	PASS
n77(3450-3550MHz)	30	80	632668	DFT-s-OFDM PI/2 BPSK	216/0	4	13	PASS
n77(3450-3550MHz)	30	80	632668	DFT-s-OFDM 256QAM	216/0	6.65	13	PASS
n77(3450-3550MHz)	30	80	632668	CP-OFDM QPSK	217/0	7.61	13	PASS
n77(3450-3550MHz)	30	80	632668	CP-OFDM 256QAM	217/0	8.36	13	PASS
n77(3450-3550MHz)	30	80	633334	DFT-s-OFDM PI/2 BPSK	216/0	4.04	13	PASS
n77(3450-3550MHz)	30	80	633334	DFT-s-OFDM 256QAM	216/0	6.64	13	PASS

n77(3450-3550MHz)	30	80	633334	CP-OFDM QPSK	217/0	7.64	13	PASS
n77(3450-3550MHz)	30	80	633334	CP-OFDM 256QAM	217/0	8.35	13	PASS
n77(3450-3550MHz)	30	80	634000	DFT-s-OFDM PI/2 BPSK	216/0	4.13	13	PASS
n77(3450-3550MHz)	30	80	634000	DFT-s-OFDM 256QAM	216/0	6.61	13	PASS
n77(3450-3550MHz)	30	80	634000	CP-OFDM QPSK	217/0	7.72	13	PASS
n77(3450-3550MHz)	30	80	634000	CP-OFDM 256QAM	217/0	8.35	13	PASS
n77(3450-3550MHz)	30	100	633334	DFT-s-OFDM PI/2 BPSK	270/0	3.98	13	PASS
n77(3450-3550MHz)	30	100	633334	DFT-s-OFDM 256QAM	270/0	6.66	13	PASS
n77(3450-3550MHz)	30	100	633334	CP-OFDM QPSK	273/0	7.62	13	PASS
n77(3450-3550MHz)	30	100	633334	CP-OFDM 256QAM	273/0	8.61	13	PASS
n77(3700-3980MHz)	30	20	647334	DFT-s-OFDM PI/2 BPSK	50/0	4.99	13	PASS
n77(3700-3980MHz)	30	20	647334	DFT-s-OFDM 256QAM	50/0	6.92	13	PASS
n77(3700-3980MHz)	30	20	647334	CP-OFDM QPSK	51/0	7.54	13	PASS
n77(3700-3980MHz)	30	20	647334	CP-OFDM 256QAM	51/0	8.28	13	PASS
n77(3700-3980MHz)	30	20	656000	DFT-s-OFDM PI/2 BPSK	50/0	4.87	13	PASS
n77(3700-3980MHz)	30	20	656000	DFT-s-OFDM 256QAM	50/0	6.96	13	PASS
n77(3700-3980MHz)	30	20	656000	CP-OFDM QPSK	51/0	7.5	13	PASS
n77(3700-3980MHz)	30	20	656000	CP-OFDM 256QAM	51/0	8.31	13	PASS
n77(3700-3980MHz)	30	20	664666	DFT-s-OFDM PI/2 BPSK	50/0	4.31	13	PASS
n77(3700-3980MHz)	30	20	664666	DFT-s-OFDM 256QAM	50/0	6.92	13	PASS
n77(3700-3980MHz)	30	20	664666	CP-OFDM QPSK	51/0	7.21	13	PASS
n77(3700-3980MHz)	30	20	664666	CP-OFDM 256QAM	51/0	8.56	13	PASS
n77(3700-3980MHz)	30	30	647668	DFT-s-OFDM PI/2 BPSK	75/0	4.71	13	PASS
n77(3700-3980MHz)	30	30	647668	DFT-s-OFDM 256QAM	75/0	6.71	13	PASS

n77(3700-3980MHz)	30	30	647668	CP-OFDM QPSK	78/0	7.39	13	PASS
n77(3700-3980MHz)	30	30	647668	CP-OFDM 256QAM	78/0	8.2	13	PASS
n77(3700-3980MHz)	30	30	656000	DFT-s-OFDM PI/2 BPSK	75/0	4.6	13	PASS
n77(3700-3980MHz)	30	30	656000	DFT-s-OFDM 256QAM	75/0	6.68	13	PASS
n77(3700-3980MHz)	30	30	656000	CP-OFDM QPSK	78/0	7.24	13	PASS
n77(3700-3980MHz)	30	30	656000	CP-OFDM 256QAM	78/0	8.44	13	PASS
n77(3700-3980MHz)	30	30	664332	DFT-s-OFDM PI/2 BPSK	75/0	4.14	13	PASS
n77(3700-3980MHz)	30	30	664332	DFT-s-OFDM 256QAM	75/0	6.86	13	PASS
n77(3700-3980MHz)	30	30	664332	CP-OFDM QPSK	78/0	7.13	13	PASS
n77(3700-3980MHz)	30	30	664332	CP-OFDM 256QAM	78/0	8.33	13	PASS
n77(3700-3980MHz)	30	40	648000	DFT-s-OFDM PI/2 BPSK	100/0	4.54	13	PASS
n77(3700-3980MHz)	30	40	648000	DFT-s-OFDM 256QAM	100/0	7.04	13	PASS
n77(3700-3980MHz)	30	40	648000	CP-OFDM QPSK	106/0	7.53	13	PASS
n77(3700-3980MHz)	30	40	648000	CP-OFDM 256QAM	106/0	8.87	13	PASS
n77(3700-3980MHz)	30	40	656000	DFT-s-OFDM PI/2 BPSK	100/0	4.41	13	PASS
n77(3700-3980MHz)	30	40	656000	DFT-s-OFDM 256QAM	100/0	7.15	13	PASS
n77(3700-3980MHz)	30	40	656000	CP-OFDM QPSK	106/0	7.47	13	PASS
n77(3700-3980MHz)	30	40	656000	CP-OFDM 256QAM	106/0	9.13	13	PASS
n77(3700-3980MHz)	30	40	664000	DFT-s-OFDM PI/2 BPSK	100/0	3.94	13	PASS
n77(3700-3980MHz)	30	40	664000	DFT-s-OFDM 256QAM	100/0	7.16	13	PASS
n77(3700-3980MHz)	30	40	664000	CP-OFDM QPSK	106/0	7.27	13	PASS
n77(3700-3980MHz)	30	40	664000	CP-OFDM 256QAM	106/0	8.98	13	PASS
n77(3700-3980MHz)	30	60	648668	DFT-s-OFDM PI/2 BPSK	162/0	3.15	13	PASS
n77(3700-3980MHz)	30	60	648668	DFT-s-OFDM 256QAM	162/0	6.74	13	PASS

n77(3700-3980MHz)	30	60	648668	CP-OFDM QPSK	162/0	7.81	13	PASS
n77(3700-3980MHz)	30	60	648668	CP-OFDM 256QAM	162/0	8.81	13	PASS
n77(3700-3980MHz)	30	60	656000	DFT-s-OFDM PI/2 BPSK	162/0	3	13	PASS
n77(3700-3980MHz)	30	60	656000	DFT-s-OFDM 256QAM	162/0	6.69	13	PASS
n77(3700-3980MHz)	30	60	656000	CP-OFDM QPSK	162/0	7.88	13	PASS
n77(3700-3980MHz)	30	60	656000	CP-OFDM 256QAM	162/0	8.85	13	PASS
n77(3700-3980MHz)	30	60	663332	DFT-s-OFDM PI/2 BPSK	162/0	3.09	13	PASS
n77(3700-3980MHz)	30	60	663332	DFT-s-OFDM 256QAM	162/0	6.72	13	PASS
n77(3700-3980MHz)	30	60	663332	CP-OFDM QPSK	162/0	7.54	13	PASS
n77(3700-3980MHz)	30	60	663332	CP-OFDM 256QAM	162/0	8.83	13	PASS
n77(3700-3980MHz)	30	80	649334	DFT-s-OFDM PI/2 BPSK	216/0	3.29	13	PASS
n77(3700-3980MHz)	30	80	649334	DFT-s-OFDM 256QAM	216/0	6.53	13	PASS
n77(3700-3980MHz)	30	80	649334	CP-OFDM QPSK	217/0	7.93	13	PASS
n77(3700-3980MHz)	30	80	649334	CP-OFDM 256QAM	217/0	8.62	13	PASS
n77(3700-3980MHz)	30	80	656000	DFT-s-OFDM PI/2 BPSK	216/0	3.11	13	PASS
n77(3700-3980MHz)	30	80	656000	DFT-s-OFDM 256QAM	216/0	6.48	13	PASS
n77(3700-3980MHz)	30	80	656000	CP-OFDM QPSK	217/0	7.97	13	PASS
n77(3700-3980MHz)	30	80	656000	CP-OFDM 256QAM	217/0	8.67	13	PASS
n77(3700-3980MHz)	30	80	662666	DFT-s-OFDM PI/2 BPSK	216/0	3.37	13	PASS
n77(3700-3980MHz)	30	80	662666	DFT-s-OFDM 256QAM	216/0	6.58	13	PASS
n77(3700-3980MHz)	30	80	662666	CP-OFDM QPSK	217/0	7.88	13	PASS
n77(3700-3980MHz)	30	80	662666	CP-OFDM 256QAM	217/0	8.74	13	PASS
n77(3700-3980MHz)	30	100	650000	DFT-s-OFDM PI/2 BPSK	270/0	3.32	13	PASS
n77(3700-3980MHz)	30	100	650000	DFT-s-OFDM 256QAM	270/0	6.89	13	PASS

n77(3700-3980MHz)	30	100	650000	CP-OFDM QPSK	273/0	8.25	13	PASS
n77(3700-3980MHz)	30	100	650000	CP-OFDM 256QAM	273/0	8.77	13	PASS
n77(3700-3980MHz)	30	100	656000	DFT-s-OFDM PI/2 BPSK	270/0	3.09	13	PASS
n77(3700-3980MHz)	30	100	656000	DFT-s-OFDM 256QAM	270/0	6.92	13	PASS
n77(3700-3980MHz)	30	100	656000	CP-OFDM QPSK	273/0	8.26	13	PASS
n77(3700-3980MHz)	30	100	656000	CP-OFDM 256QAM	273/0	8.81	13	PASS
n77(3700-3980MHz)	30	100	662000	DFT-s-OFDM PI/2 BPSK	270/0	3.44	13	PASS
n77(3700-3980MHz)	30	100	662000	DFT-s-OFDM 256QAM	270/0	7.01	13	PASS
n77(3700-3980MHz)	30	100	662000	CP-OFDM QPSK	273/0	8.28	13	PASS
n77(3700-3980MHz)	30	100	662000	CP-OFDM 256QAM	273/0	8.87	13	PASS



n77(3450-3550MHz) 20M DFT-s-OFDM BPSK Outer_Full Low



n77(3450-3550MHz) 20M DFT-s-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 20M CP-OFDM QPSK Outer_Full Low



n77(3450-3550MHz) 20M CP-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 20M DFT-s-OFDM BPSK Outer_Full Mid



n77(3450-3550MHz) 20M DFT-s-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 20M CP-OFDM QPSK Outer_Full Mid



n77(3450-3550MHz) 20M CP-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 20M DFT-s-OFDM BPSK Outer_Full High



n77(3450-3550MHz) 20M DFT-s-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 20M CP-OFDM QPSK Outer_Full High



n77(3450-3550MHz) 20M CP-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 30M DFT-s-OFDM BPSK Outer_Full Low



n77(3450-3550MHz) 30M DFT-s-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 30M CP-OFDM QPSK Outer_Full Low



n77(3450-3550MHz) 30M CP-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 30M DFT-s-OFDM BPSK Outer_Full Mid



n77(3450-3550MHz) 30M DFT-s-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 30M CP-OFDM QPSK Outer_Full Mid



n77(3450-3550MHz) 30M CP-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 30M DFT-s-OFDM BPSK Outer_Full High



n77(3450-3550MHz) 30M DFT-s-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 30M CP-OFDM QPSK Outer_Full High



n77(3450-3550MHz) 30M CP-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 40M DFT-s-OFDM BPSK Outer_Full Low



n77(3450-3550MHz) 40M DFT-s-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 40M CP-OFDM QPSK Outer_Full Low



n77(3450-3550MHz) 40M CP-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 40M DFT-s-OFDM BPSK Outer_Full Mid



n77(3450-3550MHz) 40M DFT-s-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 40M CP-OFDM QPSK Outer_Full Mid



n77(3450-3550MHz) 40M CP-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 40M DFT-s-OFDM BPSK Outer_Full High



n77(3450-3550MHz) 40M DFT-s-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 40M CP-OFDM QPSK Outer_Full High



n77(3450-3550MHz) 40M CP-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 60M DFT-s-OFDM BPSK Outer_Full Low



n77(3450-3550MHz) 60M DFT-s-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 60M CP-OFDM QPSK Outer_Full Low



n77(3450-3550MHz) 60M CP-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 60M DFT-s-OFDM BPSK Outer_Full Mid



n77(3450-3550MHz) 60M DFT-s-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 60M CP-OFDM QPSK Outer_Full Mid



n77(3450-3550MHz) 60M CP-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 60M DFT-s-OFDM BPSK Outer_Full High



n77(3450-3550MHz) 60M DFT-s-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 60M CP-OFDM QPSK Outer_Full High



n77(3450-3550MHz) 60M CP-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 80M DFT-s-OFDM BPSK Outer_Full Low



n77(3450-3550MHz) 80M DFT-s-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 80M CP-OFDM QPSK Outer_Full Low



n77(3450-3550MHz) 80M CP-OFDM 256QAM Outer_Full Low



n77(3450-3550MHz) 80M DFT-s-OFDM BPSK Outer_Full Mid



n77(3450-3550MHz) 80M DFT-s-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 80M CP-OFDM QPSK Outer_Full Mid



n77(3450-3550MHz) 80M CP-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 80M DFT-s-OFDM BPSK Outer_Full High



n77(3450-3550MHz) 80M DFT-s-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 80M CP-OFDM QPSK Outer_Full High



n77(3450-3550MHz) 80M CP-OFDM 256QAM Outer_Full High



n77(3450-3550MHz) 100M DFT-s-OFDM BPSK Outer_Full Mid



n77(3450-3550MHz) 100M DFT-s-OFDM 256QAM Outer_Full Mid



n77(3450-3550MHz) 100M CP-OFDM QPSK Outer_Full Mid



n77(3450-3550MHz) 100M CP-OFDM 256QAM Outer_Full Mid



n77(3700-3980MHz) 20M DFT-s-OFDM BPSK Outer_Full Low



n77(3700-3980MHz) 20M DFT-s-OFDM 256QAM Outer_Full Low



n77(3700-3980MHz) 20M CP-OFDM QPSK Outer_Full Low



n77(3700-3980MHz) 20M CP-OFDM 256QAM Outer_Full Low



n77(3700-3980MHz) 20M DFT-s-OFDM BPSK Outer_Full Mid



n77(3700-3980MHz) 20M DFT-s-OFDM 256QAM Outer_Full Mid



n77(3700-3980MHz) 20M CP-OFDM QPSK Outer_Full Mid



n77(3700-3980MHz) 20M CP-OFDM 256QAM Outer_Full Mid



n77(3700-3980MHz) 20M DFT-s-OFDM BPSK Outer_Full High



n77(3700-3980MHz) 20M DFT-s-OFDM 256QAM Outer_Full High



n77(3700-3980MHz) 20M CP-OFDM QPSK Outer_Full High



n77(3700-3980MHz) 20M CP-OFDM 256QAM Outer_Full High



n77(3700-3980MHz) 30M DFT-s-OFDM BPSK Outer_Full Low



n77(3700-3980MHz) 30M DFT-s-OFDM 256QAM Outer_Full Low



n77(3700-3980MHz) 30M CP-OFDM QPSK Outer_Full Low



n77(3700-3980MHz) 30M CP-OFDM 256QAM Outer_Full Low



n77(3700-3980MHz) 30M DFT-s-OFDM BPSK Outer_Full Mid



n77(3700-3980MHz) 30M DFT-s-OFDM 256QAM Outer_Full Mid



n77(3700-3980MHz) 30M CP-OFDM QPSK Outer_Full Mid



n77(3700-3980MHz) 30M CP-OFDM 256QAM Outer_Full Mid



n77(3700-3980MHz) 30M DFT-s-OFDM BPSK Outer_Full High



n77(3700-3980MHz) 30M DFT-s-OFDM 256QAM Outer_Full High



n77(3700-3980MHz) 30M CP-OFDM QPSK Outer_Full High



n77(3700-3980MHz) 30M CP-OFDM 256QAM Outer_Full High



n77(3700-3980MHz) 40M DFT-s-OFDM BPSK Outer_Full Low



n77(3700-3980MHz) 40M DFT-s-OFDM 256QAM Outer_Full Low



n77(3700-3980MHz) 40M CP-OFDM QPSK Outer_Full Low



n77(3700-3980MHz) 40M CP-OFDM 256QAM Outer_Full Low