



REPORT No.: SZ25110315S03

Annex D Test Results of Volume Control

5.1 Receive Volume Control Performance 2N EVS NB.....	13
5.1 Receive Volume Control Performance 8N EVS SWB	21
5.1 Receive Volume Control Performance 2N EVS SWB	29
5.1 Receive Volume Control Performance 8N EVS WB.....	38
5.1 Receive Volume Control Performance 2N EVS WB.....	47
5.1 Receive Volume Control Performance 8N NB.....	57
5.1 Receive Volume Control Performance 2N NB.....	68
5.1 Receive Volume Control Performance 8N WB.....	79
5.1 Receive Volume Control Performance 2N WB.....	90
5.2 Receive path - distortion and noise 400Hz 8N EVS NB	101
5.2 Receive path - distortion and noise 500Hz 8N EVS NB	102
5.2 Receive path - distortion and noise 630Hz 8N EVS NB	103
5.2 Receive path - distortion and noise 800Hz 8N EVS NB	104
5.2 Receive path - distortion and noise 1000Hz 8N EVS NB	105
5.2 Receive path - distortion and noise 1250Hz 8N EVS NB	106
5.2 Receive path - distortion and noise 1600Hz 8N EVS NB	107
5.2 Receive path - distortion and noise 2000Hz 8N EVS NB	108
5.2 Receive path - distortion and noise 2500Hz 8N EVS NB	109
5.2 Receive path - distortion and noise 3150Hz 8N EVS NB	110
5.2 Receive path - distortion and noise 400Hz 2N EVS NB	111
5.2 Receive path - distortion and noise 500Hz 2N EVS NB	112
5.2 Receive path - distortion and noise 630Hz 2N EVS NB	113
5.2 Receive path - distortion and noise 800Hz 2N EVS NB	114
5.2 Receive path - distortion and noise 1000Hz 2N EVS NB	115
5.2 Receive path - distortion and noise 1250Hz 2N EVS NB	116
5.2 Receive path - distortion and noise 1600Hz 2N EVS NB	117
5.2 Receive path - distortion and noise 2000Hz 2N EVS NB	118
5.2 Receive path - distortion and noise 2500Hz 2N EVS NB	119
5.2 Receive path - distortion and noise 3150Hz 2N EVS NB	120
5.2 Receive path - distortion and noise 250Hz 8N EVS SWB.....	121
5.2 Receive path - distortion and noise 315Hz 8N EVS SWB.....	122
5.2 Receive path - distortion and noise 400Hz 8N EVS EVS SWB.....	123
5.2 Receive path - distortion and noise 500Hz 8N EVS EVS SWB.....	124
5.2 Receive path - distortion and noise 630Hz 8N EVS SWB.....	125
5.2 Receive path - distortion and noise 800Hz 8N EVS SWB.....	126
5.2 Receive path - distortion and noise 1000Hz 8N EVS SWB.....	127
5.2 Receive path - distortion and noise 1250Hz 8N EVS SWB.....	128
5.2 Receive path - distortion and noise 1600Hz 8N EVS SWB.....	129
5.2 Receive path - distortion and noise 2000Hz 8N EVS SWB.....	130
5.2 Receive path - distortion and noise 2500Hz 8N EVS SWB.....	131
5.2 Receive path - distortion and noise 3150Hz 8N EVS SWB.....	132
5.2 Receive path - distortion and noise 4000Hz 8N EVS SWB.....	133
5.2 Receive path - distortion and noise 5000Hz 8N EVS SWB.....	134
5.2 Receive path - distortion and noise 250Hz 2N EVS SWB.....	135
5.2 Receive path - distortion and noise 315Hz 2N EVS SWB.....	136
5.2 Receive path - distortion and noise 400Hz 2N EVS EVS SWB.....	137
5.2 Receive path - distortion and noise 500Hz 2N EVS EVS SWB.....	138
5.2 Receive path - distortion and noise 630Hz 2N EVS SWB.....	139
5.2 Receive path - distortion and noise 800Hz 2N EVS SWB.....	140

5.2 Receive path - distortion and noise 1000Hz 2N EVS SWB	141
5.2 Receive path - distortion and noise 1250Hz 2N EVS SWB	142
5.2 Receive path - distortion and noise 1600Hz 2N EVS SWB	143
5.2 Receive path - distortion and noise 2000Hz 2N EVS SWB	144
5.2 Receive path - distortion and noise 2500Hz 2N EVS SWB	145
5.2 Receive path - distortion and noise 3150Hz 2N EVS SWB	146
5.2 Receive path - distortion and noise 4000Hz 2N EVS SWB	147
5.2 Receive path - distortion and noise 5000Hz 2N EVS SWB	148
5.2 Receive path - distortion and noise 250Hz 8N EVS WB	149
5.2 Receive path - distortion and noise 315Hz 8N EVS WB	150
5.2 Receive path - distortion and noise 400Hz 8N EVS EVS WB	151
5.2 Receive path - distortion and noise 500Hz 8N EVS EVS WB	152
5.2 Receive path - distortion and noise 630Hz 8N EVS WB	153
5.2 Receive path - distortion and noise 800Hz 8N EVS WB	154
5.2 Receive path - distortion and noise 1000Hz 8N EVS WB	155
5.2 Receive path - distortion and noise 1250Hz 8N EVS WB	156
5.2 Receive path - distortion and noise 1600Hz 8N EVS WB	157
5.2 Receive path - distortion and noise 2000Hz 8N EVS WB	158
5.2 Receive path - distortion and noise 2500Hz 8N EVS WB	159
5.2 Receive path - distortion and noise 3150Hz 8N EVS WB	160
5.2 Receive path - distortion and noise 4000Hz 8N EVS WB	161
5.2 Receive path - distortion and noise 5000Hz 8N EVS WB	162
5.2 Receive path - distortion and noise 250Hz 2N EVS WB	163
5.2 Receive path - distortion and noise 315Hz 2N EVS WB	164
5.2 Receive path - distortion and noise 400Hz 2N EVS EVS WB	165
5.2 Receive path - distortion and noise 500Hz 2N EVS EVS WB	166
5.2 Receive path - distortion and noise 630Hz 2N EVS WB	167
5.2 Receive path - distortion and noise 800Hz 2N EVS WB	168
5.2 Receive path - distortion and noise 1000Hz 2N EVS WB	169
5.2 Receive path - distortion and noise 1250Hz 2N EVS WB	170
5.2 Receive path - distortion and noise 1600Hz 2N EVS WB	171
5.2 Receive path - distortion and noise 2000Hz 2N EVS WB	172
5.2 Receive path - distortion and noise 2500Hz 2N EVS WB	173
5.2 Receive path - distortion and noise 3150Hz 2N EVS WB	174
5.2 Receive path - distortion and noise 4000Hz 2N EVS WB	175
5.2 Receive path - distortion and noise 5000Hz 2N EVS WB	176
5.2 Receive path - distortion and noise 8N 400Hz NB	177
5.2 Receive path - distortion and noise 8N 500Hz NB	185
5.2 Receive path - distortion and noise 8N 630Hz NB	193
5.2 Receive path - distortion and noise 8N 800Hz NB	201
5.2 Receive path - distortion and noise 8N 1000Hz NB	209
5.2 Receive path - distortion and noise 8N 1250Hz NB	217
5.2 Receive path - distortion and noise 8N 1600Hz NB	224
5.2 Receive path - distortion and noise 8N 2000Hz NB	232
5.2 Receive path - distortion and noise 8N 2500Hz NB	240
5.2 Receive path - distortion and noise 8N 3150Hz NB	248
5.2 Receive path - distortion and noise 2N 400Hz NB	256
5.2 Receive path - distortion and noise 2N 500Hz NB	264
5.2 Receive path - distortion and noise 2N 630Hz NB	272

5.2 Receive path - distortion and noise 2N 800Hz NB	280
5.2 Receive path - distortion and noise 2N 1000Hz NB	288
5.2 Receive path - distortion and noise 2N 1250Hz NB	296
5.2 Receive path - distortion and noise 2N 1600Hz NB	303
5.2 Receive path - distortion and noise 2N 2000Hz NB	310
5.2 Receive path - distortion and noise 2N 2500Hz NB	317
5.2 Receive path - distortion and noise 2N 3100Hz NB	324
5.2 Receive path - distortion and noise 8N 250Hz WB.....	331
5.2 Receive path - distortion and 8N noise 8N 315Hz WB	339
5.2 Receive path - distortion and noise 8N 400Hz WB.....	347
5.2 Receive path - distortion and noise 8N 500Hz WB.....	355
5.2 Receive path - distortion and noise 8N 630Hz WB.....	363
5.2 Receive path - distortion and noise 8N 800Hz WB.....	371
5.2 Receive path - distortion and noise 8N 1000Hz WB.....	378
5.2 Receive path - distortion and noise 8N 1250Hz WB.....	386
5.2 Receive path - distortion and noise 8N 1600Hz WB.....	393
5.2 Receive path - distortion and noise 8N 2000Hz WB.....	401
5.2 Receive path - distortion and noise 8N 2500Hz WB.....	409
5.2 Receive path - distortion and noise 8N 3150Hz WB.....	417
5.2 Receive path - distortion and noise 8N 4000Hz WB.....	425
5.2 Receive path - distortion and noise 8N 5000Hz WB.....	433
5.2 Receive path - distortion and noise 2N 250Hz WB.....	441
5.2 Receive path - distortion and noise 2N 315Hz WB.....	449
5.2 Receive path - distortion and noise 2N 400Hz WB.....	457
5.2 Receive path - distortion and noise 2N 500Hz WB.....	465
5.2 Receive path - distortion and noise 2N 630Hz WB.....	473
5.2 Receive path - distortion and noise 2N 800Hz WB.....	481
5.2 Receive path - distortion and noise 2N 1000Hz WB.....	488
5.2 Receive path - distortion and noise 2N 1250Hz WB.....	495
5.2 Receive path - distortion and noise 2N 1600Hz WB.....	501
5.2 Receive path - distortion and noise 2N 2000Hz WB.....	508
5.2 Receive path - distortion and noise 2N 2500Hz WB.....	515
5.2 Receive path - distortion and noise 2N 3150Hz WB.....	522
5.2 Receive path - distortion and noise 2N 4000Hz WB.....	529
5.2 Receive path - distortion and noise 2N 5000Hz WB.....	536
5.3 Receive Acoustic Frequency response Performance 8N&2N EVS NB	542
5.3 Receive Acoustic Frequency response Performance 8N&2N EVS SWB	572
5.3 Receive Acoustic Frequency response Performance 8N&2N EVS WB	602
5.3 Receive Acoustic Frequency response Performance 8N&2N NB	632
5.3 Receive Acoustic Frequency response Performance 8N&2N WB.....	664

5.1 Receive Volume Control Performance 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\LTE Band 2



Speech Level RCV: 96.35[SPL]

Calculated Value: 26.35Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 4



Speech Level RCV: 95.30[SPL]

Calculated Value: 25.30Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\LTE Band 5



Speech Level RCV: 96.66[SPL]

Calculated Value: 25.66Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 7



Speech Level RCV: 95.02[SPL]

Calculated Value: 25.02Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 12



Speech Level RCV: 94.67[SPL]

Calculated Value: 24.67Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 13



Speech Level RCV: 95.66[SPL]

Calculated Value: 25.66Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 14



Speech Level RCV: 95.18[SPL]

Calculated Value: 25.18 Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 25



Speech Level RCV: 96.98[SPL]

Calculated Value: 26.98 Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 26



Speech Level RCV: 96.14 [SPL]

Calculated Value: 26.14 Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 30



Speech Level RCV: 95.21 [SPL]

Calculated Value: 25.21 Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 38



Speech Level RCV: 97.09 [SPL]

Calculated Value: 27.09 Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 41



Speech Level RCV: 95.51[SPL]

Calculated Value: 25.51Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 42



Speech Level RCV: 95.57[SPL]

Calculated Value: 25.57Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 43



Speech Level RCV: 96.05[SPL]

Calculated Value: 26.05Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 48



Speech Level RCV: 95.28[SPL]

Calculated Value: 25.28Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 66



Speech Level RCV: 96.49[SPL]

Calculated Value: 26.49Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ LTE Band 71



Speech Level RCV: 95.07[SPL]

Calculated Value: 25.07Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5G NR n2



Speech Level RCV: 96.71[SPL]

Calculated Value: 26.71Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n5



Speech Level RCV: 95.96[SPL]

Calculated Value: 25.96Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n7



Speech Level RCV: 97.15[SPL]

Calculated Value: 27.15Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n14



Speech Level RCV: 97.36[SPL]

Calculated Value: 27.36Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n25



Speech Level RCV: 97.31[SPL]

Calculated Value: 27.31Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n38



Speech Level RCV: 96.89[SPL]

Calculated Value: 26.89Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n41



Speech Level RCV: 96.72[SPL]

Calculated Value: 26.72Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n48



Speech Level RCV: 95.33[SPL]

Calculated Value: 25.33Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n66



Speech Level RCV: 96.87[SPL]

Calculated Value: 26.87Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n71



Speech Level RCV: 97.21[SPL]

Calculated Value: 27.21Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n77



Speech Level RCV: 97.27[SPL]

Calculated Value: 27.27Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 13.2kbps\ 5GNR n78




Speech Level RCV: 96.10[SPL]

Calculated Value: 26.10Ok

5.1 Receive Volume Control Performance 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\LTE Band 2



Speech Level RCV: 87.98[SPL]

Calculated Value: 17.98Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 4



Speech Level RCV: 88.14[SPL]

Calculated Value: 18.14Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\LTE Band 5



Speech Level RCV: 87.90[SPL]

Calculated Value: 17.90Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 7



Speech Level RCV: 87.58[SPL]

Calculated Value: 17.58Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 12



Speech Level RCV: 87.68[SPL]

Calculated Value: 17.68Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 13



Speech Level RCV: 87.57[SPL]

Calculated Value: 17.57Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 14



Speech Level RCV: 87.50[SPL]

Calculated Value: 17.50Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 25



Speech Level RCV: 89[SPL]

Calculated Value: 19Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 26



Speech Level RCV: 88.46[SPL]

Calculated Value: 18.46Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 30



Speech Level RCV: 87.48[SPL]

Calculated Value: 17.48Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 38



Speech Level RCV: 88.97[SPL]

Calculated Value: 18.97Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 41



Speech Level RCV: 87.52[SPL]

Calculated Value: 17.52Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 42



Speech Level RCV: 87.98[SPL]

Calculated Value: 17.98Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 43



Speech Level RCV: 88.2[SPL]

Calculated Value: 18.2Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 48



Speech Level RCV: 88.29[SPL]

Calculated Value: 18.29Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 66



Speech Level RCV: 88.12[SPL]

Calculated Value: 18.12Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ LTE Band 71



Speech Level RCV: 87.74[SPL]

Calculated Value: 17.74Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n2



Speech Level RCV: 89.68[SPL]

Calculated Value: 19.68Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n5



Speech Level RCV: 89.7[SPL]

Calculated Value: 19.7Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n7



Speech Level RCV: 89.81[SPL]

Calculated Value: 19.81Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n14



Speech Level RCV: 89.88[SPL]

Calculated Value: 19.88Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n25



Speech Level RCV: 89.9[SPL]

Calculated Value: 19.9Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n38



Speech Level RCV: 88.85SPL]

Calculated Value: 18.85Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n41



Speech Level RCV: 89.91[SPL]

Calculated Value: 19.91Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n41



Speech Level RCV: 89.99[SPL]

Calculated Value: 19.99Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n66



Speech Level RCV: 90.22[SPL]

Calculated Value: 20.22Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n71



Speech Level RCV: 90.39[SPL]

Calculated Value: 20.39Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n77



Speech Level RCV: 89.89[SPL]

Calculated Value: 19.89Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 13.2kbps\ 5GNR n78



Speech Level RCV: 89.83[SPL]

Calculated Value: 19.83Ok

5.1 Receive Volume Control Performance 8N EVS SWB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\LTE Band 2



Speech Level RCV: 95.99[SPL]

Calculated Value: 25.99Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 4



Speech Level RCV: 96.92[SPL]

Calculated Value: 26.92Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\LTE Band 5



Speech Level RCV: 96.82[SPL]

Calculated Value: 26.82Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 7



Speech Level RCV: 97.65 SPL]

Calculated Value: 27.65Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 12



Speech Level RCV: 96.96{SPL]

Calculated Value: 26.96Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 13



Speech Level RCV: 95.78[SPL]

Calculated Value: 25.78Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 14



Speech Level RCV: 97.14[SPL]

Calculated Value: 27.14Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 25



Speech Level RCV: 96.45[SPL]

Calculated Value: 26.45Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 26



Speech Level RCV: 96.04[SPL]

Calculated Value: 26.04Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 30



Speech Level RCV: 96.78 [SPL]

Calculated Value: 26.78Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 38



Speech Level RCV: 95.56[SPL]

Calculated Value: 25.56Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 41



Speech Level RCV: 96.82[SPL]

Calculated Value: 26.82Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 42



Speech Level RCV: 97.34[SPL]

Calculated Value: 27.34Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 43



Speech Level RCV: 97.36[SPL]

Calculated Value: 27.36Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 48



Speech Level RCV: 96.49[SPL]

Calculated Value: 26.49Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 66



Speech Level RCV: 96.45[SPL]

Calculated Value: 26.45Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 71



Speech Level RCV: 97.01[SPL]

Calculated Value: 27.01Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n2



Speech Level RCV: 95.27[SPL]

Calculated Value: 25.27Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n5



Speech Level RCV: 95.97SPL]

Calculated Value: 25.97Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n7



Speech Level RCV: 95.4[SPL]

Calculated Value: 25.4Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n14



Speech Level RCV: 96.7SPL]

Calculated Value: 26.7Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n25



Speech Level RCV: 95.85[SPL]

Calculated Value: 25.85Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n38



Speech Level RCV: 96.48[SPL]

Calculated Value: 26.48Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n41



Speech Level RCV: 98.03[SPL]

Calculated Value: 28.03Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n48



Speech Level RCV: 96.39[SPL]

Calculated Value: 26.39Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n66



Speech Level RCV: 98.26[SPL]

Calculated Value: 28.26Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n71



Speech Level RCV: 95.32[SPL]

Calculated Value: 25.32Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n77



Speech Level RCV: 97.51[SPL]

Calculated Value: 27.51Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n78



Speech Level RCV: 96.53[SPL]

Calculated Value: 26.53Ok

5.1 Receive Volume Control Performance 2N EVS SWB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\LTE Band 2



Speech Level RCV: 87.85[SPL]

Calculated Value: 17.85Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 4



Speech Level RCV: 89.44[SPL]

Calculated Value: 19.44Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\LTE Band 5



Speech Level RCV: 89.1[SPL]

Calculated Value: 19.1Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 7



Speech Level RCV: 89.24[SPL]

Calculated Value: 19.24Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 12



Speech Level RCV: 88.2[SPL]

Calculated Value: 18.2Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 13



Speech Level RCV: 88.69[SPL]

Calculated Value: 18.69Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 14



Speech Level RCV: 88.59[SPL]

Calculated Value: 18.59Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 25



Speech Level RCV: 88.82[SPL]

Calculated Value: 18.82Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 26



Speech Level RCV: 88.26[SPL]

Calculated Value: 18.26Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 30



Speech Level RCV: 88.65[SPL]

Calculated Value: 18.65Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 38



Speech Level RCV: 88.27[SPL]

Calculated Value: 18.27Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 41



Speech Level RCV: 88.77[SPL]

Calculated Value: 18.77Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 42



Speech Level RCV: 88.68[SPL]

Calculated Value: 18.68Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 43



Speech Level RCV: 89.04[SPL]

Calculated Value: 19.04Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 48



Speech Level RCV: 104.04[SPL]

Calculated Value: 34.04Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 66



Speech Level RCV: 88.61[SPL]

Calculated Value: 18.61Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ LTE Band 71



Speech Level RCV: 88.59[SPL]

Calculated Value: 18.59Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n2



Speech Level RCV: 89.92[SPL]

Calculated Value: 19.92Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n5



Speech Level RCV: 90.13[SPL]

Calculated Value: 20.13Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n7



Speech Level RCV: 89.86[SPL]

Calculated Value: 19.86Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n14



Speech Level RCV: 90.27[SPL]

Calculated Value: 20.27Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n25



Speech Level RCV: 90.72[SPL]

Calculated Value: 20.72Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n38



Speech Level RCV: 89.33SPL]

Calculated Value: 19.33Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n41



Speech Level RCV: 90.84[SPL]

Calculated Value: 20.84Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n48



Speech Level RCV: 89.72[SPL]

Calculated Value: 19.72Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n66



Speech Level RCV: 90.16[SPL]

Calculated Value: 20.16Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n71



Speech Level RCV: 89.79[SPL]

Calculated Value: 19.79Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n77



Speech Level RCV: 90.29[SPL]

Calculated Value: 20.29Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS SWB 24.4kbps\ 5GNR n78




Speech Level RCV: 89.91[SPL]

Calculated Value: 19.91Ok

5.1 Receive Volume Control Performance 8N EVS WB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\LTE Band 2



Speech Level RCV: 97.54[SPL]

Calculated Value: 27.54Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 4



Speech Level RCV: 96.87[SPL]

Calculated Value: 26.87Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\LTE Band 5



Speech Level RCV: 96.32[SPL]

Calculated Value: 26.32Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 7



Speech Level RCV: 96.81SPL]

Calculated Value: 26.81Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 12



Speech Level RCV: 97.52SPL]

Calculated Value: 27.52Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 13



Speech Level RCV: 97.48[SPL]

Calculated Value: 27.48Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 14



Speech Level RCV: 96.9[SPL]

Calculated Value: 26.9Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 25



Speech Level RCV: 95.62[SPL]

Calculated Value: 25.62Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 26



Speech Level RCV: 96.83[SPL]

Calculated Value: 26.83Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 30



Speech Level RCV: 98.23[SPL]

Calculated Value: 28.23Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 38



Speech Level RCV: 98.41[SPL]

Calculated Value: 28.41Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 41



Speech Level RCV: 96.3[SPL]

Calculated Value: 26.3Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 42



Speech Level RCV: 96.58[SPL]

Calculated Value: 26.58Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 43



Speech Level RCV: 95.96[SPL]

Calculated Value: 25.96Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 48



Speech Level RCV: 96.49[SPL]

Calculated Value: 26.49Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 66



Speech Level RCV: 95.92[SPL]

Calculated Value: 25.92Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ LTE Band 71



Speech Level RCV: 97.76[SPL]

Calculated Value: 27.76Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n2



Speech Level RCV: 97.9[SPL]

Calculated Value: 27.9Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n5



Speech Level RCV: 97.19SPL]

Calculated Value: 27.19Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n7



Speech Level RCV: 97.16[SPL]

Calculated Value: 27.16Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n14



Speech Level RCV: 96.51SPL]

Calculated Value: 26.51Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n25



Speech Level RCV: 97.25[SPL]

Calculated Value: 27.25Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n38



Speech Level RCV: 97.35[SPL]

Calculated Value: 27.35Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n41



Speech Level RCV: 97.72[SPL]

Calculated Value: 27.72Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n48



Speech Level RCV: 96.91[SPL]

Calculated Value: 26.91Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n66



Speech Level RCV: 98.4[SPL]

Calculated Value: 28.4Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n71



Speech Level RCV: 96.57[SPL]

Calculated Value: 26.57Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n77



Speech Level RCV: 96.62[SPL]

Calculated Value: 26.62Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4kbps\ 5GNR n78



Speech Level RCV: 96.16[SPL]

Calculated Value: 26.16Ok

5.1 Receive Volume Control Performance 2N EVS WB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\LTE Band 2



Speech Level RCV: 88.56[SPL]

Calculated Value: 18.56Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 4



Speech Level RCV: 89.08[SPL]

Calculated Value: 19.08Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\LTE Band 5



Speech Level RCV: 88.99[SPL]

Calculated Value: 18.99Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 7



Speech Level RCV: 88.37[SPL]

Calculated Value: 18.37Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 12



Speech Level RCV: 88.72[SPL]

Calculated Value: 18.72Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 13



Speech Level RCV: 89.37[SPL]

Calculated Value: 19.37Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 14



Speech Level RCV: 88.5[SPL]

Calculated Value: 18.5Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 25



Speech Level RCV: 88.23[SPL]

Calculated Value: 18.23Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 26



Speech Level RCV: 89.02[SPL]

Calculated Value: 19.02Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 30



Speech Level RCV: 89.35[SPL]

Calculated Value: 19.35Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 38



Speech Level RCV: 89.53[SPL]

Calculated Value: 19.53Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 41



Speech Level RCV: 89.34[SPL]

Calculated Value: 19.34Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 42



Speech Level RCV: 89.38[SPL]

Calculated Value: 19.38Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 43



Speech Level RCV: 88.88[SPL]

Calculated Value: 18.88Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 48



Speech Level RCV: 88.84[SPL]

Calculated Value: 18.84Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 66



Speech Level RCV: 88.46[SPL]

Calculated Value: 18.46Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ LTE Band 71



Speech Level RCV: 89.37[SPL]

Calculated Value: 19.37Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n2



Speech Level RCV: 90.76[SPL]

Calculated Value: 20.76Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n5



Speech Level RCV: 89.95[SPL]

Calculated Value: 19.95Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n7



Speech Level RCV: 90.37[SPL]

Calculated Value: 20.37Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n14



Speech Level RCV: 90.12[SPL]

Calculated Value: 20.12Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n25



Speech Level RCV: 90.01[SPL]

Calculated Value: 20.01Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n38



Speech Level RCV: 90.71SPL]

Calculated Value: 20.71Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n41



Speech Level RCV: 90.72[SPL]

Calculated Value: 20.72Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n48



Speech Level RCV: 90.49[SPL]

Calculated Value: 20.49Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n66



Speech Level RCV: 90.15[SPL]

Calculated Value: 20.15Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n71



Speech Level RCV: 89.58[SPL]

Calculated Value: 19.58Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n77



Speech Level RCV: 90.28[SPL]

Calculated Value: 20.28Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 24.4kbps\ 5GNR n78



Speech Level RCV: 89.74[SPL]

Calculated Value: 19.74Ok

5.1 Receive Volume Control Performance 8N NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band II



Speech Level RCV: 98.6[SPL]

Calculated Value: 26.6Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WCDMA Band IV



Speech Level RCV: 97.51[SPL]

Calculated Value: 27.51Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WCDMA Band V



Speech Level RCV: 95.3[SPL]

Calculated Value: 25.3Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 2



Speech Level RCV: 97.02[SPL]

Calculated Value: 27.02Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 4



Speech Level RCV: 96.73[SPL]

Calculated Value: 26.73Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 5



Speech Level RCV: 96.78[SPL]

Calculated Value: 26.78Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 7



Speech Level RCV: 96.52[SPL]

Calculated Value: 26.52Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 12



Speech Level RCV: 96.77[SPL]

Calculated Value: 26.77Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 13



Speech Level RCV: 96.35[SPL]

Calculated Value: 26.35Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 14



Speech Level RCV: 97.88[SPL]

Calculated Value: 17.88Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 25



Speech Level RCV: 95.08[SPL]

Calculated Value: 25.08Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 26



Speech Level RCV: 97.07[SPL]

Calculated Value: 27.07Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 30



Speech Level RCV: 96.15[SPL]

Calculated Value: 26.15Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 38



Speech Level RCV: 96.69[SPL]

Calculated Value: 26.69Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 41



Speech Level RCV: 98.31[SPL]

Calculated Value: 28.31Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 42



Speech Level RCV: 197.84[SPL]

Calculated Value: 27.84Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 43



Speech Level RCV: 95.82[SPL]

Calculated Value: 25.82Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 48



Speech Level RCV: 96.73[SPL]

Calculated Value: 26.73Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 96.88[SPL]

Calculated Value: 26.88Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 95.62[SPL]

Calculated Value: 25.62Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n2



Speech Level RCV: 97.05[SPL]

Calculated Value: 27.05Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n5



Speech Level RCV: 97.09[SPL]

Calculated Value: 27.09Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n7



Speech Level RCV: 97.41[SPL]

Calculated Value: 27.41Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n14



Speech Level RCV: 96.66[SPL]

Calculated Value: 26.66Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n25



Speech Level RCV: 96.73[SPL]

Calculated Value: 26.73Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n38



Speech Level RCV: 96.13[SPL]

Calculated Value: 26.13Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n41



Speech Level RCV: 95.48[SPL]

Calculated Value: 25.48Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n48



Speech Level RCV: 97.28[SPL]

Calculated Value: 27.28Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n66



Speech Level RCV: 95.72[SPL]

Calculated Value: 25.72Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n71



Speech Level RCV: 97.48[SPL]

Calculated Value: 27.48Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n77



Speech Level RCV: 97.25[SPL]

Calculated Value: 27.25Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n78




Speech Level RCV: 95.33[SPL]

Calculated Value: 25.33Ok

5.1 Receive Volume Control Performance 2N NB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WCDMA Band II



Speech Level RCV: 88.39[SPL]

Calculated Value: 18.39Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WCDMA Band IV



Speech Level RCV: 89.93[SPL]

Calculated Value: 19.93Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WCDMA Band V



Speech Level RCV: 86.99[SPL]

Calculated Value: 16.99Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 2



Speech Level RCV: 88.54[SPL]

Calculated Value: 18.54Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 4



Speech Level RCV: 89.28[SPL]

Calculated Value: 19.28Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 5



Speech Level RCV: 89.37[SPL]

Calculated Value: 19.37Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 7



Speech Level RCV: 88.5[SPL]

Calculated Value: 18.5Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 12



Speech Level RCV: 89.25[SPL]

Calculated Value: 19.25Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 13



Speech Level RCV: 89.21[SPL]

Calculated Value: 19.21Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 14



Speech Level RCV: 89.43[SPL]

Calculated Value: 19.43Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 25



Speech Level RCV: 88.15[SPL]

Calculated Value: 18.15Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 26



Speech Level RCV: 88.36[SPL]

Calculated Value: 18.36Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 30



Speech Level RCV: 88.08[SPL]

Calculated Value: 18.08Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 38



Speech Level RCV: 88.79[SPL]

Calculated Value: 18.79Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 41



Speech Level RCV: 89.52[SPL]

Calculated Value: 19.52Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 42



Speech Level RCV: 89.16[SPL]

Calculated Value: 19.16Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 43



Speech Level RCV: 88.92[SPL]

Calculated Value: 18.92Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 48



Speech Level RCV: 88.57[SPL]

Calculated Value: 18.57Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 89.51[SPL]

Calculated Value: 19.51Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 88.18[SPL]

Calculated Value: 18.18Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n2



Speech Level RCV: 90.69[SPL]

Calculated Value: 20.69Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n5



Speech Level RCV: 89.46[SPL]

Calculated Value: 19.46Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n7



Speech Level RCV: 90.85[SPL]

Calculated Value: 20.85Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n14



Speech Level RCV: 90.38[SPL]

Calculated Value: 20.38Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n25



Speech Level RCV: 89.25[SPL]

Calculated Value: 19.25Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n38



Speech Level RCV: 90.71[SPL]

Calculated Value: 20.71Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n41



Speech Level RCV: 89.9[SPL]

Calculated Value: 19.9Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n48



Speech Level RCV: 90.21[SPL]

Calculated Value: 20.21Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n66



Speech Level RCV: 90.14[SPL]

Calculated Value: 20.14Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n71



Speech Level RCV: 89.63[SPL]

Calculated Value: 19.63Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n77



Speech Level RCV: 90.34[SPL]

Calculated Value: 20.34Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n78



Speech Level RCV: 89.19[SPL]

Calculated Value: 19.19Ok

5.1 Receive Volume Control Performance 8N WB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\WCDMA Band II



Speech Level RCV: 96.65[SPL]

Calculated Value: 26.65Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WCDMA Band IV



Speech Level RCV: 94.79[SPL]

Calculated Value: 24.79Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WCDMA Band V



Speech Level RCV: 95.85[SPL]

Calculated Value: 25.85Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\LTE Band 2



Speech Level RCV: 95.24[SPL]

Calculated Value: 25.24Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 4



Speech Level RCV: 95.54[SPL]

Calculated Value: 25.54Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\LTE Band 5



Speech Level RCV: 95.64[SPL]

Calculated Value: 25.64Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 7



Speech Level RCV: 95.8[SPL]

Calculated Value: 25.8Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 12



Speech Level RCV: 96.2[SPL]

Calculated Value: 26.2Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 13



Speech Level RCV: 96.69[SPL]

Calculated Value: 26.69Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 14



Speech Level RCV: 95.19[SPL]

Calculated Value: 25.19Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 25



Speech Level RCV: 96.02[SPL]

Calculated Value: 26.02Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 26



Speech Level RCV: 96.08[SPL]

Calculated Value: 26.08Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 30



Speech Level RCV: 95.77[SPL]

Calculated Value: 25.77Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 38



Speech Level RCV: 95.8[SPL]

Calculated Value: 25.8Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 41



Speech Level RCV: 95.88[SPL]

Calculated Value: 25.88Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 42



Speech Level RCV: 96.31[SPL]

Calculated Value: 26.31Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 43



Speech Level RCV: 95.27[SPL]

Calculated Value: 25.27Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 48



Speech Level RCV: 96.16[SPL]

Calculated Value: 26.16Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 66



Speech Level RCV: 94.5[SPL]

Calculated Value: 24.58Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 71



Speech Level RCV: 95.22[SPL]

Calculated Value: 25.22Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n2



Speech Level RCV: 95.1[SPL]

Calculated Value: 25.10k

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n5



Speech Level RCV: 94.98SPL]

Calculated Value: 24.98Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n7



Speech Level RCV: 95.14[SPL]

Calculated Value: 25.14Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n14



Speech Level RCV: 96.28[SPL]

Calculated Value: 26.28Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n25



Speech Level RCV: 96.35[SPL]

Calculated Value: 26.35Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n38



Speech Level RCV: 95.02[SPL]

Calculated Value: 25.02Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n41



Speech Level RCV: 97.12[SPL]

Calculated Value: 27.12Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n48



Speech Level RCV: 95.11[SPL]

Calculated Value: 25.11Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n66



Speech Level RCV: 95.83[SPL]

Calculated Value: 25.83Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n71



Speech Level RCV: 96.07[SPL]

Calculated Value: 26.07Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n77



Speech Level RCV: 95.72[SPL]

Calculated Value: 25.72Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n78




Speech Level RCV: 95.87[SPL]

Calculated Value: 25.87Ok

5.1 Receive Volume Control Performance 2N WB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.65kbps\WCDMA Band II



Speech Level RCV: 87.72[SPL]

Calculated Value: 17.72Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WCDMA Band IV



Speech Level RCV: 87.23[SPL]

Calculated Value: 17.23Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WCDMA Band V



Speech Level RCV: 87.87[SPL]

Calculated Value: 17.87Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\LTE Band 2



Speech Level RCV: 87.21[SPL]

Calculated Value: 17.21Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 4



Speech Level RCV: 87.7[SPL]

Calculated Value: 17.7Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\LTE Band 5



Speech Level RCV: 87.67[SPL]

Calculated Value: 17.67Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 7



Speech Level RCV: 86.89[SPL]

Calculated Value: 16.89Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 12



Speech Level RCV: 87.3[SPL]

Calculated Value: 17.3Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 13



Speech Level RCV: 87.83[SPL]

Calculated Value: 17.83Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 14



Speech Level RCV: 87.97[SPL]

Calculated Value: 17.97Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 25



Speech Level RCV: 87.48[SPL]

Calculated Value: 17.48Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 26



Speech Level RCV: 87.9[SPL]

Calculated Value: 17.9Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 30



Speech Level RCV: 87.86[SPL]

Calculated Value: 17.86Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 38



Speech Level RCV: 87.7[SPL]

Calculated Value: 17.7Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 41



Speech Level RCV: 88.05[SPL]

Calculated Value: 18.05Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 42



Speech Level RCV: 87.69[SPL]

Calculated Value: 17.69Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 43



Speech Level RCV: 87.78[SPL]

Calculated Value: 17.78Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 48



Speech Level RCV: 88.25[SPL]

Calculated Value: 18.25Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 66



Speech Level RCV: 87.31[SPL]

Calculated Value: 17.31Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 71



Speech Level RCV: 87.83[SPL]

Calculated Value: 17.83Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5G NR n2



Speech Level RCV: 88.6[SPL]

Calculated Value: 18.6Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5G NR n5



Speech Level RCV: 89.42[SPL]

Calculated Value: 19.42Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5G NR n7



Speech Level RCV: 88.83[SPL]

Calculated Value: 18.83Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5G NR n14



Speech Level RCV: 88.62[SPL]

Calculated Value: 18.62Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n25



Speech Level RCV: 89.96[SPL]

Calculated Value: 19.96Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n38



Speech Level RCV: 88.91SPL]

Calculated Value: 18.91Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n41



Speech Level RCV: 89.06[SPL]

Calculated Value: 19.06Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5G NR n48



Speech Level RCV: 88.37[SPL]

Calculated Value: 18.37Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5G NR n66



Speech Level RCV: 88.61[SPL]

Calculated Value: 18.61Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5G NR n71



Speech Level RCV: 88.16[SPL]

Calculated Value: 18.16Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n77



Speech Level RCV: 88.13[SPL]

Calculated Value: 18.13Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n78




Speech Level RCV: 88.05[SPL]

Calculated Value: 18.05Ok


5.2 Receive path - distortion and noise 400Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 500Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 630Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 800Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 1000Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



5.2 Receive path - distortion and noise 1250Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 1600Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 2000Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 2500Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 3150Hz 8N EVS NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 400Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 500Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 630Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 800Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 1000Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 1250Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 1600Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




5.2 Receive path - distortion and noise 2000Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



5.2 Receive path - distortion and noise 2500Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13



5.2 Receive path - distortion and noise 3150Hz 2N EVS NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13

