



JUMP+ POWERBANK


SET UP GUIDE

SPECIFICATION


JUMP+ POWERBANK (MODEL No: JUMPSP01)
Input C: PD3.0, 5V===3A ; 9V===2A ; 12V===1.5A
Output A: QC3.0, 5V===3A ; 9V===2A ; 12V===1.5A
Output C: PD3.0, 5V===3A ; 9V===2A ; 12V===1.5A
*5V/3A 8412mAh ; 9V/2A 8516mAh ; 12V/1.5A 8615mAh
Qi Output: 5W
Total Output: 18W (8000mAh)
Battery: 3.7V 12000mAh 44.4Wh




HOW TO CONNECT



HOW TO RECHARGE




LED INDICATION



o o o o o	100%		• Green LED	Wireless Charging
o o o o	80%		• Green LED flashing	Wireless Charging Alert
o o o	60%			- Device not supported
o o	40%			- Foreign object
o	20%			- Out of center

POSITIONING



REGULATORY INFORMATION

CONFORMS TO UL STD.62368-1
CERTIFIED TO CSA STD. C22.2 NO. 62368-1
CAN-ICES-3(B)/NMB-3(B)
IC No. 23711-JUMPSP01



FCC Statement (USA)
FCC responsible party: Design Pool LLC, 6150 Washington Blvd, Culver City, CA 90232, USA; Telephone +1 (424) 6034270
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. It should be used with a minimum distance of 10 cm from all persons. FCC ID: X3QJUMPSP01


CAUTION: Risk of fire and burns. Do not open, crush, heat above 60°C, or incinerate. Follow manufacturer's instructions.

RSS Statement (Canada)
This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:
(1) This device may not cause interference.
(2) This device must accept any interference, including interference that may cause undesired operation of the device.
This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. It should be used with a minimum distance of 10 cm from all persons. IC: 23711-JUMPSP01

DoC Declaration of Conformity (Europe)
Hereby, Design Pool Limited declares that the product JUMP+ is in compliance with Directive 2014/30/EU.
The full text of the EU DoC is available online: nativeunion.com/product-documentation

IMPORTANT SAFETY INSTRUCTIONS

- WARNING – When using this product, basic precautions should always be followed, including the following:
1. Read all the instructions before using the product
 2. To reduce the risk of injury, close supervision is necessary when the product is used near children.
 3. Do not put fingers or hands into the product.
 4. Do not expose power bank to rain or snow.
 5. Use of a power supply or charger not recommended or sold by power pack manufacturer may result in a risk of fire or injury to persons.
 6. Do not use the power bank in excess of its output rating. Overload outputs above rating may result in a risk of fire or injury to persons.
 7. Do not use the power bank that is damaged or modified. Damaged or modified batteries may exhibit unpredictable behavior resulting in fire, explosion or risk of injury.
 8. Do not disassemble the power bank. Take it to a qualified service person when service or repair is required. Incorrect reassembly may result in a risk of fire or injury to persons.
 9. Do not expose a power pack to fire or excessive temperature. Exposure to fire or temperature above 100°C may cause explosion.
 10. Have servicing performed by a qualified repair person using only identical replacement parts. This will ensure that the safety of the product is maintained.
 11. Switch off the power bank when not in use.



SAVE THESE INSTRUCTIONS

More information | Plus d'information | Mehr Infos | Más información | Mais Informações | Maggiori informazioni |
更多信息 | 詳しくは | 추가 정보 | Дополнительная информация | دھارول دھارول | Daha fazla bilgi | περισσότερες
πληροφορίες | Vice informacii | Meer informatie | Lisää tietoa | Több információ | Mer informasjon | Więcej informacji |
Mer information | ข้อมูลมากกว่านี้ | Thêm thông tin | अधिक जानकारी |

nativeunion.com/product-documentation
nativeunion.com/support

NATIVE UNION

TITLE

J U M P +
IM

SCALE

100%

VERSION

1.8

SIZE

/

DATE

15 JAN 2020

COLOR & PAPER

Print Black on white paper



FINISHING

JUMP+ POWERBANK


GUIDE D'INSTALLATION

CARACTÉRISTIQUES


JUMP+ POWERBANK (N° DE MODÈLE: JUMPSP01)
Entrée C: PD3.0, 5V===3A ; 9V===2A ; 12V===1.5A
Sortie A: QC3.0, 5V===3A ; 9V===2A ; 12V===1.5A
Sortie C: PD3.0, 5V===3A ; 9V===2A ; 12V===1.5A
*5V/3A 8412mAh ; 9V/2A 8516mAh ; 12V/1.5A 8615mAh
Qi Sortie: 5W
Puissance Totale: 18W (8000mAh)
Batterie: 3.7V 12000mAh 44.4Wh



CONNEXION



COMMENT RECHARGER



TÉMOIN LUMINEUX LED

100%

80%

60%

40%

20%

</