

47 CFR PART 1.1307

ACTIONS THAT MAY HAVE A SIGNIFICANT ENVIRONMENTAL EFFECT, FOR WHICH ENVIRONMENTAL ASSESSMENTS (EAS) MUST BE PREPARED.

REPORT NUMBER: M2111032-4 V2

STANDARD: 47 CFR PART 1.1307

**CLIENT: AUTOMATIC TECHNOLOGY
AUSTRALIA PTY.LTD.**

**DEVICE: WIRELESS GARAGE DOOR
LOCK**

MODEL: GDL-200V2

DATE OF ISSUE: 12 APRIL 2022

EMC Technologies Pty Ltd reports apply only to the specific samples tested under stated test conditions. It is the manufacturer's responsibility to assure that additional production units of this model are manufactured with identical electrical and mechanical components. EMC Technologies Pty Ltd shall have no liability for any deductions, inferences or generalisations drawn by the client or others from EMC Technologies Pty Ltd issued reports. This report shall not be used to claim, constitute or imply product endorsement by EMC Technologies Pty Ltd.

REVISION TABLE

Version	Sec/Para Changed	Change Made	Date
1		Initial issue of document	07/04/2022
2	pp 1, 4, 5,7	Device name updated to "Wireless Garage Door Lock"	12/04/2022



Except for the Certificate of Compliance, this document must only be reproduced in full.

CONTENTS

1	Introduction.....	5
1.1	Laboratory Overview.....	5
1.2	Test Laboratory/Accreditations	5
2	Device Details	5
3	Exemptions for Single RF Sources.....	6
3.1	Blanket 1 mW Blanket Exemption.....	6
3.2	MPE-based Exemption	6
4	RF Exposure Calculations	7
5	Conclusion.....	7
	Appendix A	8



Accreditation No.5292

Except for the Certificate of Compliance, this document must only be reproduced in full.

RADIOFREQUENCY RADIATION EXPOSURE EVALUATION REPORT - MPE

Device: Wireless Garage Door Lock
Model Number: GDL-200V2
Part Number: 100024
FCC ID: FCC ID: X4K-GDLWLK01

Manufacturer: Counter mast Technology (Dalian) Co., Ltd.


Inspected for: Automatic Technology Australia Pty.Ltd.
Address: 6-8 Fiveways Boulevard, Keysborough, Victoria 3173, Australia
Phone Number: +61 3 9791 0275
Contact: Nikolai Klepikov
Email: Nikolai.Klepikov@ata-aust.com.au

Standards: **447498 D04 Interim General RF Exposure Guidance v01**
RF Exposure Procedures and Equipment Authorization Policies
for Mobile and Portable Devices

47 CFR PART 1.1307
Actions that may have a significant environmental effect, for which
Environmental assessment (EAs) must be prepared.

Result: Based on an assessment of the documentation provided the Wireless
Garage Door Lock, model GDL-200V2 is exempted from routine
evaluation. Refer to Report M2111032-4 V2 for full details

Assessment Date: 7 February 2022

Assessment Engineer: 
Deborah Olaleye

Authorised Signatory: 
Emad Mansour
EMR/On-Site Project Manager
EMC Technologies Pty Ltd

Issued by: EMC Technologies Pty. Ltd.,
176 Harrick Road, Keilor Park, VIC, 3042, Australia.

Phone: +61 3 9365 1000

E-mail: emc-general@emctech.com.au

Web: www.emctech.com.au



Accreditation No.5292

Except for the Certificate of Compliance, this document must only be reproduced in full.

1 INTRODUCTION

This report is intended to demonstrate compliance of the Wireless Garage Door Lock model GDL-200V2 with the RF exposure requirements of 47 CFR PART 1.1307. Evaluation was performed in accordance with KDB 447498 D04 Interim General RF Exposure Guidance v01.

The test sample was provided by the Client. The conclusion herein is based on the information provided by the client.

1.1 Laboratory Overview

EMC Technologies Pty. Ltd. is an independently owned Australian company that is NATA accredited to ISO 17025 for both testing and calibration and ISO 17020 for Inspection. – **Accreditation Number 5292.**

1.2 Test Laboratory/Accreditations

Inspection was performed at EMC Technologies' laboratory in Keilor Park, Victoria Australia.

Table 1-1: Accreditations for Conformity Assessment

Country/Region	Body	
Australia/New Zealand	NATA	Accreditation Number: 5292
Europe	European Union	Notified Body Number: 0819
USA	FCC	Designation Number: AU0001 (Melb)
Canada	ISED Canada	Company Number: 3569B(Melb)
Japan	VCCI	Company Number: 785
Taiwan	BSMI	Lab Code SL2-IN-E-5001R

2 DEVICE DETAILS

(Information supplied by the Client)

The GDL-200V2 is an electro-mechanical device for lock/unlock garage door during open/close operation mode remotely. Lock receives RF signal from the base station, and it opens or closes the door, depending on the operating mode.

Manufacturer: Countermast Technology (Dalian) Co., Ltd.
Inspected Sample: Wireless Garage Door Lock
Model Number: GDL-200V2
Part Number: 100024

Transmitter parameters were provided by the customer and are shown below:

Table 2-1: Transmitter Parameters

Transmitter #1	
Wireless Interface:	GDL-200V2 (Wireless Electro-mechanical Lock)
Operating Frequency:	2405 – 2480 MHz
Max. RF Output Power Level:	0dBm
Antenna Type:	Flex Antenna (p/n 1461530100)
Max Antenna gain:	3 dBi

3 EXEMPTIONS FOR SINGLE RF SOURCES

3.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of § 1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph § 1.1307(b)(3)(ii)(A).

3.2 MPE-based Exemption

If the separation-distance and effective radiated power (ERP) satisfy the thresholds in Table B.1 [Table 1 of § 1.1307(b)(1)(i)(C)] below, the device exempted from routine evaluation.

RF Source Frequency			Minimum Distance			Threshold ERP
f_L MHz		f_H MHz	$\lambda_L / 2\pi$		$\lambda_H / 2\pi$	W
0.3	–	1.34	159 m	–	35.6 m	1,920 R ²
1.34	–	30	35.6 m	–	1.6 m	3,450 R ² /f ²
30	–	300	1.6 m	–	159 mm	3.83 R ²
300	–	1,500	159 mm	–	31.8 mm	0.0128 R ² f
1,500	–	100,000	31.8 mm	–	0.5 mm	19.2R ²
Subscripts L and H are low and high; λ is wavelength. From § 1.1307(b)(3)(i)(C), modified by adding Minimum Distance columns.						

Note: the exemption threshold at 2405 MHz at 20 cm is 768 mW

4 RF EXPOSURE CALCULATIONS

As the transmitted EIRP is 3 dBm (ERP 0.85 dBm = 1.2 mW) less than 768 mW indicated in section 3.2, hence this transmitter exempted from routine evaluation

5 CONCLUSION

Based on an assessment of the documentation provided the Wireless Garage Door Lock, model complies GDL-200V2 is exempted from routine evaluation.



Accreditation No.5292



Except for the Certificate of Compliance, this document must only be reproduced in full.

APPENDIX A

Referenced Documents

Document	Comments
Client's email	EUT and Transmitter details



Accreditation No.5292



Except for the Certificate of Compliance, this document must only be reproduced in full.