

Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals(Channel:9262)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.8	-13	53.8	Pass	401
0.15	30	0.01	Peak	0.15	-65.04	-13	52.04	Pass	5971
30	1000	0.1	Peak	837.8	-52.31	-13	39.31	Pass	19402
1000	1840	1	Peak	1840	-38.61	-13	25.61	Pass	1681
1840	1920	1	Peak	1853.6	22.64	60	37.36	Pass	401
1920	3000	1	Peak	2951	-37.17	-13	24.17	Pass	2161
3000	20000	1	Peak	19749	-17.61	-13	4.61	Pass	34005




1.2. WCDMA Spurious Emission at Antenna Terminals(Channel:9400)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.96	-13	54.96	Pass	401
0.15	30	0.01	Peak	0.29	-63.87	-13	50.87	Pass	5971
30	1000	0.1	Peak	859.207	-53.15	-13	40.15	Pass	19402
1000	1840	1	Peak	1811	-40.65	-13	27.65	Pass	1681
1840	1920	1	Peak	1881	22.77	60	37.23	Pass	401
1920	3000	1	Peak	2946	-37.58	-13	24.58	Pass	2161
3000	20000	1	Peak	19590	-18.02	-13	5.02	Pass	34005



1.3. WCDMA Spurious Emission at Antenna Terminals(Channel:9538)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.39	-13	54.39	Pass	401
0.15	30	0.01	Peak	0.16	-64.49	-13	51.49	Pass	5971
30	1000	0.1	Peak	815.8	-53.06	-13	40.06	Pass	19402
1000	1840	1	Peak	1599	-40.71	-13	27.71	Pass	1681
1840	1920	1	Peak	1908.8	22.72	60	37.28	Pass	401
1920	3000	1	Peak	2976	-36.76	-13	23.76	Pass	2161
3000	20000	1	Peak	19866	-17.83	-13	4.83	Pass	34005



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.92	-13	60.92	Pass	401
0.15	30	0.01	RMS	0.165	-70.67	-13	57.67	Pass	5971
30	1000	0.1	RMS	864.055	-63.59	-13	50.59	Pass	19402
1000	1840	1	RMS	1839.5	-51.57	-13	38.57	Pass	1681
1840	1920	1	RMS	1850.2	22.04	60	37.96	Pass	401
1920	3000	1	RMS	2950.5	-48.42	-13	35.42	Pass	2161
3000	12000	1	RMS	11957.5	-39.73	-13	26.73	Pass	18003
12000	20000	1	RMS	19802.5	-29.72	-13	16.72	Pass	16002




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.155	-70.51	-13	57.51	Pass	5971
30	1000	0.1	RMS	826.5	-63.6	-13	50.6	Pass	19402
1000	1840	1	RMS	1839.5	-51.74	-13	38.74	Pass	1681
1840	1920	1	RMS	1850.2	21.35	60	38.65	Pass	401
1920	3000	1	RMS	2949	-48.49	-13	35.49	Pass	2161
3000	12000	1	RMS	11946	-39.76	-13	26.76	Pass	18003
12000	20000	1	RMS	19829.5	-29.64	-13	16.64	Pass	16002




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.27	-72.24	-13	59.24	Pass	5971
30	1000	0.1	RMS	840.4	-63.58	-13	50.58	Pass	19402
1000	1840	1	RMS	1781.5	-52.23	-13	39.23	Pass	1681
1840	1920	1	RMS	1879.4	22.15	60	37.85	Pass	401
1920	3000	1	RMS	2943	-48.45	-13	35.45	Pass	2161
3000	12000	1	RMS	3759	-37.51	-13	24.51	Pass	18003
12000	20000	1	RMS	19804.5	-29.7	-13	16.7	Pass	16002




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.175	-72.21	-13	59.21	Pass	5971
30	1000	0.1	RMS	874.608	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1835	-52.23	-13	39.23	Pass	1681
1840	1920	1	RMS	1879.4	21.39	60	38.61	Pass	401
1920	3000	1	RMS	2941	-48.4	-13	35.4	Pass	2161
3000	12000	1	RMS	3759	-38.71	-13	25.71	Pass	18003
12000	20000	1	RMS	19788.5	-29.65	-13	16.65	Pass	16002




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.215	-71.92	-13	58.92	Pass	5971
30	1000	0.1	RMS	856.302	-63.42	-13	50.42	Pass	19402
1000	1840	1	RMS	1832	-52.28	-13	39.28	Pass	1681
1840	1920	1	RMS	1908.8	22.19	60	37.81	Pass	401
1920	3000	1	RMS	2944	-48.54	-13	35.54	Pass	2161
3000	12000	1	RMS	3817.5	-34.77	-13	21.77	Pass	18003
12000	20000	1	RMS	19804	-29.67	-13	16.67	Pass	16002




**1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.58	-13	61.58	Pass	401
0.15	30	0.01	RMS	0.18	-71.78	-13	58.78	Pass	5971
30	1000	0.1	RMS	829.6	-63.52	-13	50.52	Pass	19402
1000	1840	1	RMS	1763.5	-52.27	-13	39.27	Pass	1681
1840	1920	1	RMS	1908.8	21.21	60	38.79	Pass	401
1920	3000	1	RMS	2937.5	-48.45	-13	35.45	Pass	2161
3000	12000	1	RMS	3817.5	-36.04	-13	23.04	Pass	18003
12000	20000	1	RMS	19795.5	-29.76	-13	16.76	Pass	16002




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-13	57.13	Pass	5971
30	1000	0.1	RMS	835.65	-63.57	-13	50.57	Pass	19402
1000	1840	1	RMS	1839.5	-51.6	-13	38.6	Pass	1681
1840	1920	1	RMS	1850.2	22.13	60	37.87	Pass	401
1920	3000	1	RMS	2967	-48.51	-13	35.51	Pass	2161
3000	12000	1	RMS	11953	-39.68	-13	26.68	Pass	18003
12000	20000	1	RMS	19803	-29.73	-13	16.73	Pass	16002




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	60.75	Pass	401
0.15	30	0.01	RMS	0.21	-71.39	-13	58.39	Pass	5971
30	1000	0.1	RMS	839.8	-63.53	-13	50.53	Pass	19402
1000	1840	1	RMS	1839.5	-51.73	-13	38.73	Pass	1681
1840	1920	1	RMS	1850.2	20.96	60	39.04	Pass	401
1920	3000	1	RMS	2954	-48.43	-13	35.43	Pass	2161
3000	12000	1	RMS	11954.5	-39.73	-13	26.73	Pass	18003
12000	20000	1	RMS	19798.5	-29.67	-13	16.67	Pass	16002




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.92	-13	61.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	5971
30	1000	0.1	RMS	840.05	-63.56	-13	50.56	Pass	19402
1000	1840	1	RMS	1831.5	-52.22	-13	39.22	Pass	1681
1840	1920	1	RMS	1878.6	22.26	60	37.74	Pass	401
1920	3000	1	RMS	2945	-48.4	-13	35.4	Pass	2161
3000	12000	1	RMS	3757.5	-37.61	-13	24.61	Pass	18003
12000	20000	1	RMS	19797	-29.67	-13	16.67	Pass	16002




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.205	-71.76	-13	58.76	Pass	5971
30	1000	0.1	RMS	829.95	-63.6	-13	50.6	Pass	19402
1000	1840	1	RMS	1831.5	-52.28	-13	39.28	Pass	1681
1840	1920	1	RMS	1878.6	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2941	-48.46	-13	35.46	Pass	2161
3000	12000	1	RMS	3757.5	-38.29	-13	25.29	Pass	18003
12000	20000	1	RMS	19812	-29.7	-13	16.7	Pass	16002




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.19	-71.23	-13	58.23	Pass	5971
30	1000	0.1	RMS	843.05	-63.65	-13	50.65	Pass	19402
1000	1840	1	RMS	1830	-52.3	-13	39.3	Pass	1681
1840	1920	1	RMS	1907.2	22.2	60	37.8	Pass	401
1920	3000	1	RMS	2942	-48.49	-13	35.49	Pass	2161
3000	12000	1	RMS	3814.5	-34.17	-13	21.17	Pass	18003
12000	20000	1	RMS	19799	-29.63	-13	16.63	Pass	16002




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.245	-71.83	-13	58.83	Pass	5971
30	1000	0.1	RMS	848.55	-63.61	-13	50.61	Pass	19402
1000	1840	1	RMS	1836.5	-52.24	-13	39.24	Pass	1681
1840	1920	1	RMS	1907.2	21.03	60	38.97	Pass	401
1920	3000	1	RMS	2952	-48.5	-13	35.5	Pass	2161
3000	12000	1	RMS	3814.5	-35.74	-13	22.74	Pass	18003
12000	20000	1	RMS	19800	-29.7	-13	16.7	Pass	16002




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	61.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	5971
30	1000	0.1	RMS	861.104	-63.55	-13	50.55	Pass	19402
1000	1840	1	RMS	1839.5	-51.67	-13	38.67	Pass	1681
1840	1920	1	RMS	1850.2	22.18	60	37.82	Pass	401
1920	3000	1	RMS	2949.5	-48.47	-13	35.47	Pass	2161
3000	12000	1	RMS	11936.5	-39.82	-13	26.82	Pass	18003
12000	20000	1	RMS	19792	-29.66	-13	16.66	Pass	16002




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	61.42	Pass	401
0.15	30	0.01	RMS	0.165	-71.79	-13	58.79	Pass	5971
30	1000	0.1	RMS	858.753	-63.57	-13	50.57	Pass	19402
1000	1840	1	RMS	1839.5	-51.88	-13	38.88	Pass	1681
1840	1920	1	RMS	1850.2	20.85	60	39.15	Pass	401
1920	3000	1	RMS	2943	-48.5	-13	35.5	Pass	2161
3000	12000	1	RMS	11946	-39.8	-13	26.8	Pass	18003
12000	20000	1	RMS	19835.5	-29.65	-13	16.65	Pass	16002




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	61.38	Pass	401
0.15	30	0.01	RMS	0.185	-71.85	-13	58.85	Pass	5971
30	1000	0.1	RMS	825.8	-63.24	-13	50.24	Pass	19402
1000	1840	1	RMS	1837.5	-52.27	-13	39.27	Pass	1681
1840	1920	1	RMS	1877.8	22.26	60	37.74	Pass	401
1920	3000	1	RMS	2960.5	-48.48	-13	35.48	Pass	2161
3000	12000	1	RMS	3755.5	-37.98	-13	24.98	Pass	18003
12000	20000	1	RMS	19796.5	-29.59	-13	16.59	Pass	16002




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-13	60.73	Pass	401
0.15	30	0.01	RMS	0.175	-72.09	-13	59.09	Pass	5971
30	1000	0.1	RMS	854.452	-63.39	-13	50.39	Pass	19402
1000	1840	1	RMS	1838	-52.24	-13	39.24	Pass	1681
1840	1920	1	RMS	1877.8	21.68	60	38.32	Pass	401
1920	3000	1	RMS	2944.5	-48.46	-13	35.46	Pass	2161
3000	12000	1	RMS	3755.5	-38.59	-13	25.59	Pass	18003
12000	20000	1	RMS	19795.5	-29.67	-13	16.67	Pass	16002




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	60.98	Pass	401
0.15	30	0.01	RMS	0.175	-71.94	-13	58.94	Pass	5971
30	1000	0.1	RMS	850.751	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1806.5	-52.24	-13	39.24	Pass	1681
1840	1920	1	RMS	1905.2	22.17	60	37.83	Pass	401
1920	3000	1	RMS	2942.5	-48.52	-13	35.52	Pass	2161
3000	12000	1	RMS	3810.5	-34.56	-13	21.56	Pass	18003
12000	20000	1	RMS	19796.5	-29.69	-13	16.69	Pass	16002




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	60.87	Pass	401
0.15	30	0.01	RMS	0.195	-71.61	-13	58.61	Pass	5971
30	1000	0.1	RMS	847.3	-63.34	-13	50.34	Pass	19402
1000	1840	1	RMS	1764	-52.22	-13	39.22	Pass	1681
1840	1920	1	RMS	1905.2	21.48	60	38.52	Pass	401
1920	3000	1	RMS	2949	-48.46	-13	35.46	Pass	2161
3000	12000	1	RMS	3810.5	-35.59	-13	22.59	Pass	18003
12000	20000	1	RMS	19804.5	-29.68	-13	16.68	Pass	16002




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.155	-71.79	-13	58.79	Pass	5971
30	1000	0.1	RMS	843.75	-63.56	-13	50.56	Pass	19402
1000	1840	1	RMS	1833	-48.54	-13	35.54	Pass	1681
1840	1920	1	RMS	1850.4	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2941	-48.51	-13	35.51	Pass	2161
3000	12000	1	RMS	11941	-39.85	-13	26.85	Pass	18003
12000	20000	1	RMS	19800.5	-29.74	-13	16.74	Pass	16002




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	58.9	Pass	5971
30	1000	0.1	RMS	842	-63.51	-13	50.51	Pass	19402
1000	1840	1	RMS	1833	-49.94	-13	36.94	Pass	1681
1840	1920	1	RMS	1850.4	20.93	60	39.07	Pass	401
1920	3000	1	RMS	2955	-48.51	-13	35.51	Pass	2161
3000	12000	1	RMS	11947	-39.83	-13	26.83	Pass	18003
12000	20000	1	RMS	19804	-29.63	-13	16.63	Pass	16002




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	60.94	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	57.8	Pass	5971
30	1000	0.1	RMS	849.3	-63.56	-13	50.56	Pass	19402
1000	1840	1	RMS	1814.5	-52.26	-13	39.26	Pass	1681
1840	1920	1	RMS	1875.4	22.02	60	37.98	Pass	401
1920	3000	1	RMS	2941	-48.51	-13	35.51	Pass	2161
3000	12000	1	RMS	3751	-38.29	-13	25.29	Pass	18003
12000	20000	1	RMS	19796	-29.68	-13	16.68	Pass	16002




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.9	-13	60.9	Pass	401
0.15	30	0.01	RMS	0.175	-71.21	-13	58.21	Pass	5971
30	1000	0.1	RMS	895.565	-63.6	-13	50.6	Pass	19402
1000	1840	1	RMS	1837.5	-52.13	-13	39.13	Pass	1681
1840	1920	1	RMS	1875.4	21.38	60	38.62	Pass	401
1920	3000	1	RMS	2956	-48.53	-13	35.53	Pass	2161
3000	12000	1	RMS	3751	-39.06	-13	26.06	Pass	18003
12000	20000	1	RMS	19799.5	-29.72	-13	16.72	Pass	16002




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.18	-71.89	-13	58.89	Pass	5971
30	1000	0.1	RMS	854.752	-63.57	-13	50.57	Pass	19402
1000	1840	1	RMS	1840	-52.3	-13	39.3	Pass	1681
1840	1920	1	RMS	1900.4	22.17	60	37.83	Pass	401
1920	3000	1	RMS	2945.5	-48.44	-13	35.44	Pass	2161
3000	12000	1	RMS	3801	-35.56	-13	22.56	Pass	18003
12000	20000	1	RMS	19802	-29.67	-13	16.67	Pass	16002




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.165	-71.94	-13	58.94	Pass	5971
30	1000	0.1	RMS	854.002	-63.48	-13	50.48	Pass	19402
1000	1840	1	RMS	1784	-52.29	-13	39.29	Pass	1681
1840	1920	1	RMS	1900.4	21.01	60	38.99	Pass	401
1920	3000	1	RMS	2957	-48.52	-13	35.52	Pass	2161
3000	12000	1	RMS	3801	-36.75	-13	23.75	Pass	18003
12000	20000	1	RMS	19799.5	-29.71	-13	16.71	Pass	16002




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.185	-71.5	-13	58.5	Pass	5971
30	1000	0.1	RMS	846.3	-63.47	-13	50.47	Pass	19402
1000	1840	1	RMS	1837.5	-42.69	-13	29.69	Pass	1681
1840	1920	1	RMS	1850.8	22.05	60	37.95	Pass	401
1920	3000	1	RMS	2959.5	-48.5	-13	35.5	Pass	2161
3000	12000	1	RMS	11937	-39.83	-13	26.83	Pass	18003
12000	20000	1	RMS	19788	-29.72	-13	16.72	Pass	16002




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	60.56	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-13	58.77	Pass	5971
30	1000	0.1	RMS	864.855	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1837.5	-45.57	-13	32.57	Pass	1681
1840	1920	1	RMS	1850.8	20.9	60	39.1	Pass	401
1920	3000	1	RMS	2939	-48.49	-13	35.49	Pass	2161
3000	12000	1	RMS	11950	-39.75	-13	26.75	Pass	18003
12000	20000	1	RMS	19783	-29.63	-13	16.63	Pass	16002




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.2	-13	62.2	Pass	401
0.15	30	0.01	RMS	0.22	-71.51	-13	58.51	Pass	5971
30	1000	0.1	RMS	832.7	-63.44	-13	50.44	Pass	19402
1000	1840	1	RMS	1835.5	-52.25	-13	39.25	Pass	1681
1840	1920	1	RMS	1873.2	22.17	60	37.83	Pass	401
1920	3000	1	RMS	2945.5	-48.46	-13	35.46	Pass	2161
3000	12000	1	RMS	3746.5	-38.5	-13	25.5	Pass	18003
12000	20000	1	RMS	19805	-29.67	-13	16.67	Pass	16002




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.2	-13	61.2	Pass	401
0.15	30	0.01	RMS	0.23	-71.76	-13	58.76	Pass	5971
30	1000	0.1	RMS	837.2	-63.35	-13	50.35	Pass	19402
1000	1840	1	RMS	1836.5	-52.17	-13	39.17	Pass	1681
1840	1920	1	RMS	1873.2	21.78	60	38.22	Pass	401
1920	3000	1	RMS	2956.5	-48.44	-13	35.44	Pass	2161
3000	12000	1	RMS	3746.5	-39.08	-13	26.08	Pass	18003
12000	20000	1	RMS	19801.5	-29.72	-13	16.72	Pass	16002




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.68	-13	61.68	Pass	401
0.15	30	0.01	RMS	0.175	-72.22	-13	59.22	Pass	5971
30	1000	0.1	RMS	861.304	-63.59	-13	50.59	Pass	19402
1000	1840	1	RMS	1837.5	-52.27	-13	39.27	Pass	1681
1840	1920	1	RMS	1895.8	22.04	60	37.96	Pass	401
1920	3000	1	RMS	2953.5	-48.5	-13	35.5	Pass	2161
3000	12000	1	RMS	3791.5	-36.79	-13	23.79	Pass	18003
12000	20000	1	RMS	19798	-29.64	-13	16.64	Pass	16002




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	60.75	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	5971
30	1000	0.1	RMS	820.3	-63.69	-13	50.69	Pass	19402
1000	1840	1	RMS	1741.5	-52.24	-13	39.24	Pass	1681
1840	1920	1	RMS	1895.8	20.99	60	39.01	Pass	401
1920	3000	1	RMS	2940.5	-48.48	-13	35.48	Pass	2161
3000	12000	1	RMS	3791.5	-38.21	-13	25.21	Pass	18003
12000	20000	1	RMS	19799.5	-29.67	-13	16.67	Pass	16002




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.175	-70.87	-13	57.87	Pass	5971
30	1000	0.1	RMS	827.9	-63.64	-13	50.64	Pass	19402
1000	1840	1	RMS	1833	-44.7	-13	31.7	Pass	1681
1840	1920	1	RMS	1851	21.93	60	38.07	Pass	401
1920	3000	1	RMS	2936	-48.45	-13	35.45	Pass	2161
3000	12000	1	RMS	11936.5	-39.85	-13	26.85	Pass	18003
12000	20000	1	RMS	19797.5	-29.69	-13	16.69	Pass	16002




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	61.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	5971
30	1000	0.1	RMS	826.3	-63.47	-13	50.47	Pass	19402
1000	1840	1	RMS	1833	-44.79	-13	31.79	Pass	1681
1840	1920	1	RMS	1851	21.45	60	38.55	Pass	401
1920	3000	1	RMS	2944	-48.53	-13	35.53	Pass	2161
3000	12000	1	RMS	11948	-39.66	-13	26.66	Pass	18003
12000	20000	1	RMS	19793.5	-29.71	-13	16.71	Pass	16002




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	58.9	Pass	5971
30	1000	0.1	RMS	855.552	-63.59	-13	50.59	Pass	19402
1000	1840	1	RMS	1835.5	-48.31	-13	35.31	Pass	1681
1840	1920	1	RMS	1871	22.32	60	37.68	Pass	401
1920	3000	1	RMS	2943.5	-48.49	-13	35.49	Pass	2161
3000	12000	1	RMS	3742	-38.54	-13	25.54	Pass	18003
12000	20000	1	RMS	19804.5	-29.7	-13	16.7	Pass	16002




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.35	-13	61.35	Pass	401
0.15	30	0.01	RMS	0.34	-71.97	-13	58.97	Pass	5971
30	1000	0.1	RMS	824.6	-63.55	-13	50.55	Pass	19402
1000	1840	1	RMS	1835.5	-50.32	-13	37.32	Pass	1681
1840	1920	1	RMS	1871	21.11	60	38.89	Pass	401
1920	3000	1	RMS	2943.5	-48.51	-13	35.51	Pass	2161
3000	12000	1	RMS	11951	-39.72	-13	26.72	Pass	18003
12000	20000	1	RMS	19801.5	-29.78	-13	16.78	Pass	16002




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.37	-71.87	-13	58.87	Pass	5971
30	1000	0.1	RMS	826.95	-63.7	-13	50.7	Pass	19402
1000	1840	1	RMS	1835.5	-52.25	-13	39.25	Pass	1681
1840	1920	1	RMS	1891	22.19	60	37.81	Pass	401
1920	3000	1	RMS	2960.5	-48.52	-13	35.52	Pass	2161
3000	12000	1	RMS	3782	-37.7	-13	24.7	Pass	18003
12000	20000	1	RMS	19795	-29.63	-13	16.63	Pass	16002



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.22	-71.44	-13	58.44	Pass	5971
30	1000	0.1	RMS	824.75	-63.55	-13	50.55	Pass	19402
1000	1840	1	RMS	1836.5	-52.24	-13	39.24	Pass	1681
1840	1920	1	RMS	1891	21.58	60	38.42	Pass	401
1920	3000	1	RMS	2936.5	-48.49	-13	35.49	Pass	2161
3000	12000	1	RMS	3782	-38.59	-13	25.59	Pass	18003
12000	20000	1	RMS	19795.5	-29.65	-13	16.65	Pass	16002



2. LTE_Band12


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-13	61.13	Pass	401
0.15	30	0.01	RMS	0.17	-72.29	-13	59.29	Pass	5971
30	689	0.1	RMS	688.55	-63.66	-13	50.66	Pass	13181
689	726	0.1	RMS	699.25	20.77	60	39.23	Pass	741
726	1000	0.1	RMS	831.4	-63.13	-13	50.13	Pass	5481
1000	3000	1	RMS	1398.5	-46.89	-13	33.89	Pass	4001
3000	10000	1	RMS	8745	-42.62	-13	29.62	Pass	14002




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	60.84	Pass	401
0.15	30	0.01	RMS	0.175	-72.22	-13	59.22	Pass	5971
30	689	0.1	RMS	688.55	-63.58	-13	50.58	Pass	13181
689	726	0.1	RMS	699.25	19.92	60	40.08	Pass	741
726	1000	0.1	RMS	831.05	-63.23	-13	50.23	Pass	5481
1000	3000	1	RMS	1398.5	-47.67	-13	34.67	Pass	4001
3000	10000	1	RMS	8768.5	-42.66	-13	29.66	Pass	14002




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.16	-13	61.16	Pass	401
0.15	30	0.01	RMS	0.155	-72.07	-13	59.07	Pass	5971
30	689	0.1	RMS	622.937	-64.37	-13	51.37	Pass	13181
689	726	0.1	RMS	707.05	20.86	60	39.14	Pass	741
726	1000	0.1	RMS	849.05	-63.38	-13	50.38	Pass	5481
1000	3000	1	RMS	1414	-47.91	-13	34.91	Pass	4001
3000	10000	1	RMS	8758	-42.71	-13	29.71	Pass	14002




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	61.52	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	5971
30	689	0.1	RMS	504.413	-64.37	-13	51.37	Pass	13181
689	726	0.1	RMS	707.05	20.44	60	39.56	Pass	741
726	1000	0.1	RMS	848.7	-63.15	-13	50.15	Pass	5481
1000	3000	1	RMS	1414	-47.85	-13	34.85	Pass	4001
3000	10000	1	RMS	8762.5	-42.67	-13	29.67	Pass	14002




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.235	-71.7	-13	58.7	Pass	5971
30	689	0.1	RMS	378	-64.42	-13	51.42	Pass	13181
689	726	0.1	RMS	714.85	21.02	60	38.98	Pass	741
726	1000	0.1	RMS	830.1	-63.35	-13	50.35	Pass	5481
1000	3000	1	RMS	1429.5	-48.2	-13	35.2	Pass	4001
3000	10000	1	RMS	8760	-42.67	-13	29.67	Pass	14002




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-13	61.63	Pass	401
0.15	30	0.01	RMS	0.155	-72.25	-13	59.25	Pass	5971
30	689	0.1	RMS	688.25	-64.33	-13	51.33	Pass	13181
689	726	0.1	RMS	714.85	19.98	60	40.02	Pass	741
726	1000	0.1	RMS	850.25	-63.15	-13	50.15	Pass	5481
1000	3000	1	RMS	2937.5	-48.48	-13	35.48	Pass	4001
3000	10000	1	RMS	9017	-42.64	-13	29.64	Pass	14002




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.47	-13	61.47	Pass	401
0.15	30	0.01	RMS	0.2	-71.87	-13	58.87	Pass	5971
30	689	0.1	RMS	688.55	-63.47	-13	50.47	Pass	13181
689	726	0.1	RMS	699.25	20.65	60	39.35	Pass	741
726	1000	0.1	RMS	845.5	-63.24	-13	50.24	Pass	5481
1000	3000	1	RMS	1398.5	-47.11	-13	34.11	Pass	4001
3000	10000	1	RMS	8748.5	-42.67	-13	29.67	Pass	14002




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-13	57.68	Pass	5971
30	689	0.1	RMS	688.55	-64.09	-13	51.09	Pass	13181
689	726	0.1	RMS	699.25	19.69	60	40.31	Pass	741
726	1000	0.1	RMS	863.65	-63.15	-13	50.15	Pass	5481
1000	3000	1	RMS	1398.5	-48.06	-13	35.06	Pass	4001
3000	10000	1	RMS	8738	-42.64	-13	29.64	Pass	14002




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	60.74	Pass	401
0.15	30	0.01	RMS	0.2	-71.79	-13	58.79	Pass	5971
30	689	0.1	RMS	580.328	-64.39	-13	51.39	Pass	13181
689	726	0.1	RMS	706.25	20.89	60	39.11	Pass	741
726	1000	0.1	RMS	853.45	-63.13	-13	50.13	Pass	5481
1000	3000	1	RMS	1412.5	-47.37	-13	34.37	Pass	4001
3000	10000	1	RMS	7888.5	-42.59	-13	29.59	Pass	14002




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.2	-71.95	-13	58.95	Pass	5971
30	689	0.1	RMS	494.811	-64.38	-13	51.38	Pass	13181
689	726	0.1	RMS	706.25	20.11	60	39.89	Pass	741
726	1000	0.1	RMS	816.85	-63.22	-13	50.22	Pass	5481
1000	3000	1	RMS	1412.5	-48.07	-13	35.07	Pass	4001
3000	10000	1	RMS	8749.5	-42.64	-13	29.64	Pass	14002




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-13	61.09	Pass	401
0.15	30	0.01	RMS	0.31	-72.29	-13	59.29	Pass	5971
30	689	0.1	RMS	637.44	-64.46	-13	51.46	Pass	13181
689	726	0.1	RMS	713.25	20.73	60	39.27	Pass	741
726	1000	0.1	RMS	847.9	-63.24	-13	50.24	Pass	5481
1000	3000	1	RMS	1426.5	-48.06	-13	35.06	Pass	4001
3000	10000	1	RMS	8754	-42.6	-13	29.6	Pass	14002




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.19	-13	61.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	5971
30	689	0.1	RMS	498.162	-64.47	-13	51.47	Pass	13181
689	726	0.1	RMS	713.25	19.94	60	40.06	Pass	741
726	1000	0.1	RMS	833.5	-63.34	-13	50.34	Pass	5481
1000	3000	1	RMS	2940.5	-48.51	-13	35.51	Pass	4001
3000	10000	1	RMS	8735.5	-42.64	-13	29.64	Pass	14002




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.31	-13	61.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	5971
30	689	0.1	RMS	688.6	-63.55	-13	50.55	Pass	13181
689	726	0.1	RMS	699.35	20.5	60	39.5	Pass	741
726	1000	0.1	RMS	858.35	-63.28	-13	50.28	Pass	5481
1000	3000	1	RMS	1398.5	-47.37	-13	34.37	Pass	4001
3000	10000	1	RMS	8750	-42.55	-13	29.55	Pass	14002




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.155	-71.72	-13	58.72	Pass	5971
30	689	0.1	RMS	688.6	-63.83	-13	50.83	Pass	13181
689	726	0.1	RMS	699.35	19.43	60	40.57	Pass	741
726	1000	0.1	RMS	835.5	-63.23	-13	50.23	Pass	5481
1000	3000	1	RMS	2938.5	-48.5	-13	35.5	Pass	4001
3000	10000	1	RMS	8750	-42.63	-13	29.63	Pass	14002




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	61.27	Pass	401
0.15	30	0.01	RMS	0.165	-71.41	-13	58.41	Pass	5971
30	689	0.1	RMS	490.91	-64.42	-13	51.42	Pass	13181
689	726	0.1	RMS	705.35	20.51	60	39.49	Pass	741
726	1000	0.1	RMS	852.2	-63.24	-13	50.24	Pass	5481
1000	3000	1	RMS	1410.5	-48.25	-13	35.25	Pass	4001
3000	10000	1	RMS	8748.5	-42.62	-13	29.62	Pass	14002




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	61.09	Pass	401
0.15	30	0.01	RMS	0.185	-72.5	-13	59.5	Pass	5971
30	689	0.1	RMS	625.137	-64.36	-13	51.36	Pass	13181
689	726	0.1	RMS	705.35	20.03	60	39.97	Pass	741
726	1000	0.1	RMS	821.2	-63.31	-13	50.31	Pass	5481
1000	3000	1	RMS	2946	-48.49	-13	35.49	Pass	4001
3000	10000	1	RMS	7901	-42.64	-13	29.64	Pass	14002




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.19	-13	62.19	Pass	401
0.15	30	0.01	RMS	0.17	-71.59	-13	58.59	Pass	5971
30	689	0.1	RMS	587.58	-64.43	-13	51.43	Pass	13181
689	726	0.1	RMS	711.35	20.74	60	39.26	Pass	741
726	1000	0.1	RMS	832.1	-63.3	-13	50.3	Pass	5481
1000	3000	1	RMS	1422.5	-47.78	-13	34.78	Pass	4001
3000	10000	1	RMS	8759	-42.67	-13	29.67	Pass	14002




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.185	-72.01	-13	59.01	Pass	5971
30	689	0.1	RMS	588.38	-64.39	-13	51.39	Pass	13181
689	726	0.1	RMS	711.35	19.78	60	40.22	Pass	741
726	1000	0.1	RMS	839.8	-63.07	-13	50.07	Pass	5481
1000	3000	1	RMS	2942	-48.5	-13	35.5	Pass	4001
3000	10000	1	RMS	8752	-42.61	-13	29.61	Pass	14002




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.85	-13	60.85	Pass	401
0.15	30	0.01	RMS	0.155	-71.64	-13	58.64	Pass	5971
30	689	0.1	RMS	688.9	-63.3	-13	50.3	Pass	13181
689	726	0.1	RMS	699.6	21	60	39	Pass	741
726	1000	0.1	RMS	849.75	-63.27	-13	50.27	Pass	5481
1000	3000	1	RMS	1399	-46.64	-13	33.64	Pass	4001
3000	10000	1	RMS	8753.5	-42.65	-13	29.65	Pass	14002




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.255	-72.3	-13	59.3	Pass	5971
30	689	0.1	RMS	688.9	-63.44	-13	50.44	Pass	13181
689	726	0.1	RMS	699.6	19.57	60	40.43	Pass	741
726	1000	0.1	RMS	829.5	-63.34	-13	50.34	Pass	5481
1000	3000	1	RMS	1399	-48.18	-13	35.18	Pass	4001
3000	10000	1	RMS	8740	-42.58	-13	29.58	Pass	14002




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.155	-71.68	-13	58.68	Pass	5971
30	689	0.1	RMS	597.682	-64.21	-13	51.21	Pass	13181
689	726	0.1	RMS	703.1	20.66	60	39.34	Pass	741
726	1000	0.1	RMS	831.25	-63.23	-13	50.23	Pass	5481
1000	3000	1	RMS	2958.5	-48.52	-13	35.52	Pass	4001
3000	10000	1	RMS	8750.5	-42.63	-13	29.63	Pass	14002




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	61.14	Pass	401
0.15	30	0.01	RMS	0.155	-71.1	-13	58.1	Pass	5971
30	689	0.1	RMS	596.281	-64.36	-13	51.36	Pass	13181
689	726	0.1	RMS	703.1	20.32	60	39.68	Pass	741
726	1000	0.1	RMS	845.1	-63.06	-13	50.06	Pass	5481
1000	3000	1	RMS	2942.5	-48.49	-13	35.49	Pass	4001
3000	10000	1	RMS	8747	-42.59	-13	29.59	Pass	14002




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.92	-13	60.92	Pass	401
0.15	30	0.01	RMS	0.19	-72.41	-13	59.41	Pass	5971
30	689	0.1	RMS	494.961	-64.28	-13	51.28	Pass	13181
689	726	0.1	RMS	706.6	21.16	60	38.84	Pass	741
726	1000	0.1	RMS	840.35	-63.3	-13	50.3	Pass	5481
1000	3000	1	RMS	1413	-47.45	-13	34.45	Pass	4001
3000	10000	1	RMS	7901.5	-42.64	-13	29.64	Pass	14002



2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.195	-72.12	-13	59.12	Pass	5971
30	689	0.1	RMS	581.578	-64.37	-13	51.37	Pass	13181
689	726	0.1	RMS	706.6	19.97	60	40.03	Pass	741
726	1000	0.1	RMS	840.05	-63.14	-13	50.14	Pass	5481
1000	3000	1	RMS	1413	-48.23	-13	35.23	Pass	4001
3000	10000	1	RMS	8769.5	-42.58	-13	29.58	Pass	14002



3. LTE_Band14


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-13	60.98	Pass	401
0.15	30	0.01	RMS	0.165	-71.15	-13	58.15	Pass	5971
30	778	0.1	RMS	755.997	-64.23	-13	51.23	Pass	14961
778	808	0.1	RMS	788.35	17.52	60	42.48	Pass	601
808	1000	0.1	RMS	841.1	-63.42	-13	50.42	Pass	3841
1000	3000	1	RMS	2950.5	-48.53	-13	35.53	Pass	4001
3000	10000	1	RMS	8769.5	-42.73	-13	29.73	Pass	14002




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	59.17	Pass	5971
30	778	0.1	RMS	727.142	-64.05	-13	51.05	Pass	14961
778	808	0.1	RMS	788.35	17.24	60	42.76	Pass	601
808	1000	0.1	RMS	846.5	-63.49	-13	50.49	Pass	3841
1000	3000	1	RMS	2944.5	-48.51	-13	35.51	Pass	4001
3000	10000	1	RMS	7904	-42.68	-13	29.68	Pass	14002




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-13	60.96	Pass	401
0.15	30	0.01	RMS	0.17	-70.97	-13	57.97	Pass	5971
30	778	0.1	RMS	756.947	-64	-13	51	Pass	14961
778	808	0.1	RMS	790.85	17.36	60	42.64	Pass	601
808	1000	0.1	RMS	866.65	-63.25	-13	50.25	Pass	3841
1000	3000	1	RMS	2945.5	-48.51	-13	35.51	Pass	4001
3000	10000	1	RMS	8757	-42.66	-13	29.66	Pass	14002




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.235	-72.22	-13	59.22	Pass	5971
30	778	0.1	RMS	749.796	-64.05	-13	51.05	Pass	14961
778	808	0.1	RMS	790.85	17.81	60	42.19	Pass	601
808	1000	0.1	RMS	837.25	-63.48	-13	50.48	Pass	3841
1000	3000	1	RMS	2944	-48.46	-13	35.46	Pass	4001
3000	10000	1	RMS	8749.5	-42.5	-13	29.5	Pass	14002




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.18	-72.51	-13	59.51	Pass	5971
30	778	0.1	RMS	754.296	-64.2	-13	51.2	Pass	14961
778	808	0.1	RMS	793.35	17.35	60	42.65	Pass	601
808	1000	0.1	RMS	843.1	-63.47	-13	50.47	Pass	3841
1000	3000	1	RMS	2944.5	-48.53	-13	35.53	Pass	4001
3000	10000	1	RMS	8766	-42.68	-13	29.68	Pass	14002




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	5971
30	778	0.1	RMS	722.692	-63.98	-13	50.98	Pass	14961
778	808	0.1	RMS	793.35	17.52	60	42.48	Pass	601
808	1000	0.1	RMS	840.85	-63.36	-13	50.36	Pass	3841
1000	3000	1	RMS	2943	-48.53	-13	35.53	Pass	4001
3000	10000	1	RMS	9038.5	-42.6	-13	29.6	Pass	14002




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.185	-71.97	-13	58.97	Pass	5971
30	778	0.1	RMS	777.85	-64.02	-13	51.02	Pass	14961
778	808	0.1	RMS	788.6	17.86	60	42.14	Pass	601
808	1000	0.1	RMS	964.75	-63.47	-13	50.47	Pass	3841
1000	3000	1	RMS	2946	-48.5	-13	35.5	Pass	4001
3000	10000	1	RMS	8754.5	-42.66	-13	29.66	Pass	14002



3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-13	60.62	Pass	401
0.15	30	0.01	RMS	0.16	-70.03	-13	57.03	Pass	5971
30	778	0.1	RMS	732.143	-64.1	-13	51.1	Pass	14961
778	808	0.1	RMS	788.6	17.57	60	42.43	Pass	601
808	1000	0.1	RMS	951.85	-63.38	-13	50.38	Pass	3841
1000	3000	1	RMS	2934	-48.54	-13	35.54	Pass	4001
3000	10000	1	RMS	8761	-42.65	-13	29.65	Pass	14002



--BLANK BELOW--