



Project Information			
Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5395.75	33.49	14.66	48.15	54.00	5.85	Vertical	PASS
2	9178.06	35.95	3.08	39.03	54.00	14.97	Vertical	PASS
3	17885.38	32.76	13.53	46.29	54.00	7.71	Vertical	PASS
4	6367.45	40.39	17.04	57.43	68.20	10.77	Vertical	PASS
5	8783.59	45.09	1.74	46.83	68.20	21.37	Vertical	PASS
6	17867.75	40.00	13.76	53.76	74.00	20.24	Vertical	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5427.28	32.99	14.60	47.59	54.00	6.41	Horizontal	PASS
2	11381.15	35.43	5.26	40.69	54.00	13.31	Horizontal	PASS
3	17864.30	33.17	13.81	46.98	54.00	7.02	Horizontal	PASS
4	6364.70	40.41	17.07	57.48	68.20	10.72	Horizontal	PASS
5	10778.14	43.50	4.36	47.86	74.00	26.14	Horizontal	PASS
6	17980.83	40.62	13.51	54.13	74.00	19.87	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8350.80	37.26	1.10	38.36	54.00	15.64	Vertical	PASS
2	12244.82	34.64	5.36	40.00	54.00	14.00	Vertical	PASS
3	17983.13	32.30	13.54	45.84	54.00	8.16	Vertical	PASS
4	8328.18	45.57	0.82	46.39	74.00	27.61	Vertical	PASS
5	13664.74	41.62	9.16	50.78	68.20	17.42	Vertical	PASS
6	17843.59	40.23	13.72	53.95	74.00	20.05	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5133.75	39.19	13.78	52.97	-	-	Horizontal	NA
2	9163.49	35.82	3.23	39.05	54.00	14.95	Horizontal	PASS
3	13392.18	35.48	6.52	42.00	54.00	12.00	Horizontal	PASS
4	17848.58	32.46	13.93	46.39	54.00	7.61	Horizontal	PASS
5	5133.57	46.71	13.77	60.48	-	-	Horizontal	NA
6	6240.76	41.12	15.96	57.08	68.20	11.12	Horizontal	PASS
7	9081.45	44.13	2.15	46.28	74.00	27.72	Horizontal	PASS
8	13417.48	43.82	6.89	50.71	68.20	17.49	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.34	41.77	13.80	55.57	-	-	Vertical	NA
2	9455.22	36.49	2.14	38.63	54.00	15.37	Vertical	PASS
3	13392.56	35.09	6.52	41.61	54.00	12.39	Vertical	PASS
4	17865.45	32.95	13.79	46.74	54.00	7.26	Vertical	PASS
5	5138.15	52.12	13.80	65.92	-	-	Vertical	NA
6	6363.23	40.15	17.09	57.24	68.20	10.96	Vertical	PASS
7	9562.17	44.65	2.62	47.27	68.20	20.93	Vertical	PASS
8	13688.12	41.77	9.34	51.11	68.20	17.09	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.86	37.17	14.55	51.72	-	-	Horizontal	NA
2	9149.30	35.73	3.35	39.08	54.00	14.92	Horizontal	PASS
3	12375.16	35.50	5.75	41.25	54.00	12.75	Horizontal	PASS
4	17848.58	32.22	13.93	46.15	54.00	7.85	Horizontal	PASS
5	5321.86	42.89	14.55	57.44	-	-	Horizontal	NA
6	6262.39	41.01	16.15	57.16	68.20	11.04	Horizontal	PASS
7	9026.25	44.25	2.43	46.68	74.00	27.32	Horizontal	PASS
8	13699.24	41.69	9.42	51.11	68.20	17.09	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.49	42.71	14.55	57.26	-	-	Vertical	NA
2	8378.40	37.41	1.00	38.41	54.00	15.59	Vertical	PASS
3	12615.52	35.95	5.41	41.36	54.00	12.64	Vertical	PASS
4	17874.26	32.76	13.68	46.44	54.00	7.56	Vertical	PASS
5	5321.13	48.35	14.55	62.90	-	-	Vertical	NA
6	6308.41	41.04	16.88	57.92	68.20	10.28	Vertical	PASS
7	12405.83	43.59	6.14	49.73	74.00	24.27	Vertical	PASS
8	17848.19	39.82	13.92	53.74	74.00	20.26	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5437.91	33.57	14.58	48.15	54.00	5.85	Horizontal	PASS
2	9196.84	36.15	2.90	39.05	54.00	14.95	Horizontal	PASS
3	17848.58	32.03	13.93	45.96	54.00	8.04	Horizontal	PASS
4	6351.68	40.48	17.26	57.74	68.20	10.46	Horizontal	PASS
5	9491.63	44.41	2.64	47.05	74.00	26.95	Horizontal	PASS
6	17847.81	39.72	13.90	53.62	74.00	20.38	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.38	35.27	14.47	49.74	-	-	Vertical	NA
2	8268.76	37.29	0.51	37.80	54.00	16.20	Vertical	PASS
3	15825.28	34.17	7.89	42.06	54.00	11.94	Vertical	PASS
4	17983.90	32.91	13.56	46.47	54.00	7.53	Vertical	PASS
5	5296.01	43.26	14.46	57.72	-	-	Vertical	NA
6	8273.36	44.68	0.50	45.18	74.00	28.82	Vertical	PASS
7	15589.52	41.75	7.43	49.18	74.00	24.82	Vertical	PASS
8	17859.31	39.57	13.87	53.44	74.00	20.56	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5380.90	33.66	14.65	48.31	-	-	Horizontal	NA
2	9123.24	36.38	2.67	39.05	54.00	14.95	Horizontal	PASS
3	12393.18	35.22	6.12	41.34	54.00	12.66	Horizontal	PASS
4	17997.70	32.07	13.76	45.83	54.00	8.17	Horizontal	PASS
5	5291.61	41.56	14.44	56.00	-	-	Horizontal	NA
6	6344.89	40.22	17.23	57.45	68.20	10.75	Horizontal	PASS
7	8831.51	44.02	2.69	46.71	68.20	21.49	Horizontal	PASS
8	13695.41	42.66	9.39	52.05	68.20	16.15	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5267.96	35.79	14.27	50.06	-	-	Vertical	NA
2	9146.24	35.42	3.27	38.69	54.00	15.31	Vertical	PASS
3	12212.62	35.19	5.30	40.49	54.00	13.51	Vertical	PASS
4	17845.89	32.52	13.81	46.33	54.00	7.67	Vertical	PASS
5	5266.49	42.40	14.27	56.67	-	-	Vertical	NA
6	6317.21	40.65	16.97	57.62	68.20	10.58	Vertical	PASS
7	9173.07	43.08	3.13	46.21	74.00	27.79	Vertical	PASS
8	17979.68	41.32	13.50	54.82	74.00	19.18	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9173.84	35.82	3.12	38.94	54.00	15.06	Horizontal	PASS
2	12394.71	34.89	6.15	41.04	54.00	12.96	Horizontal	PASS
3	17998.85	32.65	13.78	46.43	54.00	7.57	Horizontal	PASS
4	6345.81	40.31	17.24	57.55	68.20	10.65	Horizontal	PASS
5	8833.04	44.26	2.73	46.99	68.20	21.21	Horizontal	PASS
6	17853.95	39.95	13.94	53.89	74.00	20.11	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.38	36.32	14.47	50.79	-	-	Vertical	NA
2	11426.76	35.61	5.22	40.83	54.00	13.17	Vertical	PASS
3	17988.88	32.62	13.63	46.25	54.00	7.75	Vertical	PASS
4	5296.19	43.62	14.46	58.08	-	-	Vertical	NA
5	6358.83	40.18	17.15	57.33	68.20	10.87	Vertical	PASS
6	10196.99	43.84	3.54	47.38	68.20	20.82	Vertical	PASS
7	14661.06	42.46	9.63	52.09	68.20	16.11	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9437.58	36.60	2.01	38.61	54.00	15.39	Horizontal	PASS
2	12405.45	33.62	6.15	39.77	54.00	14.23	Horizontal	PASS
3	17981.98	31.94	13.53	45.47	54.00	8.53	Horizontal	PASS
4	6342.51	39.60	17.21	56.81	68.20	11.39	Horizontal	PASS
5	12394.71	41.71	6.15	47.86	74.00	26.14	Horizontal	PASS
6	17976.23	39.89	13.44	53.33	74.00	20.67	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	35.51	14.55	50.06	-	-	Vertical	NA
2	7607.10	36.66	-0.92	35.74	54.00	18.26	Vertical	PASS
3	12656.92	34.39	6.15	40.54	54.00	13.46	Vertical	PASS
4	17850.11	31.95	13.99	45.94	54.00	8.06	Vertical	PASS
5	5361.28	43.56	14.64	58.20	-	-	Vertical	NA
6	7177.37	45.95	-1.72	44.23	68.20	23.97	Vertical	PASS
7	13695.02	41.17	9.39	50.56	68.20	17.64	Vertical	PASS
8	17822.13	40.43	12.80	53.23	74.00	20.77	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5366.05	32.68	14.64	47.32	54.00	6.68	Horizontal	PASS
2	12405.83	34.00	6.14	40.14	54.00	13.86	Horizontal	PASS
3	17884.23	32.08	13.55	45.63	54.00	8.37	Horizontal	PASS
4	6286.04	40.15	16.56	56.71	68.20	11.49	Horizontal	PASS
5	9137.42	44.38	3.04	47.42	74.00	26.58	Horizontal	PASS
6	13680.84	41.89	9.28	51.17	68.20	17.03	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5362.01	35.49	14.64	50.13	-	-	Vertical	NA
2	9143.94	35.48	3.22	38.70	54.00	15.30	Vertical	PASS
3	12056.60	34.67	5.40	40.07	54.00	13.93	Vertical	PASS
4	17884.61	32.33	13.54	45.87	54.00	8.13	Vertical	PASS
5	5380.35	45.57	14.65	60.22	-	-	Vertical	NA
6	6365.43	39.76	17.06	56.82	68.20	11.38	Vertical	PASS
7	9178.44	42.89	3.08	45.97	74.00	28.03	Vertical	PASS
8	17394.31	41.40	12.09	53.49	68.20	14.71	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.35	36.09	14.68	50.77	-	-	Horizontal	NA
2	8111.59	36.76	0.59	37.35	54.00	16.65	Horizontal	PASS
3	15842.91	33.69	8.09	41.78	54.00	12.22	Horizontal	PASS
4	17986.97	32.19	13.60	45.79	54.00	8.21	Horizontal	PASS
5	5500.98	43.33	14.68	58.01	-	-	Horizontal	NA
6	8065.97	44.02	0.43	44.45	74.00	29.55	Horizontal	PASS
7	15080.82	42.81	9.10	51.91	68.20	16.29	Horizontal	PASS
8	17890.75	39.87	13.46	53.33	74.00	20.67	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.17	39.09	14.68	53.77	-	-	Vertical	NA
2	7616.69	36.42	-0.93	35.49	54.00	18.51	Vertical	PASS
3	9482.43	36.17	2.51	38.68	54.00	15.32	Vertical	PASS
4	17994.25	32.15	13.71	45.86	54.00	8.14	Vertical	PASS
5	5501.35	45.00	14.68	59.68	-	-	Vertical	NA
6	7199.99	44.29	-0.72	43.57	68.20	24.63	Vertical	PASS
7	8874.45	43.53	2.62	46.15	68.20	22.05	Vertical	PASS
8	17328.38	41.19	11.55	52.74	68.20	15.46	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5596.87	35.52	14.73	50.25	-	-	Horizontal	NA
2	9030.47	36.21	2.40	38.61	54.00	15.39	Horizontal	PASS
3	15871.28	32.70	8.08	40.78	54.00	13.22	Horizontal	PASS
4	17855.86	32.41	13.91	46.32	54.00	7.68	Horizontal	PASS
5	5595.04	43.19	14.72	57.91	-	-	Horizontal	NA
6	9133.20	42.58	2.93	45.51	74.00	28.49	Horizontal	PASS
7	15240.29	41.51	9.62	51.13	68.20	17.07	Horizontal	PASS
8	17964.73	40.14	13.28	53.42	74.00	20.58	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5601.09	36.69	14.74	51.43	-	-	Vertical	NA
2	8343.51	36.66	1.01	37.67	54.00	16.33	Vertical	PASS
3	12088.80	35.55	5.24	40.79	54.00	13.21	Vertical	PASS
4	17893.43	32.16	13.43	45.59	54.00	8.41	Vertical	PASS
5	5596.69	43.41	14.73	58.14	-	-	Vertical	NA
6	6351.50	39.65	17.21	56.86	68.20	11.34	Vertical	PASS
7	8359.23	43.32	1.07	44.39	74.00	29.61	Vertical	PASS
8	13683.52	41.24	9.30	50.54	68.20	17.66	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5705.77	35.97	14.90	50.87	-	-	Horizontal	NA
2	9147.00	34.73	3.29	38.02	54.00	15.98	Horizontal	PASS
3	12082.67	34.48	5.27	39.75	54.00	14.25	Horizontal	PASS
4	17894.96	32.07	13.41	45.48	54.00	8.52	Horizontal	PASS
5	5706.14	43.22	14.90	58.12	-	-	Horizontal	NA
6	6323.63	40.36	16.95	57.31	68.20	10.89	Horizontal	PASS
7	9040.05	43.79	2.35	46.14	74.00	27.86	Horizontal	PASS
8	17849.73	38.51	13.98	52.49	74.00	21.51	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5703.94	37.05	14.89	51.94	-	-	Vertical	NA
2	8345.04	36.20	1.04	37.24	54.00	16.76	Vertical	PASS
3	12385.90	33.53	5.97	39.50	54.00	14.50	Vertical	PASS
4	17860.85	31.80	13.85	45.65	54.00	8.35	Vertical	PASS
5	5706.32	44.94	14.90	59.84	-	-	Vertical	NA
6	8323.96	42.98	0.78	43.76	74.00	30.24	Vertical	PASS
7	12566.45	42.01	5.15	47.16	74.00	26.84	Vertical	PASS
8	17993.48	39.82	13.69	53.51	74.00	20.49	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5597.05	36.93	14.73	51.66	-	-	Horizontal	NA
2	8095.87	37.01	0.51	37.52	54.00	16.48	Horizontal	PASS
3	12421.16	34.32	5.83	40.15	54.00	13.85	Horizontal	PASS
4	17878.86	32.77	13.62	46.39	54.00	7.61	Horizontal	PASS
5	5595.04	43.70	14.72	58.42	-	-	Horizontal	NA
6	6299.43	41.18	16.70	57.88	68.20	10.32	Horizontal	PASS
7	8104.69	44.91	0.55	45.46	74.00	28.54	Horizontal	PASS
8	13696.94	41.10	9.40	50.50	68.20	17.70	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5600.90	37.34	14.74	52.08	-	-	Vertical	NA
2	9176.52	35.58	3.10	38.68	54.00	15.32	Vertical	PASS
3	12398.55	34.03	6.23	40.26	54.00	13.74	Vertical	PASS
4	17842.06	32.49	13.65	46.14	54.00	7.86	Vertical	PASS
5	5595.77	44.01	14.73	58.74	-	-	Vertical	NA
6	6371.30	40.54	16.90	57.44	68.20	10.76	Vertical	PASS
7	8815.41	43.87	2.29	46.16	68.20	22.04	Vertical	PASS
8	13686.97	40.54	9.33	49.87	68.20	18.33	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	120
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5597.60	34.91	14.74	49.65	-	-	Horizontal	NA
2	9158.12	35.63	3.28	38.91	54.00	15.09	Horizontal	PASS
3	12059.67	34.67	5.38	40.05	54.00	13.95	Horizontal	PASS
4	17849.34	31.84	13.96	45.80	54.00	8.20	Horizontal	PASS
5	5599.62	42.08	14.74	56.82	-	-	Horizontal	NA
6	6348.01	39.81	17.21	57.02	68.20	11.18	Horizontal	PASS
7	9078.77	44.14	2.17	46.31	74.00	27.69	Horizontal	PASS
8	13669.72	40.90	9.20	50.10	68.20	18.10	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	120
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5594.12	34.69	14.72	49.41	-	-	Vertical	NA
2	7575.29	36.61	-0.88	35.73	54.00	18.27	Vertical	PASS
3	12389.73	33.97	6.05	40.02	54.00	13.98	Vertical	PASS
4	17986.58	32.69	13.60	46.29	54.00	7.71	Vertical	PASS
5	5584.22	39.98	14.70	54.68	-	-	Vertical	NA
6	6307.49	40.05	16.79	56.84	68.20	11.36	Vertical	PASS
7	7170.86	46.70	-2.01	44.69	68.20	23.51	Vertical	PASS
8	13704.99	41.03	9.16	50.19	68.20	18.01	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5601.45	35.49	14.75	50.24	-	-	Horizontal	NA
2	9046.18	35.83	2.31	38.14	54.00	15.86	Horizontal	PASS
3	12400.85	33.73	6.24	39.97	54.00	14.03	Horizontal	PASS
4	17983.90	32.57	13.56	46.13	54.00	7.87	Horizontal	PASS
5	5598.34	43.12	14.74	57.86	-	-	Horizontal	NA
6	9021.27	43.89	2.46	46.35	74.00	27.65	Horizontal	PASS
7	13702.31	41.37	9.30	50.67	68.20	17.53	Horizontal	PASS
8	17870.43	39.55	13.72	53.27	74.00	20.73	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5600.72	35.81	14.74	50.55	-	-	Vertical	NA
2	12083.82	36.60	5.26	41.86	54.00	12.14	Vertical	PASS
3	15844.83	32.63	8.11	40.74	54.00	13.26	Vertical	PASS
4	17850.11	31.74	13.99	45.73	54.00	8.27	Vertical	PASS
5	5598.15	42.66	14.74	57.40	-	-	Vertical	NA
6	6365.25	40.11	16.99	57.10	68.20	11.10	Vertical	PASS
7	12045.10	42.63	5.42	48.05	74.00	25.95	Vertical	PASS
8	13700.39	40.74	9.40	50.14	68.20	18.06	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11458.20	34.78	5.03	39.81	54.00	14.19	Horizontal	PASS
2	15765.48	33.22	7.57	40.79	54.00	13.21	Horizontal	PASS
3	17890.36	32.27	13.46	45.73	54.00	8.27	Horizontal	PASS
4	6358.10	39.86	17.10	56.96	68.20	11.24	Horizontal	PASS
5	11340.13	41.69	4.95	46.64	74.00	27.36	Horizontal	PASS
6	14355.53	41.96	8.94	50.90	68.20	17.30	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9008.23	36.12	2.53	38.65	54.00	15.35	Vertical	PASS
2	13396.78	34.97	6.61	41.58	54.00	12.42	Vertical	PASS
3	17859.31	31.95	13.87	45.82	54.00	8.18	Vertical	PASS
4	6363.96	39.27	17.01	56.28	68.20	11.92	Vertical	PASS
5	9185.34	43.04	3.01	46.05	74.00	27.95	Vertical	PASS
6	13699.24	41.21	9.42	50.63	68.20	17.57	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9015.13	36.20	2.49	38.69	54.00	15.31	Horizontal	PASS
2	12046.25	34.79	5.42	40.21	54.00	13.79	Horizontal	PASS
3	17836.69	32.21	13.42	45.63	54.00	8.37	Horizontal	PASS
4	6350.58	39.49	17.22	56.71	68.20	11.49	Horizontal	PASS
5	8878.28	44.42	2.53	46.95	68.20	21.25	Horizontal	PASS
6	13677.77	41.05	9.26	50.31	68.20	17.89	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5744.09	33.64	14.92	48.56	-	-	Vertical	NA
2	7544.62	36.49	-0.87	35.62	54.00	18.38	Vertical	PASS
3	12652.71	33.88	6.16	40.04	54.00	13.96	Vertical	PASS
4	17894.58	32.44	13.41	45.85	54.00	8.15	Vertical	PASS
5	5743.17	43.64	14.92	58.56	-	-	Vertical	NA
6	7198.84	46.10	-0.77	45.33	68.20	22.87	Vertical	PASS
7	13675.09	40.86	9.25	50.11	68.20	18.09	Vertical	PASS
8	17991.95	39.47	13.68	53.15	74.00	20.85	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5714.76	36.60	15.76	52.36	-	-	Horizontal	NA
2	7343.36	37.17	-1.19	35.98	54.00	18.02	Horizontal	PASS
3	11464.72	35.00	5.00	40.00	54.00	14.00	Horizontal	PASS
4	17991.57	32.06	13.67	45.73	54.00	8.27	Horizontal	PASS
5	5716.04	45.00	15.76	60.76	-	-	Horizontal	NA
6	7454.53	45.36	-1.60	43.76	74.00	30.24	Horizontal	PASS
7	11394.95	43.23	5.36	48.59	74.00	25.41	Horizontal	PASS
8	17876.56	40.51	13.64	54.15	74.00	19.85	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5715.12	37.38	15.76	53.14	-	-	Vertical	NA
2	8230.04	35.76	0.35	36.11	54.00	17.89	Vertical	PASS
3	12398.16	33.77	6.23	40.00	54.00	14.00	Vertical	PASS
4	17880.01	32.01	13.60	45.61	54.00	8.39	Vertical	PASS
5	5714.21	47.40	15.76	63.16	-	-	Vertical	NA
6	6294.66	40.65	16.46	57.11	68.20	11.09	Vertical	PASS
7	9629.25	43.82	2.92	46.74	68.20	21.46	Vertical	PASS
8	13660.52	40.92	9.14	50.06	68.20	18.14	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5789.19	35.46	15.68	51.14	-	-	Horizontal	NA
2	7554.20	36.27	-0.84	35.43	54.00	18.57	Horizontal	PASS
3	11281.48	35.50	4.73	40.23	54.00	13.77	Horizontal	PASS
4	17860.08	31.80	13.86	45.66	54.00	8.34	Horizontal	PASS
5	5792.49	41.80	15.68	57.48	-	-	Horizontal	NA
6	7393.96	44.30	-0.38	43.92	74.00	30.08	Horizontal	PASS
7	11450.53	42.67	5.07	47.74	74.00	26.26	Horizontal	PASS
8	15249.11	40.53	9.92	50.45	68.20	17.75	Horizontal	PASS