


Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5788.83	36.27	15.68	51.95	-	-	Vertical	NA
2	8349.26	35.60	1.09	36.69	54.00	17.31	Vertical	PASS
3	11430.21	34.91	5.20	40.11	54.00	13.89	Vertical	PASS
4	17991.95	31.89	13.68	45.57	54.00	8.43	Vertical	PASS
5	5790.66	42.72	15.68	58.40	-	-	Vertical	NA
6	8368.05	44.12	1.04	45.16	74.00	28.84	Vertical	PASS
7	11483.88	42.97	4.90	47.87	74.00	26.13	Vertical	PASS
8	17845.51	39.96	13.80	53.76	74.00	20.24	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.36	36.11	15.66	51.77	-	-	Horizontal	NA
2	8363.83	35.96	1.05	37.01	54.00	16.99	Horizontal	PASS
3	12394.33	33.60	6.14	39.74	54.00	14.26	Horizontal	PASS
4	17985.43	32.11	13.58	45.69	54.00	8.31	Horizontal	PASS
5	5856.30	43.62	15.60	59.22	-	-	Horizontal	NA
6	7967.83	45.22	0.08	45.30	68.20	22.90	Horizontal	PASS
7	13521.75	43.14	6.97	50.11	68.20	18.09	Horizontal	PASS
8	17883.08	40.42	13.56	53.98	74.00	20.02	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.73	37.33	15.66	52.99	-	-	Vertical	NA
2	8085.14	36.55	0.48	37.03	54.00	16.97	Vertical	PASS
3	12221.44	35.15	5.31	40.46	54.00	13.54	Vertical	PASS
4	17885.76	32.44	13.52	45.96	54.00	8.04	Vertical	PASS
5	5856.85	45.85	15.60	61.45	-	-	Vertical	NA
6	8099.70	44.00	0.52	44.52	74.00	29.48	Vertical	PASS
7	13691.19	41.47	9.36	50.83	68.20	17.37	Vertical	PASS
8	17865.45	39.67	13.79	53.46	74.00	20.54	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.36	36.39	15.66	52.05	-	-	Horizontal	NA
2	8097.40	36.92	0.51	37.43	54.00	16.57	Horizontal	PASS
3	11380.76	34.83	5.25	40.08	54.00	13.92	Horizontal	PASS
4	17981.60	32.47	13.53	46.00	54.00	8.00	Horizontal	PASS
5	5858.86	44.55	15.59	60.14	-	-	Horizontal	NA
6	8090.12	44.63	0.49	45.12	74.00	28.88	Horizontal	PASS
7	11291.44	43.11	4.68	47.79	74.00	26.21	Horizontal	PASS
8	17823.66	40.43	12.87	53.30	74.00	20.70	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.18	37.80	15.66	53.46	-	-	Vertical	NA
2	8406.76	36.43	0.96	37.39	54.00	16.61	Vertical	PASS
3	11452.45	35.03	5.06	40.09	54.00	13.91	Vertical	PASS
4	17991.95	33.18	13.68	46.86	54.00	7.14	Vertical	PASS
5	5856.48	46.18	15.60	61.78	-	-	Vertical	NA
6	7397.80	44.68	-0.31	44.37	74.00	29.63	Vertical	PASS
7	11481.20	42.70	4.91	47.61	74.00	26.39	Vertical	PASS
8	17885.76	39.70	13.52	53.22	74.00	20.78	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5802.39	35.07	15.68	50.75	-	-	Horizontal	NA
2	9012.83	36.04	2.51	38.55	54.00	15.45	Horizontal	PASS
3	11473.92	35.20	4.95	40.15	54.00	13.85	Horizontal	PASS
4	17906.46	32.83	13.31	46.14	54.00	7.86	Horizontal	PASS
5	5793.78	41.68	15.69	57.37	-	-	Horizontal	NA
6	8911.25	44.87	1.93	46.80	68.20	21.40	Horizontal	PASS
7	13700.39	41.01	9.40	50.41	68.20	17.79	Horizontal	PASS
8	17980.07	40.00	13.50	53.50	74.00	20.50	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5798.73	35.78	15.68	51.46	-	-	Vertical	NA
2	7365.98	37.43	-0.90	36.53	54.00	17.47	Vertical	PASS
3	10952.57	35.25	5.13	40.38	54.00	13.62	Vertical	PASS
4	17848.58	31.89	13.93	45.82	54.00	8.18	Vertical	PASS
5	5800.74	42.84	15.68	58.52	-	-	Vertical	NA
6	8871.38	44.60	2.69	47.29	68.20	20.91	Vertical	PASS
7	11399.55	42.75	5.39	48.14	74.00	25.86	Vertical	PASS
8	17982.75	40.02	13.54	53.56	74.00	20.44	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8365.36	36.05	1.04	37.09	54.00	16.91	Horizontal	PASS
2	11375.01	34.49	5.21	39.70	54.00	14.30	Horizontal	PASS
3	17838.99	32.34	13.52	45.86	54.00	8.14	Horizontal	PASS
4	8005.78	45.30	0.12	45.42	68.20	22.78	Horizontal	PASS
5	11367.35	43.20	5.15	48.35	74.00	25.65	Horizontal	PASS
6	17963.58	40.01	13.26	53.27	74.00	20.73	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7595.22	36.85	-0.91	35.94	54.00	18.06	Vertical	PASS
2	11465.48	35.10	4.98	40.08	54.00	13.92	Vertical	PASS
3	17863.91	32.13	13.81	45.94	54.00	8.06	Vertical	PASS
4	7386.30	45.53	-0.52	45.01	74.00	28.99	Vertical	PASS
5	11430.21	42.55	5.20	47.75	74.00	26.25	Vertical	PASS
6	17847.04	39.73	13.86	53.59	74.00	20.41	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20M	Channel	36
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.14	35.68	12.45	48.13	54.00	5.87	Horizontal	PASS
2	5148.80	35.72	12.48	48.20	54.00	5.80	Horizontal	PASS
3	5149.45	35.56	12.48	48.04	54.00	5.96	Horizontal	PASS
4	5145.78	48.30	12.45	60.75	74.00	13.25	Horizontal	PASS
5	5148.64	48.90	12.47	61.37	74.00	12.63	Horizontal	PASS
6	5149.68	49.18	12.48	61.66	74.00	12.34	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20M	Channel	36
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.35	36.09	12.44	48.53	54.00	5.47	Vertical	PASS
2	5148.93	37.24	12.48	49.72	54.00	4.28	Vertical	PASS
3	5149.78	36.86	12.48	49.34	54.00	4.66	Vertical	PASS
4	5144.54	52.86	12.44	65.30	74.00	8.70	Vertical	PASS
5	5148.51	53.23	12.47	65.70	74.00	8.30	Vertical	PASS
6	5149.29	52.37	12.48	64.85	74.00	9.15	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.54	31.42	12.39	43.81	54.00	10.19	Horizontal	PASS
2	5145.79	31.56	12.45	44.01	54.00	9.99	Horizontal	PASS
3	5149.45	31.61	12.48	44.09	54.00	9.91	Horizontal	PASS
4	5137.25	43.08	12.39	55.47	74.00	18.53	Horizontal	PASS
5	5144.94	43.80	12.44	56.24	74.00	17.76	Horizontal	PASS
6	5148.05	43.27	12.46	55.73	74.00	18.27	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.88	32.35	12.44	44.79	54.00	9.21	Vertical	PASS
2	5145.75	32.32	12.45	44.77	54.00	9.23	Vertical	PASS
3	5149.41	32.35	12.48	44.83	54.00	9.17	Vertical	PASS
4	5143.88	46.69	12.44	59.13	74.00	14.87	Vertical	PASS
5	5145.45	46.54	12.45	58.99	74.00	15.01	Vertical	PASS
6	5148.94	45.33	12.48	57.81	74.00	16.19	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	-
Bandwidth	20M	Channel	36
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.96	35.75	12.44	48.19	54.00	5.81	Horizontal	PASS
2	5148.57	36.03	12.47	48.50	54.00	5.50	Horizontal	PASS
3	5149.29	36.30	12.48	48.78	54.00	5.22	Horizontal	PASS
4	5144.93	47.73	12.44	60.17	74.00	13.83	Horizontal	PASS
5	5148.35	49.38	12.47	61.85	74.00	12.15	Horizontal	PASS
6	5149.55	49.82	12.48	62.30	74.00	11.70	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	-
Bandwidth	20M	Channel	36
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5147.01	37.06	12.46	49.52	54.00	4.48	Vertical	PASS
2	5148.83	37.45	12.48	49.93	54.00	4.07	Vertical	PASS
3	5149.91	37.73	12.48	50.21	54.00	3.79	Vertical	PASS
4	5145.81	53.15	12.45	65.60	74.00	8.40	Vertical	PASS
5	5147.08	53.37	12.46	65.83	74.00	8.17	Vertical	PASS
6	5149.35	54.61	12.48	67.09	74.00	6.91	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.47	31.26	12.44	43.70	54.00	10.30	Horizontal	PASS
2	5148.09	31.47	12.46	43.93	54.00	10.07	Horizontal	PASS
3	5149.87	31.60	12.48	44.08	54.00	9.92	Horizontal	PASS
4	5143.54	42.61	12.43	55.04	74.00	18.96	Horizontal	PASS
5	5147.92	43.63	12.46	56.09	74.00	17.91	Horizontal	PASS
6	5149.28	42.63	12.48	55.11	74.00	18.89	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.18	31.65	12.39	44.04	54.00	9.96	Vertical	PASS
2	5145.92	32.25	12.45	44.70	54.00	9.30	Vertical	PASS
3	5148.94	32.31	12.48	44.79	54.00	9.21	Vertical	PASS
4	5138.01	43.56	12.39	55.95	74.00	18.05	Vertical	PASS
5	5145.33	44.39	12.45	56.84	74.00	17.16	Vertical	PASS
6	5149.41	44.44	12.48	56.92	74.00	17.08	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	-
Bandwidth	40M	Channel	38
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.18	35.83	12.45	48.28	54.00	5.72	Horizontal	PASS
2	5148.30	36.00	12.46	48.46	54.00	5.54	Horizontal	PASS
3	5149.66	36.36	12.48	48.84	54.00	5.16	Horizontal	PASS
4	5146.60	49.58	12.46	62.04	74.00	11.96	Horizontal	PASS
5	5148.13	49.80	12.46	62.26	74.00	11.74	Horizontal	PASS
6	5149.11	49.81	12.48	62.29	74.00	11.71	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	-
Bandwidth	40M	Channel	38
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.13	36.77	12.45	49.22	54.00	4.78	Vertical	PASS
2	5148.73	37.18	12.47	49.65	54.00	4.35	Vertical	PASS
3	5149.66	37.59	12.48	50.07	54.00	3.93	Vertical	PASS
4	5146.05	52.96	12.45	65.41	74.00	8.59	Vertical	PASS
5	5146.98	52.96	12.46	65.42	74.00	8.58	Vertical	PASS
6	5149.58	56.95	12.48	69.43	74.00	4.57	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.38	31.22	12.43	43.65	54.00	10.35	Horizontal	PASS
2	5146.51	31.20	12.46	43.66	54.00	10.34	Horizontal	PASS
3	5149.07	31.20	12.48	43.68	54.00	10.32	Horizontal	PASS
4	5142.01	42.13	12.43	54.56	74.00	19.44	Horizontal	PASS
5	5146.01	43.73	12.45	56.18	74.00	17.82	Horizontal	PASS
6	5149.64	43.15	12.48	55.63	74.00	18.37	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.45	31.70	12.43	44.13	54.00	9.87	Vertical	PASS
2	5147.82	32.17	12.46	44.63	54.00	9.37	Vertical	PASS
3	5149.64	31.91	12.48	44.39	54.00	9.61	Vertical	PASS
4	5142.13	44.24	12.43	56.67	74.00	17.33	Vertical	PASS
5	5148.20	43.83	12.46	56.29	74.00	17.71	Vertical	PASS
6	5149.76	44.44	12.48	56.92	74.00	17.08	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80M	Channel	42
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.94	35.70	12.36	48.06	54.00	5.94	Horizontal	PASS
2	5145.89	36.14	12.45	48.59	54.00	5.41	Horizontal	PASS
3	5147.89	36.37	12.46	48.83	54.00	5.17	Horizontal	PASS
4	5133.88	48.13	12.37	60.50	74.00	13.50	Horizontal	PASS
5	5145.01	47.50	12.45	59.95	74.00	14.05	Horizontal	PASS
6	5148.45	50.08	12.47	62.55	74.00	11.45	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80M	Channel	42
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.07	37.74	12.39	50.13	54.00	3.87	Vertical	PASS
2	5146.20	38.22	12.45	50.67	54.00	3.33	Vertical	PASS
3	5148.51	38.19	12.47	50.66	54.00	3.34	Vertical	PASS
4	5139.19	53.40	12.41	65.81	74.00	8.19	Vertical	PASS
5	5145.32	54.30	12.45	66.75	74.00	7.25	Vertical	PASS
6	5147.01	54.23	12.46	66.69	74.00	7.31	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.97	36.77	12.69	49.46	54.00	4.54	Horizontal	PASS
2	5352.95	36.72	12.69	49.41	54.00	4.59	Horizontal	PASS
3	5355.56	36.39	12.71	49.10	54.00	4.90	Horizontal	PASS
4	5350.22	51.91	12.68	64.59	74.00	9.41	Horizontal	PASS
5	5351.69	51.94	12.69	64.63	74.00	9.37	Horizontal	PASS
6	5355.69	49.11	12.71	61.82	74.00	12.18	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.39	37.83	12.68	50.51	54.00	3.49	Vertical	PASS
2	5352.60	37.63	12.69	50.32	54.00	3.68	Vertical	PASS
3	5357.31	36.59	12.73	49.32	54.00	4.68	Vertical	PASS
4	5350.13	54.90	12.68	67.58	74.00	6.42	Vertical	PASS
5	5351.98	54.92	12.70	67.62	74.00	6.38	Vertical	PASS
6	5357.34	52.57	12.73	65.30	74.00	8.70	Vertical	PASS

Project Information			
Mode:	802.11a20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.47	32.71	12.68	45.39	54.00	8.61	Horizontal	PASS
2	5352.17	32.74	12.70	45.44	54.00	8.56	Horizontal	PASS
3	5354.72	32.16	12.71	44.87	54.00	9.13	Horizontal	PASS
4	5351.87	45.15	12.69	57.84	74.00	16.16	Horizontal	PASS
5	5352.68	45.68	12.69	58.37	74.00	15.63	Horizontal	PASS
6	5354.63	46.90	12.71	59.61	74.00	14.39	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.38	34.34	12.68	47.02	54.00	6.98	Vertical	PASS
2	5352.63	33.92	12.69	46.61	54.00	7.39	Vertical	PASS
3	5357.01	33.34	12.72	46.06	54.00	7.94	Vertical	PASS
4	5350.42	51.20	12.68	63.88	74.00	10.12	Vertical	PASS
5	5355.74	53.01	12.71	65.72	74.00	8.28	Vertical	PASS
6	5356.50	51.38	12.72	64.10	74.00	9.90	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.29	36.63	12.68	49.31	54.00	4.69	Horizontal	PASS
2	5351.72	36.45	12.69	49.14	54.00	4.86	Horizontal	PASS
3	5353.34	36.32	12.70	49.02	54.00	4.98	Horizontal	PASS
4	5350.22	51.95	12.68	64.63	74.00	9.37	Horizontal	PASS
5	5351.59	49.02	12.69	61.71	74.00	12.29	Horizontal	PASS
6	5352.53	49.40	12.69	62.09	74.00	11.91	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.32	38.01	12.68	50.69	54.00	3.31	Vertical	PASS
2	5352.24	37.51	12.70	50.21	54.00	3.79	Vertical	PASS
3	5353.57	37.19	12.70	49.89	54.00	4.11	Vertical	PASS
4	5350.55	54.71	12.68	67.39	74.00	6.61	Vertical	PASS
5	5351.39	54.69	12.69	67.38	74.00	6.62	Vertical	PASS
6	5353.12	54.81	12.69	67.50	74.00	6.50	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	32.95	12.68	45.63	54.00	8.37	Horizontal	PASS
2	5352.25	32.68	12.70	45.38	54.00	8.62	Horizontal	PASS
3	5358.42	32.37	12.73	45.10	54.00	8.90	Horizontal	PASS
4	5350.30	49.01	12.68	61.69	74.00	12.31	Horizontal	PASS
5	5352.68	44.39	12.69	57.08	74.00	16.92	Horizontal	PASS
6	5358.80	45.27	12.73	58.00	74.00	16.00	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.59	35.26	12.68	47.94	54.00	6.06	Vertical	PASS
2	5351.95	34.82	12.70	47.52	54.00	6.48	Vertical	PASS
3	5355.27	34.61	12.71	47.32	54.00	6.68	Vertical	PASS
4	5350.34	49.82	12.68	62.50	74.00	11.50	Vertical	PASS
5	5351.91	50.07	12.69	62.76	74.00	11.24	Vertical	PASS
6	5355.19	50.34	12.71	63.05	74.00	10.95	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.64	35.79	12.68	48.47	54.00	5.53	Horizontal	PASS
2	5352.72	35.89	12.69	48.58	54.00	5.42	Horizontal	PASS
3	5357.35	35.91	12.73	48.64	54.00	5.36	Horizontal	PASS
4	5350.85	48.90	12.69	61.59	74.00	12.41	Horizontal	PASS
5	5353.61	47.58	12.70	60.28	74.00	13.72	Horizontal	PASS
6	5356.72	47.48	12.72	60.20	74.00	13.80	Horizontal	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.95	36.90	12.70	49.60	54.00	4.40	Vertical	PASS
2	5354.12	36.57	12.70	49.27	54.00	4.73	Vertical	PASS
3	5355.91	36.92	12.72	49.64	54.00	4.36	Vertical	PASS
4	5351.91	51.97	12.69	64.66	74.00	9.34	Vertical	PASS
5	5354.08	51.70	12.70	64.40	74.00	9.60	Vertical	PASS
6	5357.48	51.84	12.73	64.57	74.00	9.43	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.68	32.54	12.69	45.23	54.00	8.77	Horizontal	PASS
2	5359.48	32.26	12.73	44.99	54.00	9.01	Horizontal	PASS
3	5370.44	32.30	12.80	45.10	54.00	8.90	Horizontal	PASS
4	5352.80	44.56	12.69	57.25	74.00	16.75	Horizontal	PASS
5	5360.31	44.05	12.74	56.79	74.00	17.21	Horizontal	PASS
6	5370.81	43.42	12.80	56.22	74.00	17.78	Horizontal	PASS


Project Information			
Mode:	802.11ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.68	33.82	12.69	46.51	54.00	7.49	Vertical	PASS
2	5354.38	33.82	12.70	46.52	54.00	7.48	Vertical	PASS
3	5369.31	32.88	12.79	45.67	54.00	8.33	Vertical	PASS
4	5351.75	46.66	12.69	59.35	74.00	14.65	Vertical	PASS
5	5353.03	46.82	12.69	59.51	74.00	14.49	Vertical	PASS
6	5369.08	46.34	12.79	59.13	74.00	14.87	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.30	36.14	12.69	48.83	54.00	5.17	Horizontal	PASS
2	5354.60	36.12	12.71	48.83	54.00	5.17	Horizontal	PASS
3	5357.98	36.07	12.72	48.79	54.00	5.21	Horizontal	PASS
4	5351.68	47.40	12.69	60.09	74.00	13.91	Horizontal	PASS
5	5355.65	47.52	12.71	60.23	74.00	13.77	Horizontal	PASS
6	5358.28	47.50	12.72	60.22	74.00	13.78	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.70	37.90	12.69	50.59	54.00	3.41	Vertical	PASS
2	5353.78	37.92	12.70	50.62	54.00	3.38	Vertical	PASS
3	5358.80	37.42	12.73	50.15	54.00	3.85	Vertical	PASS
4	5352.73	50.29	12.69	62.98	74.00	11.02	Vertical	PASS
5	5360.31	52.10	12.74	64.84	74.00	9.16	Vertical	PASS
6	5363.68	53.38	12.76	66.14	74.00	7.86	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.31	31.72	12.72	44.44	54.00	9.56	Horizontal	PASS
2	5458.25	32.45	12.77	45.22	54.00	8.78	Horizontal	PASS
3	5459.15	31.78	12.78	44.56	54.00	9.44	Horizontal	PASS
4	5458.37	45.41	12.78	58.19	74.00	15.81	Horizontal	PASS
5	5468.16	47.70	12.94	60.64	68.20	7.56	Horizontal	PASS
6	5469.54	47.33	12.96	60.29	68.20	7.91	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.85	32.38	12.74	45.12	54.00	8.88	Vertical	PASS
2	5458.04	32.42	12.77	45.19	54.00	8.81	Vertical	PASS
3	5459.84	32.71	12.80	45.51	54.00	8.49	Vertical	PASS
4	5465.34	48.41	12.89	61.30	68.20	6.90	Vertical	PASS
5	5468.07	50.28	12.93	63.21	68.20	4.99	Vertical	PASS
6	5469.21	51.05	12.96	64.01	68.20	4.19	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5456.20	31.98	12.74	44.72	54.00	9.28	Horizontal	PASS
2	5457.04	31.94	12.75	44.69	54.00	9.31	Horizontal	PASS
3	5459.48	31.94	12.80	44.74	54.00	9.26	Horizontal	PASS
4	5463.17	44.31	12.85	57.16	68.20	11.04	Horizontal	PASS
5	5468.21	45.02	12.94	57.96	68.20	10.24	Horizontal	PASS
6	5469.53	43.89	12.96	56.85	68.20	11.35	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:	X 轴+EUT(M23)+Power: 18		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.36	32.16	12.71	44.87	54.00	9.13	Vertical	PASS
2	5457.04	32.23	12.75	44.98	54.00	9.02	Vertical	PASS
3	5459.40	32.33	12.80	45.13	54.00	8.87	Vertical	PASS
4	5465.45	44.61	12.89	57.50	68.20	10.70	Vertical	PASS
5	5468.09	46.11	12.93	59.04	68.20	9.16	Vertical	PASS
6	5469.49	46.96	12.96	59.92	68.20	8.28	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.43	43.36	13.36	56.72	68.20	11.48	Horizontal	PASS
2	5727.35	43.97	13.33	57.30	68.20	10.90	Horizontal	PASS
3	5728.67	44.35	13.31	57.66	68.20	10.54	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.03	42.94	13.35	56.29	68.20	11.91	Vertical	PASS
2	5729.47	43.72	13.30	57.02	68.20	11.18	Vertical	PASS
3	5732.75	42.78	13.24	56.02	68.20	12.18	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.30	50.11	13.37	63.48	68.20	4.72	Horizontal	PASS
2	5725.87	49.82	13.36	63.18	68.20	5.02	Horizontal	PASS
3	5728.57	49.07	13.31	62.38	68.20	5.82	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.17	51.47	13.35	64.82	68.20	3.38	Vertical	PASS
2	5726.65	50.95	13.34	64.29	68.20	3.91	Vertical	PASS
3	5727.52	50.74	13.33	64.07	68.20	4.13	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.17	32.02	12.71	44.73	54.00	9.27	Horizontal	PASS
2	5457.29	31.76	12.75	44.51	54.00	9.49	Horizontal	PASS
3	5459.54	32.04	12.80	44.84	54.00	9.16	Horizontal	PASS
4	5466.66	46.36	12.91	59.27	68.20	8.93	Horizontal	PASS
5	5467.92	47.90	12.93	60.83	68.20	7.37	Horizontal	PASS
6	5468.97	46.90	12.94	59.84	68.20	8.36	Horizontal	PASS