


Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.80	32.36	12.72	45.08	54.00	8.92	Vertical	PASS
2	5457.08	32.40	12.75	45.15	54.00	8.85	Vertical	PASS
3	5459.42	32.81	12.80	45.61	54.00	8.39	Vertical	PASS
4	5465.67	51.36	12.89	64.25	68.20	3.95	Vertical	PASS
5	5466.84	51.96	12.91	64.87	68.20	3.33	Vertical	PASS
6	5469.42	50.81	12.96	63.77	68.20	4.43	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.96	32.27	12.72	44.99	54.00	9.01	Horizontal	PASS
2	5457.24	32.18	12.75	44.93	54.00	9.07	Horizontal	PASS
3	5459.24	31.81	12.79	44.60	54.00	9.40	Horizontal	PASS
4	5464.85	43.28	12.88	56.16	68.20	12.04	Horizontal	PASS
5	5468.69	46.05	12.94	58.99	68.20	9.21	Horizontal	PASS
6	5469.45	43.30	12.96	56.26	68.20	11.94	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	104
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.56	32.56	12.72	45.28	54.00	8.72	Vertical	PASS
2	5456.88	32.46	12.75	45.21	54.00	8.79	Vertical	PASS
3	5459.12	32.67	12.78	45.45	54.00	8.55	Vertical	PASS
4	5464.49	45.90	12.88	58.78	68.20	9.42	Vertical	PASS
5	5467.25	47.04	12.92	59.96	68.20	8.24	Vertical	PASS
6	5469.73	48.07	12.96	61.03	68.20	7.17	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.27	43.52	13.37	56.89	68.20	11.31	Horizontal	PASS
2	5726.95	43.05	13.34	56.39	68.20	11.81	Horizontal	PASS
3	5730.87	43.17	13.27	56.44	68.20	11.76	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	136
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.07	45.28	13.37	58.65	68.20	9.55	Vertical	PASS
2	5725.79	43.81	13.36	57.17	68.20	11.03	Vertical	PASS
3	5729.83	44.36	13.29	57.65	68.20	10.55	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.54	48.76	13.36	62.12	68.20	6.08	Horizontal	PASS
2	5726.50	49.03	13.35	62.38	68.20	5.82	Horizontal	PASS
3	5728.09	49.77	13.32	63.09	68.20	5.11	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.18	50.72	13.37	64.09	68.20	4.11	Vertical	PASS
2	5726.92	49.79	13.34	63.13	68.20	5.07	Vertical	PASS
3	5729.17	49.81	13.30	63.11	68.20	5.09	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.16	31.62	12.72	44.34	54.00	9.66	Horizontal	PASS
2	5457.68	31.84	12.77	44.61	54.00	9.39	Horizontal	PASS
3	5459.60	32.03	12.80	44.83	54.00	9.17	Horizontal	PASS
4	5465.09	46.24	12.88	59.12	68.20	9.08	Horizontal	PASS
5	5467.37	45.11	12.92	58.03	68.20	10.17	Horizontal	PASS
6	5469.49	46.46	12.96	59.42	68.20	8.78	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.44	32.76	12.73	45.49	54.00	8.51	Vertical	PASS
2	5457.56	32.96	12.77	45.73	54.00	8.27	Vertical	PASS
3	5459.64	33.18	12.80	45.98	54.00	8.02	Vertical	PASS
4	5462.13	49.09	12.83	61.92	68.20	6.28	Vertical	PASS
5	5465.97	52.53	12.90	65.43	68.20	2.77	Vertical	PASS
6	5469.81	51.59	12.96	64.55	68.20	3.65	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.32	31.98	12.66	44.64	54.00	9.36	Horizontal	PASS
2	5454.62	31.86	12.72	44.58	54.00	9.42	Horizontal	PASS
3	5458.40	32.05	12.78	44.83	54.00	9.17	Horizontal	PASS
4	5456.42	42.96	12.75	55.71	74.00	18.29	Horizontal	PASS
5	5458.88	43.31	12.78	56.09	74.00	17.91	Horizontal	PASS
6	5469.15	43.24	12.95	56.19	68.20	12.01	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.20	32.39	12.71	45.10	54.00	8.90	Vertical	PASS
2	5456.84	32.61	12.75	45.36	54.00	8.64	Vertical	PASS
3	5459.60	32.56	12.80	45.36	54.00	8.64	Vertical	PASS
4	5462.31	43.72	12.84	56.56	68.20	11.64	Vertical	PASS
5	5467.05	45.47	12.91	58.38	68.20	9.82	Vertical	PASS
6	5469.63	44.72	12.96	57.68	68.20	10.52	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.44	48.76	13.36	62.12	68.20	6.08	Horizontal	PASS
2	5726.04	49.40	13.35	62.75	68.20	5.45	Horizontal	PASS
3	5729.49	48.20	13.30	61.50	68.20	6.70	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.44	51.11	13.36	64.47	68.20	3.73	Vertical	PASS
2	5727.44	48.97	13.33	62.30	68.20	5.90	Vertical	PASS
3	5730.24	49.50	13.28	62.78	68.20	5.42	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.54	31.91	12.70	44.61	54.00	9.39	Horizontal	PASS
2	5456.78	32.53	12.75	45.28	54.00	8.72	Horizontal	PASS
3	5459.18	32.00	12.79	44.79	54.00	9.21	Horizontal	PASS
4	5464.89	44.16	12.88	57.04	68.20	11.16	Horizontal	PASS
5	5467.29	44.00	12.92	56.92	68.20	11.28	Horizontal	PASS
6	5469.03	43.74	12.94	56.68	68.20	11.52	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.40	32.75	12.73	45.48	54.00	8.52	Vertical	PASS
2	5457.08	32.57	12.75	45.32	54.00	8.68	Vertical	PASS
3	5459.54	33.03	12.80	45.83	54.00	8.17	Vertical	PASS
4	5460.99	48.67	12.82	61.49	68.20	6.71	Vertical	PASS
5	5463.45	47.66	12.86	60.52	68.20	7.68	Vertical	PASS
6	5466.03	51.35	12.90	64.25	68.20	3.95	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.30	49.17	13.32	62.49	68.20	5.71	Horizontal	PASS
2	5731.99	48.23	13.26	61.49	68.20	6.71	Horizontal	PASS
3	5735.68	48.51	13.19	61.70	68.20	6.50	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.22	49.96	13.33	63.29	68.20	4.91	Vertical	PASS
2	5732.08	50.65	13.25	63.90	68.20	4.30	Vertical	PASS
3	5739.10	49.62	13.14	62.76	68.20	5.44	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20M	Channel	149
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.00	42.78	13.47	56.25	68.20	11.95	Horizontal	PASS
2	5948.37	43.82	14.08	57.90	68.20	10.30	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20M	Channel	149
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.81	42.65	13.48	56.13	68.20	12.07	Vertical	PASS
2	5927.56	44.05	13.93	57.98	68.20	10.22	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20M	Channel	165
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5648.74	43.52	13.49	57.01	68.20	11.19	Horizontal	PASS
2	5925.78	43.86	13.91	57.77	68.20	10.43	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20M	Channel	165
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.14	43.44	13.48	56.92	68.20	11.28	Vertical	PASS
2	5930.33	43.88	13.95	57.83	68.20	10.37	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20M	Channel	149
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.66	42.82	13.44	56.26	68.20	11.94	Horizontal	PASS
2	5934.07	43.04	13.98	57.02	68.20	11.18	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20M	Channel	149
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5640.28	42.96	13.45	56.41	68.20	11.79	Vertical	PASS
2	5934.39	43.57	13.98	57.55	68.20	10.65	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20M	Channel	165
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5639.63	42.85	13.45	56.30	68.20	11.90	Horizontal	PASS
2	5928.21	43.65	13.94	57.59	68.20	10.61	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20M	Channel	165
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.05	43.71	13.46	57.17	68.20	11.03	Vertical	PASS
2	5940.90	43.91	14.02	57.93	68.20	10.27	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40M	Channel	159
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5639.79	43.34	13.45	56.79	68.20	11.41	Horizontal	PASS
2	5931.30	43.65	13.95	57.60	68.20	10.60	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40M	Channel	159
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.03	43.02	13.44	56.46	68.20	11.74	Vertical	PASS
2	5933.74	43.79	13.98	57.77	68.20	10.43	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40M	Channel	151
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.66	43.69	13.44	57.13	68.20	11.07	Horizontal	PASS
2	5945.29	44.52	14.06	58.58	68.20	9.62	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40M	Channel	151
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5640.28	44.14	13.45	57.59	68.20	10.61	Vertical	PASS
2	5931.14	43.57	13.95	57.52	68.20	10.68	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80M	Channel	155
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5647.60	49.82	13.49	63.31	68.20	4.89	Horizontal	PASS
2	5933.42	43.81	13.97	57.78	68.20	10.42	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80M	Channel	155
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.81	48.00	13.48	61.48	68.20	6.72	Vertical	PASS
2	5945.12	44.53	14.05	58.58	68.20	9.62	Vertical	PASS

~The End~