


Test Graphs




NTNV-BLE 1M-Ant4-2402




NTNV-BLE 1M-Ant4-2440




NTNV-BLE 1M-Ant4-2480



NTNV-BLE 2M-Ant4-2404



NTNV-BLE 2M-Ant4-2440




NTNV-BLE 2M-Ant4-2478

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	19
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	97.47	45.50	-24.49	21.01	43.50	22.49	Horizontal	PASS
2	148.88	47.61	-26.48	21.13	43.50	22.37	Horizontal	PASS
3	186.32	46.97	-24.78	22.19	43.50	21.31	Horizontal	PASS
4	239.72	55.21	-22.34	32.87	47.00	14.13	Horizontal	PASS
5	275.28	57.66	-21.08	36.58	47.00	10.42	Horizontal	PASS
6	329.11	54.52	-19.25	35.27	47.00	11.73	Horizontal	PASS

Project Information			
Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	19
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	30.00	50.68	-25.22	25.46	40.00	14.54	Vertical	PASS
2	107.99	48.53	-24.16	24.37	43.50	19.13	Vertical	PASS
3	150.72	50.11	-26.10	24.01	43.50	19.49	Vertical	PASS
4	178.81	49.60	-24.75	24.85	43.50	18.65	Vertical	PASS
5	277.02	49.66	-21.07	28.59	47.00	18.41	Vertical	PASS
6	334.98	49.99	-19.32	30.67	47.00	16.33	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2889.30	29.40	5.25	34.65	54.00	19.35	Horizontal	PASS
2	7320.50	36.38	-1.34	35.04	54.00	18.96	Horizontal	PASS
3	14166.00	33.97	7.81	41.78	54.00	12.22	Horizontal	PASS
4	2931.50	37.59	5.44	43.03	74.00	30.97	Horizontal	PASS
5	7211.00	44.28	-1.39	42.89	74.00	31.11	Horizontal	PASS
6	14343.50	40.93	9.19	50.12	74.00	23.88	Horizontal	PASS

Project Information

Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2880.30	29.59	5.20	34.79	54.00	19.21	Vertical	PASS
2	7008.50	36.79	-1.82	34.97	54.00	19.03	Vertical	PASS
3	15073.00	33.90	8.97	42.87	54.00	11.13	Vertical	PASS
4	2841.10	38.59	4.99	43.58	74.00	30.42	Vertical	PASS
5	6961.00	45.72	-2.42	43.30	74.00	30.70	Vertical	PASS
6	15072.50	42.38	8.97	51.35	74.00	22.65	Vertical	PASS

Project Information

Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	19
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4794.00	37.84	-7.58	30.26	54.00	23.74	Horizontal	PASS
2	9151.00	34.96	3.25	38.21	54.00	15.79	Horizontal	PASS
3	17349.50	32.45	12.84	45.29	54.00	8.71	Horizontal	PASS
4	4801.00	46.56	-7.54	39.02	74.00	34.98	Horizontal	PASS
5	9579.00	43.89	2.71	46.60	74.00	27.40	Horizontal	PASS
6	17358.50	40.22	12.53	52.75	74.00	21.25	Horizontal	PASS

Project Information

Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	19
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4961.50	38.20	-7.56	30.64	54.00	23.36	Vertical	PASS
2	8832.00	35.52	2.53	38.05	54.00	15.95	Vertical	PASS
3	17340.00	32.37	12.40	44.77	54.00	9.23	Vertical	PASS
4	5033.00	46.43	-7.57	38.86	74.00	35.14	Vertical	PASS
5	8857.50	43.74	2.57	46.31	74.00	27.69	Vertical	PASS
6	17355.50	39.72	12.65	52.37	74.00	21.63	Vertical	PASS

Project Information

Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	39
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.10	39.57	2.37	41.94	-	-	Horizontal	NA
2	3766.00	39.75	-11.89	27.86	54.00	26.14	Horizontal	PASS
3	8825.00	35.79	2.46	38.25	54.00	15.75	Horizontal	PASS
4	17366.50	32.55	12.22	44.77	54.00	9.23	Horizontal	PASS
5	2479.90	42.48	2.37	44.85	-	-	Horizontal	NA
6	3769.00	46.59	-11.84	34.75	74.00	39.25	Horizontal	PASS
7	8930.50	43.96	1.49	45.45	74.00	28.55	Horizontal	PASS
8	17349.00	40.04	12.82	52.86	74.00	21.14	Horizontal	PASS

Project Information

Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	39
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.00	42.60	2.37	44.97	-	-	Vertical	NA
2	4793.50	38.30	-7.59	30.71	54.00	23.29	Vertical	PASS
3	10190.50	35.74	3.49	39.23	54.00	14.77	Vertical	PASS
4	17351.50	32.24	12.80	45.04	54.00	8.96	Vertical	PASS
5	2479.90	44.84	2.37	47.21	-	-	Vertical	NA
6	4787.00	45.88	-7.64	38.24	74.00	35.76	Vertical	PASS
7	10026.50	43.01	3.66	46.67	74.00	27.33	Vertical	PASS
8	17349.50	40.38	12.84	53.22	74.00	20.78	Vertical	PASS

Project Information

Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	1
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2478.20	34.75	2.36	37.11	-	-	Horizontal	NA
2	3875.50	39.81	-11.18	28.63	54.00	25.37	Horizontal	PASS
3	7001.00	36.55	-1.77	34.78	54.00	19.22	Horizontal	PASS
4	17345.00	33.26	12.64	45.90	54.00	8.10	Horizontal	PASS
5	2470.20	40.82	2.35	43.17	-	-	Horizontal	NA
6	3818.50	47.36	-11.31	36.05	74.00	37.95	Horizontal	PASS
7	6980.50	45.38	-2.09	43.29	74.00	30.71	Horizontal	PASS
8	17345.50	40.43	12.66	53.09	74.00	20.91	Horizontal	PASS

Project Information

Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	1
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2478.50	37.33	2.36	39.69	-	-	Vertical	NA
2	3664.00	39.95	-11.83	28.12	54.00	25.88	Vertical	PASS
3	8854.50	35.87	2.62	38.49	54.00	15.51	Vertical	PASS
4	17361.00	32.64	12.43	45.07	54.00	8.93	Vertical	PASS
5	2478.40	42.56	2.36	44.92	-	-	Vertical	NA
6	3666.50	48.05	-11.86	36.19	74.00	37.81	Vertical	PASS
7	8875.00	43.39	2.26	45.65	74.00	28.35	Vertical	PASS
8	17336.00	40.82	12.22	53.04	74.00	20.96	Vertical	PASS

Project Information			
Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	19
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2439.90	34.76	2.29	37.05	-	-	Horizontal	NA
2	5032.00	38.18	-7.57	30.61	54.00	23.39	Horizontal	PASS
3	8373.00	37.51	0.73	38.24	54.00	15.76	Horizontal	PASS
4	17342.50	32.58	12.51	45.09	54.00	8.91	Horizontal	PASS
5	2439.60	39.97	2.29	42.26	-	-	Horizontal	NA
6	5052.50	46.03	-7.55	38.48	74.00	35.52	Horizontal	PASS
7	8846.50	42.74	2.67	45.41	74.00	28.59	Horizontal	PASS
8	17350.00	40.39	12.86	53.25	74.00	20.75	Horizontal	PASS

Project Information

Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	19
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2439.80	37.72	2.29	40.01	-	-	Vertical	NA
2	5147.00	37.52	-6.74	30.78	54.00	23.22	Vertical	PASS
3	7176.00	37.34	-2.17	35.17	54.00	18.83	Vertical	PASS
4	17354.50	32.12	12.68	44.80	54.00	9.20	Vertical	PASS
5	2439.70	41.28	2.29	43.57	-	-	Vertical	NA
6	5071.50	45.60	-7.53	38.07	74.00	35.93	Vertical	PASS
7	7023.50	45.31	-1.94	43.37	74.00	30.63	Vertical	PASS
8	17356.50	39.93	12.61	52.54	74.00	21.46	Vertical	PASS

Project Information			
Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	38
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2478.60	34.73	2.36	37.09	-	-	Horizontal	NA
2	4163.50	38.99	-9.88	29.11	54.00	24.89	Horizontal	PASS
3	7384.00	36.56	-1.18	35.38	54.00	18.62	Horizontal	PASS
4	17344.00	32.31	12.58	44.89	54.00	9.11	Horizontal	PASS
5	2469.20	39.72	2.35	42.07	-	-	Horizontal	NA
6	4158.00	46.47	-9.85	36.62	74.00	37.38	Horizontal	PASS
7	7371.50	44.68	-1.32	43.36	74.00	30.64	Horizontal	PASS
8	17338.00	39.86	12.31	52.17	74.00	21.83	Horizontal	PASS

Project Information

Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	38
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2478.50	36.91	2.36	39.27	-	-	Vertical	NA
2	4800.50	40.15	-7.54	32.61	54.00	21.39	Vertical	PASS
3	8812.00	35.76	2.34	38.10	54.00	15.90	Vertical	PASS
4	17344.00	32.25	12.58	44.83	54.00	9.17	Vertical	PASS
5	2478.20	42.78	2.36	45.14	-	-	Vertical	NA
6	4782.00	45.10	-7.69	37.41	74.00	36.59	Vertical	PASS
7	8995.00	43.97	1.95	45.92	74.00	28.08	Vertical	PASS
8	17360.50	40.38	12.45	52.83	74.00	21.17	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.23	28.85	1.43	30.28	54.00	23.72	Horizontal	PASS
2	2386.95	28.98	1.42	30.40	54.00	23.60	Horizontal	PASS
3	2388.61	28.83	1.43	30.26	54.00	23.74	Horizontal	PASS
4	2384.47	41.09	1.43	42.52	74.00	31.48	Horizontal	PASS
5	2387.36	42.05	1.42	43.47	74.00	30.53	Horizontal	PASS
6	2389.46	40.42	1.43	41.85	74.00	32.15	Horizontal	PASS


Project Information			
Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2353.04	28.89	1.45	30.34	54.00	23.66	Vertical	PASS
2	2384.79	28.99	1.43	30.42	54.00	23.58	Vertical	PASS
3	2389.55	29.32	1.43	30.75	54.00	23.25	Vertical	PASS
4	2352.50	41.04	1.45	42.49	74.00	31.51	Vertical	PASS
5	2384.75	40.07	1.43	41.50	74.00	32.50	Vertical	PASS
6	2389.24	40.87	1.43	42.30	74.00	31.70	Vertical	PASS

Project Information			
Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	39
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.19	28.95	1.87	30.82	54.00	23.18	Horizontal	PASS
2	2485.47	28.84	1.88	30.72	54.00	23.28	Horizontal	PASS
3	2487.62	28.61	1.90	30.51	54.00	23.49	Horizontal	PASS
4	2483.95	41.17	1.87	43.04	74.00	30.96	Horizontal	PASS
5	2485.51	41.16	1.88	43.04	74.00	30.96	Horizontal	PASS
6	2487.61	40.84	1.90	42.74	74.00	31.26	Horizontal	PASS

Project Information

Mode:	BLE (1M)	Band:	-
Bandwidth	-	Channel	39
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.79	29.47	1.87	31.34	54.00	22.66	Vertical	PASS
2	2485.68	28.89	1.88	30.77	54.00	23.23	Vertical	PASS
3	2488.46	28.75	1.91	30.66	54.00	23.34	Vertical	PASS
4	2483.70	41.45	1.86	43.31	74.00	30.69	Vertical	PASS
5	2485.57	40.64	1.88	42.52	74.00	31.48	Vertical	PASS
6	2488.02	40.38	1.90	42.28	74.00	31.72	Vertical	PASS

Project Information			
Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	1
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2367.18	29.04	1.44	30.48	54.00	23.52	Horizontal	PASS
2	2377.60	29.23	1.44	30.67	54.00	23.33	Horizontal	PASS
3	2388.05	29.24	1.43	30.67	54.00	23.33	Horizontal	PASS
4	2367.86	40.55	1.44	41.99	74.00	32.01	Horizontal	PASS
5	2379.31	40.18	1.43	41.61	74.00	32.39	Horizontal	PASS
6	2387.21	40.06	1.42	41.48	74.00	32.52	Horizontal	PASS

Project Information

Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	1
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.88	29.29	1.44	30.73	54.00	23.27	Vertical	PASS
2	2382.06	29.21	1.43	30.64	54.00	23.36	Vertical	PASS
3	2385.43	29.40	1.43	30.83	54.00	23.17	Vertical	PASS
4	2373.10	40.86	1.44	42.30	74.00	31.70	Vertical	PASS
5	2381.93	40.25	1.43	41.68	74.00	32.32	Vertical	PASS
6	2387.11	40.80	1.42	42.22	74.00	31.78	Vertical	PASS


Project Information			
Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	38
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.72	29.11	1.86	30.97	54.00	23.03	Horizontal	PASS
2	2487.11	28.79	1.90	30.69	54.00	23.31	Horizontal	PASS
3	2489.12	28.94	1.92	30.86	54.00	23.14	Horizontal	PASS
4	2484.07	40.19	1.87	42.06	74.00	31.94	Horizontal	PASS
5	2487.36	40.11	1.90	42.01	74.00	31.99	Horizontal	PASS
6	2489.54	40.89	1.92	42.81	74.00	31.19	Horizontal	PASS

Project Information			
Mode:	BLE (2M)	Band:	-
Bandwidth	-	Channel	38
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.29	29.13	1.87	31.00	54.00	23.00	Vertical	PASS
2	2485.57	29.15	1.88	31.03	54.00	22.97	Vertical	PASS
3	2488.11	29.12	1.90	31.02	54.00	22.98	Vertical	PASS
4	2484.08	40.67	1.87	42.54	74.00	31.46	Vertical	PASS
5	2485.72	40.55	1.88	42.43	74.00	31.57	Vertical	PASS
6	2488.42	40.93	1.91	42.84	74.00	31.16	Vertical	PASS

~The End~