


Test Graphs






DH5-Ant4-2480-0~Reference-PASS




DH5-Ant4-2480-30~1000-PASS



DH5-Ant4-2480-1000~26500-PASS



2DH5-Ant4-2402-0~Reference-PASS




2DH5-Ant4-2402-30~1000-PASS




2DH5-Ant4-2402-1000~26500-PASS



2DH5-Ant4-2441-0~Reference-PASS




2DH5-Ant4-2441-30~1000-PASS




2DH5-Ant4-2441-1000~26500-PASS



2DH5-Ant4-2480-0~Reference-PASS




2DH5-Ant4-2480-30~1000-PASS




2DH5-Ant4-2480-1000~26500-PASS



3DH5-Ant4-2402-0~Reference-PASS




3DH5-Ant4-2402-30~1000-PASS




3DH5-Ant4-2402-1000~26500-PASS



3DH5-Ant4-2441-0~Reference-PASS




3DH5-Ant4-2441-30~1000-PASS




3DH5-Ant4-2441-1000~26500-PASS



3DH5-Ant4-2480-0~Reference-PASS



3DH5-Ant4-2480-30~1000-PASS





3DH5-Ant4-2480-1000~26500-PASS

Duty Cycle Test Result


TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant4	2402	2.88	3.75	76.80	1.15
DH5	Ant4	2441	2.88	3.75	76.80	1.15
DH5	Ant4	2480	2.89	3.75	77.07	1.13
2DH5	Ant4	2402	2.89	3.75	77.07	1.13
2DH5	Ant4	2441	2.88	3.75	76.80	1.15
2DH5	Ant4	2480	2.89	3.76	76.86	1.14
3DH5	Ant4	2402	2.89	3.75	77.07	1.13
3DH5	Ant4	2441	2.89	3.75	77.07	1.13
3DH5	Ant4	2480	2.89	3.75	77.07	1.13

Test Graphs






NTNV-3DH5-Ant4-2402



NTNV-3DH5-Ant4-2441




NTNV-3DH5-Ant4-2480

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	95.33	45.11	-24.91	20.20	43.50	23.30	Horizontal	PASS
2	147.04	46.64	-26.11	20.53	43.50	22.97	Horizontal	PASS
3	189.96	46.44	-24.17	22.27	43.50	21.23	Horizontal	PASS
4	238.32	54.16	-22.38	31.78	47.00	15.22	Horizontal	PASS
5	275.76	56.98	-21.01	35.97	47.00	11.03	Horizontal	PASS
6	325.04	55.67	-19.83	35.84	47.00	11.16	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	30.00	51.20	-25.22	25.98	40.00	14.02	Vertical	PASS
2	49.98	44.47	-22.18	22.29	40.00	17.71	Vertical	PASS
3	107.99	48.61	-24.16	24.45	43.50	19.05	Vertical	PASS
4	150.67	50.57	-26.14	24.43	43.50	19.07	Vertical	PASS
5	275.08	51.69	-20.81	30.88	47.00	16.12	Vertical	PASS
6	335.27	49.99	-19.35	30.64	47.00	16.36	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	44.51	2.22	46.73	-	-	Horizontal	NA
2	4804.00	48.35	-7.58	40.77	54.00	13.23	Horizontal	PASS
3	7618.00	36.54	-1.06	35.48	54.00	18.52	Horizontal	PASS
4	9511.00	36.76	2.64	39.40	54.00	14.60	Horizontal	PASS
5	2401.70	46.70	2.22	48.92	-	-	Horizontal	NA
6	4803.50	50.34	-7.58	42.76	74.00	31.24	Horizontal	PASS
7	7400.00	44.58	-1.01	43.57	74.00	30.43	Horizontal	PASS
8	9612.00	43.61	2.84	46.45	74.00	27.55	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2401.90	42.37	2.22	44.59	-	-	Vertical	NA
2	4804.00	46.01	-7.58	38.43	54.00	15.57	Vertical	PASS
3	8060.50	36.14	0.03	36.17	54.00	17.83	Vertical	PASS
4	13824.50	33.71	8.32	42.03	54.00	11.97	Vertical	PASS
5	2388.60	47.35	2.22	49.57	-	-	Vertical	NA
6	4804.00	49.45	-7.58	41.87	74.00	32.13	Vertical	PASS
7	8087.50	44.45	0.23	44.68	74.00	29.32	Vertical	PASS
8	13420.00	42.19	7.03	49.22	74.00	24.78	Vertical	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	39
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2440.90	45.31	2.29	47.60	-	-	Horizontal	NA
2	4882.00	49.10	-8.04	41.06	54.00	12.94	Horizontal	PASS
3	8889.50	35.73	2.01	37.74	54.00	16.26	Horizontal	PASS
4	12861.50	35.44	5.70	41.14	54.00	12.86	Horizontal	PASS
5	2440.80	46.73	2.29	49.02	-	-	Horizontal	NA
6	4881.50	51.07	-8.04	43.03	74.00	30.97	Horizontal	PASS
7	8820.00	43.58	2.41	45.99	74.00	28.01	Horizontal	PASS
8	12878.00	43.07	5.46	48.53	74.00	25.47	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	39
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2440.90	45.68	2.29	47.97	-	-	Vertical	NA
2	4882.00	50.11	-8.04	42.07	54.00	11.93	Vertical	PASS
3	9516.00	36.30	2.62	38.92	54.00	15.08	Vertical	PASS
4	13579.00	35.01	6.92	41.93	54.00	12.07	Vertical	PASS
5	2440.90	46.96	2.29	49.25	-	-	Vertical	NA
6	4881.50	51.96	-8.04	43.92	74.00	30.08	Vertical	PASS
7	9577.50	44.06	2.70	46.76	74.00	27.24	Vertical	PASS
8	13827.00	41.60	8.36	49.96	74.00	24.04	Vertical	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	78
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.90	54.16	2.27	56.43	-	-	Horizontal	NA
2	4942.00	49.07	-7.61	41.46	54.00	12.54	Horizontal	PASS
3	6879.50	37.52	-2.20	35.32	54.00	18.68	Horizontal	PASS
4	11418.00	34.21	5.21	39.42	54.00	14.58	Horizontal	PASS
5	2429.80	54.78	2.27	57.05	-	-	Horizontal	NA
6	4941.50	51.23	-7.62	43.61	74.00	30.39	Horizontal	PASS
7	6989.50	44.46	-1.94	42.52	74.00	31.48	Horizontal	PASS
8	11378.00	42.62	5.14	47.76	74.00	26.24	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	78
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.00	51.45	2.27	53.72	-	-	Vertical	NA
2	4920.00	46.88	-7.80	39.08	54.00	14.92	Vertical	PASS
3	6982.00	36.83	-2.07	34.76	54.00	19.24	Vertical	PASS
4	11383.00	34.71	5.19	39.90	54.00	14.10	Vertical	PASS
5	2429.80	52.41	2.27	54.68	-	-	Vertical	NA
6	4919.50	49.79	-7.80	41.99	74.00	32.01	Vertical	PASS
7	6897.00	45.43	-2.13	43.30	74.00	30.70	Vertical	PASS
8	11454.50	43.06	4.99	48.05	74.00	25.95	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.12	33.42	1.43	34.85	54.00	19.15	Horizontal	PASS
2	2384.79	34.57	1.43	36.00	54.00	18.00	Horizontal	PASS
3	2388.77	36.97	1.43	38.40	54.00	15.60	Horizontal	PASS
4	2380.08	44.14	1.43	45.57	74.00	28.43	Horizontal	PASS
5	2384.79	44.81	1.43	46.24	74.00	27.76	Horizontal	PASS
6	2388.77	53.14	1.43	54.57	74.00	19.43	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.68	36.20	1.43	37.63	54.00	16.37	Vertical	PASS
2	2386.51	38.72	1.43	40.15	54.00	13.85	Vertical	PASS
3	2389.17	38.80	1.43	40.23	54.00	13.77	Vertical	PASS
4	2380.93	48.69	1.43	50.12	74.00	23.88	Vertical	PASS
5	2384.88	48.81	1.43	50.24	74.00	23.76	Vertical	PASS
6	2389.55	54.44	1.43	55.87	74.00	18.13	Vertical	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	78
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.77	30.56	1.87	32.43	54.00	21.57	Horizontal	PASS
2	2484.80	30.19	1.87	32.06	54.00	21.94	Horizontal	PASS
3	2485.46	29.66	1.88	31.54	54.00	22.46	Horizontal	PASS
4	2483.58	41.91	1.85	43.76	74.00	30.24	Horizontal	PASS
5	2484.91	44.82	1.87	46.69	74.00	27.31	Horizontal	PASS
6	2485.62	41.76	1.88	43.64	74.00	30.36	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	78
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	32.26	1.85	34.11	54.00	19.89	Vertical	PASS
2	2485.10	31.11	1.87	32.98	54.00	21.02	Vertical	PASS
3	2486.90	30.80	1.90	32.70	54.00	21.30	Vertical	PASS
4	2483.56	43.38	1.85	45.23	74.00	28.77	Vertical	PASS
5	2484.94	43.21	1.87	45.08	74.00	28.92	Vertical	PASS
6	2486.95	42.17	1.90	44.07	74.00	29.93	Vertical	PASS

Project Information

Mode:	BT (2DH5)	Band:	-
Bandwidth	-	Channel	0
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2382.37	29.32	1.43	30.75	54.00	23.25	Horizontal	PASS
2	2385.79	30.06	1.43	31.49	54.00	22.51	Horizontal	PASS
3	2389.24	30.46	1.43	31.89	54.00	22.11	Horizontal	PASS
4	2382.87	41.87	1.43	43.30	74.00	30.70	Horizontal	PASS
5	2385.76	40.05	1.43	41.48	74.00	32.52	Horizontal	PASS
6	2388.92	41.39	1.43	42.82	74.00	31.18	Horizontal	PASS