


Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20M	Channel	11
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	95.58	48.21	-24.92	23.29	43.50	20.21	Horizontal	PASS
2	146.99	49.75	-26.09	23.66	43.50	19.84	Horizontal	PASS
3	178.85	49.02	-25.07	23.95	43.50	19.55	Horizontal	PASS
4	236.38	53.75	-22.42	31.33	47.00	15.67	Horizontal	PASS
5	275.96	62.80	-20.98	41.82	47.00	5.18	Horizontal	PASS
6	323.20	54.20	-19.75	34.45	47.00	12.55	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20M	Channel	11
IMEI:	867065080018844	Engineer:	Tian Shuo
Remark:			


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	51.49	47.25	-23.42	23.83	40.00	16.17	Vertical	PASS
2	96.06	51.04	-24.57	26.47	43.50	17.03	Vertical	PASS
3	109.20	47.29	-23.68	23.61	43.50	19.89	Vertical	PASS
4	150.53	51.56	-26.26	25.30	43.50	18.20	Vertical	PASS
5	178.37	48.27	-25.24	23.03	43.50	20.47	Vertical	PASS
6	276.05	51.16	-20.89	30.27	47.00	16.73	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2409.80	43.17	2.23	45.40	-	-	Horizontal	NA
2	4824.50	51.72	-7.85	43.87	54.00	10.13	Horizontal	PASS
3	7235.50	45.69	-1.49	44.20	54.00	9.80	Horizontal	PASS
4	15040.00	33.97	8.44	42.41	54.00	11.59	Horizontal	PASS
5	2409.20	46.50	2.24	48.74	-	-	Horizontal	NA
6	4824.00	52.84	-7.84	45.00	74.00	29.00	Horizontal	PASS
7	7237.00	49.41	-1.50	47.91	74.00	26.09	Horizontal	PASS
8	14666.50	41.70	9.46	51.16	74.00	22.84	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2409.70	41.21	2.23	43.44	-	-	Vertical	NA
2	4824.50	50.01	-7.85	42.16	54.00	11.84	Vertical	PASS
3	7235.50	49.45	-1.49	47.96	54.00	6.04	Vertical	PASS
4	17348.50	32.06	12.79	44.85	54.00	9.15	Vertical	PASS
5	2389.20	45.48	2.22	47.70	-	-	Vertical	NA
6	4824.00	51.89	-7.84	44.05	74.00	29.95	Vertical	PASS
7	7234.50	52.69	-1.48	51.21	74.00	22.79	Vertical	PASS
8	17356.50	40.72	12.61	53.33	74.00	20.67	Vertical	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2437.90	52.21	2.29	54.50	-	-	Horizontal	NA
2	4874.50	54.21	-8.08	46.13	54.00	7.87	Horizontal	PASS
3	7310.50	47.03	-1.26	45.77	54.00	8.23	Horizontal	PASS
4	12844.50	34.37	5.87	40.24	54.00	13.76	Horizontal	PASS
5	2437.80	54.58	2.29	56.87	-	-	Horizontal	NA
6	4874.00	55.93	-8.08	47.85	74.00	26.15	Horizontal	PASS
7	7310.00	50.67	-1.26	49.41	74.00	24.59	Horizontal	PASS
8	12868.00	42.58	5.60	48.18	74.00	25.82	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2437.70	47.42	2.29	49.71	-	-	Vertical	NA
2	4874.50	53.72	-8.08	45.64	54.00	8.36	Vertical	PASS
3	7310.00	47.72	-1.26	46.46	54.00	7.54	Vertical	PASS
4	13494.50	34.09	6.86	40.95	54.00	13.05	Vertical	PASS
5	2437.80	49.71	2.29	52.00	-	-	Vertical	NA
6	4874.00	55.86	-8.08	47.78	74.00	26.22	Vertical	PASS
7	7312.00	51.05	-1.28	49.77	74.00	24.23	Vertical	PASS
8	13010.50	42.83	5.96	48.79	74.00	25.21	Vertical	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	48.28	2.33	50.61	-	-	Horizontal	NA
2	4924.50	52.11	-7.76	44.35	54.00	9.65	Horizontal	PASS
3	9485.00	36.45	2.39	38.84	54.00	15.16	Horizontal	PASS
4	14816.50	32.95	8.92	41.87	54.00	12.13	Horizontal	PASS
5	2461.10	50.79	2.33	53.12	-	-	Horizontal	NA
6	4924.00	53.89	-7.76	46.13	74.00	27.87	Horizontal	PASS
7	9527.00	44.82	2.59	47.41	74.00	26.59	Horizontal	PASS
8	14357.00	40.58	9.20	49.78	74.00	24.22	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	48.04	2.34	50.38	-	-	Vertical	NA
2	4924.50	53.37	-7.76	45.61	54.00	8.39	Vertical	PASS
3	7387.50	39.07	-1.15	37.92	54.00	16.08	Vertical	PASS
4	12808.50	35.25	5.92	41.17	54.00	12.83	Vertical	PASS
5	2461.50	50.85	2.34	53.19	-	-	Vertical	NA
6	4924.00	55.65	-7.76	47.89	74.00	26.11	Vertical	PASS
7	7387.00	45.27	-1.15	44.12	74.00	29.88	Vertical	PASS
8	12844.50	42.07	5.87	47.94	74.00	26.06	Vertical	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.60	47.66	2.33	49.99	-	-	Horizontal	NA
2	3646.00	40.26	-11.67	28.59	54.00	25.41	Horizontal	PASS
3	4917.50	39.43	-7.81	31.62	54.00	22.38	Horizontal	PASS
4	11427.50	34.87	5.15	40.02	54.00	13.98	Horizontal	PASS
5	2461.10	53.62	2.33	55.95	-	-	Horizontal	NA
6	3648.50	47.53	-11.67	35.86	74.00	38.14	Horizontal	PASS
7	4926.00	46.94	-7.75	39.19	74.00	34.81	Horizontal	PASS
8	12022.50	42.82	5.27	48.09	74.00	25.91	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	41.94	2.33	44.27	-	-	Vertical	NA
2	4924.50	41.94	-7.76	34.18	54.00	19.82	Vertical	PASS
3	7383.50	37.69	-1.19	36.50	54.00	17.50	Vertical	PASS
4	17354.50	31.98	12.68	44.66	54.00	9.34	Vertical	PASS
5	2459.40	46.94	2.33	49.27	-	-	Vertical	NA
6	4922.00	48.12	-7.78	40.34	74.00	33.66	Vertical	PASS
7	7379.00	46.93	-1.24	45.69	74.00	28.31	Vertical	PASS
8	17348.00	39.51	12.77	52.28	74.00	21.72	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2455.00	44.18	2.32	46.50	-	-	Horizontal	NA
2	4927.00	39.65	-7.74	31.91	54.00	22.09	Horizontal	PASS
3	7382.00	37.75	-1.20	36.55	54.00	17.45	Horizontal	PASS
4	17354.00	33.38	12.70	46.08	54.00	7.92	Horizontal	PASS
5	2460.90	53.01	2.33	55.34	-	-	Horizontal	NA
6	4930.50	47.54	-7.71	39.83	74.00	34.17	Horizontal	PASS
7	7379.00	45.64	-1.24	44.40	74.00	29.60	Horizontal	PASS
8	17358.50	40.76	12.53	53.29	74.00	20.71	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.10	42.71	2.33	45.04	-	-	Vertical	NA
2	4923.50	40.67	-7.76	32.91	54.00	21.09	Vertical	PASS
3	7606.00	37.91	-1.09	36.82	54.00	17.18	Vertical	PASS
4	17343.00	33.52	12.54	46.06	54.00	7.94	Vertical	PASS
5	2460.20	49.94	2.33	52.27	-	-	Vertical	NA
6	4923.00	48.02	-7.77	40.25	74.00	33.75	Vertical	PASS
7	7376.00	47.08	-1.27	45.81	74.00	28.19	Vertical	PASS
8	17352.00	41.16	12.78	53.94	74.00	20.06	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20M	Channel	1
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2377.60	41.17	1.44	42.61	54.00	11.39	Horizontal	PASS
2	2386.89	43.68	1.42	45.10	54.00	8.90	Horizontal	PASS
3	2388.31	42.47	1.43	43.90	54.00	10.10	Horizontal	PASS
4	2377.52	52.57	1.44	54.01	74.00	19.99	Horizontal	PASS
5	2385.81	53.54	1.43	54.97	74.00	19.03	Horizontal	PASS
6	2388.43	53.22	1.43	54.65	74.00	19.35	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20M	Channel	1
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.06	41.12	1.43	42.55	54.00	11.45	Vertical	PASS
2	2382.79	41.23	1.43	42.66	54.00	11.34	Vertical	PASS
3	2387.04	41.97	1.42	43.39	54.00	10.61	Vertical	PASS
4	2378.19	51.85	1.44	53.29	74.00	20.71	Vertical	PASS
5	2381.33	52.39	1.43	53.82	74.00	20.18	Vertical	PASS
6	2389.21	53.93	1.43	55.36	74.00	18.64	Vertical	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20M	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.82	37.88	1.87	39.75	54.00	14.25	Horizontal	PASS
2	2486.84	39.97	1.90	41.87	54.00	12.13	Horizontal	PASS
3	2489.65	35.94	1.92	37.86	54.00	16.14	Horizontal	PASS
4	2484.37	48.18	1.87	50.05	74.00	23.95	Horizontal	PASS
5	2486.51	50.09	1.89	51.98	74.00	22.02	Horizontal	PASS
6	2489.63	47.25	1.92	49.17	74.00	24.83	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20M	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	36.27	1.86	38.13	54.00	15.87	Vertical	PASS
2	2486.58	37.26	1.89	39.15	54.00	14.85	Vertical	PASS
3	2490.16	35.69	1.93	37.62	54.00	16.38	Vertical	PASS
4	2483.70	48.42	1.86	50.28	74.00	23.72	Vertical	PASS
5	2486.48	48.58	1.89	50.47	74.00	23.53	Vertical	PASS
6	2490.04	47.80	1.93	49.73	74.00	24.27	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20M	Channel	1
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.63	47.84	1.42	49.26	54.00	4.74	Horizontal	PASS
2	2388.16	48.29	1.43	49.72	54.00	4.28	Horizontal	PASS
3	2389.58	49.32	1.43	50.75	54.00	3.25	Horizontal	PASS
4	2386.26	65.00	1.43	66.43	74.00	7.57	Horizontal	PASS
5	2387.87	67.06	1.43	68.49	74.00	5.51	Horizontal	PASS
6	2389.55	66.62	1.43	68.05	74.00	5.95	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20M	Channel	1
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.32	43.28	1.43	44.71	54.00	9.29	Vertical	PASS
2	2388.16	46.52	1.43	47.95	54.00	6.05	Vertical	PASS
3	2389.73	47.66	1.43	49.09	54.00	4.91	Vertical	PASS
4	2384.28	60.23	1.43	61.66	74.00	12.34	Vertical	PASS
5	2387.98	61.48	1.43	62.91	74.00	11.09	Vertical	PASS
6	2389.06	63.30	1.43	64.73	74.00	9.27	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20M	Channel	2
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.01	42.29	1.43	43.72	54.00	10.28	Horizontal	PASS
2	2387.13	44.21	1.42	45.63	54.00	8.37	Horizontal	PASS
3	2389.66	46.05	1.43	47.48	54.00	6.52	Horizontal	PASS
4	2383.62	56.92	1.43	58.35	74.00	15.65	Horizontal	PASS
5	2387.09	59.08	1.42	60.50	74.00	13.50	Horizontal	PASS
6	2388.77	61.09	1.43	62.52	74.00	11.48	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20M	Channel	2
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2367.70	40.77	1.44	42.21	54.00	11.79	Vertical	PASS
2	2386.47	42.09	1.43	43.52	54.00	10.48	Vertical	PASS
3	2389.74	43.03	1.43	44.46	54.00	9.54	Vertical	PASS
4	2367.39	52.69	1.43	54.12	74.00	19.88	Vertical	PASS
5	2386.50	56.37	1.43	57.80	74.00	16.20	Vertical	PASS
6	2389.00	57.37	1.43	58.80	74.00	15.20	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.62	46.61	1.86	48.47	54.00	5.53	Horizontal	PASS
2	2485.04	44.00	1.87	45.87	54.00	8.13	Horizontal	PASS
3	2487.01	40.55	1.90	42.45	54.00	11.55	Horizontal	PASS
4	2483.58	62.49	1.85	64.34	74.00	9.66	Horizontal	PASS
5	2485.16	58.82	1.88	60.70	74.00	13.30	Horizontal	PASS
6	2487.18	56.42	1.90	58.32	74.00	15.68	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	-	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	41.36	1.86	43.22	54.00	10.78	Vertical	PASS
2	2485.18	38.94	1.88	40.82	54.00	13.18	Vertical	PASS
3	2487.15	37.43	1.90	39.33	54.00	14.67	Vertical	PASS
4	2483.58	58.08	1.85	59.93	74.00	14.07	Vertical	PASS
5	2484.90	55.44	1.87	57.31	74.00	16.69	Vertical	PASS
6	2487.15	51.57	1.90	53.47	74.00	20.53	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.04	45.95	1.42	47.37	54.00	6.63	Horizontal	PASS
2	2388.43	47.61	1.43	49.04	54.00	4.96	Horizontal	PASS
3	2389.85	49.39	1.43	50.82	54.00	3.18	Horizontal	PASS
4	2387.01	61.69	1.42	63.11	74.00	10.89	Horizontal	PASS
5	2388.20	65.02	1.43	66.45	74.00	7.55	Horizontal	PASS
6	2389.40	66.11	1.43	67.54	74.00	6.46	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.00	42.39	1.43	43.82	54.00	10.18	Vertical	PASS
2	2387.98	43.90	1.43	45.33	54.00	8.67	Vertical	PASS
3	2389.85	46.19	1.43	47.62	54.00	6.38	Vertical	PASS
4	2384.58	55.52	1.43	56.95	74.00	17.05	Vertical	PASS
5	2387.72	58.38	1.43	59.81	74.00	14.19	Vertical	PASS
6	2389.66	61.31	1.43	62.74	74.00	11.26	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	2
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2370.59	41.25	1.44	42.69	54.00	11.31	Horizontal	PASS
2	2386.19	42.04	1.43	43.47	54.00	10.53	Horizontal	PASS
3	2389.78	42.62	1.43	44.05	54.00	9.95	Horizontal	PASS
4	2369.85	52.94	1.44	54.38	74.00	19.62	Horizontal	PASS
5	2386.50	54.64	1.43	56.07	74.00	17.93	Horizontal	PASS
6	2389.82	56.16	1.43	57.59	74.00	16.41	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	2
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2366.96	41.01	1.44	42.45	54.00	11.55	Vertical	PASS
2	2375.78	41.09	1.43	42.52	54.00	11.48	Vertical	PASS
3	2385.37	41.40	1.43	42.83	54.00	11.17	Vertical	PASS
4	2365.79	52.59	1.44	54.03	74.00	19.97	Vertical	PASS
5	2375.54	52.48	1.43	53.91	74.00	20.09	Vertical	PASS
6	2387.79	53.08	1.43	54.51	74.00	19.49	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.74	47.38	1.86	49.24	54.00	4.76	Horizontal	PASS
2	2484.08	46.43	1.87	48.30	54.00	5.70	Horizontal	PASS
3	2484.46	45.73	1.87	47.60	54.00	6.40	Horizontal	PASS
4	2483.58	67.97	1.85	69.82	74.00	4.18	Horizontal	PASS
5	2484.18	64.15	1.87	66.02	74.00	7.98	Horizontal	PASS
6	2484.61	64.09	1.87	65.96	74.00	8.04	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	867065080020162	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	42.12	1.86	43.98	54.00	10.02	Vertical	PASS
2	2484.20	41.23	1.87	43.10	54.00	10.90	Vertical	PASS
3	2484.99	40.52	1.87	42.39	54.00	11.61	Vertical	PASS
4	2483.67	60.24	1.86	62.10	74.00	11.90	Vertical	PASS
5	2484.42	61.29	1.87	63.16	74.00	10.84	Vertical	PASS
6	2484.75	56.97	1.87	58.84	74.00	15.16	Vertical	PASS

~The End~