XD6U616AT

3.85V ⎓ Rechargeable Li-ion Battery/Batterie
Model: PT34H406082J
Rated Capacity: 3310mAh/12.74Wh
Typical Capacity: 3400mAh/13.09Wh
Limited Charge Voltage: 4.4V ⎓
Made by Ningbo Veken Battery Co., Ltd
Made in China 1ICP4/60/80
CAUTION:
Do not disassemble.
Do not expose to high temperature (60°C/140°F).
Do not allow metal objects to contact or short circuit the battery terminals.
Do not incinerate or expose to fire.
PRECAUCIÓN
No la desmonte.
No la exponga a altas temperaturas 60°C(140°F).
No permita que objetos metálicos entren en contacto o provoquen un cortocircuito en los terminales de la batería.
No la incinere ni la exponga al fuego.
TPJ21L20P
TLJ211220410003599
U616AT-DIV-V15-SUNGY
U616AT-MAIN-V18-SUNGY

3.85V ⎓ Rechargeable Li-ion Battery/Batterie
Model: PT34H406082J
Rated Capacity: 3310mAh/12.74Wh
Typical Capacity: 3400mAh/13.09Wh
Limited Charge Voltage: 4.4V ⎓
Made by Ningbo Veken Battery Co., Ltd
Made in China 1ICP4/60/80
CAUTION:
Do not disassemble.
Do not expose to high temperature (60°C/140°F).
Do not allow metal objects to contact or short circuit the battery terminals.
Do not incinerate or expose to fire.
PRECAUCIÓN
No la desmonte.
No la exponga a altas temperaturas 60°C(140°F).
No permita que objetos metálicos entren en contacto o provoquen un cortocircuito en los terminales de la batería.
No la incinere ni la exponga al fuego.
TPJ21L20P
TLJ211220410003599


FORESEE
MEDIATEK
ARM
SUNYAIN
NAND


GND
D- D+
VBUS
U616AT
V1.0
PWR
20220214