



REPORT No.: SZ25110073S04

Annex D Test Plots of Volume Control

5.1 Receive Volume Control Performance 8N---NB	3
5.1 Receive Volume Control Performance 2N---NB	11
5.1 Receive Volume Control Performance 8N---WB	18
5.1 Receive Volume Control Performance 2N---WB	25
5.1 Receive Volume Control Performance 8N---EVS_NB	32
5.1 Receive Volume Control Performance 2N---EVS_NB	39
5.1 Receive Volume Control Performance 8N---EVS_WB	46
5.1 Receive Volume Control Performance 2N---EVS_WB	53
5.1 Receive Volume Control Performance 8N---EVS_SWB	60
5.1 Receive Volume Control Performance 2N---EVS_SWB	67
5.2 Receive Acoustic Frequency response Performance 8N&2N	74
5.2 Receive Acoustic Frequency response Performance 8N&2N	93
5.3 Receive path – distortion and noise	111
Receive path - distortion and noise 400Hz NB	112
Receive path - distortion and noise 500Hz NB	119
Receive path - distortion and noise 630Hz NB	126
Receive path - distortion and noise 800Hz NB	133
Receive path - distortion and noise 1000Hz NB	140
Receive path - distortion and noise 1250Hz NB	147
Receive path - distortion and noise 1600Hz NB	153
Receive path - distortion and noise 2000Hz NB	160
Receive path - distortion and noise 2500Hz NB	167
Receive path - distortion and noise 3150Hz NB	174
Receive path - distortion and noise 400Hz NB	181
Receive path - distortion and noise 500Hz NB	188
Receive path - distortion and noise 630Hz NB	195
Receive path - distortion and noise 800Hz NB	202
Receive path - distortion and noise 1000Hz NB	209
Receive path - distortion and noise 1250Hz NB	216
Receive path - distortion and noise 1600Hz NB	222
Receive path - distortion and noise 2000Hz NB	229
Receive path - distortion and noise 2500Hz NB	236
Receive path - distortion and noise 3150Hz NB	243
Receive path - distortion and noise 250Hz NB	250
Receive path - distortion and noise 315Hz NB	257
Receive path - distortion and noise 400Hz NB	264
Receive path - distortion and noise 500Hz NB	271
Receive path - distortion and noise 630Hz NB	278
Receive path - distortion and noise 800Hz NB	285
Receive path - distortion and noise 1000Hz NB	292
Receive path - distortion and noise 1250Hz NB	299
Receive path - distortion and noise 1600Hz NB	305
Receive path - distortion and noise 2000Hz NB	312
Receive path - distortion and noise 2500Hz NB	319
Receive path - distortion and noise 3150Hz NB	326
Receive path - distortion and noise 4000Hz NB	333
Receive path - distortion and noise 5000Hz NB	340
Receive path - distortion and noise 250Hz NB	346
Receive path - distortion and noise 315Hz NB	353

Receive path - distortion and noise 400Hz NB	360
Receive path - distortion and noise 500Hz NB	367
Receive path - distortion and noise 630Hz NB	374
Receive path - distortion and noise 800Hz NB	381
Receive path - distortion and noise 1000Hz NB	388
Receive path - distortion and noise 1250Hz NB	395
Receive path - distortion and noise 1600Hz NB	401
Receive path - distortion and noise 2000Hz NB	408
Receive path - distortion and noise 2500Hz NB	415
Receive path - distortion and noise 3150Hz NB	422
Receive path - distortion and noise 4000Hz NB	429
Receive path - distortion and noise 5000Hz NB	436

5.1 Receive Volume Control Performance 8N---NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band II



Speech Level RCV: 83.37[SPL]

Calculated Value: 13.37Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WCDMA Band IV



Speech Level RCV: 84.05[SPL]

Calculated Value: 14.05Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WCDMA Band V



Speech Level RCV: 83.83[SPL]

Calculated Value: 13.83 ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 2



Speech Level RCV: 83.47[SPL]

Calculated Value: 13.47Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 4



Speech Level RCV: 83.78[SPL]

Calculated Value: 13.78Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 5



Speech Level RCV: 83.04[SPL]

Calculated Value: 13.04Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 12



Speech Level RCV: 83.77[SPL]

Calculated Value: 13.77Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 14



Speech Level RCV: 82.84[SPL]

Calculated Value: 12.84Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 17



Speech Level RCV: 82.6[SPL]

Calculated Value:12.6Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 25



Speech Level RCV: 83.61[SPL]

Calculated Value: 13.61Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 30



Speech Level RCV: 83.22[SPL]

Calculated Value: 13.22Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 41



Speech Level RCV: 84.32[SPL]

Calculated Value: 14.32Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 82.93[SPL]

Calculated Value: 12.93Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 82.77[SPL]

Calculated Value: 12.77Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n2



Speech Level RCV: 83.42[SPL]

Calculated Value: 13.42Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n5



Speech Level RCV: 85.16[SPL]

Calculated Value: 15.16Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n25



Speech Level RCV: 85.02[SPL]

Calculated Value: 15.02Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n30



Speech Level RCV: 83.76[SPL]

Calculated Value: 13.76Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n41



Speech Level RCV: 86.91[SPL]

Calculated Value: 16.91Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n48



Speech Level RCV: 85.41[SPL]

Calculated Value: 15.41Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n66



Speech Level RCV: 85.58[SPL]

Calculated Value: 15.58Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n71



Speech Level RCV: 84.83[SPL]

Calculated Value: 14.83Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5GNR n77



Speech Level RCV: 85.09[SPL]

Calculated Value: 15.09Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN2.4G



Speech Level RCV: 83.68[SPL]

Calculated Value: 13.68Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN5.2G



Speech Level RCV: 83.21[SPL]

Calculated Value: 13.21Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN5.3G



Speech Level RCV: 83.38[SPL]

Calculated Value: 13.38Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN5.5G



Speech Level RCV: 83.36[SPL]

Calculated Value: 13.36Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ WLAN5.8G



Speech Level RCV: 83.24[SPL]

Calculated Value: 13.24Ok

5.1 Receive Volume Control Performance 2N---NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WCDMA Band II



Speech Level RCV: 79.63[SPL]

Calculated Value: 9.63Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WCDMA Band IV



Speech Level RCV: 79.17[SPL]

Calculated Value: 9.17Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ WCDMA Band V



Speech Level RCV: 79.25[SPL]

Calculated Value: 9.25Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 2



Speech Level RCV: 78.98[SPL]

Calculated Value: 8.98Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 4



Speech Level RCV: 78.94[SPL]

Calculated Value: 8.94Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 5



Speech Level RCV: 78.9[SPL]

Calculated Value: 8.90Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 12



Speech Level RCV: 78.98[SPL]

Calculated Value: 8.98Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 14



Speech Level RCV: 78.74[SPL]

Calculated Value: 8.74Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 17



Speech Level RCV: 78.67[SPL]

Calculated Value: 8.67Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 25



Speech Level RCV: 78.96[SPL]

Calculated Value: 8.96Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 30



Speech Level RCV: 78.79[SPL]

Calculated Value: 8.79Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 41



Speech Level RCV: 79.14[SPL]

Calculated Value: 9.14Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 78.84[SPL]

Calculated Value: 8.84Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 78.99[SPL]

Calculated Value: 8.99Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5G NR n2



Speech Level RCV: 79.65[SPL]

Calculated Value: 9.65Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5G NR n5



Speech Level RCV:80.19[SPL]

Calculated Value: 10.19Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n25



Speech Level RCV: 80.29[SPL]

Calculated Value: 10.29Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n30



Speech Level RCV: 80.04[SPL]

Calculated Value: 10.04Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n41



Speech Level RCV: 80.11[SPL]

Calculated Value: 10.11Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n48



Speech Level RCV: 80.19[SPL]

Calculated Value: 10.19Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n66



Speech Level RCV: 80.1[SPL]

Calculated Value: 10.1Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n71



Speech Level RCV: 80.08[SPL]

Calculated Value: 10.08Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5GNR n77



Speech Level RCV: 80.21[SPL]

Calculated Value: 10.21Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WLAN2.4G



Speech Level RCV: 79.75[SPL]

Calculated Value: 79.75Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WLAN5.2G



Speech Level RCV: 79.87[SPL]

Calculated Value: 79.87Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WLAN5.3G



Speech Level RCV: 80.43[SPL]

Calculated Value: 10.43Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WLAN5.5G



Speech Level RCV: 79.99[SPL]

Calculated Value: 79.99Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WLAN5.8G




Speech Level RCV: 80.08[SPL]

Calculated Value: 10.08Ok

5.1 Receive Volume Control Performance 8N---WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band II



Speech Level RCV: 83.71[SPL]

Calculated Value: 13.71Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WCDMA Band IV



Speech Level RCV: 84.14[SPL]

Calculated Value: 14.14Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WCDMA Band V



Speech Level RCV: 83.02[SPL]

Calculated Value: 13.02ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\LTE Band 2



Speech Level RCV: 82.63[SPL]

Calculated Value: 12.63Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 4



Speech Level RCV: 83.34[SPL]

Calculated Value: 13.34Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\LTE Band 5



Speech Level RCV: 82.94[SPL]

Calculated Value: 12.94Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 12



Speech Level RCV: 83.07[SPL]

Calculated Value: 13.07Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 14



Speech Level RCV: 82.88[SPL]

Calculated Value: 12.88Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 17



Speech Level RCV: 83.47[SPL]

Calculated Value:13.47Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 25



Speech Level RCV: 83.92[SPL]

Calculated Value: 13.92Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 30



Speech Level RCV: 83.93[SPL]

Calculated Value: 13.93Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 41



Speech Level RCV: 83.66[SPL]

Calculated Value: 13.66 Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 66



Speech Level RCV: 82.97[SPL]

Calculated Value: 12.97Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ LTE Band 71



Speech Level RCV: 82.86[SPL]

Calculated Value: 12.86Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n2



Speech Level RCV: 84.33[SPL]

Calculated Value: 14.33Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n5



Speech Level RCV: 83.93[SPL]

Calculated Value: 13.93Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n25



Speech Level RCV: 84.79[SPL]

Calculated Value: 14.79Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n30



Speech Level RCV: 84.09[SPL]

Calculated Value: 14.09Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n41



Speech Level RCV: 83.51[SPL]

Calculated Value: 13.51Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n48



Speech Level RCV: 84.06[SPL]

Calculated Value: 14.06Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n66



Speech Level RCV: 85.03[SPL]

Calculated Value: 15.03Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n71



Speech Level RCV: 84.47[SPL]

Calculated Value: 14.47Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5GNR n77



Speech Level RCV: 84.24[SPL]

Calculated Value: 14.24Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN2.4G



Speech Level RCV: 83.87[SPL]

Calculated Value: 13.87Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN5.2G



Speech Level RCV: 83.37[SPL]

Calculated Value: 13.37Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN5.3G



Speech Level RCV: 83.39[SPL]

Calculated Value: 13.39Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN5.5G



Speech Level RCV: 83.32[SPL]

Calculated Value: 13.32Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ WLAN5.8G



Speech Level RCV: 83.53[SPL]

Calculated Value: 13.53Ok

5.1 Receive Volume Control Performance 2N---WB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\WCDMA Band II



Speech Level RCV: 79.04[SPL]

Calculated Value: 9.04Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WCDMA Band IV



Speech Level RCV: 79.31[SPL]

Calculated Value: 9.31Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WCDMA Band V



Speech Level RCV: 79.1[SPL]

Calculated Value: 9.1Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\LTE Band 2



Speech Level RCV: 78.04[SPL]

Calculated Value: 8.04Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 4



Speech Level RCV: 78.8[SPL]

Calculated Value: 8.8Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\LTE Band 5



Speech Level RCV: 78.77[SPL]

Calculated Value: 8.77Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 12



Speech Level RCV: 79.12[SPL]

Calculated Value: 9.12Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 14



Speech Level RCV: 78.82[SPL]

Calculated Value: 8.82Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 17



Speech Level RCV: 78.73[SPL]

Calculated Value: 8.73Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 25



Speech Level RCV: 78.93[SPL]

Calculated Value: 8.93Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 30



Speech Level RCV: 78.77[SPL]

Calculated Value: 8.77Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 41



Speech Level RCV: 78.9[SPL]

Calculated Value: 8.9Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 66



Speech Level RCV: 78.97[SPL]

Calculated Value: 8.97Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ LTE Band 71



Speech Level RCV: 79.2[SPL]

Calculated Value: 9.2Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n2



Speech Level RCV: 79.73[SPL]

Calculated Value: 9.73Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n5



Speech Level RCV:80.18[SPL]

Calculated Value: 10.18Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n25



Speech Level RCV: 80.29[SPL]

Calculated Value: 10.29Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n30



Speech Level RCV: 80.15[SPL]

Calculated Value: 10.15Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n41



Speech Level RCV: 80.06[SPL]

Calculated Value: 10.06Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n48



Speech Level RCV: 80.3[SPL]

Calculated Value: 10.3Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n66



Speech Level RCV: 80.15[SPL]

Calculated Value: 10.15Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n71



Speech Level RCV: 80.1[SPL]

Calculated Value: 10.1Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5GNR n77



Speech Level RCV: 79.97[SPL]

Calculated Value: 9.97Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN2.4G



Speech Level RCV: 80.55[SPL]

Calculated Value: 10.55Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN5.2G



Speech Level RCV: 81.15[SPL]

Calculated Value: 11.15Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN5.3G



Speech Level RCV: 80.88[SPL]

Calculated Value: 10.88Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN5.5G



Speech Level RCV: 81.23[SPL]

Calculated Value: 11.23Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ WLAN5.8G




Speech Level RCV: 81.33[SPL]

Calculated Value: 11.33Ok

5.1 Receive Volume Control Performance 8N---EVS_NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\LTE Band 2



Speech Level RCV: 81.55[SPL]

Calculated Value: 11.55Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 4



Speech Level RCV: 83.69[SPL]

Calculated Value: 13.69Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\LTE Band 5



Speech Level RCV: 82.56[SPL]

Calculated Value: 12.56Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 12



Speech Level RCV: 82.94[SPL]

Calculated Value: 12.94Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 14



Speech Level RCV: 83.58[SPL]

Calculated Value: 13.58Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 17



Speech Level RCV: 82.54[SPL]

Calculated Value: 12.54Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 25



Speech Level RCV: 83.41[SPL]

Calculated Value: 13.41Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 30



Speech Level RCV: 83.58[SPL]

Calculated Value: 13.58Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 41



Speech Level RCV: 82.63[SPL]

Calculated Value: 12.63Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 66



Speech Level RCV: 82.67[SPL]

Calculated Value: 12.67Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 71



Speech Level RCV: 82.69[SPL]

Calculated Value: 12.69Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n2



Speech Level RCV: 83.41[SPL]

Calculated Value: 13.41Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n5



Speech Level RCV: 84.39[SPL]

Calculated Value: 14.39Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n25



Speech Level RCV: 84.82[SPL]

Calculated Value: 14.82Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n30



Speech Level RCV: 84.82[SPL]

Calculated Value: 14.82Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n41



Speech Level RCV: 84.92[SPL]

Calculated Value: 14.92Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n48



Speech Level RCV: 84.69[SPL]

Calculated Value: 14.69Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n66



Speech Level RCV: 83.73[SPL]

Calculated Value: 13.73Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n71



Speech Level RCV: 84.06[SPL]

Calculated Value: 14.06Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n77



Speech Level RCV: 83.5[SPL]

Calculated Value: 13.5Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ WLAN 2.4G



Speech Level RCV: 84.73[SPL]

Calculated Value: 14.73Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ WLAN 5.2G



Speech Level RCV: 84.25[SPL]

Calculated Value: 14.25Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ WLAN 5.3G



Speech Level RCV: 84.23[SPL]

Calculated Value: 14.23Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ WLAN 5.5G



Speech Level RCV: 84.25[SPL]

Calculated Value: 14.25Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_NB 24.4kbps\ WLAN 5.8G




Speech Level RCV: 84.26[SPL]

Calculated Value: 14.26Ok

5.1 Receive Volume Control Performance 2N---EVS_NB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\LTE Band 2



Speech Level RCV: 77.63[SPL]

Calculated Value: 7.63Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 4



Speech Level RCV: 79.22[SPL]

Calculated Value: 9.22Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\LTE Band 5



Speech Level RCV: 78.83[SPL]

Calculated Value: 8.83Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 12



Speech Level RCV: 78.81[SPL]

Calculated Value: 8.81Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 14



Speech Level RCV: 79.15[SPL]

Calculated Value: 9.15Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 17



Speech Level RCV: 78.8[SPL]

Calculated Value: 8.8Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 25



Speech Level RCV: 78.77[SPL]

Calculated Value: 8.77Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 30



Speech Level RCV: 78.98[SPL]

Calculated Value: 8.98Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 41



Speech Level RCV: 79.1 [SPL]

Calculated Value: 9.10k


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 66



Speech Level RCV: 78.78[SPL]

Calculated Value: 8.78Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ LTE Band 71



Speech Level RCV: 78.92[SPL]

Calculated Value: 8.92Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n2



Speech Level RCV: 79.73[SPL]

Calculated Value: 9.73Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n5



Speech Level RCV:80.29[SPL]

Calculated Value: 10.29Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n25



Speech Level RCV: 79.94[SPL]

Calculated Value: 9.94Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n30



Speech Level RCV: 79.96[SPL]

Calculated Value: 9.96Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n41



Speech Level RCV: 80 [SPL]

Calculated Value: 100Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n48



Speech Level RCV: 79.94[SPL]

Calculated Value: 9.94Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n66



Speech Level RCV: 80.09[SPL]

Calculated Value: 10.09Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n71



Speech Level RCV: 80.07[SPL]

Calculated Value: 10.07Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ 5GNR n77



Speech Level RCV: 79.99[SPL]

Calculated Value: 9.99Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ WLAN 2.4G



Speech Level RCV: 79.73[SPL]

Calculated Value: 9.73Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ WLAN 5.2G



Speech Level RCV: 80.22[SPL]

Calculated Value: 10.22Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ WLAN 5.3G



Speech Level RCV: 80.32 [SPL]

Calculated Value: 10.32Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ WLAN 5.5G



Speech Level RCV: 80.21[SPL]

Calculated Value: 80.21Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_NB 24.4kbps\ WLAN 5.8G




Speech Level RCV: 79.8[SPL]

Calculated Value: 9.8Ok

5.1 Receive Volume Control Performance 8N---EVS WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\LTE Band 2



Speech Level RCV: 84.08[SPL]

Calculated Value: 14.08Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 4



Speech Level RCV: 81.86SPL]

Calculated Value: 11.86Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\LTE Band 5



Speech Level RCV: 82.37[SPL]

Calculated Value: 12.37Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 12



Speech Level RCV: 82.16[SPL]

Calculated Value: 12.16Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 14



Speech Level RCV: 81.38[SPL]

Calculated Value: 11.38Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 17



Speech Level RCV: 81.37[SPL]

Calculated Value: 11.37Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 25



Speech Level RCV: 82.27[SPL]

Calculated Value: 12.27Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 30



Speech Level RCV: 82.27[SPL]

Calculated Value: 12.27Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 41



Speech Level RCV: 81.77[SPL]

Calculated Value: 11.77Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 66



Speech Level RCV: 81.94[SPL]

Calculated Value: 11.94Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ LTE Band 71



Speech Level RCV: 82.75[SPL]

Calculated Value: 12.75Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n2



Speech Level RCV: 82.72[SPL]

Calculated Value: 12.72Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n5



Speech Level RCV: 83[SPL]

Calculated Value: 13Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n25



Speech Level RCV: 82.3[SPL]

Calculated Value: 12.3Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n30



Speech Level RCV: 83.53[SPL]

Calculated Value: 13.53Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n41



Speech Level RCV: 83.64[SPL]

Calculated Value: 13.64Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n48



Speech Level RCV: 83.19[SPL]

Calculated Value: 13.19Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n66



Speech Level RCV: 83.23[SPL]

Calculated Value: 13.23Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n71



Speech Level RCV: 82.91[SPL]

Calculated Value: 12.91Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ 5GNR n77



Speech Level RCV: 83.11[SPL]

Calculated Value: 13.11Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ WLAN2.4G



Speech Level RCV: 83.39[SPL]

Calculated Value: 13.39Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ WLAN5.2G



Speech Level RCV: 82.83[SPL]

Calculated Value: 12.83Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ WLAN5.3G



Speech Level RCV: 82.94[SPL]

Calculated Value: 12.94Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ WLAN5.5G



Speech Level RCV: 83.05[SPL]

Calculated Value: 13.05Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_WB 128kbps\ WLAN5.8G




Speech Level RCV: 82.86SPL]

Calculated Value: 12.86Ok

5.1 Receive Volume Control Performance 2N---EVS WB

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\LTE Band 2



Speech Level RCV: 79.13[SPL]

Calculated Value: 9.13Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 4



Speech Level RCV: 77.54[SPL]

Calculated Value: 7.54Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\LTE Band 5



Speech Level RCV: 77.75[SPL]

Calculated Value: 7.75Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 12



Speech Level RCV: 77.76[SPL]

Calculated Value: 7.76Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 14



Speech Level RCV: 77.6[SPL]

Calculated Value: 7.6Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 17



Speech Level RCV: 77.82[SPL]

Calculated Value: 7.82Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 25



Speech Level RCV: 77.83[SPL]

Calculated Value: 7.83Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 30



Speech Level RCV: 77.59[SPL]

Calculated Value: 7.59Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 41



Speech Level RCV: 77.59 [SPL]

Calculated Value: 7.59Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 66



Speech Level RCV: 77.8[SPL]

Calculated Value: 7.8Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ LTE Band 71



Speech Level RCV: 77.93[SPL]

Calculated Value: 7.93Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n2



Speech Level RCV: 80.46[SPL]

Calculated Value: 10.46Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n5



Speech Level RCV:78.95[SPL]

Calculated Value: 8.95Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n25



Speech Level RCV: 78.73[SPL]

Calculated Value: 8.73Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n30



Speech Level RCV: 78.97[SPL]

Calculated Value: 8.97Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n41



Speech Level RCV: 79.03 [SPL]

Calculated Value: 9.03Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n48



Speech Level RCV: 79.16[SPL]

Calculated Value: 9.16Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n66



Speech Level RCV: 78.78[SPL]

Calculated Value: 8.78Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n71



Speech Level RCV: 78.75[SPL]

Calculated Value: 8.75Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ 5GNR n77



Speech Level RCV: 79.01[SPL]

Calculated Value: 9.01Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ WLAN2.4G



Speech Level RCV: 79.47[SPL]

Calculated Value: 9.47Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ WLAN5.2G



Speech Level RCV: 79.49[SPL]

Calculated Value: 9.49Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ WLAN5.3G



Speech Level RCV: 79.53[SPL]

Calculated Value: 9.53Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ WLAN5.5G



Speech Level RCV: 79.77[SPL]

Calculated Value: 9.77Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_WB 128kbps\ WLAN5.8G




Speech Level RCV: 80[SPL]

Calculated Value: 100k

5.1 Receive Volume Control Performance 8N---EVS_SWB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\LTE Band 2



Speech Level RCV: 83.55[SPL]

Calculated Value: 13.55Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 4



Speech Level RCV: 82.23SPL]

Calculated Value: 12.23Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\LTE Band 5



Speech Level RCV: 82.75[SPL]

Calculated Value: 12.75Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 12



Speech Level RCV: 82.5[SPL]

Calculated Value: 12.5Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 14



Speech Level RCV: 82.01[SPL]

Calculated Value: 12.01Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 17



Speech Level RCV: 82.34[SPL]

Calculated Value: 12.34Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 25



Speech Level RCV: 82.55[SPL]

Calculated Value: 12.55Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 30



Speech Level RCV: 82.46[SPL]

Calculated Value: 12.46Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 41



Speech Level RCV: 82.55[SPL]

Calculated Value: 12.55Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 66



Speech Level RCV: 82.62[SPL]

Calculated Value: 12.62Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ LTE Band 71



Speech Level RCV: 82.63[SPL]

Calculated Value: 12.63Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5G NR n2



Speech Level RCV: 82.82[SPL]

Calculated Value: 12.82Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5G NR n5



Speech Level RCV: 83.11[SPL]

Calculated Value: 13.11Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5G NR n25



Speech Level RCV: 82.63[SPL]

Calculated Value: 12.63Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5G NR n30



Speech Level RCV: 83.32[SPL]

Calculated Value: 13.32Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5G NR n41



Speech Level RCV: 82.75[SPL]

Calculated Value: 12.75Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5GNR n48



Speech Level RCV: 82.96[SPL]

Calculated Value: 12.96Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5GNR n66



Speech Level RCV: 83.43[SPL]

Calculated Value: 13.43Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5GNR n71



Speech Level RCV: 83.33[SPL]

Calculated Value: 13.33Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ 5GNR n77



Speech Level RCV: 82.81[SPL]

Calculated Value: 12.81Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ WLAN 2.4G



Speech Level RCV: 83.21[SPL]

Calculated Value: 13.21Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ WLAN5.2G



Speech Level RCV: 82.7[SPL]

Calculated Value: 12.7Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ WLAN 5.3G



Speech Level RCV: 82.63[SPL]

Calculated Value: 12.63Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ WLAN 5.5G



Speech Level RCV: 82.89[SPL]

Calculated Value: 12.89Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS_SWB 128kbps\ WLAN 5.8G




Speech Level RCV: 82.84[SPL]

Calculated Value: 12.84Ok

5.1 Receive Volume Control Performance 2N---EVS_SWB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\LTE Band 2



Speech Level RCV: 79.13[SPL]

Calculated Value: 9.13Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 4



Speech Level RCV: 78.14[SPL]

Calculated Value: 8.14Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\LTE Band 5



Speech Level RCV: 77.98[SPL]

Calculated Value: 7.98Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 12



Speech Level RCV: 78.13[SPL]

Calculated Value: 8.13Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 14



Speech Level RCV: 77.85[SPL]

Calculated Value: 7.85Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 17



Speech Level RCV: 78.08[SPL]

Calculated Value: 8.08Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 25



Speech Level RCV: 78.14[SPL]

Calculated Value: 8.14Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 30



Speech Level RCV: 78.31[SPL]

Calculated Value: 8.31Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 41



Speech Level RCV: 77.94 [SPL]

Calculated Value: 7.94Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 66



Speech Level RCV: 77.71[SPL]

Calculated Value: 7.71Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ LTE Band 71



Speech Level RCV: 78.1[SPL]

Calculated Value: 8.1Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n2



Speech Level RCV: 78.68[SPL]

Calculated Value: 8.68Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n5



Speech Level RCV:78.93[SPL]

Calculated Value: 8.93Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n25



Speech Level RCV: 78.75[SPL]

Calculated Value: 8.75Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n30



Speech Level RCV: 79.03[SPL]

Calculated Value: 9.03Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n41



Speech Level RCV: 78.98 [SPL]

Calculated Value: 8.98Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n48



Speech Level RCV: 78.99[SPL]

Calculated Value: 8.99Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n66



Speech Level RCV: 79.41[SPL]

Calculated Value: 9.41Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n71



Speech Level RCV: 79.01[SPL]

Calculated Value: 9.01Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ 5GNR n77



Speech Level RCV: 79.25[SPL]

Calculated Value: 9.25Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ WLAN2.4G



Speech Level RCV: 79.14[SPL]

Calculated Value: 9.14Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ WLAN5.2G



Speech Level RCV: 79.26[SPL]

Calculated Value: 9.26Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ WLAN5.3G



Speech Level RCV: 79.98[SPL]

Calculated Value: 9.98Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ WLAN5.5G



Speech Level RCV: 79.71[SPL]

Calculated Value: 9.71Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS_SWB 128kbps\ WLAN5.8G




Speech Level RCV: 79.51[SPL]

Calculated Value: 9.51Ok

5.2 Receive Acoustic Frequency response Performance 8N&2N

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\WCDMA Band II



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\WCDMA Band IV




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\WCDMA Band V




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 4



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 5



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 12




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 14



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 17



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 25




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 30




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 41




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\LTE Band 71



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n5



Absolute minimal distance

OK

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n25




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n30



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n41




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n48




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n71




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\5G NR n77




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\WLAN2.4G



Absolute minimal distance


OK

Limits

	lower
--	-------

Run 1	Fit into tolerance
-------	--------------------

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\WLAN5.2G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\WLAN5.5G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\WLAN5.8G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 12.2kbps\WCDMA Band II




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS NB 12.2kbps\WCDMA Band IV




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 12.2kbps\WCDMA Band V




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 4




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 5



Absolute minimal distance


OK

Limits

	lower
--	-------

Run 1	Fit into tolerance
-------	--------------------

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 12




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 14




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 17




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 25




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 30




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 41




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\LTE Band 71




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n5



Absolute minimal distance

OK

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n25




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n30




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n41




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n48




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n71




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\5G NR n77




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\WLAN2.4G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\WLAN5.2G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\WLAN5.5G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 12.2kbps\WLAN5.8G



Absolute minimal distance


OK

Limits

	lower
Run 1	Fit into tolerance

5.2 Receive Acoustic Frequency response Performance 8N&2N

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\WCDMA Band II



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\WCDMA Band IV



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\WCDMA Band V




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 4



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 5




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 12




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 14



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 17



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 25



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 30



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 41




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 66



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\LTE Band 71



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5G NR n2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5GNR n5



Absolute minimal distance

OK

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5GNR n25



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5GNR n30



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5G NR n41




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5G NR n48



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5G NR n66



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5G NR n71




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\5G NR n77




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\WLAN2.4G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\WLAN5.2G




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\WLAN5.5G




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\WLAN5.8G



Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 23.85kbps\WCDMA Band II



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS WB 23.85kbps\WCDMA Band IV




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 23.85kbps\WCDMA Band V



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 2



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 4



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 5




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 12



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 14



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 17



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 25



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 30



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 41



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 66



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\LTE Band 71



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5GNR n2



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5G NR n5



Absolute minimal distance

OK

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5G NR n25



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5G NR n30



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5G NR n41




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5G NR n48



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5G NR n66



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5G NR n71



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\5G NR n77




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\WLAN2.4G



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\WLAN5.2G



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\WLAN5.5G



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 23.85kbps\WLAN5.8G



Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance