




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 1600Hz NB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 2000Hz NB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n25



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n48



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G



Receive path - distortion and noise 2500Hz NB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 3150Hz NB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 250Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 315Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 400Hz NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 500Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 630Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 800Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 1000Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 1250Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 1600Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 2000Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR
n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 2500Hz NB

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n48




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 3150Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WCDMA Band V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 4



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 14




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 17




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 30




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n25



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n30



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n41



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n48

