


Meas.1 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
194	596	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	UMTS-FDD (WCDMA, AMR)	9400	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.46



Meas.2 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
199	600	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	UMTS-FDD (WCDMA, AMR)	1412	1732.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.52



Meas.3 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
201	602	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, AMR)	4182	836.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.53



**Meas.4 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
97	455	25	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.51



Meas.5 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
97	454	23	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.46



**Meas.6 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
127	494	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.41



Meas.7 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
115	481	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 7	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	21100	2535.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.55



Meas.8 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
129	503	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.51



Meas.9 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
116	486	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 14	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23330	793.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.43



Meas.10 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
107	451	23	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 30	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	27710	2310.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.52



Meas.11 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
105	442	23	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.58



Meas.12 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
81	392	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n2	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	376000	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.71



Meas.13 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
132	484	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n5	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	167300	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.97	1.77



Meas.14 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
142	497	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n14	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	158600	793.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.73



Meas.15 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
81	391	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems

Band Name	communication systems Name	channel	Frequency [MHz]
Band n30	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	462000	2310.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.67



Meas.16 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
81	354	18	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n66	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	349000	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.74



Meas.17 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
94	455	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n70	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	340500	1702.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.56



**Meas.18 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
80	394	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems

Band Name	communication systems Name	channel	Frequency [MHz]
Band n71	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	136100	680.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.72



**Meas.19 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
82	423	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633334	3500.01

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.81	0.61



Meas.20 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
79	434	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	6	2437.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.51



**Meas.21 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
80	460	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	36	5180.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.97	1.61



Meas.22 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
82	447	23	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	60	5300.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.56



Meas.23 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
79	422	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	116	5580.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.61



Meas.24 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
130	480	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	157	5785.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.43



Meas.25 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
199	599	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	UMTS-FDD (WCDMA, HSPA)	9400	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.52



Meas.26 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
200	603	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	UMTS-FDD (WCDMA, HSPA)	1412	1732.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.46



**Meas.27 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
202	604	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, HSPA)	4182	836.4

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.65



Meas.28 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
94	456	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.48



**Meas.29 T-Coil Coupling Mode Test Report
Results**

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
110	475	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.44



Meas.30 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
138	515	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.55



Meas.31 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
111	479	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 7	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	21100	2535.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.59



Meas.32 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
138	511	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.55



Meas.33 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
127	497	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 14	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23330	793.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.51



Meas.34 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
105	444	23	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 30	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	27710	2310.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.55



Meas.35 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
103	448	23	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.51



Meas.36 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
81	396	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems

Band Name	communication systems Name	channel	Frequency [MHz]
Band n2	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	376000	1880.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.99	1.63



Meas.37 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
114	416	21	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n5	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	167300	836.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.69



Meas.38 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
97	394	18	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n14	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	158600	793.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.75



Meas.39 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
85	400	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n30	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	462000	2310.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.7



Meas.40 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
83	360	17	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n66	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	349000	1745.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.56



Meas.41 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
90	451	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n70	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	340500	1702.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.52



Meas.42 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
83	398	26	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
Band n71	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	136100	680.5

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.58



Meas.43 T-Coil Coupling Mode Test Report Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
93	421	20	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems

Band Name	communication systems Name	channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633334	3500.01

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.76



Meas.44 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
116	495	24	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	6	2437.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.52



Meas.45 T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
83	448	21	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	36	5180.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.57



Meas.46 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
79	444	23	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	60	5300.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.5



Meas.47 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
92	437	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	116	5580.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.57



Meas.48T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
89	434	22	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems


Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	157	5785.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0


Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.5



Meas.49 T-Coil Coupling Mode Test Report
Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
91	438	21	26



T-Coil Signal Test Report

Hardware setup

probe Name	Probe calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3073	February 18, 2026	DAE4 Sn1711	November 11, 2025

communication systems

Band Name	communication systems Name	channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	6	2437.0

Grid settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.48

