






8DPSK LOW CHANNEL, CARRIER LEVEL




8DPSK LOW CHANNEL, BAND EDGE

8DPSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz8DPSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz


8DPSK MIDDLE CHANNEL, CARRIER LEVEL




8DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8DPSK HIGH CHANNEL, CARRIER LEVEL




8DPSK HIGH CHANNEL, BAND EDGE




8DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)




GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz




8DPSK HOPPING, CARRIER LEVEL



8DPSK Hopping BAND EDGE (LOW)



8DPSK Hopping BAND EDGE (HIGH)

8DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.214	36.87	10.24	63.05	26.18	Peak	L	Pass
1**	0.214	26.29	10.24	53.05	26.76	AV	L	Pass
2	0.288	41.46	10.24	60.58	19.12	Peak	L	Pass
2**	0.288	26.27	10.24	50.58	24.31	AV	L	Pass
3	2.312	32.84	10.43	56.00	23.16	Peak	L	Pass
3**	2.312	18.79	10.43	46.00	27.21	AV	L	Pass
4	10.090	34.49	11.78	60.00	25.51	Peak	L	Pass
4**	10.090	21.09	11.78	50.00	28.91	AV	L	Pass
5	18.186	35.70	13.82	60.00	24.30	Peak	L	Pass
5**	18.186	20.52	13.82	50.00	29.48	AV	L	Pass
6	26.642	40.15	15.64	60.00	19.85	Peak	L	Pass
6**	26.642	23.65	15.64	50.00	26.35	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.164	48.88	10.17	65.26	16.38	Peak	N	Pass
1**	0.164	32.75	10.17	55.26	22.51	AV	N	Pass
2	0.196	45.47	10.16	63.78	18.31	Peak	N	Pass
2**	0.196	31.74	10.16	53.78	22.04	AV	N	Pass
3	0.438	38.98	10.17	57.10	18.12	Peak	N	Pass
3**	0.438	24.04	10.17	47.10	23.06	AV	N	Pass
4	2.194	31.40	10.33	56.00	24.60	Peak	N	Pass
4**	2.194	18.68	10.33	46.00	27.32	AV	N	Pass
5	10.084	36.24	11.69	60.00	23.76	Peak	N	Pass
5**	10.084	18.32	11.69	50.00	31.68	AV	N	Pass
6	27.224	38.37	15.79	60.00	21.63	Peak	N	Pass
6**	27.224	24.45	15.79	50.00	25.55	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	44.259	15.91	-25.63	40.0	24.09	Peak	200.00	200	Horizontal	Pass
2	88.636	17.92	-28.78	43.5	25.58	Peak	342.00	200	Horizontal	Pass
3	161.969	22.38	-28.76	43.5	21.12	Peak	109.00	200	Horizontal	Pass
4	311.106	24.56	-23.28	46.0	21.44	Peak	241.00	100	Horizontal	Pass
5	499.383	25.58	-17.86	46.0	20.42	Peak	31.00	200	Horizontal	Pass
6	890.390	30.72	-9.01	46.0	15.28	Peak	312.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	43.386	29.68	-25.78	40.0	10.32	Peak	173.00	100	Vertical	Pass
2	64.386	24.99	-27.10	40.0	15.01	Peak	75.00	100	Vertical	Pass
3	86.939	23.28	-29.42	40.0	16.72	Peak	48.00	100	Vertical	Pass
4	159.640	24.85	-28.94	43.5	18.65	Peak	296.00	100	Vertical	Pass
5	310.961	22.96	-23.29	46.0	23.04	Peak	130.00	200	Vertical	Pass
6	888.596	30.26	-9.14	46.0	15.74	Peak	213.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.


Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	42.07	-17.76	74.0	31.93	Peak	34.00	300	Horizontal	Pass
1**	1327.500	32.19	-17.76	54.0	21.81	AV	34.00	300	Horizontal	Pass
2	2401.800	105.34	-13.91	74.0	-31.34	Peak	139.00	200	Horizontal	N/A
2**	2401.800	104.27	-13.91	54.0	-50.27	AV	139.00	200	Horizontal	N/A
3	2923.600	48.85	-11.53	74.0	25.15	Peak	360.00	150	Horizontal	Pass
3**	2923.600	39.40	-11.53	54.0	14.60	AV	360.00	150	Horizontal	Pass
4	4845.600	46.43	-6.52	74.0	27.57	Peak	333.00	200	Horizontal	Pass
4**	4845.600	36.95	-6.52	54.0	17.05	AV	333.00	200	Horizontal	Pass
5	6993.200	51.43	-1.02	74.0	22.57	Peak	360.00	400	Horizontal	Pass
5**	6993.200	43.50	-1.02	54.0	10.50	AV	360.00	400	Horizontal	Pass
6	16715.588	51.42	6.89	74.0	22.58	Peak	254.00	400	Horizontal	Pass
6**	16715.588	42.54	6.89	54.0	11.46	AV	254.00	400	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	44.75	-17.78	74.0	29.25	Peak	113.00	100	Vertical	Pass
1**	1331.200	37.70	-17.78	54.0	16.30	AV	113.00	100	Vertical	Pass
2	2401.900	88.27	-13.97	74.0	-14.27	Peak	91.00	100	Vertical	N/A
2**	2401.900	87.64	-13.97	54.0	-33.64	AV	91.00	100	Vertical	N/A
3	2979.700	48.55	-10.78	74.0	25.45	Peak	178.00	150	Vertical	Pass
3**	2979.700	40.03	-10.78	54.0	13.97	AV	178.00	150	Vertical	Pass
4	6845.200	51.87	-1.70	74.0	22.13	Peak	303.00	100	Vertical	Pass
4**	6845.200	42.86	-1.70	54.0	11.14	AV	303.00	100	Vertical	Pass
5	11033.625	50.47	2.81	74.0	23.53	Peak	75.00	100	Vertical	Pass
5**	11033.625	42.20	2.81	54.0	11.80	AV	75.00	100	Vertical	Pass
6	16713.750	51.58	6.89	74.0	22.42	Peak	38.00	400	Vertical	Pass
6**	16713.750	43.26	6.89	54.0	10.74	AV	38.00	400	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	41.41	-17.78	74.0	32.59	Peak	70.00	100	Horizontal	Pass
1**	1331.300	33.43	-17.78	54.0	20.57	AV	70.00	100	Horizontal	Pass
2	2441.200	103.71	-13.31	74.0	-29.71	Peak	131.00	100	Horizontal	N/A
2**	2441.200	103.35	-13.31	54.0	-49.35	AV	131.00	100	Horizontal	N/A
3	2984.200	48.46	-11.05	74.0	25.54	Peak	57.00	100	Horizontal	Pass
3**	2984.200	40.42	-11.05	54.0	13.58	AV	57.00	100	Horizontal	Pass
4	4849.400	46.86	-6.37	74.0	27.14	Peak	313.00	400	Horizontal	Pass
4**	4849.400	37.57	-6.37	54.0	16.43	AV	313.00	400	Horizontal	Pass
5	6761.000	51.89	-1.90	74.0	22.11	Peak	98.00	300	Horizontal	Pass
5**	6761.000	41.71	-1.90	54.0	12.29	AV	98.00	300	Horizontal	Pass
6	10809.950	51.16	2.35	74.0	22.84	Peak	64.00	100	Horizontal	Pass
6**	10809.950	41.49	2.35	54.0	12.51	AV	64.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	45.29	-17.50	74.0	28.71	Peak	100.00	100	Vertical	Pass
1**	1329.000	36.62	-17.50	54.0	17.38	AV	100.00	100	Vertical	Pass
2	2441.200	90.19	-13.31	74.0	-16.19	Peak	89.00	200	Vertical	N/A
2**	2441.200	89.75	-13.31	54.0	-35.75	AV	89.00	200	Vertical	N/A
3	2910.500	50.17	-11.34	74.0	23.83	Peak	169.00	100	Vertical	Pass
3**	2910.500	39.40	-11.34	54.0	14.60	AV	169.00	100	Vertical	Pass
4	4844.400	46.20	-6.54	74.0	27.80	Peak	18.00	300	Vertical	Pass
4**	4844.400	37.65	-6.54	54.0	16.35	AV	18.00	300	Vertical	Pass
5	7984.975	49.81	-0.79	74.0	24.19	Peak	99.00	100	Vertical	Pass
5**	7984.975	38.86	-0.79	54.0	15.14	AV	99.00	100	Vertical	Pass
6	11049.437	51.72	3.52	74.0	22.28	Peak	18.00	100	Vertical	Pass
6**	11049.437	41.81	3.52	54.0	12.19	AV	18.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	42.12	-17.65	74.0	31.88	Peak	42.00	100	Horizontal	Pass
1**	1332.900	35.45	-17.65	54.0	18.55	AV	42.00	100	Horizontal	Pass
2	2479.800	104.56	-13.54	74.0	-30.56	Peak	170.00	150	Horizontal	N/A
2**	2479.800	103.66	-13.54	54.0	-49.66	AV	170.00	150	Horizontal	N/A
3	2912.200	48.72	-11.34	74.0	25.28	Peak	193.00	150	Horizontal	Pass
3**	2912.200	39.94	-11.34	54.0	14.06	AV	193.00	150	Horizontal	Pass
4	4844.800	47.28	-6.37	74.0	26.72	Peak	84.00	200	Horizontal	Pass
4**	4844.800	38.16	-6.37	54.0	15.84	AV	84.00	200	Horizontal	Pass
5	7000.000	51.39	-1.08	74.0	22.61	Peak	221.00	100	Horizontal	Pass
5**	7000.000	43.25	-1.08	54.0	10.75	AV	221.00	100	Horizontal	Pass
6	16765.988	51.69	6.04	74.0	22.31	Peak	293.00	300	Horizontal	Pass
6**	16765.988	42.36	6.04	54.0	11.64	AV	293.00	300	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	45.68	-17.47	74.0	28.32	Peak	130.00	300	Vertical	Pass
1**	1328.500	33.95	-17.47	54.0	20.05	AV	130.00	300	Vertical	Pass
2	2479.800	89.56	-13.54	74.0	-15.56	Peak	356.00	200	Vertical	N/A
2**	2479.800	88.65	-13.54	54.0	-34.65	AV	356.00	200	Vertical	N/A
3	2984.900	49.60	-11.04	74.0	24.40	Peak	323.00	100	Vertical	Pass
3**	2984.900	39.67	-11.04	54.0	14.33	AV	323.00	100	Vertical	Pass
4	4872.800	46.31	-7.39	74.0	27.69	Peak	17.00	100	Vertical	Pass
4**	4872.800	36.15	-7.39	54.0	17.85	AV	17.00	100	Vertical	Pass
5	6842.200	51.42	-1.58	74.0	22.58	Peak	360.00	100	Vertical	Pass
5**	6842.200	43.62	-1.58	54.0	10.38	AV	360.00	100	Vertical	Pass
6	16742.363	51.45	6.21	74.0	22.55	Peak	51.00	300	Vertical	Pass
6**	16742.363	43.12	6.21	54.0	10.88	AV	51.00	300	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	43.84	-17.45	74.0	30.16	Peak	31.00	400	Horizontal	Pass
1**	1328.800	35.56	-17.45	54.0	18.44	AV	31.00	400	Horizontal	Pass
2	2402.000	97.03	-14.03	74.0	-23.03	Peak	142.00	150	Horizontal	N/A
2**	2402.000	94.48	-14.03	54.0	-40.48	AV	142.00	150	Horizontal	N/A
3	2950.900	48.71	-11.10	74.0	25.29	Peak	239.00	200	Horizontal	Pass
3**	2950.900	39.19	-11.10	54.0	14.81	AV	239.00	200	Horizontal	Pass
4	4855.400	46.14	-6.28	74.0	27.86	Peak	277.00	200	Horizontal	Pass
4**	4855.400	37.32	-6.28	54.0	16.68	AV	277.00	200	Horizontal	Pass
5	6863.600	51.98	-0.62	74.0	22.02	Peak	277.00	300	Horizontal	Pass
5**	6863.600	41.95	-0.62	54.0	12.05	AV	277.00	300	Horizontal	Pass
6	16862.850	51.48	6.61	74.0	22.52	Peak	163.00	100	Horizontal	Pass
6**	16862.850	41.70	6.61	54.0	12.30	AV	163.00	100	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	46.55	-17.88	74.0	27.45	Peak	128.00	100	Vertical	Pass
1**	1330.200	34.99	-17.88	54.0	19.01	AV	128.00	100	Vertical	Pass
2	2402.000	80.36	-14.03	74.0	-6.36	Peak	94.00	200	Vertical	N/A
2**	2402.000	76.89	-14.03	54.0	-22.89	AV	94.00	200	Vertical	N/A
3	2922.200	49.22	-11.38	74.0	24.78	Peak	360.00	100	Vertical	Pass
3**	2922.200	39.10	-11.38	54.0	14.90	AV	360.00	100	Vertical	Pass
4	4856.600	46.14	-6.41	74.0	27.86	Peak	187.00	400	Vertical	Pass
4**	4856.600	36.99	-6.41	54.0	17.01	AV	187.00	400	Vertical	Pass
5	6869.200	51.85	-0.83	74.0	22.15	Peak	-1.00	300	Vertical	Pass
5**	6869.200	42.05	-0.83	54.0	11.95	AV	-1.00	300	Vertical	Pass
6	16715.062	52.35	6.89	74.0	21.65	Peak	92.00	100	Vertical	Pass
6**	16715.062	41.92	6.89	54.0	12.08	AV	92.00	100	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	42.12	-17.78	74.0	31.88	Peak	103.00	100	Horizontal	Pass
1**	1331.200	31.87	-17.78	54.0	22.13	AV	103.00	100	Horizontal	Pass
2	2440.900	95.86	-13.56	74.0	-21.86	Peak	147.00	100	Horizontal	N/A
2**	2440.900	92.67	-13.56	54.0	-38.67	AV	147.00	100	Horizontal	N/A
3	2917.400	48.72	-11.23	74.0	25.28	Peak	254.00	150	Horizontal	Pass
3**	2917.400	39.31	-11.23	54.0	14.69	AV	254.00	150	Horizontal	Pass
4	4846.200	45.99	-6.60	74.0	28.01	Peak	0.00	100	Horizontal	Pass
4**	4846.200	36.99	-6.60	54.0	17.01	AV	0.00	100	Horizontal	Pass
5	6852.200	52.50	-1.26	74.0	21.50	Peak	312.00	100	Horizontal	Pass
5**	6852.200	42.44	-1.26	54.0	11.56	AV	312.00	100	Horizontal	Pass
6	14031.787	52.33	5.62	74.0	21.67	Peak	74.00	100	Horizontal	Pass
6**	14031.787	42.50	5.62	54.0	11.50	AV	74.00	100	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	43.90	-17.67	74.0	30.10	Peak	132.00	300	Vertical	Pass
1**	1332.700	33.40	-17.67	54.0	20.60	AV	132.00	300	Vertical	Pass
2	2441.000	81.78	-13.48	74.0	-7.78	Peak	89.00	200	Vertical	N/A
2**	2441.000	78.99	-13.48	54.0	-24.99	AV	89.00	200	Vertical	N/A
3	2995.600	48.89	-11.08	74.0	25.11	Peak	236.00	100	Vertical	Pass
3**	2995.600	39.63	-11.08	54.0	14.37	AV	236.00	100	Vertical	Pass
4	4843.800	46.54	-6.53	74.0	27.46	Peak	337.00	100	Vertical	Pass
4**	4843.800	37.80	-6.53	54.0	16.20	AV	337.00	100	Vertical	Pass
5	6989.200	51.15	-1.43	74.0	22.85	Peak	337.00	100	Vertical	Pass
5**	6989.200	42.28	-1.43	54.0	11.72	AV	337.00	100	Vertical	Pass
6	16871.250	52.01	6.51	74.0	21.99	Peak	293.00	400	Vertical	Pass
6**	16871.250	42.64	6.51	54.0	11.36	AV	293.00	400	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	43.69	-17.43	74.0	30.31	Peak	38.00	100	Horizontal	Pass
1**	1328.700	34.50	-17.43	54.0	19.50	AV	38.00	100	Horizontal	Pass
2	2479.900	97.02	-13.54	74.0	-23.02	Peak	154.00	150	Horizontal	N/A
2**	2479.900	94.25	-13.54	54.0	-40.25	AV	154.00	150	Horizontal	N/A
3	2982.800	49.15	-11.23	74.0	24.85	Peak	341.00	200	Horizontal	Pass
3**	2982.800	39.27	-11.23	54.0	14.73	AV	341.00	200	Horizontal	Pass
4	4856.000	46.01	-6.24	74.0	27.99	Peak	348.00	100	Horizontal	Pass
4**	4856.000	37.96	-6.24	54.0	16.04	AV	348.00	100	Horizontal	Pass
5	6973.200	51.09	-1.18	74.0	22.91	Peak	198.00	300	Horizontal	Pass
5**	6973.200	42.39	-1.18	54.0	11.61	AV	198.00	300	Horizontal	Pass
6	16700.625	52.00	6.58	74.0	22.00	Peak	335.00	100	Horizontal	Pass
6**	16700.625	42.62	6.58	54.0	11.38	AV	335.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	44.41	-17.47	74.0	29.59	Peak	144.00	300	Vertical	Pass
1**	1328.500	38.33	-17.47	54.0	15.67	AV	144.00	300	Vertical	Pass
2	2479.900	82.01	-13.54	74.0	-8.01	Peak	360.00	200	Vertical	N/A
2**	2479.900	80.34	-13.54	54.0	-26.34	AV	360.00	200	Vertical	N/A
3	2926.800	48.44	-11.42	74.0	25.56	Peak	179.00	150	Vertical	Pass
3**	2926.800	39.33	-11.42	54.0	14.67	AV	179.00	150	Vertical	Pass
4	6989.200	51.28	-1.43	74.0	22.72	Peak	354.00	100	Vertical	Pass
4**	6989.200	42.17	-1.43	54.0	11.83	AV	354.00	100	Vertical	Pass
5	7449.362	48.51	-1.60	74.0	25.49	Peak	122.00	100	Vertical	Pass
5**	7449.362	37.19	-1.60	54.0	16.81	AV	122.00	100	Vertical	Pass
6	16714.801	51.76	6.89	74.0	22.24	Peak	354.00	300	Vertical	Pass
6**	16714.801	42.95	6.89	54.0	11.05	AV	354.00	300	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note⁴: The Level (dBuV/m) has been corrected by factor.

Note⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

GFSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2358.333	53.62	-1.88	74.0	20.38	Peak	286.00	300	Horizontal	Pass
1**	2358.333	41.75	-1.88	54.0	12.25	AV	286.00	300	Horizontal	Pass
2	2390.000	51.76	-2.16	74.0	22.24	Peak	118.00	100	Horizontal	Pass
2**	2390.000	41.62	-2.16	54.0	12.38	AV	118.00	100	Horizontal	Pass
3	2380.167	52.90	-1.61	74.0	21.10	Peak	44.00	100	Horizontal	Pass
3**	2380.167	42.16	-1.61	54.0	11.84	AV	44.00	100	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.08	-1.04	74.0	20.92	Peak	176.00	200	Horizontal	Pass
1**	2483.500	42.36	-1.04	54.0	11.64	AV	176.00	200	Horizontal	Pass
2	2499.000	54.65	-1.12	74.0	19.35	Peak	347.00	200	Horizontal	Pass
2**	2499.000	42.54	-1.12	54.0	11.46	AV	347.00	200	Horizontal	Pass
3	2492.350	53.10	-0.90	74.0	20.90	Peak	194.00	100	Horizontal	Pass
3**	2492.350	42.84	-0.90	54.0	11.16	AV	194.00	100	Horizontal	Pass

8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2355.833	54.14	-1.99	74.0	19.86	Peak	270.00	100	Horizontal	Pass
1**	2355.833	41.87	-1.99	54.0	12.13	AV	270.00	100	Horizontal	Pass
2	2390.000	52.34	-2.16	74.0	21.66	Peak	144.00	200	Horizontal	Pass
2**	2390.000	41.55	-2.16	54.0	12.45	AV	144.00	200	Horizontal	Pass
3	2386.667	52.45	-1.54	74.0	21.55	Peak	98.00	100	Horizontal	Pass
3**	2386.667	42.27	-1.54	54.0	11.73	AV	98.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.28	-1.04	74.0	20.72	Peak	0.00	400	Horizontal	Pass
1**	2483.500	42.39	-1.04	54.0	11.61	AV	0.00	400	Horizontal	Pass
2	2488.350	55.11	-0.69	74.0	18.89	Peak	333.00	400	Horizontal	Pass
2**	2488.350	42.74	-0.69	54.0	11.26	AV	333.00	400	Horizontal	Pass
3	2488.050	53.06	-0.67	74.0	20.94	Peak	244.00	100	Horizontal	Pass
3**	2488.050	42.81	-0.67	54.0	11.19	AV	244.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26050303-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26050303-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26050303-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--