


Note: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	62.27	0.10	74.0	11.73	Peak	143.00	400	Horizontal	Pass
1**	5149.025	45.35	0.10	54.0	8.65	AV	143.00	400	Horizontal	Pass
2	5150.000	58.34	0.06	74.0	15.66	Peak	104.00	100	Horizontal	Pass
2**	5150.000	45.32	0.06	54.0	8.68	AV	104.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.49	-1.41	74.0	22.51	Peak	152.00	300	Horizontal	Pass
1**	5350.000	40.85	-1.41	54.0	13.15	AV	152.00	300	Horizontal	Pass
2	5375.850	54.20	0.82	74.0	19.80	Peak	360.00	200	Horizontal	Pass
2**	5375.850	42.79	0.82	54.0	11.21	AV	360.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	58.28	0.20	74.0	15.72	Peak	162.00	100	Horizontal	Pass
1**	5149.350	44.99	0.20	54.0	9.01	AV	162.00	100	Horizontal	Pass
2	5150.000	53.75	0.06	74.0	20.25	Peak	153.00	400	Horizontal	Pass
2**	5150.000	45.48	0.06	54.0	8.52	AV	153.00	400	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.90	-1.41	74.0	23.10	Peak	327.00	400	Horizontal	Pass
1**	5350.000	40.83	-1.41	54.0	13.17	AV	327.00	400	Horizontal	Pass
2	5371.817	54.64	0.36	74.0	19.36	Peak	293.00	300	Horizontal	Pass
2**	5371.817	42.34	0.36	54.0	11.66	AV	293.00	300	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.17	0.11	74.0	15.83	Peak	158.00	100	Horizontal	Pass
1**	5146.425	45.42	0.11	54.0	8.58	AV	158.00	100	Horizontal	Pass
2	5150.000	58.28	0.06	74.0	15.72	Peak	162.00	300	Horizontal	Pass
2**	5150.000	45.57	0.06	54.0	8.43	AV	162.00	300	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.01	-1.41	74.0	21.99	Peak	4.00	400	Horizontal	Pass
1**	5350.000	40.98	-1.41	54.0	13.02	AV	4.00	400	Horizontal	Pass
2	5390.517	54.41	-0.42	74.0	19.59	Peak	205.00	200	Horizontal	Pass
2**	5390.517	41.91	-0.42	54.0	12.09	AV	205.00	200	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	60.17	0.11	74.0	13.83	Peak	139.00	400	Horizontal	Pass
1**	5146.425	44.51	0.11	54.0	9.49	AV	139.00	400	Horizontal	Pass
2	5150.000	58.38	0.06	74.0	15.62	Peak	149.00	200	Horizontal	Pass
2**	5150.000	45.35	0.06	54.0	8.65	AV	149.00	200	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.54	-1.41	74.0	22.46	Peak	319.00	100	Horizontal	Pass
1**	5350.000	40.92	-1.41	54.0	13.08	AV	319.00	100	Horizontal	Pass
2	5413.067	54.39	0.11	74.0	19.61	Peak	176.00	200	Horizontal	Pass
2**	5413.067	42.12	0.11	54.0	11.88	AV	176.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.525	58.87	0.31	74.0	15.13	Peak	139.00	100	Horizontal	Pass
1**	5142.525	44.65	0.31	54.0	9.35	AV	139.00	100	Horizontal	Pass
2	5150.000	56.00	0.06	74.0	18.00	Peak	118.00	200	Horizontal	Pass
2**	5150.000	45.68	0.06	54.0	8.32	AV	118.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.93	-1.41	74.0	22.07	Peak	111.00	300	Horizontal	Pass
1**	5350.000	40.82	-1.41	54.0	13.18	AV	111.00	300	Horizontal	Pass
2	5376.217	54.99	0.86	74.0	19.01	Peak	165.00	300	Horizontal	Pass
2**	5376.217	43.01	0.86	54.0	10.99	AV	165.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.025	57.13	0.15	74.0	16.87	Peak	157.00	100	Horizontal	Pass
1**	5123.025	48.45	0.15	54.0	5.55	AV	157.00	100	Horizontal	Pass
2	5150.000	59.24	0.06	74.0	14.76	Peak	166.00	300	Horizontal	Pass
2**	5150.000	45.19	0.06	54.0	8.81	AV	166.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.15	-1.41	74.0	22.85	Peak	340.00	100	Horizontal	Pass
1**	5350.000	40.95	-1.41	54.0	13.05	AV	340.00	100	Horizontal	Pass
2	5379.516	54.14	0.44	74.0	19.86	Peak	241.00	300	Horizontal	Pass
2**	5379.516	42.64	0.44	54.0	11.36	AV	241.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4848.400	54.60	-0.04	74.0	19.40	Peak	194.00	200	Horizontal	Pass
1**	4848.400	43.23	-0.04	54.0	10.77	AV	194.00	200	Horizontal	Pass
2	5150.000	51.71	0.06	74.0	22.29	Peak	259.00	100	Horizontal	Pass
2**	5150.000	42.82	0.06	54.0	11.18	AV	259.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.55	-1.41	74.0	12.45	Peak	142.00	200	Horizontal	Pass
1**	5350.000	43.65	-1.41	54.0	10.35	AV	142.00	200	Horizontal	Pass
2	5351.650	61.80	-1.01	74.0	12.20	Peak	148.00	300	Horizontal	Pass
2**	5351.650	43.65	-1.01	54.0	10.35	AV	148.00	300	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4848.400	54.70	-0.04	74.0	19.30	Peak	268.00	200	Horizontal	Pass
1**	4848.400	43.29	-0.04	54.0	10.71	AV	268.00	200	Horizontal	Pass
2	5150.000	53.03	0.06	74.0	20.97	Peak	0.00	400	Horizontal	Pass
2**	5150.000	42.80	0.06	54.0	11.20	AV	0.00	400	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.15	-1.41	74.0	19.85	Peak	151.00	200	Horizontal	Pass
1**	5350.000	43.06	-1.41	54.0	10.94	AV	151.00	200	Horizontal	Pass
2	5359.900	59.96	-0.24	74.0	14.04	Peak	158.00	400	Horizontal	Pass
2**	5359.900	43.43	-0.24	54.0	10.57	AV	158.00	400	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4848.075	54.59	-0.19	74.0	19.41	Peak	21.00	100	Horizontal	Pass
1**	4848.075	43.15	-0.19	54.0	10.85	AV	21.00	100	Horizontal	Pass
2	5150.000	52.21	0.06	74.0	21.79	Peak	0.00	200	Horizontal	Pass
2**	5150.000	42.84	0.06	54.0	11.16	AV	0.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.63	-1.41	74.0	17.37	Peak	121.00	100	Horizontal	Pass
1**	5350.000	45.20	-1.41	54.0	8.80	AV	121.00	100	Horizontal	Pass
2	5356.417	59.94	-0.86	74.0	14.06	Peak	128.00	100	Horizontal	Pass
2**	5356.417	45.39	-0.86	54.0	8.61	AV	128.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4859.125	54.41	-0.68	74.0	19.59	Peak	265.00	400	Horizontal	Pass
1**	4859.125	42.32	-0.68	54.0	11.68	AV	265.00	400	Horizontal	Pass
2	5150.000	53.42	0.06	74.0	20.58	Peak	149.00	200	Horizontal	Pass
2**	5150.000	42.73	0.06	54.0	11.27	AV	149.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.82	-1.41	74.0	14.18	Peak	115.00	400	Horizontal	Pass
1**	5350.000	43.69	-1.41	54.0	10.31	AV	115.00	400	Horizontal	Pass
2	5351.834	61.29	-0.91	74.0	12.71	Peak	131.00	300	Horizontal	Pass
2**	5351.834	43.95	-0.91	54.0	10.05	AV	131.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4849.375	53.72	-0.38	74.0	20.28	Peak	163.00	200	Horizontal	Pass
1**	4849.375	42.93	-0.38	54.0	11.07	AV	163.00	200	Horizontal	Pass
2	5150.000	52.60	0.06	74.0	21.40	Peak	203.00	200	Horizontal	Pass
2**	5150.000	43.01	0.06	54.0	10.99	AV	203.00	200	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.75	-1.41	74.0	17.25	Peak	151.00	300	Horizontal	Pass
1**	5350.000	45.74	-1.41	54.0	8.26	AV	151.00	300	Horizontal	Pass
2	5352.200	60.09	-0.71	74.0	13.91	Peak	160.00	200	Horizontal	Pass
2**	5352.200	46.55	-0.71	54.0	7.45	AV	160.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	54.39	0.16	74.0	19.61	Peak	98.00	100	Horizontal	Pass
1**	5144.150	43.14	0.16	54.0	10.86	AV	98.00	100	Horizontal	Pass
2	5150.000	51.70	0.06	74.0	22.30	Peak	117.00	100	Horizontal	Pass
2**	5150.000	43.43	0.06	54.0	10.57	AV	117.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.67	-1.41	74.0	9.33	Peak	172.00	100	Horizontal	Pass
1**	5350.000	44.85	-1.41	54.0	9.15	AV	172.00	100	Horizontal	Pass
2	5350.917	65.61	-1.03	74.0	8.39	Peak	168.00	200	Horizontal	Pass
2**	5350.917	45.55	-1.03	54.0	8.45	AV	168.00	200	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.200	59.30	-0.82	74.0	14.70	Peak	141.00	100	Horizontal	Pass
1**	5447.200	43.82	-0.82	54.0	10.18	AV	141.00	100	Horizontal	Pass
2	5460.000	54.81	-0.92	74.0	19.19	Peak	165.00	200	Horizontal	Pass
2**	5460.000	44.44	-0.92	54.0	9.56	AV	165.00	200	Horizontal	Pass
3	5469.400	63.21	-0.34	68.2	4.99	Peak	132.00	100	Horizontal	Pass
3**	5469.400	49.50	-0.34	--	--	AV	132.00	100	Horizontal	N/A
4	5470.000	63.95	-0.10	68.2	4.25	Peak	161.00	400	Horizontal	Pass
4**	5470.000	50.06	-0.10	--	--	AV	161.00	400	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.76	-0.12	68.2	3.44	Peak	139.00	300	Horizontal	Pass
2	5725.416	65.04	-0.11	68.2	3.16	Peak	136.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.800	60.45	-0.80	74.0	13.55	Peak	162.00	200	Horizontal	Pass
1**	5458.800	44.54	-0.80	54.0	9.46	AV	162.00	200	Horizontal	Pass
2	5460.000	58.99	-0.92	74.0	15.01	Peak	162.00	100	Horizontal	Pass
2**	5460.000	44.65	-0.92	54.0	9.35	AV	162.00	100	Horizontal	Pass
3	5468.200	62.82	-0.04	68.2	5.38	Peak	162.00	400	Horizontal	Pass
3**	5468.200	49.72	-0.04	--	--	AV	162.00	400	Horizontal	N/A
4	5470.000	62.91	-0.10	68.2	5.29	Peak	162.00	200	Horizontal	Pass
4**	5470.000	50.30	-0.10	--	--	AV	162.00	200	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.50	-0.12	68.2	8.70	Peak	139.00	400	Horizontal	Pass
2	5736.041	62.13	-0.01	68.2	6.07	Peak	138.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.000	59.80	-0.81	74.0	14.20	Peak	143.00	200	Horizontal	Pass
1**	5459.000	47.18	-0.81	54.0	6.82	AV	143.00	200	Horizontal	Pass
2	5460.000	58.34	-0.92	74.0	15.66	Peak	156.00	400	Horizontal	Pass
2**	5460.000	47.41	-0.92	54.0	6.59	AV	156.00	400	Horizontal	Pass
3	5467.800	63.22	-0.16	68.2	4.98	Peak	156.00	100	Horizontal	Pass
3**	5467.800	51.86	-0.16	--	--	AV	156.00	100	Horizontal	N/A
4	5470.000	63.07	-0.10	68.2	5.13	Peak	156.00	400	Horizontal	Pass
4**	5470.000	52.37	-0.10	--	--	AV	156.00	400	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.01	-0.12	68.2	10.19	Peak	138.00	200	Horizontal	Pass
2	5725.416	59.74	-0.11	68.2	8.46	Peak	128.00	300	Horizontal	Pass

U-NII-2C 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.200	60.32	-0.59	74.0	13.68	Peak	139.00	100	Horizontal	Pass
1**	5458.200	44.65	-0.59	54.0	9.35	AV	139.00	100	Horizontal	Pass
2	5460.000	59.12	-0.92	74.0	14.88	Peak	132.00	100	Horizontal	Pass
2**	5460.000	44.70	-0.92	54.0	9.30	AV	132.00	100	Horizontal	Pass
3	5467.200	64.49	-0.54	68.2	3.71	Peak	143.00	100	Horizontal	Pass
3**	5467.200	49.16	-0.54	--	--	AV	143.00	100	Horizontal	N/A
4	5470.000	63.68	-0.10	68.2	4.52	Peak	156.00	300	Horizontal	Pass
4**	5470.000	50.92	-0.10	--	--	AV	156.00	300	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.58	-0.12	68.2	5.62	Peak	148.00	200	Horizontal	Pass
2	5726.042	64.12	-0.01	68.2	4.08	Peak	160.00	300	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.400	61.16	-0.83	74.0	12.84	Peak	120.00	300	Horizontal	Pass
1**	5459.400	49.03	-0.83	54.0	4.97	AV	120.00	300	Horizontal	Pass
2	5460.000	59.74	-0.92	74.0	14.26	Peak	163.00	300	Horizontal	Pass
2**	5460.000	49.08	-0.92	54.0	4.92	AV	163.00	300	Horizontal	Pass
3	5468.800	64.48	-0.45	68.2	3.72	Peak	151.00	400	Horizontal	Pass
3**	5468.800	52.85	-0.45	--	--	AV	151.00	400	Horizontal	N/A
4	5470.000	64.56	-0.10	68.2	3.64	Peak	167.00	100	Horizontal	Pass
4**	5470.000	54.16	-0.10	--	--	AV	167.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.55	-0.12	68.2	10.65	Peak	141.00	300	Horizontal	Pass
2	5735.208	59.35	0.09	68.2	8.85	Peak	139.00	300	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.600	61.80	-0.85	74.0	12.20	Peak	161.00	200	Horizontal	Pass
1**	5448.600	48.94	-0.85	54.0	5.06	AV	161.00	200	Horizontal	Pass
2	5460.000	60.87	-0.92	74.0	13.13	Peak	165.00	300	Horizontal	Pass
2**	5460.000	48.63	-0.92	54.0	5.37	AV	165.00	300	Horizontal	Pass
3	5469.600	61.94	-0.26	68.2	6.26	Peak	148.00	200	Horizontal	Pass
3**	5469.600	50.28	-0.26	--	--	AV	148.00	200	Horizontal	N/A
4	5470.000	60.93	-0.10	68.2	7.27	Peak	161.00	400	Horizontal	Pass
4**	5470.000	50.23	-0.10	--	--	AV	161.00	400	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.09	-0.12	68.2	9.11	Peak	155.00	200	Horizontal	Pass
2	5726.667	62.59	0.03	68.2	5.61	Peak	150.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.584	54.30	-0.49	68.2	13.90	Peak	293.00	100	Horizontal	Pass
2	5650.000	53.36	0.18	68.2	14.84	Peak	236.00	300	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.584	54.30	-0.49	68.2	13.90	Peak	293.00	100	Horizontal	Pass
2	5650.000	53.36	0.18	68.2	14.84	Peak	236.00	300	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.416	54.23	0.21	68.2	13.97	Peak	55.00	200	Horizontal	Pass
2	5650.000	53.43	0.18	68.2	14.77	Peak	314.00	300	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.99	0.09	68.4	15.41	Peak	222.00	400	Horizontal	Pass
2	5931.250	55.37	1.08	68.2	12.83	Peak	277.00	300	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.084	54.77	0.03	68.2	13.43	Peak	214.00	300	Horizontal	Pass
2	5650.000	54.05	0.18	68.2	14.15	Peak	205.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	53.86	0.09	68.4	14.54	Peak	235.00	200	Horizontal	Pass
2	5935.500	55.66	0.94	68.2	12.54	Peak	335.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.416	54.70	-0.08	68.2	13.50	Peak	216.00	100	Horizontal	Pass
2	5650.000	53.14	0.18	68.2	15.06	Peak	328.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	53.51	0.09	68.4	14.89	Peak	17.00	400	Horizontal	Pass
2	5971.750	55.87	0.63	68.2	12.33	Peak	358.00	400	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.791	54.72	0.23	68.2	13.48	Peak	226.00	300	Horizontal	Pass
2	5650.000	53.41	0.18	68.2	14.79	Peak	228.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	53.77	0.09	68.4	14.63	Peak	1.00	300	Horizontal	Pass
2	5959.000	55.47	0.63	68.2	12.73	Peak	113.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.708	55.02	-0.10	68.2	13.18	Peak	229.00	100	Horizontal	Pass
2	5650.000	53.51	0.18	68.2	14.69	Peak	96.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.500	53.17	0.09	68.4	15.23	Peak	83.00	200	Horizontal	Pass
2	5935.250	55.11	0.96	68.2	13.09	Peak	30.00	300	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26050303-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26050303-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26050303-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--