

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 1 of 116



FCC SAR TEST REPORT

Application No.: SEWM2304000111RG
Applicant: Shenzhen Tinno Mobile Technology Corp.
Manufacturer: Shenzhen Tinno Mobile Technology Corp.
Product Name: Smart Phone
Model No.(EUT): U680AA, U680AC
FCC ID: XD6U680AA
Standards: FCC 47CFR §2.1093
Date of Receipt: 2023-05-04
Date of Test: 2023-05-23 to 2023-06-13
Date of Issue: 2023-06-13
Test conclusion: **PASS ***

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Panta Sun
Panta Sun

Wireless Laboratory Manager



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2304000111RG08
Rev.: 01
Page: 2 of 116

REVISION HISTORY

Report Number	Revision	Description	Issue Date
SEWM2304000111RG08	01	Original	2023-06-13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 3 of 116


TEST SUMMARY

Frequency Band	Maximum Reported SAR(W/kg)			
	Head	Body-worn	Hotspot	Product specific 10g SAR
WCDMA Band II	0.14	0.50	1.30	3.11
WCDMA Band IV	0.11	0.67	1.22	3.17
WCDMA Band V	0.33	0.44	0.44	/
LTE Band 2	0.19	0.63	1.25	3.01
LTE Band 5	0.42	0.48	0.52	/
LTE Band 7	0.02	0.31	0.99	/
LTE Band 12	0.31	0.52	0.54	/
LTE Band 14	0.41	0.47	0.50	/
LTE Band 30	0.18	0.53	1.06	/
LTE Band 66	0.15	0.53	1.16	/
Wi-Fi (2.4GHz)	1.17	0.20	0.41	/
Wi-Fi (5GHz)	1.16	0.35	0.55	1.07
BT	0.13	<0.10	<0.10	/
SAR Limited(W/kg)	1.6			4.0
Maximum Simultaneous Transmission SAR (W/kg)				
Scenario	Head	Body-worn	Hotspot	Product specific 10g SAR
Sum SAR	1.39	1.06	1.47	3.17
SPLSR	/	/	/	/
SPLSR Limited	0.04			0.1

Note:

1) According to TCB workshop October,2014 RF Exposure Procedures Update (Overlapping Bands): SAR for LTE Band 4 (Frequency range:1710 - 1755 MHz) is respectively covered by LTE Band 66 (Frequency range:1710 - 1780 MHz)

Reviewed by



Well Wei

Prepared by



Nick Hu



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

CONTENTS

1 GENERAL INFORMATION	6
1.1 DETAILS OF CLIENT	6
1.2 TEST LOCATION	6
1.3 TEST FACILITY	7
1.4 GENERAL DESCRIPTION OF EUT	8
1.4.1 DUT Antenna Locations(Back View)	9
1.5 TEST SPECIFICATION	12
1.6 RF EXPOSURE LIMITS	13
2 LABORATORY ENVIRONMENT	14
3 SAR MEASUREMENTS SYSTEM CONFIGURATION	15
3.1 THE SAR MEASUREMENT SYSTEM	15
3.2 ISOTROPIC E-FIELD PROBE EX3DV4	16
3.3 DATA ACQUISITION ELECTRONICS (DAE)	17
3.4 SAM TWIN PHANTOM	17
3.5 ELI PHANTOM	18
3.6 DEVICE HOLDER FOR TRANSMITTERS	19
3.7 MEASUREMENT PROCEDURE	20
3.7.1 Scanning procedure	20
3.7.2 Data Storage	22
3.7.3 Data Evaluation by SEMCAD	22
4 SAR MEASUREMENT VARIABILITY AND UNCERTAINTY	24
4.1 SAR MEASUREMENT VARIABILITY	24
4.2 SAR MEASUREMENT UNCERTAINTY	24
5 DESCRIPTION OF TEST POSITION	25
5.1 HEAD EXPOSURE CONDITION	25
5.1.1 SAM Phantom Shape	25
5.1.2 EUT constructions	26
5.1.3 Definition of the "cheek" position	26
5.1.4 Definition of the "tilted" position	27
5.2 BODY EXPOSURE CONDITION	28
5.2.1 Body-worn accessory exposure conditions	28
5.2.2 Wireless Router exposure conditions	29
5.3 EXTREMITY EXPOSURE CONDITIONS	29
6 SAR SYSTEM VERIFICATION PROCEDURE	30
6.1 TISSUE SIMULATE LIQUID	30
6.1.1 Recipes for Tissue Simulate Liquid	30
6.1.2 Measurement for Tissue Simulate Liquid	31
6.2 SAR SYSTEM CHECK	32
6.2.1 Justification for Extended SAR Dipole Calibrations	33
6.2.2 Summary System Check Result(s)	34
6.2.3 Detailed System Check Results	34



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

7 TEST CONFIGURATION	35
7.1 3G SAR TEST REDUCTION PROCEDURE	35
7.2 OPERATION CONFIGURATIONS	35
7.2.1 WCDMA Test Configuration	35
7.2.2 WiFi Test Configuration	43
7.2.3 LTE Test Configuration	49
8 TEST RESULT	52
8.1 MEASUREMENT OF RF CONDUCTED POWER	52
8.1.1 Conducted Power of WCDMA	52
8.1.2 Conducted Power of LTE	55
8.1.3 Conducted Power of WIFI	82
8.1.4 Conducted Power of BT	92
8.2 STAND-ALONE SAR TEST EVALUATION	93
8.3 MEASUREMENT OF SAR DATA	94
8.3.1 SAR Result of WCDMA Band II	95
8.3.2 SAR Result of WCDMA Band IV	96
8.3.3 SAR Result of WCDMA Band V	97
8.3.4 SAR Result of LTE Band 2	98
8.3.5 SAR Result of LTE Band 5	100
8.3.6 SAR Result of LTE Band 7	101
8.3.7 SAR Result of LTE Band 12	102
8.3.8 SAR Result of LTE Band 14	103
8.3.9 SAR Result of LTE Band 30	104
8.3.10 SAR Result of LTE Band 66	105
8.3.11 SAR Result of WIFI 2.4G	106
8.3.12 SAR Result of WIFI 5G	107
8.3.13 SAR Result of BT	109
8.4 MULTIPLE TRANSMITTER EVALUATION	110
8.4.1 Simultaneous SAR SAR test evaluation	110
8.4.2 Simultaneous Transmission SAR Summation Scenario	111
9 EQUIPMENT LIST	115
10 CALIBRATION CERTIFICATE	116
11 PHOTOGRAPHS	116
APPENDIX A: DETAILED SYSTEM CHECK RESULTS	116
APPENDIX B: DETAILED TEST RESULTS	116
APPENDIX C: CALIBRATION CERTIFICATE	116
APPENDIX D: PHOTOGRAPHS	116



Report No.: SEWM2304000111RG08

Rev.: 01

Page: 6 of 116

1 General Information

1.1 Details of Client

Applicant:	Shenzhen Tinno Mobile Technology Corp.
Address:	TINNO HQ Building, Tongfa South Road Nanshan District Shenzhen, Guangdong Province
Manufacturer:	Shenzhen Tinno Mobile Technology Corp.
Address:	TINNO HQ Building, Tongfa South Road Nanshan District Shenzhen, Guangdong Province

1.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test Engineer:	Leon Xu



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08
Rev.: 01
Page: 7 of 116

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **A2LA (Certificate No. 6336.01)**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• **Innovation, Science and Economic Development Canada**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• **FCC –Designation Number: CN1312**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

1.4 General Description of EUT

Device Type :	portable device		
Exposure Category:	uncontrolled environment / general population		
Product Name:	Smart Phone		
Model No.(EUT):	U680AA, U680AC		
FCC ID:	XD6U680AA		
Product Phase:	Identical Prototype		
IMEI:	861745060008073		
Hardware Version:	V1.0		
Software Version:	U680AAV01.02.10		
Antenna Type:	Integrated		
Device Operating Configurations :			
Modulation Mode:	WCDMA: QPSK, 16QAM(HSPA+); LTE: QPSK,16QAM,64QAM WIFI: DSSS, OFDM; BT: GFSK, π/4DQPSK,8DPSK		
Device Class:	B		
HSDPA UE Category:	24	HSUPA UE Category	7
DC-HSDPA UE Category:	24		
Frequency Bands:	3, tested with power control “all 1”(WCDMA Band)		
	3, tested with power control Max Power(LTE Band)		
	Band	Tx (MHz)	Rx (MHz)
	WCDMA Band II	1850~1910	1930~1990
	WCDMA Band IV	1710~1755	2110~2155
	WCDMA Band V	824~849	869~894
	LTE Band 2	1850 ~1910	1930 ~1990
	LTE Band 4	1710~1755	2110~2155
	LTE Band 5	824~849	869-894
	LTE Band 7	2500~2570	2620~2690
	LTE Band 12	699~716	729~746
	LTE Band 14	788~798	758~768
	LTE Band 30	2305~2315	2350~2360
	LTE Band 66	1710~1780	2110~2200
	Bluetooth	2400~2483.5	2400~2483.5
	Wi-Fi 2.4G	2412~2472	2412~2472
	WIFI(5GHz)	5150-5250	5150-5250
		5250-5350	5250-5350
5470-5725		5470-5725	
5725-5850		5725-5850	
RF Cable:	☒ Provided by the aplicant ☐ Provided by the laboratory		
Battery Information:	Model:	516793	
	Normal Voltage:	3.87V	
	Rated capacity:	5850mAh	
	Manufacturer:	Huizhou Ganfeng Lienergy Battery Technology Co.,Ltd.	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

1.4.1 DUT Antenna Locations(Back View)



Antenna	Support Band
Ant 0	WCDMA B2/4/5, LTE B2/4/5/7/12/14/30/66
Ant 2	GPS,2.4G WIFI,5G WIFI, BT

Note:

- 1) The test device is a smart phone. The overall diagonal dimension of this device is 165 mm. Per KDB 648474 D04, because the diagonal distance of this device is $\geq 180\text{mm}$, so it is a phablet.
- 2) DIV Antenna does not support transmitter function.

According to the distance between LTE/WCDMA/WIFI&BT antennas and the sides of the EUT we can draw the conclusion that:

EUT Sides for SAR Testing							
Mode	Exposure Condition	Front	Back	Left	Right	Top	Bottom
Main Ant	Hotspot/Product specific 10g SAR	Yes	Yes	Yes	Yes	No	Yes
WIFI/BT Ant	Hotspot/Product specific 10g SAR	Yes	Yes	No	Yes	Yes	No

Table 1: EUT Sides for SAR Testing

Note: When the antenna-to-edge distance is greater than 2.5cm, such position does not need to be tested.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

Report No.: SEWM2304000111RG08
 Rev.: 01
 Page: 10 of 116

1.4.2 LTE CA additional specification

The device supports downlink and intra-band contiguous uplink LTE Carrier Aggregation (CA). When carrier aggregation applies, implementation and measurement details for the following are necessary.

Intra-band carrier aggregation requirements for uplink.

Intra-band and inter-band carrier aggregation requirements for downlink.

The possible downlink and uplink LTE CA combinations supported by this device are as below tables per 3GPP TS 36.101 V15.4.0. The conducted power measurement results of downlink and uplink LTE CA are provided in Section 8 of this report per 3GPP TS 36.521-1 V14.4.0. The downlink LTE CA SAR test is not required since the maximum output power for downlink LTE CA was not more than 0.25dB higher than the maximum output power for without downlink LTE CA.

The detailed power information can be referred to “8.1.3 Conducted Power of Downlink CA”.

LTE CA Downlink (DL)
2A-12A
2A-5A
5A-30A
12A-30A
14A-30A
66A-5A
66A-12A
CA_66A-66A
CA_66B
CA_66C



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

1.4.3 Power reduction specification

This device uses a single fixed level of power reduction through static table look-up for SAR compliance and it is triggered by a single event or operation

- 1) A fixed level power reduction is applied for some frequency bands when hotspot mode becomes active. When the hotspot is disabled, the power value will be recovered.
- 2) A fixed level power reduction is applied for some frequency bands when simultaneously transmitting with the other antennas in certain simultaneous transmission conditions. The standalone SAR compliance still uses the standalone SAR results tested at the maximum output power level without any power reduction
- 3) A fixed level power reduction is applied for some frequency bands when handset operate "held to the ear" condition, the power reduction triggered by audio receiver detection. The audio receiver detection is used to determine head or body scenario.

The detailed power reduction information can be referred to "8.1 Measurement of RF conducted Power".



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

1.5 Test Specification

Identity	Document Title
FCC 47CFR §2.1093	Radiofrequency Radiation Exposure Evaluation: Portable Devices
ANSI/IEEE C95.1-1992	IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz – 300 GHz.
IEEE 1528-2013	Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques
KDB 941225 D01	3G SAR Measurement Procedures v03r01
KDB 941225 D05	SAR for LTE Devices v02r05
KDB 941225 D06	Hotspot Mode SAR v02r01
KDB 248227 D01	SAR Guidance for IEEE 802.11 Wi-Fi SAR v02r02
KDB 648474 D04	Handset SAR v01r03
KDB 447498 D01	General RF Exposure Guidance v06
KDB 865664 D01	SAR Measurement 100 MHz to 6 GHz v01r04
KDB 865664 D02	RF Exposure Reporting v01r02
KDB 690783 D01	SAR Listings on Grants v01r03



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

1.6 RF exposure limits

Human Exposure	Uncontrolled Environment General Population	Controlled Environment Occupational
Spatial Peak SAR* (Brain*Trunk)	1.60 mW/g	8.00 mW/g
Spatial Average SAR** (Whole Body)	0.08 mW/g	0.40 mW/g
Spatial Peak SAR*** (Hands/Feet/Ankle/Wrist)	4.00 mW/g	20.00 mW/g

Notes:

* The Spatial Peak value of the SAR averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time

** The Spatial Average value of the SAR averaged over the whole body.

*** The Spatial Peak value of the SAR averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube) and over the appropriate averaging time.

Uncontrolled Environments are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure.

Controlled Environments are defined as locations where there is exposure that may be incurred by persons who are aware of the potential for exposure, (i.e. as a result of employment or occupation.)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08
Rev.: 01
Page: 14 of 116

2 Laboratory Environment

Temperature	Min. = 18°C, Max. = 25 °C
Relative humidity	Min. = 30%, Max. = 70%
Ambient noise is checked and found very low and in compliance with requirement of standards.	
Reflection of surrounding objects is minimized and in compliance with requirement of standards.	

Table 2: The Ambient Conditions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

3 SAR Measurements System Configuration

3.1 The SAR Measurement System

This SAR Measurement System uses a Computer-controlled 3-D stepper motor system (SPEAG DASY5 professional system). A E-field probe is used to determine the internal electric fields. The SAR can be obtained from the equation $SAR = \sigma (|E|^2) / \rho$ where σ and ρ are the conductivity and mass density of the tissue-Simulate.


The DASY5 system for performing compliance tests consists of the following items:

A standard high precision 6-axis robot (Stabile RX family) with controller, teach pendant and software .An arm extension for accommodation the data acquisition electronics (DAE).

A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.

A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.

The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.



F-1. SAR Measurement System Configuration

- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
- A computer operating Windows 7.
- DASY5 software.
- Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
- The SAM twin phantom enabling testing left-hand, right-hand and Body Worn usage.
- The device holder for handheld mobile phones.
- Tissue simulating liquid mixed according to the given recipes.
- Validation dipole kits allowing to validating the proper functioning of the system.

3.2 Isotropic E-field Probe EX3DV4

	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)
Calibration	ISO/IEC 17025 calibration service available.
Frequency	10 MHz to > 6 GHz Linearity: ± 0.2 dB (30 MHz to 6 GHz)
Directivity	± 0.3 dB in TSL (rotation around probe axis) ± 0.5 dB in TSL (rotation normal to probe axis)
Dynamic Range	10 μ W/g to > 100 mW/g Linearity: ± 0.2 dB (noise: typically < 1 μ W/g)
Dimensions	Overall length: 337 mm (Tip: 20 mm) Tip diameter: 2.5 mm (Body: 12 mm) Typical distance from probe tip to dipole centers: 1 mm
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields); the only probe that enables compliance testing for frequencies up to 6 GHz with precision of better 30%.
Compatibility	DASY3, DASY4, DASY52 SAR and higher, EASY4/MRI




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

3.3 Data Acquisition Electronics (DAE)

Model	DAE	
Construction	Signal amplifier, multiplexer, A/D converter and control logic. Serial optical link for communication with DASY4/5 embedded system (fully remote controlled). Two step probe touch detector for mechanical surface detection and emergency robot stop.	
Measurement Range	-100 to +300 mV (16 bit resolution and two range settings: 4mV,400mV)	
Input Offset Voltage	< 5μV (with auto zero)	
Input Bias Current	< 50 f A	
Dimensions	60 x 60 x 68 mm	

3.4 SAM Twin Phantom

Material	Vinylester, glass fiber reinforced (VE-GF)	
Liquid Compatibility	Compatible with all SPEAG tissue simulating liquids (incl. DGBE type)	
Shell Thickness	2 ± 0.2 mm (6 ± 0.2 mm at ear point)	
Dimensions (incl. Wooden Support)	Length: 1000 mm Width: 500 mm Height: adjustable feet	
Filling Volume	approx. 25 liters	
Wooden Support	SPEAG standard phantom table	

The shell corresponds to the specifications of the Specific Anthropomorphic Mannequin (SAM) phantom defined in IEEE 1528 and IEC 62209-1. It enables the dosimetric evaluation of left and right hand phone usage as well as body mounted usage at the flat phantom region. A cover prevents evaporation of the liquid. Reference markings on the phantom allow the complete setup of all predefined phantom positions and measurement grids by teaching three points with the robot.

Twin SAM V5.0 has the same shell geometry and is manufactured from the same material as Twin SAM V4.0, but has reinforced top structure.

3.5 ELI Phantom

Material	Vinylester, glass fiber reinforced (VE-GF)
Liquid Compatibility	Compatible with all SPEAG tissue simulating liquids (incl. DGBE type)
Shell Thickness	2.0 ± 0.2 mm (bottom plate)
Dimensions	Major axis: 600 mm Minor axis: 400 mm
Filling Volume	approx. 30 liters
Wooden Support	SPEAG standard phantom table



Phantom for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.

ELI V5.0 has the same shell geometry and is manufactured from the same material as ELI4, but has reinforced top structure.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

3.6 Device Holder for Transmitters



F-2. Device Holder for Transmitters

- The DASY device holder is designed to cope with different positions given in the standard. It has two scales for the device rotation (with respect to the body axis) and the device inclination (with respect to the line between the ear reference points). The rotation centres for both scales are the ear reference point (ERP). Thus the device needs no repositioning when changing the angles.
- The DASY device holder has been made out of low-loss POM material having the following dielectric parameters: relative permittivity $\epsilon=3$ and loss tangent $\delta=0.02$. The amount of dielectric material has been reduced in the closest vicinity of the device, since measurements have suggested that the influence of the clamp on the test results could thus be lowered.

3.7 Measurement procedure

3.7.1 Scanning procedure

Step 1: Power reference measurement

The “reference” and “drift” measurements are located at the beginning and end of the batch process. They measure the field drift at one single point in the liquid over the complete procedure.

Step 2: Area scan

The SAR distribution at the exposed side of the head was measured at a distance of 4mm from the inner surface of the shell. The area covered the entire dimension of the head and the horizontal grid spacing was 15mm*15mm or 12mm*12mm or 10mm*10mm. Based on the area scan data, the area of the maximum absorption was determined by spline interpolation.

Step 3: Zoom scan

Around this point, a volume of 32mm*32mm*30mm ($f \leq 2\text{GHz}$), 30mm*30mm*30mm (f for 2-3GHz) and 24mm*24mm*22mm (f for 5-6GHz) was assessed by measuring 5x5x7 points ($f \leq 2\text{GHz}$), 7x7x7 points (f for 2-3GHz) and 7x7x12 points (f for 5-6GHz). On this basis of this data set, the spatial peak SAR value was evaluated with the following procedure:

The data at the surface was extrapolated, since the centre of the dipoles is 2.0mm away from the tip of the probe and the distance between the surface and the lowest measuring point is 1.2mm. (This can be variable. Refer to the probe specification). The extrapolation was based on a least square algorithm. A polynomial of the fourth order was calculated through the points in z-axes. This polynomial was then used to evaluate the points between the surface and the probe tip. The maximum interpolated value was searched with a straight-forward algorithm. Around this maximum the SAR values averaged over the spatial volumes (1g or 10g) were computed using the 3D-Spline interpolation algorithm. The volume was integrated with the trapezoidal algorithm. One thousand points were interpolated to calculate the average. All neighbouring volumes were evaluated until no neighboring volume with a higher average value was found.

The area and zoom scan resolutions specified in the table below must be applied to the SAR measurements. Probe boundary effect error compensation is required for measurements with the probe tip closer than half a probe tip diameter to the phantom surface. Both the probe tip diameter and sensor offset distance must satisfy measurement protocols; to ensure probe boundary effect errors are minimized and the higher fields closest to the phantom surface can be correctly measured and extrapolated to the phantom surface for computing 1-g SAR. Tolerances of the post-processing algorithms must be verified by the test laboratory for the scan resolutions used in the SAR measurements, according to the reference distribution functions specified in IEEE Std. 1528-2013.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

		$\leq 3 \text{ GHz}$	$> 3 \text{ GHz}$
Maximum distance from closest measurement point (geometric center of probe sensors) to phantom surface		$5 \pm 1 \text{ mm}$	$\frac{1}{2} \cdot \delta \cdot \ln(2) \pm 0.5 \text{ mm}$
Maximum probe angle from probe axis to phantom surface normal at the measurement location		$30^\circ \pm 1^\circ$	$20^\circ \pm 1^\circ$
Maximum area scan spatial resolution: Δx_{Area} , Δy_{Area}		$\leq 2 \text{ GHz: } \leq 15 \text{ mm}$ $2 - 3 \text{ GHz: } \leq 12 \text{ mm}$	$3 - 4 \text{ GHz: } \leq 12 \text{ mm}$ $4 - 6 \text{ GHz: } \leq 10 \text{ mm}$
		When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above, the measurement resolution must be $\leq$ the corresponding x or y dimension of the test device with at least one measurement point on the test device.	
Maximum zoom scan spatial resolution: Δx_{Zoom} , Δy_{Zoom}		$\leq 2 \text{ GHz: } \leq 8 \text{ mm}$ $2 - 3 \text{ GHz: } \leq 5 \text{ mm}^*$	$3 - 4 \text{ GHz: } \leq 5 \text{ mm}^*$ $4 - 6 \text{ GHz: } \leq 4 \text{ mm}^*$
Maximum zoom scan spatial resolution, normal to phantom surface	uniform grid: $\Delta z_{\text{Zoom}}(n)$	$\leq 5 \text{ mm}$	$3 - 4 \text{ GHz: } \leq 4 \text{ mm}$ $4 - 5 \text{ GHz: } \leq 3 \text{ mm}$ $5 - 6 \text{ GHz: } \leq 2 \text{ mm}$
	graded grid $\Delta z_{\text{Zoom}}(1)$: between 1 st two points closest to phantom surface	$\leq 4 \text{ mm}$	$3 - 4 \text{ GHz: } \leq 3 \text{ mm}$ $4 - 5 \text{ GHz: } \leq 2.5 \text{ mm}$ $5 - 6 \text{ GHz: } \leq 2 \text{ mm}$
	$\Delta z_{\text{Zoom}}(n>1)$: between subsequent points	$\leq 1.5 \cdot \Delta z_{\text{Zoom}}(n-1)$	
Minimum zoom scan volume	x, y, z	$\geq 30 \text{ mm}$	$3 - 4 \text{ GHz: } \geq 28 \text{ mm}$ $4 - 5 \text{ GHz: } \geq 25 \text{ mm}$ $5 - 6 \text{ GHz: } \geq 22 \text{ mm}$

Step 4: Power reference measurement (drift)

The Power Drift Measurement job measures the field at the same location as the most recent power reference measurement job within the same procedure, and with the same settings. The indicated drift is mainly the variation of the DUT's output power and should vary max. $\pm 5 \%$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

3.7.2 Data Storage

The DASY software stores the acquired data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files with the extension ".DAE4". The software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verification of the complete software setup even after the measurement and allows correction of incorrect parameter settings. For example, if a measurement has been performed with a wrong crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be re-evaluated. The measured data can be visualized or exported in different units or formats, depending on the selected probe type ([V/m], [A/m], [°C], [m W/g], [m W/cm²], [dBrel], etc.). Some of these units are not available in certain situations or show meaningless results, e.g., a SAR output in a lossless media will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

3.7.3 Data Evaluation by SEMCAD

The SEMCAD software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters:	- Sensitivity	Normi, ai0, ai1, ai2
- Conversion factor	ConvFi	
- Diode compression point	Dcpi	
Device parameters:	- Frequency	f
- Crest factor	cf	
Media parameters:	- Conductivity	ε
- Density	ρ	

These parameters must be set correctly in the software. They can be found in the component documents or they can be imported into the software from the configuration files issued for the DASY components. In the direct measuring mode of the multimeter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics.

If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot cf / dcp_i$$

With V_i = compensated signal of channel i (i = x, y, z)

U_i = input signal of channel i (i = x, y, z)

cf = crest factor of exciting field (DASY parameter)

dcp i = diode compression point (DASY parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

E-field probes:

$$E_i = (V_i / Norm_i \cdot ConvF)^{1/2}$$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

H-field probes:

$$H_i = (V_i)^{1/2} \cdot (a_{i0} + a_{i1}f + a_{i2}f^2) / f$$

With V_i = compensated signal of channel i ($i = x, y, z$)

Normi = sensor sensitivity of channel i ($i = x, y, z$)

[mV/(V/m)²] for E-field Probes

ConvF = sensitivity enhancement in solution

a_{ij} = sensor sensitivity factors for H-field probes

f = carrier frequency [GHz]

E_i = electric field strength of channel i in V/m

H_i = magnetic field strength of channel i in A/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = (E_x^2 + E_y^2 + E_z^2)^{1/2}$$

The primary field data are used to calculate the derived field units.

$$SAR = (E_{tot}^2 \cdot \sigma) / (\epsilon \cdot 1000)$$

with SAR = local specific absorption rate in mW/g

E_{tot} = total field strength in V/m

σ = conductivity in [mho/m] or [Siemens/m]

ϵ = equivalent tissue density in g/cm³

Note that the density is normally set to 1 (or 1.06), to account for actual brain density rather than the density of the simulation liquid. The power flow density is calculated assuming the excitation field to be a free space field.

$$P_{pwe} = E_{tot}^2 / 3770 \text{ or } P_{pwe} = H_{tot}^2 \cdot 37.7$$

with P_{pwe} = equivalent power density of a plane wave in mW/cm²

E_{tot} = total electric field strength in V/m

H_{tot} = total magnetic field strength in A/m



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

4 SAR measurement variability and uncertainty

4.1 SAR measurement variability

Per KDB865664 D01 SAR measurement 100 MHz to 6 GHz v01r04, SAR measurement variability must be assessed for each frequency band, which is determined by the SAR probe calibration point and tissue-equivalent medium used for the device measurements. The additional measurements are repeated after the completion of all measurements requiring the same head or body tissue-equivalent medium in a frequency band. The test device should be returned to ambient conditions (normal room temperature) with the battery fully charged before it is re-mounted on the device holder for the repeated measurement(s) to minimize any unexpected variations in the repeated results.

- 1) Repeated measurement is not required when the original highest measured SAR is < 0.80 W/kg; steps 2) through 4) do not apply.
 - 2) When the original highest measured SAR is ≥ 0.80 W/kg, repeat that measurement once.
 - 3) Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).
 - 4) Perform a third repeated measurement only if the original, first or second repeated measurement is ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
- The same procedures should be adapted for measurements according to extremity and occupational exposure limits by applying a factor of 2.5 for extremity exposure and a factor of 5 for occupational exposure to the corresponding SAR thresholds.

4.2 SAR measurement uncertainty

Per KDB865664 D01 SAR Measurement 100 MHz to 6 GHz, when the highest measured 1-g SAR within a frequency band is < 1.5 W/kg, the extensive SAR measurement uncertainty analysis described in IEEE Std 1528-2013 is not required in SAR reports submitted for equipment approval. The equivalent ratio (1.5/1.6) is applied to extremity and occupational exposure conditions.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

5 Description of Test Position


5.1 Head Exposure Condition

5.1.1 SAM Phantom Shape




F-3. Front, back, and side views of SAM (model for the phantom shell). Full-head model is for illustration purposes only-procedures in this recommended practice are intended primarily for the phantom setup.


Note: The centre strip including the nose region has a different thickness tolerance.



F-4. Sagittally bisected phantom with extended perimeter (shown placed on its side as used for SAR measurements)




F-5. Close-up side view of phantom, showing the ear region, N-F and B-M lines, and seven cross-sectional plane locations




F-6. Side view of the phantom showing relevant markings and seven cross-sectional plane locations

5.1.2 EUT constructions



F-7. Handset vertical and horizontal reference lines-"fixed case"



F-8. Handset vertical and horizontal reference lines-"clam-shell case"

5.1.3 Definition of the "cheek" position

- Position the device with the vertical centre line of the body of the device and the horizontal line crossing the centre of the ear piece in a plane parallel to the sagittal plane of the phantom ("initial position"). While maintaining the device in this plane, align the vertical centre line with the reference plane containing the three ear and mouth reference points (M, RE and LE) and align the centre of the ear piece with the line RE-LE.
- Translate the mobile phone box towards the phantom with the ear piece aligned with the line LE-RE until telephone touches the ear. While maintaining the device in the reference plane and maintaining the phone contact with the ear, move the bottom of the box until any point on the front side is in contact with the cheek of the phantom or until contact with the ear is lost.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

5.1.4 Definition of the “tilted” position

- Position the device in the “cheek” position described above;
- While maintaining the device in the reference plane described above and pivoting against the ear, move it outward away from the mouth by an angle of 15 degrees or until contact with the ear is lost.



F-9. Definition of the reference lines and points, on the phone and on the phantom and initial position



F-10. “Cheek” and “tilt” positions of the mobile phone on the left side

5.2 Body Exposure Condition


5.2.1 Body-worn accessory exposure conditions

Body-worn operating configurations should be tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in normal use configurations.

Body-worn operating configurations are tested with the belt-clips and holsters attached to the device and positioned against a flat phantom in a normal use configuration. Per FCC KDB Publication 648474 D04, Body-worn accessory exposure is typically related to voice mode operations when handsets are carried in body-worn accessories. The body-worn accessory procedures in FCC KDB Publication 447498 D01 should be used to test for body-worn accessory SAR compliance, without a headset connected to it. This enables the test results for such configuration to be compatible with that required for hotspot mode when the body-worn accessory test separation distance is greater than or equal to that required for hotspot mode, when applicable. When the reported SAR for a body-worn accessory, measured without a headset connected to the handset, is $> 1.2 \text{ W/kg}$, the highest reported SAR configuration for that wireless mode and frequency band should be repeated for that body-worn accessory with a headset attached to the handset.

Accessories for Body-worn operation configurations are divided into two categories: those that do not contain metallic components and those that do contain metallic components. When multiple accessories that do not contain metallic components are supplied with the device, the device is tested with only the accessory that dictates the closest spacing to the body. Then multiple accessories that contain metallic components are tested with the device with each accessory. If multiple accessories share an identical metallic component (i.e. the same metallic belt-clip used with different holsters with no other metallic components) only the accessory that dictates the closest spacing to the body is tested.

Body-worn accessories may not always be supplied or available as options for some devices intended to be authorized for body-worn use. In this case, a test configuration with a separation distance between the back of the device and the flat phantom is used. Test position spacing was documented. Transmitters that are designed to operate in front of a person's face, as in push-to-talk configurations, are tested for SAR compliance with the front of the device positioned to face the flat phantom in head fluid. For devices that are carried next to the body such as a shoulder, waist or chest-worn transmitters, SAR compliance is tested with the accessories, including headsets and microphones, attached to the device and positioned against a flat phantom in a normal use configuration.



F-11. Test positions for body-worn devices

5.2.2 Wireless Router exposure conditions

Some battery-operated handsets have the capability to transmit and receive user data through simultaneous transmission of WIFI simultaneously with a separate licensed transmitter. The FCC has provided guidance in FCC KDB Publication 941225 D06 where SAR test considerations for handsets ($L \times W \geq 9 \text{ cm} \times 5 \text{ cm}$) are based on a composite test separation distance of 10 mm from the front, back and edges of the device containing transmitting antennas within 2.5 cm of their edges, determined from general mixed use conditions for this type of devices. For devices with form factors smaller than $9 \text{ cm} \times 5 \text{ cm}$, a test separation distance of 5 mm is required.

5.3 Extremity exposure conditions

Per FCC KDB 648474 D04, for smart phones with a display diagonal dimension $> 15.0 \text{ cm}$ or an overall diagonal dimension $> 16.0 \text{ cm}$ that provide similar mobile web access and multimedia support found in mini-tablets or UMPC mini-tablets that support voice calls next to the ear, the device is marketed as "Phablet". The UMPC mini-tablet procedures must also be applied to test the SAR of all surfaces and edges with an antenna located at $\leq 25 \text{ mm}$ from that surface or edge, in direct contact with a flat phantom, for Product Specific 10-g SAR according to the body-equivalent tissue dielectric parameters in KDB 865664 to address interactive hand use exposure conditions. The UMPC mini-tablet 1-g SAR at 5 mm is not required. When hotspot mode applies, Product Specific 10-g SAR is required only for the surfaces and edges with hotspot mode 1-g reported SAR $> 1.2 \text{ W/kg}$; however, when power reduction applies to hotspot mode the measured SAR must be scaled to the maximum output power, including tolerance, allowed for phablet modes to compare with the 1.2 W/kg SAR test reduction threshold.

Due to the SAR result, the all frequency bands are not required to test with 0mm for the Product Specific 10-g SAR.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

6 SAR System Verification Procedure

6.1 Tissue Simulate Liquid

6.1.1 Recipes for Tissue Simulate Liquid

The following tables give the recipes for tissue simulating liquids to be used in different frequency bands:

Ingredients (% by weight)	Frequency (MHz)				
	450	700-900	1750-2000	2300-2500	2500-2700
Water	38.56	40.30	55.24	55.00	54.92
Salt (NaCl)	3.95	1.38	0.31	0.2	0.23
Sucrose	56.32	57.90	0	0	0
HEC	0.98	0.24	0	0	0
Bactericide	0.19	0.18	0	0	0
Tween	0	0	44.45	44.80	44.85
Salt: 99+% Pure Sodium Chloride Water: De-ionized, 16 MΩ ⁺ resistivity Tween: Polyoxyethylene (20) sorbitan monolaurate Sucrose: 98+% Pure Sucrose HEC: Hydroxyethyl Cellulose					
HSL5GHz is composed of the following ingredients: Water: 50-65% Mineral oil: 10-30% Emulsifiers: 8-25% Sodium salt: 0-1.5%					

Table 3: Recipe of Tissue Simulate Liquid



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

6.1.2 Measurement for Tissue Simulate Liquid

The Conductivity (σ) and Permittivity (ρ) are listed in bellow table. For the SAR measurement given in this report. The temperature variation of the Tissue Simulate Liquids was $22\pm 2^{\circ}\text{C}$.

Tissue Type	Measured Frequency (MHz)	Target Tissue ($\pm 5\%$)		Measured Tissue		Liquid Temp. ($^{\circ}\text{C}$)	Test Date
		ϵ_r	$\sigma(\text{S/m})$	ϵ_r	$\sigma(\text{S/m})$		
750 Head	750	41.9 (39.81~44)	0.89 (0.85~0.94)	41.624	0.894	22.2	2023-05-25
835 Head	835	41.5 (39.43~43.58)	0.90 (0.86~0.95)	40.784	0.887	22.3	2023-05-23
1750 Head	1750	40.1 (38.10~42.11)	1.37 (1.30~1.44)	40.206	1.315	22.5	2023-05-29
1900 Head	1900	40.0 (38.00~42.00)	1.40 (1.33~1.47)	41.422	1.414	22.4	2023-06-01
2300 Head	2300	39.5 (37.53~41.48)	1.67 (1.59~1.75)	39.697	1.684	22.3	2023-06-03
2450 Head	2450	39.20 (37.24~41.16)	1.80 (1.71~1.89)	39.082	1.814	22.4	2023-06-07
2600 Head	2600	39.0 (37.05~40.95)	1.96 (1.86~2.06)	37.735	1.969	22.1	2023-06-05
5250 Head	5250	35.9 (34.11~37.70)	4.66 (4.47~4.95)	36.514	4.734	22.3	2023-06-09
5600 Head	5600	35.5 (33.73~37.30)	5.07 (4.82~5.32)	35.021	5.067	22.2	2023-06-11
5750 Head	5750	35.4 (33.63~37.17)	5.22 (4.96~5.48)	34.649	5.247	22.4	2023-06-13

Table 4: Measurement result of Tissue electric parameters



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000


中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

6.2 SAR System Check

The microwave circuit arrangement for system Check is sketched in F-12. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within $\pm 10\%$ from the target SAR values. The tests were conducted on the same days as the measurement of the EUT. The obtained results from the system accuracy verification are displayed in the following table (A power level of 250mW (below 3GHz) or 100mW (3-6GHz) was input to the dipole antenna). During the tests, the ambient temperature of the laboratory was in the range $22\pm 2^{\circ}\text{C}$, the relative humidity was in the range 60% and the liquid depth above the ear reference points was above $15\pm 0.5\text{ cm}$ in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



F-12. the microwave circuit arrangement used for SAR system check

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 33 of 116

6.2.1 Justification for Extended SAR Dipole Calibrations

1) Referring to KDB865664 D01 requirements for dipole calibration, instead of the typical annual calibration recommended by measurement standards, longer calibration intervals of up to three years may be considered when it is demonstrated that the SAR target, impedance and return loss of a dipole have remain stable according to the following requirements. Each measured dipole is expected to evaluate with the following criteria at least on annual interval in Appendix C.

- a) There is no physical damage on the dipole;
- b) System check with specific dipole is within 10% of calibrated value;
- c) Return-loss is within 10% of calibrated measurement;
- d) Impedance is within 5Ω from the previous measurement.

2) Network analyzer probe calibration against air, distilled water and a shorting block performed before measuring liquid parameters.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

6.2.2 Summary System Check Result(s)

Validation Kit		Measured SAR 250mW	Measured SAR 250mW	Measured SAR (normalized to 1W)	Measured SAR (normalized to 1W)	Target SAR (normalized to 1W)	Target SAR (normalized to 1W)	Deviation (Within ±10%)		Liquid Temp. (°C)	Test Date
		1g (W/kg)	10g (W/kg)	1g (W/kg)	10g (W/kg)	1-g(W/kg)	10-g(W/kg)	1- g(W/kg)	10- g(W/kg)		
D750V3	Head	2.1	1.39	8.40	5.56	8.39	5.63	0.12%	-1.24%	22.2	2023-05-25
D835V2	Head	2.36	1.55	9.44	6.20	9.64	6.29	-2.07%	-1.43%	22.3	2023-05-23
D1750V2	Head	8.84	4.70	35.36	18.80	36.30	19.20	-2.59%	-2.08%	22.5	2023-05-29
D1900V2	Head	9.69	5.09	38.76	20.36	39.30	20.20	-1.37%	0.79%	22.4	2023-06-01
D2300V2	Head	12.2	5.82	48.80	23.28	49.30	23.10	-1.01%	0.78%	22.3	2023-06-03
D2450V2	Head	13.10	6.13	52.40	24.52	51.90	23.80	0.96%	3.03%	22.4	2023-06-07
D2600V2	Head	14.90	6.67	59.60	26.68	56.80	24.90	4.93%	7.15%	22.1	2023-06-05
Validation Kit		Measured SAR 100mW	Measured SAR 100mW	Measured SAR (normalized to 1W)	Measured SAR (normalized to 1W)	Target SAR (normalized to 1W)	Target SAR (normalized to 1W)	Deviation (Within ±10%)		Liquid Temp. (°C)	Test Date
		1g (W/kg)	10g (W/kg)	1g (W/kg)	10g (W/kg)	1-g(W/kg)	10-g(W/kg)	1- g(W/kg)	10- g(W/kg)		
D5GHzV2	Head(5.25GHz)	7.93	2.28	79.30	22.80	75.20	21.50	5.45%	6.05%	22.3	2023-06-09
	Head(5.6GHz)	8.01	2.28	80.10	22.80	80.00	22.70	0.12%	0.44%	22.2	2023-06-11
	Head(5.75GHz)	8.08	2.30	80.80	23.00	78.70	22.30	2.67%	3.14%	22.4	2023-06-13

Table 5: SAR System Check Result

6.2.3 Detailed System Check Results

Please see the Appendix A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

7 Test Configuration

7.1 3G SAR Test Reduction Procedure

According to KDB 941225D01, in the following procedures, the mode tested for SAR is referred to as the primary mode. The equivalent modes considered for SAR test reduction are denoted as secondary modes. Both primary and secondary modes must be in the same frequency band. When the maximum output power and tune-up tolerance specified for production units in a secondary mode is $\leq \frac{1}{4}$ dB higher than the primary mode or when the highest reported SAR of the primary mode is scaled by the ratio of specified maximum output power and tune-up tolerance of secondary to primary mode and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for the secondary mode. This is referred to as the 3G SAR test reduction procedure in the following SAR test guidance, where the primary mode is identified in the applicable wireless mode test procedures and the secondary mode is wireless mode being considered for SAR test reduction by that procedure. When the 3G SAR test reduction procedure is not satisfied, it is identified as "otherwise" in the applicable procedures; SAR measurement is required for the secondary mode.

7.2 Operation Configurations

7.2.1 WCDMA Test Configuration

1) . Output Power Verification

Maximum output power is verified on the high, middle and low channels according to procedures described in section 5.2 of 3GPP TS 34.121, using the appropriate RMC or AMR with TPC (transmit power control) set to all "1's" for WCDMA/HSDPA or by applying the required inner loop power control procedures to maintain maximum output power while HSUPA is active. Results for all applicable physical channel configurations (DPCCH, DPDCHn and spreading codes, HSDPA, HSPA) are required in the SAR report. All configurations that are not supported by the handset or cannot be measured due to technical or equipment limitations must be clearly identified.

2) . Head SAR

SAR for next to the ear head exposure is measured using a 12.2 kbps RMC with TPC bits configured to all "1's". The 3G SAR test reduction procedure is applied to AMR configurations with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured for 12.2 kbps AMR in 3.4 kbps SRB (signaling radio bearer) using the highest reported SAR configuration in 12.2 kbps RMC for head exposure

3) . Body SAR

SAR for body configurations is measured using a 12.2 kbps RMC with TPC bits configured to all "1's". The 3G SAR test reduction procedure is applied to other spreading codes and multiple DPDCHn configurations supported by the handset with 12.2 kbps RMC as the primary mode. Otherwise, SAR is measured using an applicable RMC configuration with the corresponding spreading code or DPDCHn, for the highest reported body-worn accessory exposure SAR configuration in 12.2 kbps RMC. When more than 2 DPDCHn are supported by the handset, it may be necessary to configure additional DPDCHn using FTM (Factory Test Mode) or other chipset based test approaches with parameters similar to those used in 384 kbps and 768 kbps RMC.

4) . HSDPA / HSUPA / DC-HSDPA

According to KDB 941225 D01v03, RMC 12.2kbps setting is used to evaluate SAR. If the maximum output power and tune-up tolerance specified for production units in HSDPA / HSUPA / DC-HSDPA is $\leq \frac{1}{4}$ dB higher than RMC 12.2Kbps or when the highest reported SAR of the RMC12.2Kbps is scaled by the ratio of specified maximum output power and tune-up tolerance of HSDPA / HSUPA / DC-HSDPA to RMC12.2Kbps and the adjusted SAR is ≤ 1.2 W/kg, SAR measurement is not required for HSDPA / HSUPA / DC-HSDPA



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 36 of 116

a) HSDPA

HSDPA is configured according to the applicable UE category of a test device. The number of HS-DSCH/HS-PDSCHs, HARQ processes, minimum inter-TTI interval, transport block sizes and RV coding sequence are defined by the H-set. To maintain a consistent test configuration and stable transmission conditions, QPSK is used in the H-set for SAR testing. HS-DPCCH should be configured with a CQI feedback cycle of 4 ms and a CQI repetition factor of 2 to maintain a constant rate of active CQI slots. DPCCH and DPDCH gain factors(β_c , β_d), and HS-DPCCH power offset parameters (Δ_{ACK} , Δ_{NACK} , Δ_{CQI}) are set according to values indicated in the following table. The CQI value is determined by the UE category, transport block size, number of HS-PDSCHs and modulation used in the H-set.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Sub-test	β_c	Bd	β_d (SF)	β_c/β_d	β_{hs}	CM(dB)	MPR (dB)
1	2/15	15/15	64	2/15	4/15	0.0	0
2	12/15(3)	15/15(3)	64	12/15(3)	24/15	1.0	0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note1: ΔACK , $\Delta NACK$ and $\Delta CQI = 8$ Ahs = $\beta_{hs}/\beta_c = 30/15$ $\beta_{hs} = 30/15 * \beta_c$

Note2: For the HS-DPCCH power mask requirement test in clause 5.2C, 5.7A, and the Error Vector Magnitude (EVM) with HS-DPCCH test in clause 5.13.1.A, and HSDPA EVM with phase discontinuity in clause 5.13.1AA, ΔACK and $\Delta NACK = 8$ (Ahs = 30/15) with $\beta_{hs} = 30/15 * \beta_c$, and $\Delta CQI =$

7 (Ahs = 24/15) with $\beta_{hs} = 24/15 * \beta_c$.

Note3: CM = 1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases.

The measurements were performed with a Fixed Reference Channel (FRC) and H-Set 1 QPSK.

Parameter	Value
Nominal average inf. bit rate	534 kbit/s
Inter-TTI Distance	3 TTI"s
Number of HARQ Processes	2 Processes
Information Bit Payload	3202 Bits
MAC-d PDU size	336 Bits
Number Code Blocks	1 Block
Binary Channel Bits Per TTI	4800 Bits
Total Available SMLs in UE	19200 SMLs
Number of SMLs per HARQ Process	9600 SMLs
Coding Rate	0.67
Number of Physical Channel Codes	5

Table 6: settings of required H-Set 1 QPSK acc. to 3GPP 34.121



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn

t (86-512) 62992980 sgs.china@sgs.com

HS-DSCH Category	Maximum HS-DSCH Codes Received	Minimum Inter-TTI Interval	Maximum HS-DSCH Transport Block Bits/HS-DSCH TTI	Total Soft Channel Bits
1	5	3	7298	19200
2	5	3	7298	28800
3	5	2	7298	28800
4	5	2	7298	38400
5	5	1	7298	57600
6	5	1	7298	67200
7	10	1	14411	115200
8	10	1	14411	134400
9	15	1	25251	172800
10	15	1	27952	172800
11	5	2	3630	14400
12	5	1	3630	28800
13	15	1	34800	259200
14	15	1	42196	259200
15	15	1	23370	345600
16	15	1	27952	345600

Table 7: HSDPA UE category

b) HSUPA

Due to inner loop power control requirements in HSUPA, a commercial communication test set should be used for the output power and SAR tests. The 12.2 kbps RMC, FRC H-set 1 and E-DCH configurations for HSUPA should be configured according to the values indicated below as well as other applicable procedures described in the „WCDMA Handset“ and „Release 5 HSUPA Data Device“ sections of 3G device.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Sub-test ^a	β_c ^a	β_d ^a	β_d (SF) ^a	β_c/β_d ^a	β_{hs} ⁽¹⁾ ^a	β_{ac} ^a	β_{ed} ^a	β_c (SF) ^a	β_{ed} (code) ^a	CM ⁽²⁾ (dB) ^a	MP R ^a (dB) ^a	AG ⁽⁴⁾ Inde x ^a	E- TFC I ^a
1 ^a	11/15 ⁽³⁾	15/15 ⁽³⁾	64 ^a	11/15 ⁽³⁾	22/15 ^a	209/225 ^a	1039/225 ^a	4 ^a	1 ^a	1.0 ^a	0.0 ^a	20 ^a	75 ^a
2 ^a	6/15 ^a	15/15 ^a	64 ^a	6/15 ^a	12/15 ^a	12/15 ^a	94/75 ^a	4 ^a	1 ^a	3.0 ^a	2.0 ^a	12 ^a	67 ^a
3 ^a	15/15 ^a	9/15 ^a	64 ^a	15/9 ^a	30/15 ^a	30/15 ^a	β_{ed1} :47/15 ^a β_{ed2} :47/15 ^a	4 ^a	2 ^a	2.0 ^a	1.0 ^a	15 ^a	92 ^a
4 ^a	2/15 ^a	15/15 ^a	64 ^a	2/15 ^a	4/15 ^a	2/15 ^a	56/75 ^a	4 ^a	1 ^a	3.0 ^a	2.0 ^a	17 ^a	71 ^a
5 ^a	15/15 ⁽⁴⁾	15/15 ⁽⁴⁾	64 ^a	15/15 ⁽⁴⁾	30/15 ^a	24/15 ^a	134/15 ^a	4 ^a	1 ^a	1.0 ^a	0.0 ^a	21 ^a	81 ^a
Note 1: ΔACK, $\Delta NACK$ and $\Delta CQI = 8$ $A_{hs} = \beta_{hs}/\beta_c = 30/15$ $\beta_{hs} = 30/15 * \beta_c$ Note 2: CM = 1 for $\beta_c/\beta_d = 12/15$, $\beta_{hs}/\beta_c = 24/15$. For all other combinations of DPDCH, DPCCCH, HS-DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference^a Note 3 : For subtest 1 the β_c/β_d ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 10/15$ and $\beta_d = 15/15$^a Note 4 : For subtest 5 the β_c/β_d ratio of 15/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 14/15$ and $\beta_d = 15/15$^a Note 5 : Testing UE using E-DPDCH Physical Layer category 1 Sub-test 3 is not required according to TS 25.306 Table 5.1g^a Note 6: β_{ed} can not be set directly; it is set by Absolute Grant Value.^a													

Table 8: Subtests for UMTS Release 6 HSUPA

UE E-DCH Category	Maximum E-DCH Codes Transmitted	Number of HARQ Processes	E-DCH TTI(ms)	Minimum Spreading Factor	Maximum E-DCH Transport Block Bits	Max Rate (Mbps)
1	1	4	10	4	7110	0.7296
2	2	8	2	4	2798	1.4592
	2	4	10	4	14484	
3	2	4	10	4	14484	1.4592
4	2	8	2	2	5772	2.9185
	2	4	10	2	20000	2.00
5	2	4	10	2	20000	2.00
6 (No DPDCH)	4	8	10	2SF2&2SF	11484	5.76
	4	4	2	4	20000	2.00
7 (No DPDCH)	4	8	2	2SF2&2SF	22996	?
	4	4	10	4	20000	?
NOTE: When 4 codes are transmitted in parallel, two codes shall be transmitted with SF2 and two with SF4. UE categories 1 to 6 support QPSK only. UE category 7 supports QPSK and 16QAM. (TS25.306-7.3.0).						

Table 9: HSUPA UE category



c) DC-HSDPA

SAR is required for Rel. 8 DC-HSDPA when SAR is required for Rel. 5 HSDPA; otherwise, the 3G SAR test reduction procedure is applied to DC-HSDPA with 12.2 kbps RMC as the primary mode. Power is measured for DC-HSDPA according to the H-Set 12, FRC configuration in Table C.8.1.12 of 3GPP TS 34.121-1 to determine SAR test reduction. A primary and a Second serving HS-DSCH Cell are required to perform the power measurement and for the results to be acceptable.

The following tests were completed according to procedures in section 7.3.13 of 3GPP TS 34.108 v9.5.0. A summary of these settings are illustrated below:

Downlink Physical Channels are set as per 3GPP TS34.121-1 v9.0.0 E.5.0

Table E.5.0: Levels for HSDPA connection setup

Parameter During Connection setup	Unit	Value
P-CPICH_Ec/Ior	dB	-10
P-CCPCH and SCH_Ec/Ior	dB	-12
PICH_Ec/Ior	dB	-15
HS-PDSCH	dB	off
HS-SCCH_1	dB	off
DPCH_Ec/Ior	dB	-5
OCNS_Ec/Ior	dB	-3.1

Call is set up as per 3GPP TS34.108 v9.5.0 sub clause 7.3.13.

The configurations of the fixed reference channels for HSDPA RF tests are described in 3GPP TS 34.121, annex C for FDD and 3GPP TS 34.122.

The measurements were performed with a Fixed Reference Channel (FRC) H-Set 12 with QPSK.

Parameter	Value
Nominal average inf. bit rate	60 kbit/s
Inter-TTI Distance	1 TTI's
Number of HARQ Processes	6 Processes
Information Bit Payload	120 Bits
Number Code Blocks	1 Block
Binary Channel Bits Per TTI	960 Bits
Total Available SMLs in UE	19200 SMLs
Number of SMLs per HARQ Process	3200 SMLs
Coding Rate	0.15
Number of Physical Channel Codes	1

Table 10: settings of required H-Set 12 QPSK acc. to 3GPP 34.121
Note:

1. The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table above.
2. Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com

t (86-512) 62992980 sgs.china@sgs.com




Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)

The following 4 Sub-tests for HSDPA were completed according to Release 5 procedures. A summary of subtest settings are illustrated below:

Sub-test ¹	β_c	β_d	$\beta_d \cdot (SF)$	β_c / β_d	$\beta_{hs} (1)$	CM(dB)(2)	MPR (dB)
1	2/15	15/15	64	2/15	4/15	0.0	0
2	12/15(3)	15/15(3)	64	12/15(3)	24/15	1.0	0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5

Note 1: ΔACK , $\Delta NACK$ and $\Delta CQI=8$ $A_{hs} = \beta_{hs} / \beta_c = 30/15$ $\beta_{hs} = 30/15 * \beta_c$

Note 2: CM=1 for $\beta_c / \beta_d = 12/15$, $\beta_{hs} / \beta_c = 24/15$. For all other combinations of DPDCH, DPCCCH and HS-DPCCH the MPR is based on the relative CM difference. This is applicable for only UEs that support HSDPA in release 6 and later releases.

Note 3: For subtest 2 the β_c / β_d ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signalled gain factors for the reference TFC (TF1, TF1) to $\beta_c = 11/15$ and $\beta_d = 15/15$

Up commands are set continuously to set the UE to Max power.

Note:

1. The Dual Carriers transmission only applies to HSDPA physical channels
2. The Dual Carriers belong to the same Node and are on adjacent carriers.
3. The Dual Carriers do not support MIMO to serve UEs configured for dual cell operation
4. The Dual Carriers operate in the same frequency band.
5. The device doesn't support the modulation of 16QAM in uplink but 64QAM in downlink for DC-HSDPA mode.
6. The device doesn't support carrier aggregation for it just can operate in Release 8.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

d) HSPA+

Per KDB941225D01, SAR is required for Rel. 7 HSPA+ when SAR is required for Rel. 6 HSPA; otherwise, the 3G SAR test reduction procedure is applied to (uplink) HSPA+ with 12.2 kbps RMC as the primary mode. Power is measured for HSPA+ that supports uplink 16 QAM according to configurations in Table C.11.1.4 of 3GPP TS 34.121-1 to determine SAR test reduction.

■ Table C.11.1.4: β values for transmitter characteristics tests with HS-DPCCH and E-DCH with 16QAM

Sub-test	β_{c^+} (Note3)	β_d	β_{HS^+} (Note1)	β_{ec^+}	β_{ed^+} (2xSF2) (Note 4)	β_{ed^+} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105
Note 1: Δ_{ACK}, Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$ Note 2: CM = 3.5 and the MPR is based on the relative CM difference, $MPR = \text{MAX}(CM-1, 0)$ Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default. Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value. Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.											



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com

t (86-512) 62992980 sgs.china@sgs.com


Report No.: SEWM2304000111RG08
 Rev.: 01
 Page: 43 of 116

7.2.2 WiFi Test Configuration


A Wi-Fi device must be configured to transmit continuously at the required data rate, channel bandwidth and signal modulation, using the highest transmission duty factor supported by the test mode tools for SAR measurement.

7.2.2.1 Duty cycle

Wi-Fi 2.4GHz 802.11b:
 Duty cycle=100%



Wi-Fi 5GHz 802.11ac VHT80:
 Duty cycle=100%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

7.2.2.2 Initial Test Position SAR Test Reduction Procedure

DSSS and OFDM configurations are considered separately according to the required SAR procedures. SAR is measured in the initial test position using the 802.11 transmission mode configuration required by the DSSS procedure or initial test configuration and subsequent test configuration(s) according to the OFDM procedures. The initial test position procedure is described in the following:

- 1) . When the reported SAR of the initial test position is ≤ 0.4 W/kg, further SAR measurement is not required for the other (remaining) test positions in that exposure configuration and 802.11 transmission mode combinations within the frequency band or aggregated band. SAR is also not required for that exposure configuration in the subsequent test configuration(s).
- 2) . When the reported SAR of the initial test position is > 0.4 W/kg, SAR is repeated for the 802.11 transmission mode configuration tested in the initial test position using subsequent highest extrapolated or estimated 1-g SAR conditions determined by area scans or next closest/smallest test separation distance and maximum RF coupling test positions based on manufacturer justification, on the highest maximum output power channel, until the reported SAR is ≤ 0.8 W/kg or all required test positions (left, right, touch, tilt or subsequent surfaces and edges) are tested.
- 3) . For all positions/configurations tested using the initial test position and subsequent test positions, when the reported SAR is > 0.8 W/kg, SAR is measured for these test positions/configurations on the subsequent next highest measured output power channel(s) until the reported SAR is ≤ 1.2 W/kg or all required channels are tested. a) Additional power measurements may be required for this step, which should be limited to those necessary for identifying the subsequent highest output power channels.

7.2.2.3 Initial Test Configuration Procedures

An initial test configuration is determined for OFDM transmission modes according to the channel bandwidth, modulation and data rate combination(s) with the highest maximum output power specified for production units in each standalone and aggregated frequency band. SAR is measured using the highest measured maximum output power channel. For configurations with the same specified or measured maximum output power, additional transmission mode and test channel selection procedures are required. SAR test reduction for subsequent highest output test channels is determined according to *reported* SAR of the initial test configuration. For next to the ear, hotspot mode and UMC mini-tablet exposure configurations where multiple test positions are required, the initial test position procedure is applied to minimize the number of test positions required for SAR measurement using the initial test configuration transmission mode. For fixed exposure conditions that do not have multiple SAR test positions, SAR is measured in the transmission mode determined by the initial test configuration.

When the *reported* SAR of the initial test configuration is > 0.8 W/kg, SAR measurement is required for subsequent next highest measured output power channel(s) in the initial test configuration until *reported* SAR is ≤ 1.2 W/kg or all required channels are tested.

7.2.2.4 Subsequent Test Configuration Procedures

SAR measurement requirements for the remaining 802.11 transmission mode configurations that have not been tested in the initial test configuration are determined separately for each standalone and aggregated frequency band, in each exposure condition, according to the maximum output power specified for production units. The initial test position procedure is applied to next to the ear, UMPC mini-tablet and hotspot mode configurations. When the same maximum output power is specified for multiple transmission modes, additional power measurements may be required to determine if SAR measurements are required for subsequent highest output power channels in a subsequent test configuration. The subsequent test configuration and SAR measurement procedures are described in the following.

- 1) . When SAR test exclusion provisions of KDB Publication 447498 are applicable and SAR measurement is not required for the initial test configuration, SAR is also not required for the next highest maximum output power transmission mode subsequent test configuration(s) in that frequency band or aggregated band and exposure configuration.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

- 2) . When the highest *reported* SAR for the initial test configuration (when applicable, include subsequent highest output channels), according to the initial test position or fixed exposure position requirements, is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for that subsequent test configuration.
- 3) . The number of channels in the initial test configuration and subsequent test configuration can be different due to differences in channel bandwidth. When SAR measurement is required for a subsequent test configuration and the channel bandwidth is smaller than that in the initial test configuration, all channels in the subsequent test configuration that overlap with the larger bandwidth channel tested in the initial test configuration should be used to determine the highest maximum output power channel. This step requires additional power measurement to identify the highest maximum output power channel in the subsequent test configuration to determine SAR test reduction.
 - a) SAR should first be measured for the channel with highest measured output power in the subsequent test configuration.
 - b) SAR for subsequent highest measured maximum output power channels in the subsequent test configuration is required only when the *reported* SAR of the preceding higher maximum output power channel(s) in the subsequent test configuration is > 1.2 W/kg or until all required channels are tested. i) For channels with the same measured maximum output power, SAR should be measured using the channel closest to the center frequency of the larger channel bandwidth channel in the initial test configuration.
- 4) . SAR measurements for the remaining highest specified maximum output power OFDM transmission mode configurations that have not been tested in the initial test configuration (highest maximum output) or subsequent test configuration(s) (subsequent next highest maximum output power) is determined by recursively applying the subsequent test configuration procedures in this section to the remaining configurations according to the following:
 - a) replace "subsequent test configuration" with "next subsequent test configuration" (i.e., subsequent next highest specified maximum output power configuration)
 - b) replace "initial test configuration" with "all tested higher output power configurations"



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

7.2.2.5 2.4 GHz WiFi SAR Procedures

Separate SAR procedures are applied to DSSS and OFDM configurations in the 2.4 GHz band to simplify DSSS test requirements. For 802.11b DSSS SAR measurements, DSSS SAR procedure applies to fixed exposure test position and initial test position procedure applies to multiple exposure test positions. When SAR measurement is required for an OFDM configuration, the initial test configuration, subsequent test configuration and initial test position procedures are applied. The SAR test exclusion requirements for 802.11g/n OFDM configurations are described in following.

- **802.11b DSSS SAR Test Requirements**

SAR is measured for 2.4 GHz 802.11b DSSS using either a fixed test position or, when applicable, the initial test position procedure. SAR test reduction is determined according to the following:

- 1) . When the reported SAR of the highest measured maximum output power channel for the exposure configuration is ≤ 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration.
- 2) . When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.

- **2.4 GHz 802.11g/n OFDM SAR Test Exclusion Requirements**

When SAR measurement is required for 2.4 GHz 802.11g/n OFDM configurations, the measurement and test reduction procedures for OFDM are applied (section 5.3, including sub-sections). SAR is not required for the following 2.4 GHz OFDM conditions.

- 1) . When KDB Publication 447498 SAR test exclusion applies to the OFDM configuration.
- 2) . When the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg.

- **SAR Test Requirements for OFDM configurations**

When SAR measurement is required for 802.11 g/n OFDM configurations, each standalone and frequency aggregated band is considered separately for SAR test reduction. In applying the initial test configuration and subsequent test configuration procedures, the 802.11 transmission configuration with the highest specified maximum output power and the channel within a test configuration with the highest measured maximum output power should be clearly distinguished to apply the procedures.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

7.2.2.6 WiFi 5G SAR Test Procedures

7.2.2.6.1 U-NII-1 and U-NII-2A Bands

For devices that operate in only one of the U-NII-1 and U-NII-2A bands, the normally required SAR procedures for OFDM configurations are applied. For devices that operate in both U-NII bands using the same transmitter and antenna(s), SAR test reduction is determined according to the following:

- 1) When the same maximum output power is specified for both bands, begin SAR measurement in U-NII-2A band by applying the OFDM SAR requirements. If the highest *reported* SAR for a test configuration is ≤ 1.2 W/kg, SAR is not required for U-NII-1 band for that configuration (802.11 mode and exposure condition); otherwise, both bands are tested independently for SAR.
- 2) When different maximum output power is specified for the bands, begin SAR measurement in the band with higher specified maximum output power. The highest *reported* SAR for the tested configuration is adjusted by the ratio of lower to higher specified maximum output power for the two bands. When the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for the band with lower maximum output power in that test configuration; otherwise, both bands are tested independently for SAR.
- 3) The two U-NII bands may be aggregated to support a 160 MHz channel on channel number 50. Without additional testing, the maximum output power for this is limited to the lower of the maximum output power certified for the two bands. When SAR measurement is required for at least one of the bands and the highest *reported* SAR adjusted by the ratio of specified maximum output power of aggregated to standalone band is > 1.2 W/kg, SAR is required for the 160 MHz channel. This procedure does not apply to an aggregated band with maximum output higher than the standalone band(s); the aggregated band must be tested independently for SAR. SAR is not required when the 160 MHz channel is operating at a reduced maximum power and also qualifies for SAR test exclusion.

7.2.2.6.2 U-NII-2C and U-NII-3 Bands

The frequency range covered by these bands is 380 MHz (5.47 – 5.85 GHz), which requires a minimum of at least two SAR probe calibration frequency points to support SAR measurements. when Terminal Doppler Weather Radar (TDWR) restriction applies, all channels that operate at 5.60 – 5.65 GHz must be included to apply the SAR test reduction and measurement procedures.

When the same transmitter and antenna(s) are used for U-NII-2C band and U-NII-3 band or 5.8 GHz band of §15.247, the bands may be aggregated to enable additional channels with 20, 40 or 80 MHz bandwidth to span across the band gap, as illustrated in Appendix B. The maximum output power for the additional band gap channels is limited to the lower of those certified for the bands. Unless band gap channels are permanently disabled, they must be considered for SAR testing. The frequency range covered by these bands is 380 MHz (5.47 – 5.85 GHz), which requires a minimum of at least two SAR probe calibration frequency points to support SAR measurements. To maintain SAR measurement accuracy and to facilitate test reduction, the channels in U-NII-2C band above 5.65 GHz may be grouped with the 5.8 GHz channels in U-NII-3 or §15.247 band to enable two SAR probe calibration frequency points to cover the bands, including the band gap channels. When band gap channels are supported and the bands are not aggregated for SAR testing, band gap channels must be considered independently in each band according to the normally required OFDM SAR measurement and probe calibration frequency points requirements.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

7.2.2.6.3 OFDM Transmission Mode SAR Test Configuration and Channel Selection Requirements

The initial test configuration for 5 GHz OFDM transmission modes is determined by the 802.11 configuration with the highest maximum output power specified for production units, including tune-up tolerance, in each standalone and aggregated frequency band. SAR for the initial test configuration is measured using the highest maximum output power channel determined by the default power measurement procedures. When multiple configurations in a frequency band have the same specified maximum output power, the initial test configuration is determined according to the following steps applied sequentially.

- 1) The largest channel bandwidth configuration is selected among the multiple configurations with the same specified maximum output power.
- 2) If multiple configurations have the same specified maximum output power and largest channel bandwidth, the lowest order modulation among the largest channel bandwidth configurations is selected.
- 3) If multiple configurations have the same specified maximum output power, largest channel bandwidth and lowest order modulation, the lowest data rate configuration among these configurations is selected.
- 4) When multiple transmission modes (802.11a/g/n/ac) have the same specified maximum output power, largest channel bandwidth, lowest order modulation and lowest data rate, the lowest order 802.11 mode is selected; i.e., 802.11a is chosen over 802.11n then 802.11ac or 802.11g is chosen over 802.11n. After an initial test configuration is determined, if multiple test channels have the same measured maximum output power, the channel chosen for SAR measurement is determined according to the following. These channel selection procedures apply to both the initial test configuration and subsequent test configuration(s), with respect to the default power measurement procedures or additional power measurements required for further SAR test reduction. The same procedures also apply to subsequent highest output power channel(s) selection.
 - The channel closest to mid-band frequency is selected for SAR measurement.
 - For channels with equal separation from mid-band frequency; for example, high and low channels or two mid-band channels, the higher frequency (number) channel is selected for SAR measurement.

7.2.2.6.4 SAR Test Requirements for OFDM configurations

When SAR measurement is required for 802.11 a/n/ac OFDM configurations, each standalone and frequency aggregated band is considered separately for SAR test reduction. When the same transmitter and antenna(s) are used for U-NII-1 and U-NII-2A bands, additional SAR test reduction applies. When band gap channels between U-NII-2C band and 5.8 GHz U-NII-3 or §15.247 band are supported, the highest maximum output power transmission mode configuration and maximum output power channel across the bands must be used to determine SAR test reduction, according to the initial test configuration and subsequent test configuration requirements. In applying the initial test configuration and subsequent test configuration procedures, the 802.11 transmission configuration with the highest specified maximum output power and the channel within a test configuration with the highest measured maximum output power should be clearly distinguished to apply the procedures.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

7.2.3 LTE Test Configuration

LTE modes were tested according to FCC KDB 941225 D05 publication. Please see notes after the tabulated SAR data for required test configurations. Establishing connections with base station simulators ensure a consistent means for testing SAR and are recommended for evaluating SAR [4]. The Anritsu MT8820C was used for LTE output power measurements and SAR testing. Max power control was used so the UE transmits with maximum output power during SAR testing. SAR must be measured with the maximum TTI (transmit time interval) supported by the device in each LTE configuration.


TDD LTE test consideration

For Time-Division Duplex (TDD) systems, SAR must be tested using a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by the defined 3GPP LTE TDD configurations.

SAR was tested with the highest transmission duty factor (63.33%) using Uplink-downlink configuration 0 and Special subframe configuration 7.

LTE TDD Band support 3GPP TS 36.211 section 4.2 for Type 2 Frame Structure and Table 4.2-2 for uplink-downlink configurations and Table 4.2-1 for Special subframe configurations.

Frame structure type 2:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com

t (86-512) 62992980 sgs.china@sgs.com

Configuration of special subframe (lengths of DwPTS/GP/UpPTS).

Special subframe configuration	Normal cyclic prefix in downlink			Extended cyclic prefix in downlink		
	DwPTS	UpPTS		DwPTS	UpPTS	
		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink		Normal cyclic prefix in uplink	Extended cyclic prefix in uplink
0	6592.Ts	2192.Ts	2560.Ts	7680.Ts	2192.Ts	2560.Ts
1	19760.Ts			20480.Ts		
2	21952.Ts			23040.Ts		
3	24144.Ts			25600.Ts		
4	26336.Ts	4384.Ts	5120.Ts	7680.Ts	4384.Ts	5120.Ts
5	6592.Ts			20480.Ts		
6	19760.Ts			23040.Ts		
7	21952.Ts			25600.Ts		
8	24144.Ts			-	-	-
9	13168.Ts			-	-	-

Uplink-downlink configurations.

Uplink-downlink configuration	Downlink-to-Uplink Switch-point periodicity	Subframe number									
		0	1	2	3	4	5	6	7	8	9
0	5 ms	D	S	U	U	U	D	S	U	U	U
1	5 ms	D	S	U	U	D	D	S	U	U	D
2	5 ms	D	S	U	D	D	D	S	U	D	D
3	10 ms	D	S	U	U	U	D	D	D	D	D
4	10 ms	D	S	U	U	D	D	D	D	D	D
5	10 ms	D	S	U	D	D	D	D	D	D	D
6	5 ms	D	S	U	U	U	D	S	U	U	D

Calculated Duty Cycle=[Extended cyclic prefix in uplink x (Ts) x # of S + # of U]/10ms

Uplink-Downlink Configuration	Downlink-to-Uplink Switch-point Periodicity	Subframe Number										Calculated Duty Cycle (%)
		0	1	2	3	4	5	6	7	8	9	
0	5 ms	D	S	U	U	U	D	S	U	U	U	63.33
1	5 ms	D	S	U	U	D	D	S	U	U	D	43.33
2	5 ms	D	S	U	D	D	D	S	U	D	D	23.33
3	10 ms	D	S	U	U	U	D	D	D	D	D	31.67
4	10 ms	D	S	U	U	D	D	D	D	D	D	21.67
5	10 ms	D	S	U	D	D	D	D	D	D	D	11.67
6	5 ms	D	S	U	U	U	D	S	U	U	D	53.33



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

A) Spectrum Plots for RB Configurations

A properly configured base station simulator was used for SAR tests and power measurements. Therefore, spectrum plots for RB configurations were not required to be included in this report.

B) MPR

MPR is permanently implemented for this device by the manufacturer. The specific manufacturer target MPR is indicated alongside the SAR results. MPR is enabled for this device, according to 3GPP TS36.101 Section 6.2.3 – 6.2.5 under Table 6.2.3-1.

Modulation	Channel bandwidth / Transmission bandwidth (N_{RB})						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2
64 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 2
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 3

C) A-MPR

A-MPR (Additional MPR) has been disabled for all SAR tests by setting NS=01 on the base station simulator.

D) Largest channel bandwidth standalone SAR test requirements

1) QPSK with 1 RB allocation

Start with the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation, using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel. When the reported SAR is ≤ 0.8 W/kg, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel. When the reported SAR of a required test channel is > 1.45 W/kg, SAR is required for all three RB offset configurations for that required test channel.

2) QPSK with 50% RB allocation

The procedures required for 1 RB allocation in 1) are applied to measure the SAR for QPSK with 50% RB allocation.

3) QPSK with 100% RB allocation

For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation in 1) and 2) are ≤ 0.8 W/kg. Otherwise, SAR is measured for the highest output power channel and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.

4) Higher order modulations

For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in above sections to determine the QAM configurations that may need SAR measurement. For each configuration identified as required for testing, SAR is required only when the highest maximum output power for the configuration in the higher order modulation is $> \frac{1}{2}$ dB higher than the same configuration in QPSK or when the reported SAR for the QPSK configuration is > 1.45 W/kg.

E) Other channel bandwidth standalone SAR test requirements

For the other channel bandwidths used by the device in a frequency band, apply all the procedures required for the largest channel bandwidth in section A) to determine the channels and RB configurations that need SAR testing and only measure SAR when the highest maximum output power of a configuration requiring testing in the smaller channel bandwidth is $> \frac{1}{2}$ dB higher than the equivalent channel configurations in the largest channel bandwidth configuration or the reported SAR of a configuration for the largest channel bandwidth is > 1.45 W/kg.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn

t (86-512) 62992980 sgs.china@sgs.com

8 Test Result

8.1 Measurement of RF conducted Power

8.1.1 Conducted Power of WCDMA

WCDMA Band II Full Power					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	23.16	23.19	23.14	24.00
	12.2kbps AMR	23.14	23.17	23.13	24.00
HSDPA	Subtest 1	21.65	21.30	21.52	22.50
	Subtest 2	21.21	21.75	22.09	22.50
	Subtest 3	21.63	21.99	21.47	22.50
	Subtest 4	21.57	21.95	22.04	22.50
HSUPA	Subtest 1	20.59	20.48	20.12	21.00
	Subtest 2	20.49	20.44	20.03	21.00
	Subtest 3	20.78	20.70	21.07	22.00
	Subtest 4	20.09	19.53	19.84	20.50
	Subtest 5	21.31	21.00	21.39	22.00
DC-HSDPA	Subtest 1	21.25	21.55	21.58	22.50
	Subtest 2	21.91	21.30	21.46	22.50
	Subtest 3	21.68	21.39	21.88	22.50
	Subtest 4	21.22	21.43	21.64	22.50
HSPA+	16QAM	20.71	21.06	20.81	22.00

WCDMA Band II Hotspot on					
Average Conducted Power(dBm)					
Channel		9262	9400	9538	Tune up
WCDMA	12.2kbps RMC	21.37	21.39	21.36	22.50
	12.2kbps AMR	21.35	21.37	21.34	22.50
HSDPA	Subtest 1	20.10	19.71	19.89	21.00
	Subtest 2	19.36	20.25	20.40	21.00
	Subtest 3	20.13	20.18	19.49	21.00
	Subtest 4	19.78	20.02	20.26	21.00
HSUPA	Subtest 1	18.93	18.85	18.30	19.50
	Subtest 2	18.74	18.85	18.43	19.50
	Subtest 3	18.93	18.84	19.12	20.50
	Subtest 4	18.54	18.00	17.89	19.00
	Subtest 5	19.43	19.49	19.75	20.50
DC-HSDPA	Subtest 1	19.67	19.77	19.79	21.00
	Subtest 2	19.92	19.55	19.72	21.00
	Subtest 3	19.89	19.61	19.90	21.00
	Subtest 4	19.65	19.44	19.90	21.00
HSPA+	16QAM	19.15	19.16	19.17	20.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 53 of 116

WCDMA Band IV Full Power					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	22.95	22.97	22.85	24.00
	12.2kbps AMR	22.94	22.95	22.83	24.00
HSDPA	Subtest 1	21.32	21.01	21.55	22.50
	Subtest 2	21.33	21.69	21.28	22.50
	Subtest 3	21.13	21.16	21.77	22.50
	Subtest 4	21.54	21.6	21.66	22.50
HSUPA	Subtest 1	19.94	19.61	19.49	21.00
	Subtest 2	20.29	20.27	19.83	21.00
	Subtest 3	20.91	20.61	20.61	22.00
	Subtest 4	19.62	19.13	19.32	20.50
	Subtest 5	21.12	21.04	20.92	22.00
DC-HSDPA	Subtest 1	21.56	21.39	21.65	22.50
	Subtest 2	21.76	21.81	21.16	22.50
	Subtest 3	21.66	21.16	21.7	22.50
	Subtest 4	21.57	20.99	21.28	22.50
HSPA+	16QAM	20.76	20.75	20.82	22.00

WCDMA Band IV Hotspot on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	21.51	21.56	21.55	22.50
	12.2kbps AMR	21.49	21.55	21.53	22.50
HSDPA	Subtest 1	20.04	19.65	20.42	21.00
	Subtest 2	20.07	20.45	19.68	21.00
	Subtest 3	20.01	20.00	20.52	21.00
	Subtest 4	20.17	20.06	20.48	21.00
HSUPA	Subtest 1	18.66	18.48	17.99	19.50
	Subtest 2	18.74	18.83	18.71	19.50
	Subtest 3	19.33	19.40	19.34	20.50
	Subtest 4	18.18	17.82	17.72	19.00
	Subtest 5	19.72	19.66	19.48	20.50
DC-HSDPA	Subtest 1	20.14	19.94	20.21	21.00
	Subtest 2	20.58	20.35	19.99	21.00
	Subtest 3	20.53	19.98	20.25	21.00
	Subtest 4	20.23	19.85	19.91	21.00
HSPA+	16QAM	19.18	19.32	19.62	20.50

WCDMA Band IV Body-worn&Handheld on					
Average Conducted Power(dBm)					
Channel		1312	1412	1513	Tune up
WCDMA	12.2kbps RMC	22.11	22.17	22.15	23.00
	12.2kbps AMR	22.08	22.16	22.13	23.00
HSDPA	Subtest 1	20.45	20.18	20.8	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com

t (86-512) 62992980 sgs.china@sgs.com

	Subtest 2	20.57	20.65	20.29	21.50
	Subtest 3	20.36	20.24	20.88	21.50
	Subtest 4	20.58	20.75	20.69	21.50
HSDPA	Subtest 1	19.18	18.84	18.63	20.00
	Subtest 2	19.48	19.33	19.04	20.00
	Subtest 3	19.87	19.83	19.84	21.00
	Subtest 4	18.8	18.09	18.39	19.50
	Subtest 5	20.29	20.03	20.09	21.00
DC-HSDPA	Subtest 1	20.52	20.58	20.82	21.50
	Subtest 2	20.73	20.83	20.28	21.50
	Subtest 3	20.86	20.24	20.91	21.50
	Subtest 4	20.54	20	20.37	21.50
HSPA+	16QAM	19.97	19.81	19.89	21.00

WCDMA Band V					
Average Conducted Power(dBm)					
Channel		4132	4182	4233	Tune up
WCDMA	12.2kbps RMC	22.85	22.90	22.83	24.00
	12.2kbps AMR	22.83	22.87	22.81	24.00
HSDPA	Subtest 1	21.46	21.36	21.53	22.50
	Subtest 2	21.61	21.58	21.23	22.50
	Subtest 3	21.39	21.62	20.96	22.50
	Subtest 4	21.06	21.23	21.42	22.50
HSDPA	Subtest 1	20.04	20.34	19.83	21.00
	Subtest 2	20.16	20.15	20.20	21.00
	Subtest 3	21.38	20.78	20.69	22.00
	Subtest 4	19.55	19.57	19.72	20.50
	Subtest 5	21.41	21.21	21.20	22.00
DC-HSDPA	Subtest 1	21.65	21.53	21.67	22.50
	Subtest 2	21.79	21.24	21.67	22.50
	Subtest 3	21.70	21.22	21.59	22.50
	Subtest 4	21.71	21.22	21.21	22.50
HSPA+	16QAM	20.74	20.65	20.62	22.00

Note:

1) when the maximum output power variation across the required test channels is $> \frac{1}{2}$ dB, instead of the middle channel, the highest output power channel must be used.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com

t (86-512) 62992980 sgs.china@sgs.com

8.1.2 Conducted Power of LTE

LTE Band 2 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	23.41	23.42	23.21	24.50
		1	2	23.23	23.27	23.35	24.50
		1	5	23.16	23.42	23.32	24.50
		3	0	23.29	23.18	23.29	24.50
		3	2	23.36	23.32	23.15	24.50
		3	3	23.20	23.41	23.31	24.50
		6	0	22.23	22.57	22.12	23.50
	16QAM	1	0	22.35	22.47	22.42	23.50
		1	2	22.49	22.35	22.41	23.50
		1	5	22.37	22.50	22.17	23.50
		3	0	22.31	22.31	22.37	23.50
		3	2	22.25	22.69	22.18	23.50
		3	3	22.47	22.13	22.36	23.50
		6	0	21.23	21.38	21.09	22.50
	64QAM	1	0	21.27	21.52	21.58	22.50
		1	2	21.49	21.24	21.50	22.50
		1	5	21.32	21.46	21.46	22.50
		3	0	21.47	21.38	21.61	22.50
		3	2	21.26	21.39	21.79	22.50
		3	3	21.38	21.43	21.66	22.50
		6	0	20.43	20.33	20.53	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	23.22	23.27	23.21	24.50
		1	7	23.36	23.38	23.36	24.50
		1	14	23.22	23.33	23.34	24.50
		8	0	22.57	22.23	22.28	23.50
		8	4	22.38	22.26	22.53	23.50
		8	7	22.53	22.40	22.34	23.50
		15	0	22.34	22.34	22.41	23.50
	16QAM	1	0	22.60	22.17	22.26	23.50
		1	7	22.33	22.43	22.18	23.50
		1	14	22.38	22.61	22.50	23.50
		8	0	21.02	21.40	21.16	22.50
		8	4	21.27	21.65	21.39	22.50
		8	7	21.29	21.39	21.32	22.50
		15	0	21.33	21.65	21.06	22.50
	64QAM	1	0	21.00	21.46	21.70	22.50
		1	7	21.49	21.50	21.41	22.50
		1	14	21.37	21.55	21.30	22.50
		8	0	20.40	20.58	20.44	21.50
		8	4	20.11	20.45	20.68	21.50
		8	7	20.13	20.43	20.85	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 56 of 116

		15	0	20.41	20.52	20.36	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	23.11	23.41	23.23	24.50
		1	13	23.33	23.33	23.31	24.50
		1	24	23.29	23.08	23.33	24.50
		12	0	22.46	22.56	22.58	23.50
		12	6	22.36	22.55	22.39	23.50
		12	13	22.23	22.24	22.52	23.50
		25	0	22.18	22.52	22.40	23.50
	16QAM	1	0	22.38	22.46	22.07	23.50
		1	13	22.39	22.40	22.31	23.50
		1	24	22.27	22.55	22.12	23.50
		12	0	21.14	21.37	21.34	22.50
		12	6	21.41	21.55	21.14	22.50
		12	13	21.43	21.04	21.08	22.50
		25	0	21.56	21.65	21.23	22.50
	64QAM	1	0	21.10	21.25	21.48	22.50
		1	13	21.05	21.46	21.35	22.50
		1	24	21.40	21.57	21.31	22.50
		12	0	20.06	20.72	20.69	21.50
		12	6	20.25	20.43	20.50	21.50
		12	13	20.03	20.45	20.66	21.50
		25	0	20.59	20.29	20.35	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	23.28	23.29	23.16	24.50
		1	25	23.32	23.29	23.41	24.50
		1	49	23.14	23.42	23.17	24.50
		25	0	22.31	22.58	22.57	23.50
		25	13	22.18	22.19	22.32	23.50
		25	25	22.43	22.14	22.29	23.50
		50	0	22.43	22.18	22.26	23.50
	16QAM	1	0	22.53	22.34	22.40	23.50
		1	25	22.74	22.31	22.04	23.50
		1	49	22.46	22.79	22.39	23.50
		25	0	21.07	21.29	21.14	22.50
		25	13	21.45	21.55	21.26	22.50
		25	25	21.31	21.42	21.35	22.50
		50	0	21.47	21.69	21.27	22.50
	64QAM	1	0	21.07	21.31	21.68	22.50
		1	25	21.15	21.29	21.38	22.50
		1	49	21.51	21.46	21.61	22.50
		25	0	20.37	20.61	20.41	21.50
		25	13	20.08	20.57	20.46	21.50
		25	25	20.07	20.58	20.45	21.50
		50	0	20.64	20.29	20.70	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	23.14	23.11	23.18	24.50
		1	38	23.28	23.28	23.27	24.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 57 of 116

		1	74	22.95	23.39	23.41	24.50
		36	0	22.27	22.53	22.18	23.50
		36	18	22.30	22.42	22.30	23.50
		36	39	22.50	22.29	22.07	23.50
		75	0	22.23	22.58	22.36	23.50
		1	0	22.28	22.56	22.50	23.50
		1	38	22.70	22.54	22.19	23.50
		1	74	22.53	22.82	22.33	23.50
		36	0	21.06	21.35	21.32	22.50
		36	18	21.60	21.44	21.10	22.50
		36	39	21.29	21.11	21.12	22.50
		75	0	21.65	21.39	20.93	22.50
	16QAM	1	0	21.08	21.30	21.61	22.50
		1	38	21.34	21.35	21.56	22.50
		1	74	21.44	21.26	21.38	22.50
		36	0	20.05	20.52	20.35	21.50
		36	18	20.28	20.67	20.80	21.50
		36	39	20.10	20.51	20.40	21.50
		75	0	20.53	20.55	20.46	21.50
	64QAM	1	0	21.08	21.30	21.61	22.50
		1	38	21.34	21.35	21.56	22.50
		1	74	21.44	21.26	21.38	22.50
		36	0	20.05	20.52	20.35	21.50
		36	18	20.28	20.67	20.80	21.50
		36	39	20.10	20.51	20.40	21.50
		75	0	20.53	20.55	20.46	21.50
		75	0	20.53	20.55	20.46	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	23.31	23.34	23.28	24.50
		1	50	23.41	23.43	23.39	24.50
		1	99	23.18	23.22	23.21	24.50
		50	0	22.39	22.42	22.36	23.50
		50	25	22.38	22.41	22.33	23.50
		50	50	22.34	22.37	22.31	23.50
		100	0	22.39	22.41	22.36	23.50
	16QAM	1	0	22.39	22.40	22.29	23.50
		1	50	22.53	22.32	22.27	23.50
		1	99	22.39	22.61	22.35	23.50
		50	0	21.25	21.18	21.23	22.50
		50	25	21.38	21.56	21.29	22.50
		50	50	21.27	21.20	21.30	22.50
		100	0	21.43	21.48	21.16	22.50
	64QAM	1	0	21.21	21.37	21.51	22.50
		1	50	21.28	21.37	21.53	22.50
		1	99	21.43	21.42	21.47	22.50
		50	0	20.28	20.56	20.59	21.50
		50	25	20.27	20.48	20.59	21.50
		50	50	20.17	20.62	20.63	21.50
		100	0	20.64	20.52	20.50	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

LTE Band 2 Hotspot on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18607	18900	19193	
1.4MHz	QPSK	1	0	22.05	22.15	21.93	23.00
		1	2	21.95	22.23	22.07	23.00
		1	5	21.88	22.14	22.02	23.00
		3	0	21.95	21.90	21.94	23.00
		3	2	22.05	21.99	21.86	23.00
		3	3	21.83	22.14	22.03	23.00
		6	0	21.93	22.20	21.78	23.00
	16QAM	1	0	22.02	22.13	22.08	23.00
		1	2	22.14	22.02	22.09	23.00
		1	5	22.09	22.21	21.87	23.00
		3	0	21.96	21.99	22.02	23.00
		3	2	21.88	21.87	21.81	23.00
		3	3	22.12	21.85	22.06	23.00
		6	0	21.38	21.59	21.31	22.50
	64QAM	1	0	21.44	21.73	21.75	22.50
		1	2	21.67	21.38	21.71	22.50
		1	5	21.46	21.60	21.67	22.50
		3	0	21.68	21.58	21.76	22.50
		3	2	21.46	21.53	22.00	22.50
		3	3	21.60	21.59	21.86	22.50
		6	0	20.56	20.50	20.71	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18615	18900	19185	
3MHz	QPSK	1	0	21.92	21.95	21.92	23.00
		1	7	22.08	22.24	22.00	23.00
		1	14	21.87	22.01	22.02	23.00
		8	0	22.23	21.93	22.01	23.00
		8	4	22.05	21.90	22.17	23.00
		8	7	22.20	22.04	22.04	23.00
		15	0	21.98	22.07	22.12	23.00
	16QAM	1	0	21.83	21.88	21.89	23.00
		1	7	22.04	22.11	21.82	23.00
		1	14	22.08	22.21	22.20	23.00
		8	0	21.17	21.62	21.34	22.50
		8	4	21.43	21.81	21.54	22.50
		8	7	21.49	21.55	21.45	22.50
		15	0	21.50	21.79	21.28	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 59 of 116

		1	0	21.20	21.66	21.93	22.50
		1	7	21.67	21.67	21.58	22.50
		1	14	21.60	21.71	21.45	22.50
	64QAM	8	0	20.53	20.73	20.60	21.50
		8	4	20.34	20.64	20.88	21.50
		8	7	20.31	20.60	21.08	21.50
		15	0	20.59	20.72	20.53	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18625	18900	19175	
5MHz	QPSK	1	0	21.83	22.06	21.92	23.00
		1	13	22.03	22.23	21.96	23.00
		1	24	21.93	21.80	22.02	23.00
		12	0	22.12	22.21	22.21	23.00
		12	6	22.00	22.12	22.05	23.00
		12	13	21.96	21.89	22.20	23.00
		25	0	21.82	22.21	22.08	23.00
		25	0	21.82	22.21	22.08	23.00
	16QAM	1	0	22.06	22.13	21.75	23.00
		1	13	22.04	22.12	22.04	23.00
		1	24	21.96	22.19	21.82	23.00
		12	0	21.36	21.51	21.48	22.50
		12	6	21.57	21.78	21.35	22.50
		12	13	21.63	21.24	21.26	22.50
		25	0	21.79	21.82	21.43	22.50
		25	0	21.79	21.82	21.43	22.50
	64QAM	1	0	21.24	21.44	21.63	22.50
		1	13	21.27	21.63	21.56	22.50
		1	24	21.57	21.71	21.50	22.50
		12	0	20.25	20.86	20.91	21.50
		12	6	20.43	20.62	20.66	21.50
		12	13	20.23	20.67	20.80	21.50
		25	0	20.73	20.43	20.50	21.50
		25	0	20.73	20.43	20.50	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18650	18900	19150	
10MHz	QPSK	1	0	21.93	22.01	21.83	23.00
		1	25	22.01	22.28	22.11	23.00
		1	49	21.86	22.10	21.86	23.00
		25	0	21.94	22.21	22.24	23.00
		25	13	21.89	21.89	21.98	23.00
		25	25	22.15	21.81	21.96	23.00
		50	0	22.12	21.83	21.95	23.00
		50	0	22.12	21.83	21.95	23.00
	16QAM	1	0	22.17	22.04	22.11	23.00
		1	25	22.04	22.02	21.68	23.00
		1	49	22.18	22.13	22.08	23.00
		25	0	21.30	21.45	21.31	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 60 of 116

		25	13	21.60	21.73	21.43	22.50
		25	25	21.53	21.56	21.52	22.50
		50	0	21.61	21.82	21.40	22.50
	64QAM	1	0	21.29	21.49	21.82	22.50
		1	25	21.37	21.50	21.58	22.50
		1	49	21.65	21.65	21.77	22.50
		25	0	20.52	20.75	20.63	21.50
		25	13	20.29	20.73	20.62	21.50
		25	25	20.28	20.79	20.64	21.50
		50	0	20.83	20.43	20.88	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18675	18900	19125	
15MHz	QPSK	1	0	21.82	21.80	21.90	23.00
		1	38	21.93	22.27	21.90	23.00
		1	74	21.61	22.05	22.10	23.00
		36	0	21.98	22.24	21.85	23.00
		36	18	21.93	22.12	21.99	23.00
		36	39	22.22	22.02	21.74	23.00
		75	0	21.95	22.25	22.06	23.00
	16QAM	1	0	21.92	22.24	22.13	23.00
		1	38	22.15	22.23	21.90	23.00
		1	74	22.21	22.12	22.06	23.00
		36	0	21.25	21.48	21.54	22.50
		36	18	21.75	21.61	21.25	22.50
		36	39	21.45	21.29	21.27	22.50
		75	0	21.80	21.62	21.08	22.50
	64QAM	1	0	21.26	21.52	21.76	22.50
		1	38	21.50	21.52	21.73	22.50
		1	74	21.59	21.45	21.51	22.50
		36	0	20.25	20.67	20.54	21.50
		36	18	20.51	20.82	20.97	21.50
		36	39	20.26	20.69	20.53	21.50
		75	0	20.74	20.75	20.67	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				18700	18900	19100	
20MHz	QPSK	1	0	22.16	22.21	22.13	23.00
		1	50	22.29	22.36	22.31	23.00
		1	99	22.05	22.09	22.06	23.00
		50	0	22.12	22.14	22.06	23.00
		50	25	22.09	22.12	22.00	23.00
		50	50	21.99	22.05	21.98	23.00
		100	0	22.02	22.08	22.06	23.00
	16QAM	1	0	22.05	22.11	21.95	23.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 61 of 116

		1	50	22.22	21.96	21.97	23.00
		1	99	22.12	22.27	22.03	23.00
		50	0	21.39	21.36	21.37	22.50
		50	25	21.61	21.77	21.44	22.50
		50	50	21.44	21.38	21.49	22.50
		100	0	21.61	21.68	21.37	22.50
	64QAM	1	0	21.42	21.54	21.67	22.50
		1	50	21.41	21.52	21.73	22.50
		1	99	21.63	21.62	21.62	22.50
		50	0	20.51	20.74	20.76	21.50
		50	25	20.46	20.63	20.76	21.50
		50	50	20.36	20.85	20.86	21.50
		100	0	20.85	20.75	20.71	21.50

LTE Band 4 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	23.31	23.55	23.33	24.50
		1	2	23.38	23.43	23.46	24.50
		1	5	23.21	22.92	23.24	24.50
		3	0	23.22	23.47	23.42	24.50
		3	2	23.31	23.21	23.24	24.50
		3	3	23.27	23.25	23.09	24.50
		6	0	22.34	22.20	22.36	23.50
	16QAM	1	0	22.01	22.40	22.30	23.50
		1	2	21.86	22.34	21.77	23.50
		1	5	21.79	22.16	22.00	23.50
		3	0	21.96	22.77	22.48	23.50
		3	2	22.18	22.07	22.28	23.50
		3	3	21.90	22.63	22.00	23.50
		6	0	21.19	21.29	21.33	22.50
	64QAM	1	0	21.49	21.43	21.30	22.50
		1	2	21.15	21.10	21.26	22.50
		1	5	21.04	21.44	20.67	22.50
		3	0	21.31	21.72	21.37	22.50
		3	2	21.20	21.77	21.45	22.50
		3	3	20.85	21.36	21.49	22.50
		6	0	20.38	20.42	20.29	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	23.41	23.13	23.23	24.50
		1	7	23.28	23.26	23.39	24.50
		1	14	23.10	22.90	23.21	24.50
		8	0	22.51	22.63	22.23	23.50
		8	4	22.55	22.19	22.15	23.50
		8	7	22.17	22.21	22.36	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 62 of 116

	16QAM	15	0	21.98	22.32	22.05	23.50
		1	0	21.75	22.24	22.05	23.50
		1	7	22.50	22.03	22.25	23.50
		1	14	22.10	22.10	21.89	23.50
		8	0	21.28	21.20	21.26	22.50
		8	4	21.12	21.02	21.47	22.50
		8	7	21.32	21.22	21.35	22.50
		15	0	21.23	20.62	21.06	22.50
		1	0	21.25	20.87	21.27	22.50
		1	7	20.96	21.01	20.92	22.50
		1	14	21.13	20.74	20.86	22.50
		8	0	19.98	20.26	20.56	21.50
		8	4	20.11	20.25	20.54	21.50
		8	7	20.01	20.24	20.20	21.50
		15	0	20.12	19.51	19.78	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	23.21	23.44	23.11	24.50
		1	13	23.25	23.54	23.41	24.50
		1	24	23.17	23.07	22.93	24.50
		12	0	22.47	22.26	22.44	23.50
		12	6	22.39	22.43	22.36	23.50
		12	13	22.13	22.45	22.35	23.50
		25	0	22.13	22.16	22.16	23.50
		1	0	22.23	22.24	22.04	23.50
	16QAM	1	13	21.98	22.07	21.90	23.50
		1	24	21.74	21.98	21.76	23.50
		12	0	21.66	21.35	21.49	22.50
		12	6	21.25	21.86	21.04	22.50
		12	13	21.18	21.12	20.81	22.50
		25	0	20.96	21.07	20.96	22.50
		1	0	21.01	21.08	21.67	22.50
		1	13	21.43	21.40	20.95	22.50
	64QAM	1	24	20.77	21.06	20.63	22.50
		12	0	20.03	20.10	20.22	21.50
		12	6	20.30	20.54	20.58	21.50
		12	13	20.75	20.79	20.05	21.50
		25	0	19.86	19.97	19.79	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	23.16	23.35	23.45	24.50
		1	25	23.47	23.57	23.27	24.50
		1	49	22.77	22.95	22.92	24.50
		25	0	22.20	22.51	22.17	23.50
		25	13	22.42	22.61	22.02	23.50
		25	25	22.31	22.19	22.01	23.50
		50	0	22.31	22.57	22.45	23.50
		1	0	22.04	22.20	21.72	23.50
	16QAM	1	25	22.06	22.20	21.92	23.50
		1	49	21.84	21.92	22.31	23.50
		25	0	21.25	21.55	21.39	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 63 of 116

	64QAM	25	13	21.38	21.03	21.28	22.50
		25	25	21.03	21.40	20.93	22.50
		50	0	21.06	20.92	21.16	22.50
		1	0	20.99	21.44	20.81	22.50
		1	25	21.23	20.60	21.24	22.50
		1	49	20.99	20.97	20.64	22.50
		25	0	20.24	20.33	20.48	21.50
		25	13	20.16	21.09	20.20	21.50
		25	25	20.24	19.82	20.06	21.50
		50	0	20.41	20.28	19.76	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	23.09	23.38	23.48	24.50
		1	38	23.45	23.57	23.53	24.50
		1	74	23.10	23.31	23.20	24.50
		36	0	22.55	22.48	22.32	23.50
		36	18	22.54	22.47	22.22	23.50
		36	39	22.13	22.24	22.05	23.50
		75	0	21.93	22.23	22.43	23.50
		1	0	22.53	22.58	21.97	23.50
	16QAM	1	38	22.03	21.89	21.79	23.50
		1	74	22.02	22.05	21.81	23.50
		36	0	21.09	21.37	21.40	22.50
		36	18	21.56	21.55	21.00	22.50
		36	39	21.23	21.17	21.34	22.50
		75	0	21.41	21.23	20.81	22.50
		1	0	20.87	21.32	21.36	22.50
		1	38	21.60	21.58	20.57	22.50
	64QAM	1	74	21.39	21.17	20.95	22.50
		36	0	20.30	20.13	19.89	21.50
		36	18	20.28	20.02	20.43	21.50
		36	39	20.81	20.27	20.00	21.50
		75	0	20.24	20.33	20.22	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20050	20175	20300	
20MHz	QPSK	1	0	23.53	23.57	23.52	24.50
		1	50	23.65	23.67	23.62	24.50
		1	99	23.22	23.35	23.28	24.50
		50	0	22.62	22.64	22.57	23.50
		50	25	22.59	22.63	22.47	23.50
		50	50	22.33	22.54	22.38	23.50
		100	0	22.37	22.58	22.49	23.50
		1	0	22.19	22.43	22.18	23.50
	16QAM	1	50	22.17	22.24	22.39	23.50
		1	99	21.98	22.36	22.19	23.50
		50	0	21.48	21.56	21.57	22.50
		50	25	21.55	21.59	21.13	22.50
		50	50	21.45	21.29	21.46	22.50
		100	0	21.05	21.38	21.49	22.50
		1	0	21.31	21.29	21.33	22.50
		1	50	21.43	21.22	20.80	22.50
	64QAM						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 64 of 116

		1	99	21.19	20.95	21.09	22.50
		50	0	20.30	20.54	20.47	21.50
		50	25	20.36	20.40	20.40	21.50
		50	50	20.50	20.43	20.00	21.50
		100	0	20.53	20.04	20.16	21.50

LTE Band 4 Hotspot on&Body-worn&Handheld on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19957	20175	20393	
1.4MHz	QPSK	1	0	21.18	21.29	21.28	22.50
		1	2	21.39	21.45	21.40	22.50
		1	5	21.05	20.73	21.05	22.50
		3	0	21.14	21.11	21.12	22.50
		3	2	21.23	21.39	21.11	22.50
		3	3	21.09	21.28	21.23	22.50
		6	0	21.13	21.14	21.38	22.50
	16QAM	1	0	20.91	21.15	21.12	22.50
		1	2	20.71	21.16	20.70	22.50
		1	5	20.89	20.97	21.04	22.50
		3	0	20.80	21.18	21.35	22.50
		3	2	21.33	21.18	21.37	22.50
		3	3	21.03	21.16	21.19	22.50
		6	0	21.01	21.04	21.21	22.50
	64QAM	1	0	21.16	21.07	21.19	22.50
		1	2	20.98	20.97	21.15	22.50
		1	5	20.91	21.37	20.77	22.50
		3	0	20.89	21.39	21.27	22.50
		3	2	21.30	21.16	21.25	22.50
		3	3	20.80	21.23	21.13	22.50
		6	0	20.40	20.28	20.14	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19965	20175	20385	
3MHz	QPSK	1	0	21.31	21.43	21.34	22.50
		1	7	21.58	21.61	21.46	22.50
		1	14	20.94	21.07	20.97	22.50
		8	0	21.41	21.54	21.38	22.50
		8	4	21.20	21.32	21.31	22.50
		8	7	21.08	21.44	21.20	22.50
		15	0	21.06	21.48	21.21	22.50
	16QAM	1	0	21.05	21.08	20.89	22.50
		1	7	21.02	21.15	21.22	22.50
		1	14	20.77	21.19	20.99	22.50
		8	0	21.13	21.48	21.29	22.50
		8	4	21.22	21.46	21.07	22.50
		8	7	21.29	21.11	21.13	22.50
		15	0	20.83	20.98	21.14	22.50
	64QAM	1	0	20.99	20.89	20.98	22.50
		1	7	21.17	21.17	20.76	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 65 of 116

		1	14	21.04	20.75	20.87	22.50
		8	0	20.13	20.25	20.23	21.50
		8	4	20.26	20.22	20.36	21.50
		8	7	20.29	20.28	19.60	21.50
		15	0	20.34	19.82	20.10	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				19975	20175	20375	
5MHz	QPSK	1	0	21.41	21.41	21.14	22.50
		1	13	21.34	21.61	21.52	22.50
		1	24	20.98	21.06	21.10	22.50
		12	0	21.42	21.38	21.31	22.50
		12	6	21.37	21.31	21.42	22.50
		12	13	20.95	21.38	21.13	22.50
		25	0	21.08	21.31	21.17	22.50
	16QAM	1	0	20.85	21.04	20.90	22.50
		1	13	20.96	20.91	21.32	22.50
		1	24	20.89	20.95	20.91	22.50
		12	0	21.25	21.29	21.25	22.50
		12	6	21.29	21.31	21.03	22.50
		12	13	21.15	21.15	21.04	22.50
		25	0	20.95	21.22	21.22	22.50
	64QAM	1	0	21.07	21.15	21.15	22.50
		1	13	21.26	21.05	20.51	22.50
		1	24	20.77	20.78	21.03	22.50
		12	0	20.23	20.26	20.20	21.50
		12	6	20.12	20.36	20.06	21.50
		12	13	20.14	20.21	19.89	21.50
		25	0	20.34	19.94	19.77	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20000	20175	20350	
10MHz	QPSK	1	0	21.24	21.46	21.48	22.50
		1	25	21.29	21.60	21.38	22.50
		1	49	20.92	20.95	21.19	22.50
		25	0	21.41	21.34	21.20	22.50
		25	13	21.18	21.39	21.24	22.50
		25	25	21.08	21.24	21.14	22.50
		50	0	21.02	21.24	21.45	22.50
	16QAM	1	0	20.91	21.15	20.80	22.50
		1	25	20.86	20.83	21.24	22.50
		1	49	20.68	20.96	20.88	22.50
		25	0	21.23	21.22	21.17	22.50
		25	13	21.35	21.40	21.09	22.50
		25	25	21.40	21.18	21.19	22.50
		50	0	20.96	21.18	21.15	22.50
	64QAM	1	0	20.97	20.93	21.05	22.50
		1	25	21.10	20.91	20.59	22.50
		1	49	21.03	20.77	20.98	22.50
		25	0	20.02	20.30	20.30	21.50
		25	13	20.19	20.12	20.22	21.50
		25	25	20.29	20.05	19.81	21.50
		50	0	20.25	19.71	19.91	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 66 of 116

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20025	20175	20325	
15MHz	QPSK	1	0	21.49	21.40	21.44	22.50
		1	38	21.55	21.59	21.47	22.50
		1	74	21.05	21.09	21.20	22.50
		36	0	21.42	21.48	21.38	22.50
		36	18	21.23	21.22	21.31	22.50
		36	39	21.12	21.30	21.24	22.50
		75	0	21.20	21.32	21.31	22.50
	16QAM	1	0	20.77	21.33	21.03	22.50
		1	38	21.01	21.03	21.14	22.50
		1	74	21.26	21.28	21.23	22.50
		36	0	21.34	21.30	21.33	22.50
		36	18	21.49	21.25	21.29	22.50
		36	39	21.38	21.18	21.16	22.50
		75	0	21.07	21.02	21.13	22.50
	64QAM	1	0	21.29	21.28	21.26	22.50
		1	38	21.39	21.39	21.36	22.50
		1	74	21.39	21.33	21.35	22.50
		36	0	19.90	20.12	20.14	21.50
		36	18	20.20	20.00	20.03	21.50
		36	39	20.13	20.08	19.64	21.50
		75	0	20.17	19.96	19.81	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20050	20175	20300	
20MHz	QPSK	1	0	21.19	21.40	21.25	22.50
		1	50	21.51	21.62	21.50	22.50
		1	99	20.93	21.26	21.15	22.50
		50	0	21.42	21.44	21.41	22.50
		50	25	21.43	21.22	21.08	22.50
		50	50	21.34	21.35	21.33	22.50
		100	0	21.27	21.38	21.35	22.50
	16QAM	1	0	20.89	20.88	20.89	22.50
		1	50	20.75	20.72	20.81	22.50
		1	99	20.68	20.75	20.59	22.50
		50	0	21.10	21.37	21.46	22.50
		50	25	21.16	21.19	21.23	22.50
		50	50	21.11	21.18	21.35	22.50
		100	0	21.06	21.08	21.18	22.50
	64QAM	1	0	21.01	21.19	20.95	22.50
		1	50	21.30	20.93	20.61	22.50
		1	99	20.88	20.73	21.04	22.50
		50	0	19.97	20.24	20.11	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 67 of 116

	50	25	20.09	20.18	20.15	21.50
	50	50	20.14	20.10	20.07	21.50
	100	0	20.05	20.11	20.04	21.50

LTE Band 5 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20407	20525	20643	
1.4MHz	QPSK	1	0	23.32	23.51	23.44	25.00
		1	2	23.66	23.55	23.50	25.00
		1	5	23.55	23.39	23.53	25.00
		3	0	23.02	23.44	23.48	25.00
		3	2	23.25	23.58	23.62	25.00
		3	3	23.33	23.34	23.59	25.00
		6	0	22.56	22.30	22.25	24.00
	16QAM	1	0	22.78	22.43	22.58	24.00
		1	2	22.88	22.89	22.44	24.00
		1	5	22.64	22.64	22.71	24.00
		3	0	22.64	22.65	22.29	24.00
		3	2	22.24	22.43	22.49	24.00
		3	3	22.59	22.56	22.69	24.00
		6	0	21.73	21.54	21.82	23.00
	64QAM	1	0	21.38	21.62	21.57	23.00
		1	2	21.84	22.13	21.53	23.00
		1	5	21.67	21.53	21.41	23.00
		3	0	21.52	21.83	21.78	23.00
		3	2	21.89	21.51	21.83	23.00
		3	3	21.59	21.52	21.83	23.00
		6	0	20.50	20.87	20.47	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20415	20525	20635	
3MHz	QPSK	1	0	23.31	23.57	23.35	25.00
		1	7	23.57	23.59	23.37	25.00
		1	14	23.37	23.25	23.31	25.00
		8	0	22.37	22.47	22.34	24.00
		8	4	22.24	22.68	22.35	24.00
		8	7	22.57	22.70	22.30	24.00
		15	0	22.51	22.60	22.28	24.00
	16QAM	1	0	22.80	22.41	22.36	24.00
		1	7	22.52	22.74	22.61	24.00
		1	14	22.63	22.31	22.29	24.00
		8	0	21.50	21.76	21.36	23.00
		8	4	21.39	21.51	21.26	23.00
		8	7	21.42	21.77	21.61	23.00
		15	0	21.34	21.47	21.78	23.00
	64QAM	1	0	21.60	21.27	21.66	23.00
		1	7	21.81	22.32	21.82	23.00
		1	14	21.57	21.61	21.52	23.00
		8	0	20.82	20.82	20.85	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 68 of 116

		8	4	20.51	20.82	20.60	22.00
		8	7	20.63	20.53	20.86	22.00
		15	0	20.44	20.53	20.59	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20425	20525	20625	
5MHz	QPSK	1	0	23.31	23.52	23.59	25.00
		1	13	23.73	23.52	23.49	25.00
		1	24	23.20	23.49	23.52	25.00
		12	0	22.43	22.48	22.37	24.00
		12	6	22.32	22.71	22.55	24.00
		12	13	22.63	22.57	22.50	24.00
		25	0	22.40	22.27	22.34	24.00
	16QAM	1	0	22.60	22.27	22.45	24.00
		1	13	22.55	22.76	22.57	24.00
		1	24	22.41	22.44	22.47	24.00
		12	0	21.85	21.89	21.43	23.00
		12	6	21.28	21.80	21.51	23.00
		12	13	21.24	21.62	21.44	23.00
		25	0	21.61	21.64	21.89	23.00
	64QAM	1	0	21.29	21.43	21.50	23.00
		1	13	22.01	22.12	21.70	23.00
		1	24	21.57	21.73	21.45	23.00
		12	0	20.50	20.63	20.80	22.00
		12	6	20.72	20.40	20.86	22.00
		12	13	20.89	20.64	20.57	22.00
		25	0	20.48	20.60	20.56	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20450	20525	20600	
10MHz	QPSK	1	0	23.71	23.73	23.68	25.00
		1	25	23.76	23.78	23.71	25.00
		1	49	23.63	23.65	23.59	25.00
		25	0	22.67	22.74	22.71	24.00
		25	13	22.69	22.76	22.72	24.00
		25	25	22.73	22.75	22.68	24.00
		50	0	22.66	22.72	22.69	24.00
	16QAM	1	0	22.85	22.71	22.62	24.00
		1	25	22.97	23.03	22.77	24.00
		1	49	22.71	22.76	22.72	24.00
		25	0	21.95	21.99	21.61	23.00
		25	13	21.67	21.85	21.64	23.00
		25	25	21.68	21.86	21.77	23.00
		50	0	21.78	21.84	21.99	23.00
	64QAM	1	0	21.74	21.67	21.67	23.00
		1	25	22.05	22.34	21.88	23.00
		1	49	21.98	21.82	21.76	23.00
		25	0	20.89	20.99	20.92	22.00
		25	13	20.95	20.83	20.96	22.00
		25	25	20.94	20.86	20.91	22.00
		50	0	20.75	20.90	20.87	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

LTE Band 7 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20775	21100	21425	
5MHz	QPSK	1	0	22.64	22.76	22.46	24.00
		1	13	22.88	22.95	22.94	24.00
		1	24	22.53	22.87	22.81	24.00
		12	0	21.63	21.81	21.81	23.00
		12	6	21.51	21.84	21.60	23.00
		12	13	21.66	21.58	21.45	23.00
		25	0	21.87	21.78	21.53	23.00
	16QAM	1	0	21.77	21.61	21.57	23.00
		1	13	21.35	21.82	21.96	23.00
		1	24	21.15	21.82	21.87	23.00
		12	0	20.53	20.70	20.73	22.00
		12	6	20.42	20.86	20.61	22.00
		12	13	20.49	20.66	20.49	22.00
		25	0	20.64	20.92	20.60	22.00
	64QAM	1	0	20.26	20.69	20.12	22.00
		1	13	20.47	21.21	20.83	22.00
		1	24	20.25	20.81	20.69	22.00
		12	0	19.36	19.30	19.58	21.00
		12	6	19.45	19.67	19.83	21.00
		12	13	19.79	19.96	19.42	21.00
		25	0	19.36	19.65	19.47	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20800	21100	21400	
10MHz	QPSK	1	0	22.30	22.55	22.55	24.00
		1	25	22.62	22.70	22.60	24.00
		1	49	22.50	22.49	22.56	24.00
		25	0	21.63	21.95	21.49	23.00
		25	13	21.74	21.98	21.54	23.00
		25	25	21.63	21.52	21.74	23.00
		50	0	21.49	21.74	21.91	23.00
	16QAM	1	0	21.61	21.76	21.16	23.00
		1	25	21.36	22.08	22.17	23.00
		1	49	21.40	21.59	21.61	23.00
		25	0	20.56	20.62	20.84	22.00
		25	13	20.45	20.67	20.39	22.00
		25	25	20.75	21.08	20.55	22.00
		50	0	20.40	20.90	20.70	22.00
	64QAM	1	0	20.47	20.69	20.17	22.00
		1	25	20.27	21.00	20.50	22.00
		1	49	20.43	20.74	20.49	22.00
		25	0	19.76	19.42	19.80	21.00
		25	13	19.40	19.88	19.93	21.00
		25	25	19.68	19.92	19.48	21.00
		50	0	19.18	19.73	19.66	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 70 of 116

				20825	21100	21375	
15MHz	QPSK	1	0	22.71	22.71	22.58	24.00
		1	38	22.60	22.70	22.68	24.00
		1	74	22.36	22.80	22.47	24.00
		36	0	21.60	22.02	21.87	23.00
		36	18	21.64	21.63	21.92	23.00
		36	39	21.44	21.47	21.37	23.00
		75	0	21.62	21.57	21.82	23.00
	16QAM	1	0	21.50	21.59	21.21	23.00
		1	38	21.30	21.84	21.99	23.00
		1	74	21.58	21.95	21.77	23.00
		36	0	20.96	20.50	20.80	22.00
		36	18	20.35	20.64	20.75	22.00
		36	39	20.72	20.65	20.51	22.00
		75	0	20.50	20.52	20.79	22.00
	64QAM	1	0	20.57	20.70	20.21	22.00
		1	38	20.51	20.95	20.86	22.00
		1	74	20.31	20.81	20.75	22.00
		36	0	19.78	19.19	19.78	21.00
		36	18	19.44	19.45	19.64	21.00
		36	39	19.54	20.17	19.28	21.00
		75	0	19.35	19.85	19.77	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				20850	21100	21350	
20MHz	QPSK	1	0	22.71	22.76	22.74	24.00
		1	50	22.94	22.95	22.91	24.00
		1	99	22.76	22.79	22.73	24.00
		50	0	21.88	21.93	21.89	23.00
		50	25	21.89	21.95	21.93	23.00
		50	50	21.67	21.86	21.77	23.00
		100	0	21.83	21.92	21.89	23.00
	16QAM	1	0	21.89	21.91	21.51	23.00
		1	50	21.67	22.13	22.13	23.00
		1	99	21.51	21.96	21.86	23.00
		50	0	20.90	20.69	20.91	22.00
		50	25	20.75	20.86	20.73	22.00
		50	50	20.75	21.02	20.82	22.00
		100	0	20.65	20.93	20.79	22.00
	64QAM	1	0	20.62	20.82	20.38	22.00
		1	50	20.47	21.32	20.86	22.00
		1	99	20.46	20.92	20.74	22.00
		50	0	19.72	19.54	19.89	21.00
		50	25	19.49	19.82	19.85	21.00
		50	50	19.94	20.13	19.59	21.00
		100	0	19.53	19.81	19.77	21.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 71 of 116

LTE FDD Band 12 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23017	23095	23173	
1.4MHz	QPSK	1	0	23.34	23.61	23.51	25.00
		1	2	23.35	23.61	23.78	25.00
		1	5	23.30	23.33	23.59	25.00
		3	0	23.38	23.48	23.46	25.00
		3	2	23.59	23.69	23.44	25.00
		3	3	23.39	23.39	23.51	25.00
		6	0	22.37	22.55	22.67	24.00
	16QAM	1	0	22.47	22.42	22.62	24.00
		1	2	22.32	22.64	22.29	24.00
		1	5	22.63	22.60	22.55	24.00
		3	0	22.80	22.47	22.88	24.00
		3	2	22.83	23.05	22.50	24.00
		3	3	22.73	22.29	22.28	24.00
		6	0	21.62	21.46	21.74	23.00
	64QAM	1	0	21.96	21.27	21.91	23.00
		1	2	21.78	21.56	21.33	23.00
		1	5	21.92	21.56	21.83	23.00
		3	0	22.12	21.91	21.97	23.00
		3	2	21.61	22.02	21.79	23.00
		3	3	21.69	21.52	21.41	23.00
		6	0	20.49	20.73	21.07	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23025	23095	23165	
3MHz	QPSK	1	0	23.21	23.43	23.21	25.00
		1	7	23.82	23.62	23.52	25.00
		1	14	23.30	23.74	23.57	25.00
		8	0	22.62	22.59	22.55	24.00
		8	4	22.74	22.44	22.41	24.00
		8	7	22.81	22.80	22.84	24.00
		15	0	22.39	22.68	22.66	24.00
	16QAM	1	0	22.65	22.23	22.88	24.00
		1	7	22.41	22.77	22.37	24.00
		1	14	22.76	22.58	22.55	24.00
		8	0	21.91	21.71	21.62	23.00
		8	4	21.58	22.15	21.71	23.00
		8	7	21.75	21.42	21.32	23.00
		15	0	21.49	21.43	22.04	23.00
	64QAM	1	0	21.63	21.21	21.85	23.00
		1	7	21.42	21.63	21.72	23.00
		1	14	22.01	21.36	21.82	23.00
		8	0	20.94	20.85	20.67	22.00
		8	4	20.56	21.14	21.00	22.00
		8	7	20.52	20.40	20.51	22.00
		15	0	20.74	20.90	20.86	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23035	23095	23155	
5MHz	QPSK	1	0	23.62	23.64	23.57	25.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 72 of 116

		1	13	23.53	23.69	23.45	25.00
		1	24	23.44	23.56	23.67	25.00
		12	0	22.46	22.50	22.77	24.00
		12	6	22.51	22.51	22.61	24.00
		12	13	22.42	22.80	22.70	24.00
		25	0	22.85	22.73	22.65	24.00
	16QAM	1	0	22.34	22.69	22.54	24.00
		1	13	22.44	22.98	22.58	24.00
		1	24	22.63	22.39	22.45	24.00
		12	0	21.71	21.60	21.70	23.00
		12	6	21.95	22.08	21.93	23.00
		12	13	21.46	21.73	21.52	23.00
	64QAM	25	0	21.76	21.82	21.94	23.00
		1	0	21.73	21.17	21.72	23.00
		1	13	21.44	21.78	21.43	23.00
		1	24	22.02	21.60	21.52	23.00
		12	0	20.78	20.70	20.66	22.00
		12	6	20.79	21.23	20.68	22.00
		12	13	20.65	20.63	20.52	22.00
		25	0	20.62	20.73	20.75	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23060	23095	23130	
10MHz	QPSK	1	0	23.71	23.73	23.69	25.00
		1	25	23.84	23.91	23.82	25.00
		1	49	23.73	23.76	23.72	25.00
		25	0	22.93	22.94	22.91	24.00
		25	13	22.87	22.91	22.89	24.00
		25	25	22.89	22.91	22.86	24.00
	16QAM	50	0	22.86	22.92	22.87	24.00
		1	0	22.73	22.70	22.98	24.00
		1	25	22.79	23.00	22.78	24.00
		1	49	23.03	22.73	22.64	24.00
		25	0	22.06	21.83	21.99	23.00
		25	13	21.98	22.24	21.97	23.00
		25	25	21.85	21.79	21.74	23.00
		50	0	21.93	21.86	22.11	23.00
	64QAM	1	0	21.99	21.55	22.06	23.00
		1	25	21.88	22.04	21.77	23.00
		1	49	22.21	21.67	21.84	23.00
		25	0	21.20	21.05	21.07	22.00
		25	13	21.06	21.41	21.06	22.00
		25	25	20.73	20.76	20.83	22.00
		50	0	20.86	21.09	21.08	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 73 of 116

LTE FDD Band 14 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				23305	23330	23355	
5MHz	QPSK	1	0	23.56	23.60	23.58	25.00
		1	13	23.72	23.73	23.67	25.00
		1	24	23.51	23.56	23.47	25.00
		12	0	23.68	22.78	23.71	24.00
		12	6	22.78	22.83	22.68	24.00
		12	13	22.69	22.74	22.71	24.00
		25	0	22.72	22.76	22.73	24.00
	16QAM	1	0	22.69	22.76	22.79	24.00
		1	13	22.82	22.60	22.57	24.00
		1	24	22.41	22.70	22.52	24.00
		12	0	22.80	22.03	22.60	23.00
		12	6	21.90	21.69	21.65	23.00
		12	13	21.66	21.60	21.85	23.00
		25	0	21.85	21.79	21.68	23.00
	64QAM	1	0	21.69	21.84	21.81	23.00
		1	13	21.78	21.52	21.76	23.00
		1	24	21.51	21.88	21.56	23.00
		12	0	21.79	21.21	21.88	22.00
		12	6	20.98	20.87	20.51	22.00
		12	13	20.60	20.43	20.80	22.00
		25	0	21.00	20.88	20.68	22.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	/	23330	/	25.00
		1	25	/	23.79	/	25.00
		1	49	/	23.68	/	25.00
		25	0	/	22.86	/	24.00
		25	13	/	22.84	/	24.00
		25	25	/	22.77	/	24.00
		50	0	/	22.80	/	24.00
	16QAM	1	0	/	22.79	/	24.00
		1	25	/	22.99	/	24.00
		1	49	/	22.84	/	24.00
		25	0	/	22.05	/	23.00
		25	13	/	21.70	/	23.00
		25	25	/	22.05	/	23.00
		50	0	/	21.85	/	23.00
	64QAM	1	0	/	21.63	/	23.00
		1	25	/	21.84	/	23.00
		1	49	/	22.11	/	23.00
		25	0	/	21.05	/	22.00
		25	13	/	20.96	/	22.00
		25	25	/	21.17	/	22.00
		50	0	/	21.02	/	22.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 74 of 116

LTE FDD Band 30 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				27685	27710	27735	
5MHz	QPSK	1	0	22.58	22.6	22.59	24.00
		1	13	22.58	22.63	22.57	24.00
		1	24	22.56	22.6	22.62	24.00
		12	0	21.78	21.65	21.69	23.00
		12	6	21.88	21.61	21.78	23.00
		12	13	21.77	21.75	21.53	23.00
		25	0	21.99	21.79	21.77	23.00
	16QAM	1	0	21.65	21.71	21.69	23.00
		1	13	21.82	21.61	21.82	23.00
		1	24	21.88	21.8	21.79	23.00
		12	0	20.7	21.02	20.78	22.00
		12	6	20.97	21.29	20.59	22.00
		12	13	20.71	20.68	21.02	22.00
		25	0	20.73	20.91	20.93	22.00
	64QAM	1	0	20.64	21.15	20.62	22.00
		1	13	21.08	20.84	20.99	22.00
		1	24	21.13	20.89	20.98	22.00
		12	0	19.96	19.94	19.88	21.00
		12	6	20.07	20.6	19.71	21.00
		12	13	19.81	19.56	19.98	21.00
		25	0	19.79	19.9	19.81	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
10MHz	QPSK	1	0	/	27710	/	24.00
		1	25	/	22.61	/	24.00
		1	49	/	22.69	/	24.00
		25	0	/	22.59	/	24.00
		25	13	/	21.81	/	23.00
		25	25	/	21.84	/	23.00
		50	0	/	21.76	/	23.00
	16QAM	1	0	/	21.81	/	23.00
		1	25	/	21.57	/	23.00
		1	49	/	21.59	/	23.00
		25	0	/	21.64	/	23.00
		25	13	/	21.11	/	22.00
		25	25	/	21	/	22.00
		50	0	/	21.05	/	22.00
	64QAM	1	0	/	20.68	/	22.00
		1	25	/	20.66	/	22.00
		1	49	/	20.89	/	22.00
		25	0	/	20.83	/	22.00
		25	13	/	20.21	/	21.00
		25	25	/	20.24	/	21.00
		50	0	/	20.18	/	21.00
	64QAM	1	0	/	19.77	/	21.00
		1	25	/	20.66	/	22.00
		1	49	/	20.89	/	22.00
		25	0	/	20.83	/	22.00
		25	13	/	20.24	/	21.00
		25	25	/	20.18	/	21.00
		50	0	/	19.77	/	21.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

LTE Band 66 Full Power				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	23.33	23.41	23.37	24.50
		1	2	23.56	23.58	23.56	24.50
		1	5	23.17	23.25	23.23	24.50
		3	0	23.55	23.63	23.60	24.50
		3	1	23.59	23.59	23.51	24.50
		3	3	23.48	23.47	23.54	24.50
	16QAM	6	0	22.56	22.47	22.41	23.50
		1	0	22.28	22.66	22.18	23.50
		1	2	22.73	22.53	22.74	23.50
		1	5	22.27	22.08	22.22	23.50
		3	0	22.36	22.33	22.40	23.50
		3	1	22.56	22.43	22.39	23.50
	64QAM	3	3	22.69	22.37	22.70	23.50
		6	0	21.35	21.65	21.52	22.50
		1	0	21.04	21.53	21.20	22.50
		1	2	22.00	21.54	21.74	22.50
		1	5	21.19	21.17	21.13	22.50
		3	0	21.13	21.19	21.18	22.50
1.4MHz	64QAM	3	1	21.52	21.25	21.25	22.50
		3	3	21.54	21.45	21.90	22.50
		6	0	20.13	20.67	20.58	21.50
		1	0	23.40	23.43	23.44	24.50
		1	7	23.61	23.58	23.64	24.50
		1	14	23.27	23.33	23.23	24.50
3MHz	QPSK	8	0	22.59	22.65	22.49	23.50
		8	4	22.56	22.54	22.57	23.50
		8	7	22.41	22.61	22.41	23.50
		15	0	22.43	22.51	22.43	23.50
		1	0	22.25	22.31	22.27	23.50
		1	7	22.58	22.57	22.80	23.50
	16QAM	1	14	22.23	22.49	22.47	23.50
		8	0	21.35	21.71	21.40	22.50
		8	4	21.67	21.61	21.58	22.50
		8	7	21.48	21.45	21.43	22.50
		15	0	21.30	21.36	21.58	22.50
		1	0	21.40	21.24	21.41	22.50
	64QAM	1	7	21.82	21.88	22.04	22.50
		1	14	21.12	21.45	21.24	22.50
		8	0	20.22	20.78	20.30	21.50
		8	4	20.71	20.75	20.44	21.50
		8	7	20.43	20.55	20.62	21.50
		15	0	20.22	20.27	20.34	21.50
5MHz	QPSK	1	0	23.35	23.43	23.44	24.50
		1	13	23.63	23.67	23.64	24.50
5MHz	QPSK	1	24	23.21	23.33	23.27	24.50
		12	0	22.55	22.64	22.57	23.50
		12	6	22.58	22.58	22.56	23.50
		12	13	22.40	22.57	22.42	23.50
		25	0	22.53	22.59	22.42	23.50
		25	13	22.40	22.57	22.42	23.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 76 of 116

	16QAM	1	0	22.38	22.37	22.26	23.50
		1	13	22.55	22.85	22.68	23.50
		1	24	22.38	22.36	22.43	23.50
		12	0	21.37	21.54	21.81	22.50
		12	6	21.78	21.66	21.76	22.50
		12	13	21.67	21.70	21.38	22.50
		25	0	21.37	21.51	21.41	22.50
	64QAM	1	0	21.60	21.40	21.06	22.50
		1	13	21.34	22.03	21.83	22.50
		1	24	21.59	21.24	21.32	22.50
		12	0	20.23	20.39	21.04	21.50
		12	6	20.73	20.66	20.77	21.50
		12	13	20.52	20.85	20.29	21.50
		25	0	20.43	20.65	20.40	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	23.40	23.49	23.35	24.50
		1	25	23.52	23.69	23.69	24.50
		1	49	23.30	23.31	23.20	24.50
		25	0	22.57	22.64	22.49	23.50
		25	13	22.64	22.62	22.63	23.50
		25	25	22.41	22.50	22.45	23.50
		50	0	22.54	22.60	22.48	23.50
	16QAM	1	0	22.32	22.37	22.69	23.50
		1	25	22.47	22.84	22.74	23.50
		1	49	22.07	22.47	22.40	23.50
		25	0	21.39	21.45	21.69	22.50
		25	13	21.33	21.40	21.46	22.50
		25	25	21.63	21.36	21.47	22.50
		50	0	21.50	21.31	21.61	22.50
	64QAM	1	0	21.43	21.20	21.81	22.50
		1	25	21.33	21.96	21.58	22.50
		1	49	21.13	21.35	21.62	22.50
		25	0	20.58	20.61	20.92	21.50
		25	13	20.26	20.49	20.53	21.50
		25	25	20.47	20.58	20.38	21.50
		50	0	20.42	20.10	20.75	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	23.47	23.43	23.37	24.50
		1	38	23.52	23.60	23.54	24.50
		1	74	23.16	23.36	23.31	24.50
		36	0	22.52	22.54	22.59	23.50
		36	18	22.66	22.59	22.57	23.50
		36	39	22.48	22.47	22.47	23.50
		75	0	22.42	22.49	22.42	23.50
	16QAM	1	0	22.44	22.50	22.51	23.50
		1	38	22.41	22.50	22.52	23.50
		1	74	22.01	22.18	22.27	23.50
		36	0	21.48	21.61	21.45	22.50
		36	18	21.56	21.61	21.76	22.50
		36	39	21.27	21.52	21.48	22.50
		75	0	21.31	21.47	21.65	22.50
	64QAM	1	0	21.47	21.34	21.70	22.50
		1	38	21.41	21.78	21.45	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 77 of 116

		1	74	21.29	21.30	21.40	22.50
		36	0	20.69	20.48	20.26	21.50
		36	18	20.52	20.72	20.95	21.50
		36	39	20.18	20.39	20.22	21.50
		75	0	20.50	20.35	20.68	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	23.48	23.51	23.49	24.50
		1	50	23.67	23.71	23.69	24.50
		1	99	23.31	23.38	23.32	24.50
		50	0	22.67	22.69	22.66	23.50
		50	25	22.61	22.65	22.62	23.50
		50	50	22.53	22.61	22.55	23.50
		100	0	22.56	22.62	22.54	23.50
		1	0	22.57	22.44	22.62	23.50
	16QAM	1	50	22.68	22.59	22.55	23.50
		1	99	22.47	22.53	22.16	23.50
		50	0	21.64	21.66	21.75	22.50
		50	25	21.87	21.55	21.81	22.50
		50	50	21.32	21.40	21.48	22.50
		100	0	21.60	21.40	21.41	22.50
		1	0	21.72	21.45	21.60	22.50
		1	50	21.54	21.50	21.46	22.50
	64QAM	1	99	21.30	21.36	21.26	22.50
		50	0	20.82	20.71	20.97	21.50
		50	25	20.85	20.37	21.00	21.50
		50	50	20.39	20.43	20.67	21.50
		100	0	20.56	20.35	20.60	21.50

LTE Band 66 Hotspot on&Body-worn&Handheld on				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	21.33	21.22	21.37	22.50
		1	2	21.53	21.58	21.53	22.50
		1	5	21.12	21.17	21.10	22.50
		3	0	21.35	21.52	21.52	22.50
		3	1	21.48	21.35	21.31	22.50
		3	3	21.37	21.27	21.38	22.50
		6	0	21.29	21.19	21.10	22.50
		1	0	21.03	21.20	20.86	22.50
	16QAM	1	2	21.20	20.99	21.33	22.50
		1	5	20.99	20.55	20.70	22.50
		3	0	21.00	20.92	21.01	22.50
		3	1	21.05	20.98	21.10	22.50
		3	3	21.38	20.93	21.43	22.50
		6	0	20.83	21.37	21.12	22.50
		1	0	20.78	21.04	20.65	22.50
		1	2	21.13	21.21	21.19	22.50
	64QAM	1	5	20.89	20.68	20.76	22.50
		3	0	20.85	20.94	20.93	22.50
		3	1	21.13	20.99	20.90	22.50
		3	3	21.18	20.93	21.13	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 78 of 116

		6	0	19.60	20.19	20.12	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131987	132322	132657	
3MHz	QPSK	1	0	21.37	21.48	21.27	22.50
		1	7	21.46	21.51	21.45	22.50
		1	14	21.11	21.12	21.20	22.50
		8	0	21.07	21.23	21.03	22.50
		8	4	21.05	21.27	21.26	22.50
		8	7	20.91	21.20	21.12	22.50
		15	0	21.06	21.17	21.01	22.50
	16QAM	1	0	20.70	20.90	20.81	22.50
		1	7	21.19	21.02	21.32	22.50
		1	14	20.74	21.17	21.11	22.50
		8	0	21.07	21.37	21.02	22.50
		8	4	21.14	21.06	21.03	22.50
		8	7	20.96	21.02	21.00	22.50
		15	0	20.75	20.83	21.21	22.50
	64QAM	1	0	21.02	20.76	20.94	22.50
		1	7	21.33	21.50	21.32	22.50
		1	14	20.74	21.15	20.89	22.50
		8	0	19.74	20.47	19.98	21.50
		8	4	20.32	20.41	20.02	21.50
		8	7	20.06	20.21	20.13	21.50
		15	0	19.84	19.74	19.88	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131997	132322	132647	
5MHz	QPSK	1	0	21.15	21.39	21.41	22.50
		1	13	21.53	21.58	21.56	22.50
		1	24	21.21	21.21	21.28	22.50
		12	0	21.28	21.18	21.25	22.50
		12	6	21.30	21.14	21.15	22.50
		12	13	20.86	21.13	20.92	22.50
		25	0	21.18	21.15	21.10	22.50
	16QAM	1	0	21.05	20.82	20.99	22.50
		1	13	21.12	21.34	21.23	22.50
		1	24	21.05	20.81	21.15	22.50
		12	0	20.97	21.24	21.52	22.50
		12	6	21.33	21.38	21.51	22.50
		12	13	21.16	21.23	21.01	22.50
		25	0	20.94	21.20	21.02	22.50
	64QAM	1	0	21.19	20.99	20.65	22.50
		1	13	21.03	21.52	21.50	22.50
		1	24	21.23	20.90	20.93	22.50
		12	0	19.80	20.14	20.70	21.50
		12	6	20.30	20.27	20.37	21.50
		12	13	20.17	20.50	19.81	21.50
		25	0	20.16	20.17	19.90	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	21.18	21.47	21.28	22.50
		1	25	21.37	21.53	21.47	22.50
		1	49	21.22	21.10	21.05	22.50
		25	0	21.09	21.30	21.10	22.50
		25	13	21.39	21.11	21.10	22.50
		25	25	21.15	21.12	20.91	22.50
		50	0	21.29	21.22	21.05	22.50
	16QAM	1	0	20.92	21.05	21.20	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 79 of 116

		1	25	21.17	21.39	21.48	22.50
		1	49	20.78	21.19	20.91	22.50
		25	0	21.11	21.18	21.41	22.50
		25	13	20.88	20.87	21.03	22.50
		25	25	21.25	20.96	21.21	22.50
		50	0	21.24	20.95	21.12	22.50
	64QAM	1	0	20.95	20.73	21.06	22.50
		1	25	21.04	21.47	21.26	22.50
		1	49	20.71	20.87	21.25	22.50
		25	0	20.13	20.15	20.50	21.50
		25	13	19.98	20.02	20.18	21.50
		25	25	20.06	20.21	20.04	21.50
		50	0	20.10	19.79	20.29	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	21.24	21.26	21.14	22.50
		1	38	21.37	21.36	21.45	22.50
		1	74	20.97	21.28	21.15	22.50
		36	0	21.10	21.13	21.33	22.50
		36	18	21.13	21.23	21.16	22.50
		36	39	20.96	21.03	21.04	22.50
		75	0	20.95	21.07	20.96	22.50
	16QAM	1	0	21.08	20.96	21.12	22.50
		1	38	21.12	21.06	20.97	22.50
		1	74	20.50	20.68	20.74	22.50
		36	0	21.13	21.12	20.92	22.50
		36	18	21.29	21.24	21.23	22.50
		36	39	20.82	21.22	21.01	22.50
		75	0	20.98	21.21	21.38	22.50
	64QAM	1	0	21.09	20.91	21.41	22.50
		1	38	20.89	21.07	21.02	22.50
		1	74	20.95	20.83	21.04	22.50
		36	0	20.33	20.11	19.85	21.50
		36	18	20.05	20.35	20.65	21.50
		36	39	19.72	19.99	19.93	21.50
		75	0	20.08	20.00	20.16	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132072	132322	132572	
20MHz	QPSK	1	0	21.39	21.47	21.40	22.50
		1	50	21.60	21.66	21.58	22.50
		1	99	21.19	21.36	21.27	22.50
		50	0	21.46	21.51	21.49	22.50
		50	25	21.38	21.18	21.14	22.50
		50	50	21.13	21.14	21.19	22.50
		100	0	21.36	21.44	21.32	22.50
	16QAM	1	0	21.06	21.00	21.29	22.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 80 of 116

		1	50	21.13	21.32	21.05	22.50
		1	99	21.18	21.14	20.65	22.50
		50	0	21.28	21.36	21.40	22.50
		50	25	21.60	21.21	21.39	22.50
		50	50	21.05	20.89	20.96	22.50
		100	0	21.16	20.87	21.01	22.50
	64QAM	1	0	21.31	21.12	21.17	22.50
		1	50	21.27	21.21	21.14	22.50
		1	99	20.99	20.85	20.90	22.50
		50	0	20.56	20.38	20.60	21.50
		50	25	20.53	19.89	20.66	21.50
		50	50	20.13	19.95	20.40	21.50
		100	0	20.06	20.00	20.33	21.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.1.3 Conducted Power of Downlink CA

CA List	PCC								SCC				Power	
	LTE	Ant	BW	UL	Mod.	UL#	UL	LTE	BW	DL	DL	With CA	Without CA	
	Band		(MHz)	Freq. (MHz)		Channel	RB	Offset	Band	(MHz)	Freq. (MHz)	Channel	Tx. Power (dBm)	Tx. Power (dBm)
CA_2A-12A	Band 2	0	20M	1880	18900	QPSK	1	50	Band 12	10M	737.5	5095	23.25	23.43
	Band 12	0	10M	707.5	23095	QPSK	1	25	Band 2	20M	1960	900	23.81	23.91
CA_2A-5A	Band 2	0	20M	1880	18900	QPSK	1	50	Band 5	10M	881.5	2525	23.3	23.43
	Band 5	0	10M	836.5	20525	QPSK	1	25	Band 2	20M	1960	900	23.64	23.78
CA_5A-30A	Band 5	0	10M	836.5	20525	QPSK	1	25	Band 30	10M	2355	9820	23.55	23.78
	Band 30	0	10M	2310	27710	QPSK	1	25	Band 5	10M	881.5	2525	22.5	22.69
CA_66A-12A	Band 66	0	20M	1745	132322	QPSK	1	50	Band 12	10M	737.5	5095	23.59	23.71
	Band 12	0	10M	707.5	23095	QPSK	1	25	Band 66	20M	2145	66786	23.84	23.91
CA_66A-5A	Band 66	0	20M	1745	132322	QPSK	1	50	Band 5	10M	881.5	2525	23.63	23.71
	Band 5	0	10M	836.5	20525	QPSK	1	25	Band 66	20M	2145	66786	23.68	23.78
CA_12A-30A	Band 12	0	10M	707.5	23095	QPSK	1	25	Band 30	10M	2355	9820	23.76	23.91
	Band 30	0	10M	2310	27710	QPSK	1	25	Band 12	10M	737.5	5095	22.65	22.69
CA_14A-30A	Band 14	0	10M	793	23330	QPSK	1	25	Band 30	10M	2355	9820	23.6	23.79
	Band 30	0	10M	2310	27710	QPSK	1	25	Band 14	10M	763	5330	22.63	22.69
CA_66A-66A	Band 66	0	20M	1745	132322	QPSK	1	50	Band 66	5M	2177.5	67111	23.62	23.71
CA_66B	Band 66	0	15M	1745	132322	QPSK	1	50	Band 66	5M	2164.3	66979	23.52	23.71
CA_66C	Band 66	0	20M	1745	132322	QPSK	1	50	Band 66	20M	2174.8	67084	23.67	23.71

Note:

- 1) . In applying the power measurement procedures of KDB 941225 D05A for DL CA to qualify for UL SAR test exclusion, power measurement is required only for the subset in each row with the largest combination of frequency bands and CCs.
- 2) . Conducted power measurement results of downlink LTE carrier aggregation are provided to quantify downlink only carrier aggregation SAR test exclusion per KDB 941225 D05A. Uplink maximum output power is measured with downlink carrier aggregation active, using the channel with highest measured maximum output power when downlink carrier aggregation is inactive, to confirm that when downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output power measured when downlink carrier aggregation inactive, therefore SAR evaluation with downlink carrier aggregation can be excluded.

The possible downlink LTE CA combinations supported by this device are as below tables per 3GPP TS 36.101 V15.4.0. The detailed conducted power measurement results of downlink LTE CA are provided in the SAR report per 3GPP TS 36.521-1 V14.4.0. According to KDB 941225 D05A, the downlink only carrier aggregation conditions for this device can be excluded from SAR testing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

8.1.4 Conducted Power of WIFI

WIFI 2.4G Receiver off/Receiver on					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	19.46	20.00
	6	2437		19.26	20.00
	11	2462		19.35	20.00
802.11g	1	2412	6	18.00	19.00
	6	2437		18.05	19.00
	11	2462		18.03	19.00
802.11n HT20	1	2412	6.5	17.95	19.00
	6	2437		17.84	19.00
	11	2462		17.93	19.00

WIFI 2.4G Receiver on Simultaneous Transmission					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	18.52	19.00
	6	2437		18.33	19.00
	11	2462		18.47	19.00
802.11g	1	2412	6	18.00	19.00
	6	2437		18.05	19.00
	11	2462		18.03	19.00
802.11n HT20	1	2412	6.5	17.95	19.00
	6	2437		17.84	19.00
	11	2462		17.93	19.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 83 of 116

WIFI 5G Receiver off						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	17.93	19.00
		40	5200		18.11	19.00
		44	5220		17.97	19.00
		48	5240		18.14	19.00
	U-NII-2A	52	5260		18.11	19.00
		56	5280		17.96	19.00
		60	5300		18.07	19.00
		64	5320		18.07	19.00
	U-NII-2C	100	5500		18.25	19.00
		104	5520		18.29	19.00
		108	5540		18.26	19.00
		112	5560		18.20	19.00
		116	5580		18.11	19.00
		120	5600		18.24	19.00
		124	5620		18.35	19.00
		128	5640		18.26	19.00
		132	5660		18.22	19.00
		136	5680		18.15	19.00
		140	5700		18.24	19.00
	U-NII-3	149	5745		18.46	19.00
		153	5765		18.52	19.00
		157	5785		18.49	19.00
		161	5805		18.46	19.00
		165	5825		18.37	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	17.89	19.00
		40	5200		17.95	19.00
		44	5220		17.87	19.00
		48	5240		18.01	19.00
	U-NII-2A	52	5260		17.97	19.00
		56	5280		17.86	19.00
		60	5300		17.91	19.00
		64	5320		17.93	19.00
	U-NII-2C	100	5500		18.16	19.00
		104	5520		18.15	19.00
		108	5540		18.13	19.00
		112	5560		18.26	19.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 84 of 116

		116	5580		18.14	19.00
		120	5600		18.13	19.00
		124	5620		18.17	19.00
		128	5640		18.16	19.00
		132	5660		18.13	19.00
		136	5680		18.17	19.00
		140	5700		18.08	19.00
	U-NII-3	149	5745		18.27	19.00
		153	5765		18.28	19.00
		157	5785		18.37	19.00
		161	5805		18.36	19.00
		165	5825		18.23	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	17.57	19.00
		46	5230		17.58	19.00
	U-NII-2A	54	5270		17.41	19.00
		62	5310		17.55	19.00
	U-NII-2C	102	5510		17.99	19.00
		110	5550		17.93	19.00
		118	5590		17.96	19.00
		126	5630		18.01	19.00
		134	5670		17.96	19.00
	U-NII-3	151	5755		18.17	19.00
		159	5795		18.22	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-20	U-NII-1	36	5180	MCS0	17.82	19.00
		40	5200		17.97	19.00
		44	5220		17.86	19.00
		48	5240		18.01	19.00
	U-NII-2A	52	5260		17.97	19.00
		56	5280		17.85	19.00
		60	5300		17.94	19.00
		64	5320		18.01	19.00
	U-NII-2C	100	5500		18.20	19.00
		104	5520		18.13	19.00
		108	5540		18.13	19.00
		112	5560		18.25	19.00
		116	5580		18.13	19.00
		120	5600		18.11	19.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 85 of 116

		124	5620		18.19	19.00
		128	5640		18.16	19.00
		132	5660		18.14	19.00
		136	5680		18.21	19.00
		140	5700		18.25	19.00
	U-NII-3	149	5745		18.33	19.00
		153	5765		18.40	19.00
		157	5785		18.39	19.00
		161	5805		18.30	19.00
		165	5825		18.19	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-40	U-NII-1	38	5190	MCS0	17.44	19.00
		46	5230		17.49	19.00
	U-NII-2A	54	5270		17.57	19.00
		62	5310		17.66	19.00
	U-NII-2C	102	5510		17.95	19.00
		110	5550		18.08	19.00
		118	5590		18.08	19.00
		126	5630		18.11	19.00
		134	5670		18.03	19.00
	U-NII-3	151	5755		18.19	19.00
		159	5795		18.29	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac 80M	U-NII-1	42	5210	MCS0	17.46	19.00
	U-NII-2A	58	5290		17.51	19.00
	U-NII-2C	106	5530		17.86	19.00
		122	5610		17.73	19.00
	U-NII-3	155	5775		17.82	19.00

WIFI 5G Receiver on						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	16.03	17.00
		40	5200		16.05	17.00
		44	5220		15.90	17.00
		48	5240		16.15	17.00
	U-NII-2A	52	5260		16.15	17.00
		56	5280		15.90	17.00
		60	5300		16.11	17.00
		64	5320		16.17	17.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 86 of 116

		100	5500		18.25	19.00
		104	5520		18.29	19.00
		108	5540		18.26	19.00
		112	5560		18.20	19.00
		116	5580		18.11	19.00
		120	5600		18.24	19.00
		124	5620		18.35	19.00
		128	5640		18.26	19.00
		132	5660		18.22	19.00
		136	5680		18.15	19.00
		140	5700		18.24	19.00
	U-NII-2C	149	5745		18.46	19.00
		153	5765		18.52	19.00
		157	5785		18.49	19.00
		161	5805		18.46	19.00
		165	5825		18.37	19.00
	U-NII-3					
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	16.01	17.00
		40	5200		15.89	17.00
		44	5220		16.00	17.00
		48	5240		16.09	17.00
	U-NII-2A	52	5260		15.87	17.00
		56	5280		15.99	17.00
		60	5300		15.87	17.00
		64	5320		15.83	17.00
	U-NII-2C	100	5500		18.16	19.00
		104	5520		18.15	19.00
		108	5540		18.13	19.00
		112	5560		18.26	19.00
		116	5580		18.14	19.00
		120	5600		18.13	19.00
		124	5620		18.17	19.00
		128	5640		18.16	19.00
		132	5660		18.13	19.00
		136	5680		18.17	19.00
		140	5700		18.08	19.00
		149	5745		18.27	19.00
	U-NII-3	153	5765		18.28	19.00
		157	5785		18.37	19.00
		161	5805		18.36	19.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 87 of 116

5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	15.52	17.00
		46	5230		15.52	17.00
	U-NII-2A	54	5270		15.42	17.00
		62	5310		15.40	17.00
	U-NII-2C	102	5510		17.99	19.00
		110	5550		17.93	19.00
		118	5590		17.96	19.00
		126	5630		18.01	19.00
		134	5670		17.96	19.00
	U-NII-3	151	5755		18.17	19.00
		159	5795		18.22	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-20	U-NII-1	36	5180	MCS0	15.79	17.00
		40	5200		15.83	17.00
		44	5220		15.80	17.00
		48	5240		16.14	17.00
	U-NII-2A	52	5260		15.93	17.00
		56	5280		15.89	17.00
		60	5300		15.88	17.00
		64	5320		16.05	17.00
	U-NII-2C	100	5500		18.20	19.00
		104	5520		18.13	19.00
		108	5540		18.13	19.00
		112	5560		18.25	19.00
		116	5580		18.13	19.00
		120	5600		18.11	19.00
		124	5620		18.19	19.00
		128	5640		18.16	19.00
		132	5660		18.14	19.00
		136	5680		18.21	19.00
		140	5700		18.25	19.00
	U-NII-3	149	5745		18.33	19.00
		153	5765		18.40	19.00
		157	5785		18.39	19.00
		161	5805		18.30	19.00
		165	5825		18.19	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 88 of 116

802.11ac-40	U-NII-1	38	5190	MCS0	15.42	17.00
		46	5230		15.62	17.00
	U-NII-2A	54	5270		15.48	17.00
		62	5310		15.74	17.00
	U-NII-2C	102	5510		17.95	19.00
		110	5550		18.08	19.00
		118	5590		18.08	19.00
		126	5630		18.11	19.00
		134	5670		18.03	19.00
	U-NII-3	151	5755		18.19	19.00
		159	5795		18.29	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac 80M	U-NII-1	42	5210	MCS0	15.56	17.00
	U-NII-2A	58	5290		15.61	17.00
	U-NII-2C	106	5530		17.86	19.00
		122	5610		17.73	19.00
	U-NII-3	155	5775		17.82	19.00

WIFI 5G Receiver on Simultaneous Transmission						
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	15.23	16.00
		40	5200		15.17	16.00
		44	5220		15.06	16.00
		48	5240		15.26	16.00
	U-NII-2A	52	5260		15.27	16.00
		56	5280		15.06	16.00
		60	5300		15.25	16.00
		64	5320		15.30	16.00
	U-NII-2C	100	5500		18.25	19.00
		104	5520		18.29	19.00
		108	5540		18.26	19.00
		112	5560		18.20	19.00
		116	5580		18.11	19.00
		120	5600		18.24	19.00
		124	5620		18.35	19.00
		128	5640		18.26	19.00
		132	5660		18.22	19.00
		136	5680		18.15	19.00
		140	5700		18.24	19.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 89 of 116

		149	5745		18.46	19.00
		153	5765		18.52	19.00
	U-NII-3	157	5785		18.49	19.00
		161	5805		18.46	19.00
		165	5825		18.37	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	15.21	16.00
		40	5200		15.02	16.00
		44	5220		15.12	16.00
		48	5240		15.20	16.00
	U-NII-2A	52	5260		15.04	16.00
		56	5280		15.18	16.00
		60	5300		15.01	16.00
		64	5320		14.95	16.00
	U-NII-2C	100	5500		18.16	19.00
		104	5520		18.15	19.00
		108	5540		18.13	19.00
		112	5560		18.26	19.00
		116	5580		18.14	19.00
		120	5600		18.13	19.00
		124	5620		18.17	19.00
		128	5640		18.16	19.00
		132	5660		18.13	19.00
		136	5680		18.17	19.00
		140	5700		18.08	19.00
	U-NII-3	149	5745		18.27	19.00
		153	5765		18.28	19.00
		157	5785		18.37	19.00
		161	5805		18.36	19.00
		165	5825		18.23	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	14.64	16.00
		46	5230		14.67	16.00
	U-NII-2A	54	5270		14.58	16.00
		62	5310		14.50	16.00
	U-NII-2C	102	5510		17.99	19.00
		110	5550		17.93	19.00
		118	5590		17.96	19.00
		126	5630		18.01	19.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 90 of 116

		134	5670		17.96	19.00
	U-NII-3	151	5755		18.17	19.00
		159	5795		18.22	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-20	U-NII-1	36	5180	MCS0	14.90	16.00
		40	5200		14.95	16.00
		44	5220		14.95	16.00
		48	5240		15.33	16.00
	U-NII-2A	52	5260		15.13	16.00
		56	5280		15.00	16.00
		60	5300		15.05	16.00
		64	5320		15.21	16.00
	U-NII-2C	100	5500		18.20	19.00
		104	5520		18.13	19.00
		108	5540		18.13	19.00
		112	5560		18.25	19.00
		116	5580		18.13	19.00
		120	5600		18.11	19.00
		124	5620		18.19	19.00
		128	5640		18.16	19.00
		132	5660		18.14	19.00
		136	5680		18.21	19.00
		140	5700		18.25	19.00
	U-NII-3	149	5745		18.33	19.00
		153	5765		18.40	19.00
		157	5785		18.39	19.00
		161	5805		18.30	19.00
		165	5825		18.19	19.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-40	U-NII-1	38	5190	MCS0	14.57	16.00
		46	5230		14.84	16.00
	U-NII-2A	54	5270		14.62	16.00
		62	5310		14.86	16.00
	U-NII-2C	102	5510		17.95	19.00
		110	5550		18.08	19.00
		118	5590		18.08	19.00
		126	5630		18.11	19.00
		134	5670		18.03	19.00
	U-NII-3	151	5755		18.19	19.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 91 of 116

5GHz	mode	159	5795		18.29	19.00
		Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac 80M	U-NII-1	42	5210	MCS0	14.72	16.00
	U-NII-2A	58	5290		14.82	16.00
	U-NII-2C	106	5530		17.86	19.00
		122	5610		17.73	19.00
	U-NII-3	155	5775		17.82	19.00

Note:

- Power must be measured at each transmit antenna port according to the DSSS and OFDM transmission configurations in each standalone and aggregated frequency band.
- Power measurement is required for the transmission mode configuration with the highest maximum output power specified for production units.
 - When the same highest maximum output power specification applies to multiple transmission modes, the largest channel bandwidth configuration with the lowest order modulation and lowest data rate is measured.
 - When the same highest maximum output power is specified for multiple largest channel bandwidth configurations with the same lowest order modulation or lowest order modulation and lowest data rate, power measurement is required for all equivalent 802.11 configurations with the same maximum output power.
- For each transmission mode configuration, power must be measured for the highest and lowest channels; and at the mid-band channel(s) when there are at least 3 channels. For configurations with multiple mid-band channels, due to an even number of channels, both channels should be measured.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.1.5 Conducted Power of BT

BT DH5 Duty Cycle=76.86%



BT		Average Conducted Power(dBm)			Tune up
Band	Channel	0	39	78	
BT	GFSK	3.95	4.72	3.92	5.00
	π/4DQPSK	2.73	3.52	2.77	4.00
	8DPSK	2.55	3.35	2.60	4.00
Band	Channel	0	19	39	Tune up
BLE	GFSK	-3.13	-2.29	-3.16	-2.00
BLE	GFSK	-3.97	-2.90	-3.80	-2.00

Note:

1)The conducted power of BT is measured with RMS detector.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.2 Stand-alone SAR test evaluation

Unless specifically required by the published RF exposure KDB procedures, standalone 1-g head or body and Product specific 10g SAR evaluation for general population exposure conditions, by measurement or numerical simulation, is not required when the corresponding SAR Test Exclusion Threshold condition is satisfied. These test exclusion conditions are based on source-based time-averaged maximum conducted output power of the RF channel requiring evaluation, adjusted for tune-up tolerance, and the minimum test separation distance required for the exposure conditions.

Freq. Band	Frequency (GHz)	Position	Average Power		Test Separation (mm)	Calculate Value	Exclusion Threshold	Exclusion (Y/N)
			dBm	mW				
Wi-Fi 2.4G	2.462	Head	20	100	5	31.38	3	N
		Body-worn	20	100	15	10.46	3	N
		Hotspot	20	100	10	15.69	3	N
Bluetooth	2.48	Head	9.5	8.91	5	2.81	3	Y
		Body-worn	9.5	8.91	15	0.94	3	Y
		Hotspot	9.5	8.91	10	1.40	3	Y

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] \cdot [\sqrt{f(\text{GHz})}] \leq 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where

- $f(\text{GHz})$ is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum test separation distance is ≤ 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com

t (86-512) 62992980 sgs.china@sgs.com

8.3 Measurement of SAR Data

Note:

- 1) The maximum Scaled SAR value is marked in bold. Graph results refer to Appendix B.
- 2) Per KDB447498 D01, testing of other required channels within the operating mode of a frequency band is not required when the reported 1-g or 10-g SAR for the mid-band or highest output power channel is:
 - $\leq 0.8\text{W/kg}$ for 1-g or 2.0W/kg for 10-g respectively, when the transmission band is $\leq 100\text{MHz}$.
 - $\leq 0.6\text{ W/kg}$ or 1.5 W/kg , for 1-g or 10-g respectively, when the transmission band is between 100 MHz and 200 MHz.
 - $\leq 0.4\text{ W/kg}$ or 1.0 W/kg , for 1-g or 10-g respectively, when the transmission band is $\geq 200\text{ MHz}$.

WiFi 2.4G:

- 1) When the highest reported SAR for the initial test configuration is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is $\leq 1.2\text{ W/kg}$, SAR test for the other 802.11 modes are not required.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

8.3.1 SAR Result of WCDMA Band II

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data										
Left cheek	RMC	9400/1880	1:1	0.112	0.09	23.19	24.00	1.205	0.135	22.4
Left tilted	RMC	9400/1880	1:1	0.094	-0.09	23.19	24.00	1.205	0.113	22.4
Right cheek	RMC	9400/1880	1:1	0.117	0.07	23.19	24.00	1.205	0.141	22.4
Right tilted	RMC	9400/1880	1:1	0.075	-0.14	23.19	24.00	1.205	0.090	22.4
Body worn Test data(Separate 15mm)										
Front side	RMC	9400/1880	1:1	0.416	-0.13	23.19	24.00	1.205	0.501	22.4
Back side	RMC	9400/1880	1:1	0.372	0.07	23.19	24.00	1.205	0.448	22.4
Hotspot Test data(Separate 10mm)										
Front side	RMC	9400/1880	1:1	0.463	-0.08	21.39	22.50	1.291	0.598	22.4
Back side	RMC	9400/1880	1:1	0.457	0.14	21.39	22.50	1.291	0.590	22.4
Left side	RMC	9400/1880	1:1	0.112	-0.17	21.39	22.50	1.291	0.145	22.4
Right side	RMC	9400/1880	1:1	0.081	0.08	21.39	22.50	1.291	0.105	22.4
Bottom side	RMC	9400/1880	1:1	0.978	-0.04	21.39	22.50	1.291	1.263	22.4
Bottom side	RMC	9262/1852.4	1:1	1.000	-0.03	21.37	22.50	1.297	1.297	22.4
Bottom side-Repeated	RMC	9262/1852.4	1:1	0.993	0.01	21.37	22.50	1.297	1.288	22.4
Bottom side	RMC	9538/1907.6	1:1	0.865	0.04	21.36	22.50	1.300	1.125	22.4
Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 10-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 10-g (W/kg)	Liquid Temp.(°C)
Hotspot Test data(Separate 0mm)										
Bottom side	RMC	9400/1880	1:1	2.360	0.02	23.19	24.00	1.205	2.844	22.4
Bottom side	RMC	9262/1852.4	1:1	2.560	0.19	23.16	24.00	1.213	3.106	22.4
Bottom side-Repeated	RMC	9262/1852.4	1:1	2.490	0.06	23.16	24.00	1.213	3.021	22.4
Bottom side	RMC	9538/1907.6	1:1	2.220	0.06	23.14	24.00	1.219	2.706	22.4

Table 11: SAR of WCDMA Band II for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Bottom side	9262/1852.4	1.00	0.993	1.007049345	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

Test Position	Channel/ Frequency	Measured SAR (10g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (10g)		SAR (10g)	SAR (10g)
Bottom side	9262/1852.4	2.56	2.49	1.02811245	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 2 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 3.63 W/kg ($\sim 10\%$ from the 10-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 3.75 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 2 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.3.2 SAR Result of WCDMA Band IV

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data										
Left cheek	RMC	1412/1732.4	1:1	0.059	-0.09	22.97	24.00	1.268	0.075	22.5
Left tilted	RMC	1412/1732.4	1:1	0.040	-0.15	22.97	24.00	1.268	0.051	22.5
Right cheek	RMC	1412/1732.4	1:1	0.090	-0.07	22.97	24.00	1.268	0.114	22.5
Right tilted	RMC	1412/1732.4	1:1	0.040	0.12	22.97	24.00	1.268	0.051	22.5
Body worn Test data(Separate 15mm)										
Front side	RMC	1412/1732.4	1:1	0.439	0.02	22.17	23.00	1.211	0.531	22.5
Back side	RMC	1412/1732.4	1:1	0.549	-0.04	22.17	23.00	1.211	0.665	22.5
Hotspot Test data(Separate 10mm)										
Front side	RMC	1412/1732.4	1:1	0.491	-0.01	21.56	22.50	1.242	0.610	22.5
Back side	RMC	1412/1732.4	1:1	0.539	0.14	21.56	22.50	1.242	0.669	22.5
Left side	RMC	1412/1732.4	1:1	0.059	-0.10	21.56	22.50	1.242	0.073	22.5
Right side	RMC	1412/1732.4	1:1	0.070	0.05	21.56	22.50	1.242	0.087	22.5
Bottom side	RMC	1412/1732.4	1:1	0.946	-0.02	21.56	22.50	1.242	1.175	22.5
Bottom side	RMC	1312/1712.4	1:1	0.895	0.08	21.51	22.50	1.256	1.124	22.5
Bottom side	RMC	1513/1752.6	1:1	0.982	0.11	21.55	22.50	1.245	1.222	22.5
Bottom side-Repeated	RMC	1513/1752.6	1:1	0.964	0.02	21.55	22.50	1.245	1.200	22.5
Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 10-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 10-g (W/kg)	Liquid Temp.(°C)
Hotspot Test data(Separate 0mm)										
Bottom side	RMC	1412/1732.4	1:1	2.560	0.02	22.17	23.00	1.211	3.099	22.5
Bottom side	RMC	1312/1712.4	1:1	2.430	-0.11	22.11	23.00	1.227	2.983	22.5
Bottom side	RMC	1513/1752.6	1:1	2.610	0.18	22.15	23.00	1.216	3.174	22.5
Bottom side-Repeated	RMC	1513/1752.6	1:1	2.580	0.03	22.15	23.00	1.216	3.138	22.5

Table 12: SAR of WCDMA Band IV for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Bottom side	1513/1752.6	0.982	0.964	1.018672199	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

Test Position	Channel/ Frequency	Measured SAR (10g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (10g)		SAR (10g)	SAR (10g)
Bottom side	1513/1752.6	2.61	2.58	1.011627907	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 2 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 3.63 W/kg ($\sim 10\%$ from the 10-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 3.75 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 2 W/kg



8.3.3 SAR Result of WCDMA Band V

Test position	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data										
Left cheek	RMC	4182/836.4	1:1	0.254	0.06	22.90	24.00	1.288	0.327	22.3
Left tilted	RMC	4182/836.4	1:1	0.146	-0.17	22.90	24.00	1.288	0.188	22.3
Right cheek	RMC	4182/836.4	1:1	0.249	0.10	22.90	24.00	1.288	0.321	22.3
Right tilted	RMC	4182/836.4	1:1	0.125	0.02	22.90	24.00	1.288	0.161	22.3
Body worn Test data(Separate 15mm)										
Front side	RMC	4182/836.4	1:1	0.286	0.05	22.90	24.00	1.288	0.368	22.3
Back side	RMC	4182/836.4	1:1	0.345	-0.03	22.90	24.00	1.288	0.444	22.3
Hotspot Test data(Separate 10mm)										
Front side	RMC	4182/836.4	1:1	0.255	-0.03	22.90	24.00	1.288	0.329	22.3
Back side	RMC	4182/836.4	1:1	0.342	0.02	22.90	24.00	1.288	0.441	22.3
Left side	RMC	4182/836.4	1:1	0.237	0.03	22.90	24.00	1.288	0.305	22.3
Right side	RMC	4182/836.4	1:1	0.264	0.15	22.90	24.00	1.288	0.340	22.3
Bottom side	RMC	4182/836.4	1:1	0.101	0.11	22.90	24.00	1.288	0.130	22.3

Table 13: SAR of WCDMA Band V for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn

t (86-512) 62992980 sgs.china@sgs.com

8.3.4 SAR Result of LTE Band 2

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	20	QPSK 1_50	18900/1880	1:1	0.143	-0.12	23.43	24.50	1.279	0.183	22.4
Left tilted	20	QPSK 1_50	18900/1880	1:1	0.126	0.11	23.43	24.50	1.279	0.161	22.4
Right cheek	20	QPSK 1_50	18900/1880	1:1	0.146	0.17	23.43	24.50	1.279	0.187	22.4
Right tilted	20	QPSK 1_50	18900/1880	1:1	0.093	0.04	23.43	24.50	1.279	0.119	22.4
Head Test Data(50%RB)											
Left cheek	20	QPSK 50_0	18900/1880	1:1	0.114	0.04	22.42	23.50	1.282	0.146	22.4
Left tilted	20	QPSK 50_0	18900/1880	1:1	0.101	0.12	22.42	23.50	1.282	0.130	22.4
Right cheek	20	QPSK 50_0	18900/1880	1:1	0.123	-0.09	22.42	23.50	1.282	0.158	22.4
Right tilted	20	QPSK 50_0	18900/1880	1:1	0.074	-0.08	22.42	23.50	1.282	0.095	22.4
Body worn Test data(Separate 15mm 1RB)											
Front side	20	QPSK 1_50	18900/1880	1:1	0.473	0.02	23.43	24.50	1.279	0.605	22.4
Back side	20	QPSK 1_50	18900/1880	1:1	0.489	-0.03	23.43	24.50	1.279	0.626	22.4
Body worn Test data(Separate 15mm 50%RB)											
Front side	20	QPSK 50_0	18900/1880	1:1	0.371	-0.12	22.42	23.50	1.282	0.476	22.4
Back side	20	QPSK 50_0	18900/1880	1:1	0.383	0.19	22.42	23.50	1.282	0.491	22.4
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1_50	18900/1880	1:1	0.468	0.01	22.36	23.00	1.159	0.542	22.4
Back side	20	QPSK 1_50	18900/1880	1:1	0.468	0.07	22.36	23.00	1.159	0.542	22.4
Left side	20	QPSK 1_50	18900/1880	1:1	0.123	0.03	22.36	23.00	1.159	0.143	22.4
Right side	20	QPSK 1_50	18900/1880	1:1	0.080	0.17	22.36	23.00	1.159	0.093	22.4
Bottom side	20	QPSK 1_50	18900/1880	1:1	1.020	-0.01	22.36	23.00	1.159	1.182	22.4
Bottom side	20	QPSK 1_50	18700/1860	1:1	1.060	-0.08	22.29	23.00	1.178	1.248	22.4
Bottom side-Repeated	20	QPSK 1_50	18700/1860	1:1	0.983	0.02	22.29	23.00	1.178	1.158	22.4
Bottom side	20	QPSK 1_50	19100/1900	1:1	0.964	0.19	22.31	23.00	1.172	1.130	22.4
Hotspot Test data(Separate 10mm 50%RB)											
Front side	20	QPSK 50_0	18900/1880	1:1	0.389	0.14	22.14	23.00	1.219	0.474	22.4
Back side	20	QPSK 50_0	18900/1880	1:1	0.385	-0.12	22.14	23.00	1.219	0.469	22.4
Left side	20	QPSK 50_0	18900/1880	1:1	0.094	0.09	22.14	23.00	1.219	0.115	22.4
Right side	20	QPSK 50_0	18900/1880	1:1	0.063	0.15	22.14	23.00	1.219	0.077	22.4
Bottom side	20	QPSK 50_0	18900/1880	1:1	0.803	-0.03	22.14	23.00	1.219	0.979	22.4
Bottom side	20	QPSK 50_0	18900/1880	1:1	0.865	0.09	22.12	23.00	1.225	1.059	22.4
Bottom side	20	QPSK 50_0	18900/1880	1:1	0.794	-0.02	22.06	23.00	1.242	0.986	22.4
Hotspot Test data(Separate 10mm 100%RB)											



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 99 of 116

Bottom side	20	QPSK 100_0	18900/1880	1:1	0.832	0.08	22.08	23.00	1.236	1.028	22.4
Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 10-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 10-g (W/kg)	Liquid Temp.(°C)
Hotspot Test data(Separate 0mm 1RB)											
Bottom side	20	QPSK 1_50	18900/1880	1:1	2.175	-0.06	23.43	24.50	1.279	2.783	22.4
Bottom side	20	QPSK 1_50	18700/1860	1:1	2.248	-0.04	23.41	24.50	1.285	2.889	22.4
Bottom side	20	QPSK 1_50	19100/1900	1:1	2.041	-0.07	23.39	24.50	1.291	2.635	22.4
Hotspot Test data(Separate 0mm 50%RB)											
Bottom side	20	QPSK 50_0	18900/1880	1:1	2.165	-0.10	22.42	23.50	1.282	2.776	22.4
Bottom side	20	QPSK 50_0	18700/1860	1:1	2.330	0.01	22.39	23.50	1.291	3.009	22.4
Bottom side-Repeated	20	QPSK 50_0	18700/1860	1:1	2.250	0.03	22.39	23.50	1.291	2.905	22.4
Bottom side	20	QPSK 50_0	19100/1900	1:1	2.072	-0.06	22.36	23.50	1.300	2.694	22.4
Hotspot Test data(Separate 0mm 100%RB)											
Bottom side	20	QPSK 100_0	18900/1880	1:1	2.175	-0.12	22.41	23.50	1.285	2.795	22.4

Table 14: SAR of LTE Band 2 for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Bottom side	18700/1860	1.060	0.983	1.078331638	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

Test Position	Channel/ Frequency	Measured SAR (10g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (10g)		SAR (10g)	SAR (10g)
Bottom side	18700/1860	2.33	2.25	1.035555556	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 2 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 3.63 W/kg ($\sim 10\%$ from the 10-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 3.75 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 2 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.3.5 SAR Result of LTE Band 5

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	10	QPSK 1_25	20525/836.5	1:1	0.319	0.05	23.78	25.00	1.324	0.422	22.3
Left tilted	10	QPSK 1_25	20525/836.5	1:1	0.174	-0.01	23.78	25.00	1.324	0.230	22.3
Right cheek	10	QPSK 1_25	20525/836.5	1:1	0.318	-0.09	23.78	25.00	1.324	0.421	22.3
Right tilted	10	QPSK 1_25	20525/836.5	1:1	0.162	-0.12	23.78	25.00	1.324	0.215	22.3
Head Test Data(50%RB)											
Left cheek	10	QPSK 25_0	20525/836.5	1:1	0.254	0.06	22.74	24.00	1.337	0.339	22.3
Left tilted	10	QPSK 25_0	20525/836.5	1:1	0.136	-0.09	22.74	24.00	1.337	0.182	22.3
Right cheek	10	QPSK 25_0	20525/836.5	1:1	0.253	0.03	22.74	24.00	1.337	0.338	22.3
Right tilted	10	QPSK 25_0	20525/836.5	1:1	0.129	0.18	22.74	24.00	1.337	0.172	22.3
Body worn Test data(Separate 15mm 1RB)											
Front side	10	QPSK 1_25	20525/836.5	1:1	0.321	-0.01	23.78	25.00	1.324	0.425	22.3
Back side	10	QPSK 1_25	20525/836.5	1:1	0.361	-0.18	23.78	25.00	1.324	0.478	22.3
Body worn Test data(Separate 15mm 50%RB)											
Front side	10	QPSK 25_0	20525/836.5	1:1	0.235	0.16	22.74	24.00	1.337	0.314	22.3
Back side	10	QPSK 25_0	20525/836.5	1:1	0.267	0.04	22.74	24.00	1.337	0.357	22.3
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1_25	20525/836.5	1:1	0.309	-0.19	23.78	25.00	1.324	0.409	22.3
Back side	10	QPSK 1_25	20525/836.5	1:1	0.396	0.03	23.78	25.00	1.324	0.524	22.3
Left side	10	QPSK 1_25	20525/836.5	1:1	0.266	0.06	23.78	25.00	1.324	0.352	22.3
Right side	10	QPSK 1_25	20525/836.5	1:1	0.321	-0.14	23.78	25.00	1.324	0.425	22.3
Bottom side	10	QPSK 1_25	20525/836.5	1:1	0.116	-0.10	23.78	25.00	1.324	0.154	22.3
Hotspot Test data(Separate 10mm 50%RB)											
Front side	10	QPSK 25_0	20525/836.5	1:1	0.306	-0.02	22.74	24.00	1.337	0.409	22.3
Back side	10	QPSK 25_0	20525/836.5	1:1	0.310	-0.03	22.74	24.00	1.337	0.414	22.3
Left side	10	QPSK 25_0	20525/836.5	1:1	0.202	-0.11	22.74	24.00	1.337	0.270	22.3
Right side	10	QPSK 25_0	20525/836.5	1:1	0.246	0.01	22.74	24.00	1.337	0.329	22.3
Bottom side	10	QPSK 25_0	20525/836.5	1:1	0.090	-0.04	22.74	24.00	1.337	0.120	22.3

Table 15: SAR of LTE Band 5 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.3.6 SAR Result of LTE Band 7

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	20	QPSK 1_50	21100/2535	1:1	0.008	-0.09	22.95	24.00	1.274	0.010	22.1
Left tilted	20	QPSK 1_50	21100/2535	1:1	0.007	-0.13	22.95	24.00	1.274	0.009	22.1
Right cheek	20	QPSK 1_50	21100/2535	1:1	0.011	-0.05	22.95	24.00	1.274	0.014	22.1
Right tilted	20	QPSK 1_50	21100/2535	1:1	0.005	-0.04	22.95	24.00	1.274	0.006	22.1
Head Test Data(50%RB)											
Left cheek	20	QPSK 50_0	21100/2535	1:1	0.003	-0.07	21.93	23.00	1.279	0.004	22.1
Left tilted	20	QPSK 50_0	21100/2535	1:1	0.006	0.02	21.93	23.00	1.279	0.008	22.1
Right cheek	20	QPSK 50_0	21100/2535	1:1	0.012	0.16	21.93	23.00	1.279	0.015	22.1
Right tilted	20	QPSK 50_0	21100/2535	1:1	0.002	-0.16	21.93	23.00	1.279	0.003	22.1
Body worn Test data(Separate 15mm 1RB)											
Front side	20	QPSK 1_50	21100/2535	1:1	0.212	0.01	22.13	23.00	1.222	0.259	22.1
Back side	20	QPSK 1_50	21100/2535	1:1	0.250	0.06	22.13	23.00	1.222	0.305	22.1
Body worn Test data(Separate 15mm 50%RB)											
Front side	20	QPSK 50_0	21100/2535	1:1	0.137	0.11	22.08	23.00	1.236	0.169	22.1
Back side	20	QPSK 50_0	21100/2535	1:1	0.159	-0.01	22.08	23.00	1.236	0.197	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1_50	21100/2535	1:1	0.321	0.10	22.95	24.00	1.274	0.409	22.1
Back side	20	QPSK 1_50	21100/2535	1:1	0.440	-0.01	22.95	24.00	1.274	0.560	22.1
Left side	20	QPSK 1_50	21100/2535	1:1	0.058	-0.02	22.95	24.00	1.274	0.074	22.1
Right side	20	QPSK 1_50	21100/2535	1:1	0.061	-0.17	22.95	24.00	1.274	0.078	22.1
Bottom side	20	QPSK 1_50	21100/2535	1:1	0.779	0.09	22.95	24.00	1.274	0.992	22.1
Bottom side	20	QPSK 1_50	20850/2510	1:1	0.699	0.08	22.94	24.00	1.276	0.892	22.1
Bottom side	20	QPSK 1_50	21350/2560	1:1	0.725	-0.19	22.91	24.00	1.285	0.932	22.1
Hotspot Test data(Separate 10mm 50%RB)											
Front side	20	QPSK 50_0	21100/2535	1:1	0.260	-0.03	21.93	23.00	1.279	0.333	22.1
Back side	20	QPSK 50_0	21100/2535	1:1	0.345	0.17	21.93	23.00	1.279	0.441	22.1
Left side	20	QPSK 50_0	21100/2535	1:1	0.046	0.15	21.93	23.00	1.279	0.059	22.1
Right side	20	QPSK 50_0	21100/2535	1:1	0.046	0.01	21.93	23.00	1.279	0.059	22.1
Bottom side	20	QPSK 50_0	21100/2535	1:1	0.562	-0.12	21.93	23.00	1.279	0.719	22.1
Hotspot Test data(Separate 10mm 100%RB)											
Bottom side	20	QPSK 100_0	21100/2535	1:1	0.568	-0.02	21.92	23.00	1.282	0.728	22.1

Table 16: SAR of LTE Band 7 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.3.7 SAR Result of LTE Band 12

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	10	QPSK 1_25	23095/707.5	1:1	0.244	0.02	23.91	25.00	1.285	0.314	22.2
Left tilted	10	QPSK 1_25	23095/707.5	1:1	0.143	-0.06	23.91	25.00	1.285	0.184	22.2
Right cheek	10	QPSK 1_25	23095/707.5	1:1	0.237	0.13	23.91	25.00	1.285	0.305	22.2
Right tilted	10	QPSK 1_25	23095/707.5	1:1	0.146	-0.02	23.91	25.00	1.285	0.188	22.2
Head Test Data(50%RB)											
Left cheek	10	QPSK 25_0	23095/707.5	1:1	0.196	-0.09	22.94	24.00	1.276	0.250	22.2
Left tilted	10	QPSK 25_0	23095/707.5	1:1	0.112	-0.17	22.94	24.00	1.276	0.143	22.2
Right cheek	10	QPSK 25_0	23095/707.5	1:1	0.190	0.07	22.94	24.00	1.276	0.243	22.2
Right tilted	10	QPSK 25_0	23095/707.5	1:1	0.118	0.01	22.94	24.00	1.276	0.151	22.2
Body worn Test data(Separate 15mm 1RB)											
Front side	10	QPSK 1_25	23095/707.5	1:1	0.335	-0.10	23.91	25.00	1.285	0.431	22.2
Back side	10	QPSK 1_25	23095/707.5	1:1	0.407	0.04	23.91	25.00	1.285	0.523	22.2
Body worn Test data(Separate 15mm 50%RB)											
Front side	10	QPSK 25_0	23095/707.5	1:1	0.256	-0.10	22.94	24.00	1.276	0.327	22.2
Back side	10	QPSK 25_0	23095/707.5	1:1	0.311	0.19	22.94	24.00	1.276	0.397	22.2
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1_25	23095/707.5	1:1	0.291	-0.14	23.91	25.00	1.285	0.374	22.2
Back side	10	QPSK 1_25	23095/707.5	1:1	0.416	0.07	23.91	25.00	1.285	0.535	22.2
Left side	10	QPSK 1_25	23095/707.5	1:1	0.321	-0.19	23.91	25.00	1.285	0.413	22.2
Right side	10	QPSK 1_25	23095/707.5	1:1	0.318	-0.07	23.91	25.00	1.285	0.409	22.2
Bottom side	10	QPSK 1_25	23095/707.5	1:1	0.064	0.02	23.91	25.00	1.285	0.082	22.2
Hotspot Test data(Separate 10mm 50%RB)											
Front side	10	QPSK 25_0	23095/707.5	1:1	0.232	-0.12	22.94	24.00	1.276	0.296	22.2
Back side	10	QPSK 25_0	23095/707.5	1:1	0.327	0.10	22.94	24.00	1.276	0.417	22.2
Left side	10	QPSK 25_0	23095/707.5	1:1	0.259	-0.17	22.94	24.00	1.276	0.331	22.2
Right side	10	QPSK 25_0	23095/707.5	1:1	0.257	0.07	22.94	24.00	1.276	0.328	22.2
Bottom side	10	QPSK 25_0	23095/707.5	1:1	0.053	-0.09	22.94	24.00	1.276	0.068	22.2

Table 17: SAR of LTE Band 12 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.3.8 SAR Result of LTE Band 14

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	10	QPSK 1_25	23330/793	1:1	0.307	0.07	23.79	25.00	1.321	0.406	22.2
Left tilted	10	QPSK 1_25	23330/793	1:1	0.173	-0.13	23.79	25.00	1.321	0.229	22.2
Right cheek	10	QPSK 1_25	23330/793	1:1	0.299	0.18	23.79	25.00	1.321	0.395	22.2
Right tilted	10	QPSK 1_25	23330/793	1:1	0.143	-0.07	23.79	25.00	1.321	0.189	22.2
Head Test Data(50%RB)											
Left cheek	10	QPSK 25_0	23330/793	1:1	0.254	-0.15	22.86	24.00	1.300	0.330	22.2
Left tilted	10	QPSK 25_0	23330/793	1:1	0.145	0.01	22.86	24.00	1.300	0.189	22.2
Right cheek	10	QPSK 25_0	23330/793	1:1	0.247	0.05	22.86	24.00	1.300	0.321	22.2
Right tilted	10	QPSK 25_0	23330/793	1:1	0.121	-0.05	22.86	24.00	1.300	0.157	22.2
Body worn Test data(Separate 15mm 1RB)											
Front side	10	QPSK 1_25	23330/793	1:1	0.321	0.11	23.79	25.00	1.321	0.424	22.2
Back side	10	QPSK 1_25	23330/793	1:1	0.357	0.02	23.79	25.00	1.321	0.472	22.2
Body worn Test data(Separate 15mm 50%RB)											
Front side	10	QPSK 25_0	23330/793	1:1	0.250	-0.02	22.86	24.00	1.300	0.325	22.2
Back side	10	QPSK 25_0	23330/793	1:1	0.275	0.14	22.86	24.00	1.300	0.358	22.2
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1_25	23330/793	1:1	0.295	-0.10	23.79	25.00	1.321	0.390	22.2
Back side	10	QPSK 1_25	23330/793	1:1	0.380	-0.01	23.79	25.00	1.321	0.502	22.2
Left side	10	QPSK 1_25	23330/793	1:1	0.269	0.05	23.79	25.00	1.321	0.355	22.2
Right side	10	QPSK 1_25	23330/793	1:1	0.312	0.12	23.79	25.00	1.321	0.412	22.2
Bottom side	10	QPSK 1_25	23330/793	1:1	0.092	-0.07	23.79	25.00	1.321	0.122	22.2
Hotspot Test data(Separate 10mm 50%RB)											
Front side	10	QPSK 25_0	23330/793	1:1	0.241	-0.07	22.86	24.00	1.300	0.313	22.2
Back side	10	QPSK 25_0	23330/793	1:1	0.311	0.04	22.86	24.00	1.300	0.404	22.2
Left side	10	QPSK 25_0	23330/793	1:1	0.228	0.02	22.86	24.00	1.300	0.296	22.2
Right side	10	QPSK 25_0	23330/793	1:1	0.252	0.13	22.86	24.00	1.300	0.328	22.2
Bottom side	10	QPSK 25_0	23330/793	1:1	0.076	0.05	22.86	24.00	1.300	0.099	22.2

Table 18: SAR of LTE Band 14 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.3.9 SAR Result of LTE Band 30

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	10	QPSK 1_25	27710/2310	1:1	0.119	-0.09	22.69	24.00	1.352	0.161	22.3
Left tilted	10	QPSK 1_25	27710/2310	1:1	0.133	0.19	22.69	24.00	1.352	0.180	22.3
Right cheek	10	QPSK 1_25	27710/2310	1:1	0.113	0.00	22.69	24.00	1.352	0.153	22.3
Right tilted	10	QPSK 1_25	27710/2310	1:1	0.092	-0.18	22.69	24.00	1.352	0.124	22.3
Head Test Data(50%RB)											
Left cheek	10	QPSK 25_0	27710/2310	1:1	0.102	0.17	21.81	23.00	1.315	0.134	22.3
Left tilted	10	QPSK 25_0	27710/2310	1:1	0.104	-0.05	21.81	23.00	1.315	0.137	22.3
Right cheek	10	QPSK 25_0	27710/2310	1:1	0.095	0.13	21.81	23.00	1.315	0.125	22.3
Right tilted	10	QPSK 25_0	27710/2310	1:1	0.075	0.10	21.81	23.00	1.315	0.099	22.3
Body worn Test data(Separate 15mm 1RB)											
Front side	10	QPSK 1_25	27710/2310	1:1	0.279	0.05	22.69	24.00	1.352	0.377	22.3
Back side	10	QPSK 1_25	27710/2310	1:1	0.394	-0.16	22.69	24.00	1.352	0.533	22.3
Body worn Test data(Separate 15mm 50%RB)											
Front side	10	QPSK 25_0	27710/2310	1:1	0.207	-0.05	21.81	23.00	1.315	0.272	22.3
Back side	10	QPSK 25_0	27710/2310	1:1	0.295	0.05	21.81	23.00	1.315	0.388	22.3
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1_25	27710/2310	1:1	0.365	-0.16	22.69	24.00	1.352	0.494	22.3
Back side	10	QPSK 1_25	27710/2310	1:1	0.633	0.02	22.69	24.00	1.352	0.856	22.3
Left side	10	QPSK 1_25	27710/2310	1:1	0.253	0.10	22.69	24.00	1.352	0.342	22.3
Right side	10	QPSK 1_25	27710/2310	1:1	0.178	-0.09	22.69	24.00	1.352	0.241	22.3
Bottom side	10	QPSK 1_25	27710/2310	1:1	0.783	0.11	22.69	24.00	1.352	1.059	22.3
Hotspot Test data(Separate 10mm 50%RB)											
Front side	10	QPSK 25_0	27710/2310	1:1	0.309	-0.02	21.81	23.00	1.315	0.406	22.3
Back side	10	QPSK 25_0	27710/2310	1:1	0.469	0.01	21.81	23.00	1.315	0.617	22.3
Left side	10	QPSK 25_0	27710/2310	1:1	0.210	0.08	21.81	23.00	1.315	0.276	22.3
Right side	10	QPSK 25_0	27710/2310	1:1	0.141	-0.13	21.81	23.00	1.315	0.185	22.3
Bottom side	10	QPSK 25_0	27710/2310	1:1	0.653	-0.03	21.81	23.00	1.315	0.859	22.3
Hotspot Test data(Separate 10mm 100%RB)											
Back side	10	QPSK 50_0	27710/2310	1:1	0.455	0.03	21.81	23.00	1.315	0.598	22.3
Bottom side	10	QPSK 50_0	27710/2310	1:1	0.648	0.01	21.81	23.00	1.315	0.852	22.3

Table 19: SAR of LTE Band 30 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.3.10 SAR Result of LTE Band 66

Test position	BW.	Test mode	Test ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test Data(1RB)											
Left cheek	20	QPSK 1_50	132322/1745	1:1	0.086	-0.10	23.71	24.50	1.199	0.103	22.5
Left tilted	20	QPSK 1_50	132322/1745	1:1	0.067	0.14	23.71	24.50	1.199	0.080	22.5
Right cheek	20	QPSK 1_50	132322/1745	1:1	0.125	0.06	23.71	24.50	1.199	0.150	22.5
Right tilted	20	QPSK 1_50	132322/1745	1:1	0.053	-0.08	23.71	24.50	1.199	0.064	22.5
Head Test Data(50%RB)											
Left cheek	20	QPSK 50_0	132322/1745	1:1	0.068	-0.19	22.69	23.50	1.205	0.082	22.5
Left tilted	20	QPSK 50_0	132322/1745	1:1	0.052	0.16	22.69	23.50	1.205	0.063	22.5
Right cheek	20	QPSK 50_0	132322/1745	1:1	0.096	-0.02	22.69	23.50	1.205	0.116	22.5
Right tilted	20	QPSK 50_0	132322/1745	1:1	0.046	0.01	22.69	23.50	1.205	0.055	22.5
Body worn Test data(Separate 15mm 1RB)											
Front side	20	QPSK 1_50	132322/1745	1:1	0.396	-0.07	21.66	22.50	1.213	0.481	22.5
Back side	20	QPSK 1_50	132322/1745	1:1	0.435	0.03	21.66	22.50	1.213	0.528	22.5
Body worn Test data(Separate 15mm 50%RB)											
Front side	20	QPSK 50_0	132322/1745	1:1	0.372	-0.12	21.51	22.50	1.256	0.467	22.5
Back side	20	QPSK 50_0	132322/1745	1:1	0.421	0.02	21.51	22.50	1.256	0.529	22.5
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1_50	132322/1745	1:1	0.486	0.13	21.66	22.50	1.213	0.590	22.5
Back side	20	QPSK 1_50	132322/1745	1:1	0.539	0.01	21.66	22.50	1.213	0.654	22.5
Left side	20	QPSK 1_50	132322/1745	1:1	0.058	0.16	21.66	22.50	1.213	0.070	22.5
Right side	20	QPSK 1_50	132322/1745	1:1	0.081	-0.17	21.66	22.50	1.213	0.098	22.5
Bottom side	20	QPSK 1_50	132322/1745	1:1	0.957	-0.03	21.66	22.50	1.213	1.161	22.5
Bottom side-Repeated	20	QPSK 1_50	132322/1745	1:1	0.952	0.02	21.66	22.50	1.213	1.155	22.5
Bottom side	20	QPSK 1_50	132072/1720	1:1	0.895	0.04	21.60	22.50	1.230	1.101	22.5
Bottom side	20	QPSK 1_50	132572/1770	1:1	0.932	0.08	21.58	22.50	1.236	1.152	22.5
Hotspot Test data(Separate 10mm 50%RB)											
Front side	20	QPSK 50_0	132322/1745	1:1	0.390	0.03	21.51	22.50	1.256	0.490	22.5
Back side	20	QPSK 50_0	132322/1745	1:1	0.421	0.19	21.51	22.50	1.256	0.529	22.5
Left side	20	QPSK 50_0	132322/1745	1:1	0.047	0.15	21.51	22.50	1.256	0.059	22.5
Right side	20	QPSK 50_0	132322/1745	1:1	0.066	-0.01	21.51	22.50	1.256	0.083	22.5
Bottom side	20	QPSK 50_0	132322/1745	1:1	0.784	-0.10	21.51	22.50	1.256	0.985	22.5
Bottom side	20	QPSK 50_0	132072/1720	1:1	0.715	0.02	21.46	22.50	1.271	0.908	22.5
Bottom side	20	QPSK 50_0	132572/1770	1:1	0.743	0.05	21.49	22.50	1.262	0.938	22.5
Hotspot Test data(Separate 10mm 100%RB)											
Bottom side	20	QPSK 100_0	132322/1745	1:1	0.390	0.03	21.44	22.50	1.276	0.498	22.5

Table 20: SAR of LTE Band 66 for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Bottom side	132322/1745	0.957	0.952	1.005252101	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was preformed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was preformed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

8.3.11 SAR Result of WIFI 2.4G

Test position	Test mode	Test ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test data											
Left cheek	802.11b	1/2412	100%	1.000	1.030	0.02	19.46	20.00	1.132	1.166	22.4
Left cheek-Repeated	802.11b	1/2412	100%	1.000	0.974	0.03	19.46	20.00	1.132	1.103	22.4
Left cheek	802.11b	6/2437	100%	1.000	0.931	0.01	19.26	20.00	1.186	1.104	22.4
Left cheek	802.11b	11/2462	100%	1.000	0.955	0.11	19.35	20.00	1.161	1.109	22.4
Left tilted	802.11b	1/2412	100%	1.000	0.806	0.09	19.46	20.00	1.132	0.913	22.4
Left tilted	802.11b	6/2437	100%	1.000	0.788	0.06	19.26	20.00	1.186	0.934	22.4
Left tilted	802.11b	11/2462	100%	1.000	0.801	0.07	19.35	20.00	1.161	0.930	22.4
Right cheek	802.11b	1/2412	100%	1.000	0.368	-0.18	19.46	20.00	1.132	0.417	22.4
Right tilted	802.11b	1/2412	100%	1.000	0.320	0.07	19.46	20.00	1.132	0.362	22.4
Body worn Test data(Separate 15mm)											
Front side	802.11b	1/2412	100%	1.000	0.147	0.01	19.46	20.00	1.132	0.166	22.4
Back side	802.11b	1/2412	100%	1.000	0.172	-0.04	19.46	20.00	1.132	0.195	22.4
Hotspot Test data (Separate 10mm)											
Front side	802.11b	1/2412	100%	1.000	0.236	0.09	19.46	20.00	1.132	0.267	22.4
Back side	802.11b	1/2412	100%	1.000	0.294	-0.08	19.46	20.00	1.132	0.333	22.4
Right side	802.11b	1/2412	100%	1.000	0.365	0.01	19.46	20.00	1.132	0.413	22.4
Top side	802.11b	1/2412	100%	1.000	0.242	-0.07	19.46	20.00	1.132	0.274	22.4
Head Test data Simultaneous Transmission											
Left cheek	802.11b	1/2412	100%	1.000	1.030	0.02	19.46	19.00	0.899	0.926	22.4
Left cheek	802.11b	6/2437	100%	1.000	0.931	0.01	19.26	19.00	0.942	0.877	22.4
Left cheek	802.11b	11/2462	100%	1.000	0.955	0.11	19.35	19.00	0.923	0.881	22.4
Left tilted	802.11b	1/2412	100%	1.000	0.806	0.09	19.46	19.00	0.899	0.725	22.4
Left tilted	802.11b	6/2437	100%	1.000	0.788	0.06	19.26	19.00	0.942	0.742	22.4
Left tilted	802.11b	11/2462	100%	1.000	0.801	0.07	19.35	19.00	0.923	0.739	22.4
Right cheek	802.11b	1/2412	100%	1.000	0.368	-0.18	19.46	19.00	0.899	0.331	22.4
Right tilted	802.11b	1/2412	100%	1.000	0.320	0.07	19.46	19.00	0.899	0.288	22.4

Table 21: SAR of WIFI 2.4G for Head and Body.

Note:

- When the highest reported SAR for the initial test configuration is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg, SAR test for the other 802.11 modes are not required.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Left cheek	1/2412	1.03	0.974	1.057494867	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was preformed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was preformed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



Report No.: SEWM2304000111RG08

Rev.: 01

Page: 107 of 116

8.3.12SAR Result of WIFI 5G

Test position	Test mode	Test ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test data of U-NII-2A											
Left cheek	802.11ac 80M	58/5290	100%	1.000	0.767	0.10	15.61	17.00	1.377	1.056	22.3
Left tilted	802.11ac 80M	58/5290	100%	1.000	0.843	-0.04	15.61	17.00	1.377	1.161	22.3
Left tilted-Repeated	802.11ac 80M	58/5290	100%	1.000	0.831	0.03	15.61	17.00	1.377	1.144	22.3
Right cheek	802.11ac 80M	58/5290	100%	1.000	0.491	-0.08	15.61	17.00	1.377	0.676	22.3
Right tilted	802.11ac 80M	58/5290	100%	1.000	0.520	-0.17	15.61	17.00	1.377	0.716	22.3
Head Test data of U-NII-2C											
Left cheek	802.11ac 80M	122/5610	100%	1.000	0.596	-0.17	17.93	18.50	1.140	0.680	22.2
Left tilted	802.11ac 80M	122/5610	100%	1.000	0.638	0.07	17.93	18.50	1.140	0.727	22.2
Left tilted	802.11ac 80M	106/5530	100%	1.000	0.594	0.02	17.86	18.50	1.159	0.688	22.2
Right cheek	802.11ac 80M	122/5610	100%	1.000	0.426	-0.11	17.93	18.50	1.140	0.486	22.2
Right tilted	802.11ac 80M	122/5610	100%	1.000	0.418	0.03	17.93	18.50	1.140	0.477	22.2
Head Test data of U-NII-3											
Left cheek	802.11ac 80M	155/5775	100%	1.000	0.312	-0.12	17.82	18.50	1.169	0.365	22.4
Left tilted	802.11ac 80M	155/5775	100%	1.000	0.322	0.05	17.82	18.50	1.169	0.377	22.4
Right cheek	802.11ac 80M	155/5775	100%	1.000	0.233	-0.18	17.82	18.50	1.169	0.272	22.4
Right tilted	802.11ac 80M	155/5775	100%	1.000	0.238	0.02	17.82	18.50	1.169	0.278	22.4
Body worn Test data of U-NII-2A(Separate 15mm)											
Front side	802.11ac 80M	58/5290	100%	1.000	0.140	0.02	17.51	18.50	1.256	0.176	22.3
Back side	802.11ac 80M	58/5290	100%	1.000	0.155	-0.04	17.51	18.50	1.256	0.195	22.3
Body worn Test data of U-NII-2C(Separate 15mm)											
Front side	802.11ac 80M	122/5610	100%	1.000	0.076	0.07	17.93	18.50	1.140	0.087	22.2
Back side	802.11ac 80M	122/5610	100%	1.000	0.236	-0.06	17.93	18.50	1.140	0.269	22.2
Body worn Test data of U-NII-3(Separate 15mm)											
Front side	802.11ac 80M	155/5775	100%	1.000	0.203	0.09	17.82	18.50	1.169	0.237	22.4
Back side	802.11ac 80M	155/5775	100%	1.000	0.301	0.05	17.82	18.50	1.169	0.352	22.4
Hotspot Test data of U-NII-1(Separate 10mm)											
Front side	802.11ac 80M	42/5210	100%	1.000	0.226	0.01	17.46	18.50	1.271	0.287	22.3
Back side	802.11ac 80M	42/5210	100%	1.000	0.216	0.04	17.46	18.50	1.271	0.274	22.3
Right side	802.11ac 80M	42/5210	100%	1.000	0.263	0.08	17.46	18.50	1.271	0.334	22.3
Top side	802.11ac 80M	42/5210	100%	1.000	0.419	-0.07	17.46	18.50	1.271	0.532	22.3
Hotspot Test data of U-NII-3(Separate 10mm)											
Front side	802.11ac 80M	155/5775	100%	1.000	0.147	0.11	17.82	18.50	1.169	0.172	22.4
Back side	802.11ac 80M	155/5775	100%	1.000	0.472	-0.09	17.82	18.50	1.169	0.552	22.4
Right side	802.11ac 80M	155/5775	100%	1.000	0.333	0.02	17.82	18.50	1.169	0.389	22.4
Top side	802.11ac 80M	155/5775	100%	1.000	0.358	0.08	17.82	18.50	1.169	0.419	22.4
Test position	Test mode	Test ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg) 10-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 10-g (W/kg)	Liquid Temp.(°C)
Product specific 10gSAR Test data of U-NII-2A(Separate 0mm)											
Front side	802.11ac 80M	58/5290	100%	1.000	0.686	0.01	17.51	18.50	1.256	0.862	22.3
Back side	802.11ac 80M	58/5290	100%	1.000	0.346	0.02	17.51	18.50	1.256	0.435	22.3
Right side	802.11ac 80M	58/5290	100%	1.000	0.451	-0.08	17.51	18.50	1.256	0.566	22.3
Top side	802.11ac 80M	58/5290	100%	1.000	0.850	0.06	17.51	18.50	1.256	1.068	22.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南座 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 108 of 116

Product specific 10gSAR Test data of U-NII-2C(Separate 0mm)											
Front side	802.11ac 80M	122/5610	100%	1.000	0.384	0.09	17.82	18.50	1.169	0.449	22.2
Back side	802.11ac 80M	122/5610	100%	1.000	0.320	0.01	17.82	18.50	1.169	0.374	22.2
Right side	802.11ac 80M	122/5610	100%	1.000	0.547	0.04	17.82	18.50	1.169	0.640	22.2
Top side	802.11ac 80M	122/5610	100%	1.000	0.845	-0.06	17.82	18.50	1.169	0.988	22.2
Wi-Fi 5G SAR Test Record Simultaneous Transmission											
Test position	Test mode	Test ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
Head Test data of U-NII-2A											
Left cheek	802.11ac 80M	58/5290	100%	1.000	0.767	0.10	15.61	16.00	1.094	0.839	22.3
Left tilted	802.11ac 80M	58/5290	100%	1.000	0.843	-0.04	15.61	16.00	1.094	0.922	22.3
Left tilted-Repeated	802.11ac 80M	58/5290	100%	1.000	0.831	0.03	15.61	16.00	1.094	0.909	22.3
Right cheek	802.11ac 80M	58/5290	100%	1.000	0.491	-0.08	15.61	16.00	1.094	0.537	22.3
Right tilted	802.11ac 80M	58/5290	100%	1.000	0.520	-0.17	15.61	16.00	1.094	0.569	22.3
Head Test data of U-NII-2C											
Left cheek	802.11ac 80M	122/5610	100%	1.000	0.596	-0.17	17.93	18.50	1.140	0.680	22.2
Left tilted	802.11ac 80M	122/5610	100%	1.000	0.638	0.07	17.93	18.50	1.140	0.727	22.2
Left tilted	802.11ac 80M	106/5530	100%	1.000	0.594	0.02	17.86	18.50	1.159	0.688	22.2
Right cheek	802.11ac 80M	122/5610	100%	1.000	0.426	-0.11	17.93	18.50	1.140	0.486	22.2
Right tilted	802.11ac 80M	122/5610	100%	1.000	0.418	0.03	17.93	18.50	1.140	0.477	22.2
Head Test data of U-NII-3											
Left cheek	802.11ac 80M	155/5775	100%	1.000	0.312	-0.12	17.82	18.50	1.169	0.365	22.4
Left tilted	802.11ac 80M	155/5775	100%	1.000	0.322	0.05	17.82	18.50	1.169	0.377	22.4
Right cheek	802.11ac 80M	155/5775	100%	1.000	0.233	-0.18	17.82	18.50	1.169	0.272	22.4
Right tilted	802.11ac 80M	155/5775	100%	1.000	0.238	0.02	17.82	18.50	1.169	0.278	22.4

Table 22: SAR of WIFI 5G for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Left tilted	58/5290	0.843	0.831	1.014440433	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 109 of 116

8.3.13 SAR Result of BT

Freq. Band	Frequency (GHz)	Test Position	max. power(dBm)	Test Separation (mm)	Estimated
					1g SAR (W/kg)
Bluetooth	2.48	Head	5	0	0.133
		Body-worn	5	15	0.044
		hotspot	5	10	0.066

Table 23: SAR of BT for Head and Body.

Note:

The BT SAR result can refer to "8.2 Stand-alone SAR test evaluation".



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

8.4 Multiple Transmitter Evaluation

8.4.1 Simultaneous SAR test evaluation

• Simultaneous Transmission Possibilities

NO	Simultaneous TX Combination	Support
1	WWAN+BT	Yes
2	WWAN+WIFI 2.4G	Yes
3	BT+WIFI 2.4G	No
4	WWAN+WIFI5G	Yes
5	WIFI5G+BT	Yes
6	WWAN+WIFI5G+BT	Yes

Note:

1) The device does not support DTM function.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

8.4.2 Simultaneous Transmission SAR Summation Scenario

Simultaneous Transmission SAR Summation Scenario for WLAN Head:

Test position		SARmax (W/kg)				Summed SAR	
		Main Ant0	WiFi 2.4G Ant6(chain0)	WiFi 5G Ant6(chain0)	BT		
		1	2	3	4	1+2	1+3+4
WCDMA II	Left cheek	0.135	0.926	0.839	0.133	1.061	1.107
	Left tilted	0.113	0.742	0.922	0.133	0.855	1.168
	Right cheek	0.141	0.331	0.537	0.133	0.472	0.811
	Right tilted	0.090	0.288	0.569	0.133	0.378	0.792
WCDMA IV	Left cheek	0.075	0.926	0.839	0.133	1.001	1.047
	Left tilted	0.051	0.742	0.922	0.133	0.793	1.106
	Right cheek	0.114	0.331	0.537	0.133	0.445	0.784
	Right tilted	0.051	0.288	0.569	0.133	0.339	0.753
WCDMA V	Left cheek	0.327	0.926	0.839	0.133	1.253	1.299
	Left tilted	0.188	0.742	0.922	0.133	0.930	1.243
	Right cheek	0.321	0.331	0.537	0.133	0.652	0.991
	Right tilted	0.161	0.288	0.569	0.133	0.449	0.863
LTE Band 2	Left cheek	0.183	0.926	0.839	0.133	1.109	1.155
	Left tilted	0.161	0.742	0.922	0.133	0.903	1.216
	Right cheek	0.187	0.331	0.537	0.133	0.518	0.857
	Right tilted	0.119	0.288	0.569	0.133	0.407	0.821
LTE Band 5	Left cheek	0.422	0.926	0.839	0.133	1.348	1.394
	Left tilted	0.230	0.742	0.922	0.133	0.972	1.285
	Right cheek	0.421	0.331	0.537	0.133	0.752	1.091
	Right tilted	0.215	0.288	0.569	0.133	0.503	0.917
LTE Band 7	Left cheek	0.010	0.926	0.839	0.133	0.936	0.982
	Left tilted	0.009	0.742	0.922	0.133	0.751	1.064
	Right cheek	0.015	0.331	0.537	0.133	0.346	0.685
	Right tilted	0.006	0.288	0.569	0.133	0.294	0.708
LTE Band 12	Left cheek	0.314	0.926	0.839	0.133	1.240	1.286
	Left tilted	0.184	0.742	0.922	0.133	0.926	1.239
	Right cheek	0.305	0.331	0.537	0.133	0.636	0.975
	Right tilted	0.188	0.288	0.569	0.133	0.476	0.890
LTE Band 14	Left cheek	0.406	0.926	0.839	0.133	1.332	1.378
	Left tilted	0.229	0.742	0.922	0.133	0.971	1.284
	Right cheek	0.395	0.331	0.537	0.133	0.726	1.065
	Right tilted	0.189	0.288	0.569	0.133	0.477	0.891
LTE Band 30	Left cheek	0.161	0.926	0.839	0.133	1.087	1.133
	Left tilted	0.180	0.742	0.922	0.133	0.922	1.235
	Right cheek	0.153	0.331	0.537	0.133	0.484	0.823
	Right tilted	0.124	0.288	0.569	0.133	0.412	0.826
LTE Band 66	Left cheek	0.103	0.926	0.839	0.133	1.029	1.075
	Left tilted	0.080	0.742	0.922	0.133	0.822	1.135
	Right cheek	0.150	0.331	0.537	0.133	0.481	0.820
	Right tilted	0.064	0.288	0.569	0.133	0.352	0.766



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Simultaneous Transmission SAR Summation Scenario for WLAN Body: Body-worn:

Test position		SARmax (W/kg)				Summed SAR	
		Main Ant0	WiFi 2.4G Ant6(chain0)	WiFi 5G Ant6(chain0)	BT		
		1	2	3	4	1+2	1+3+4
WCDMA II	Front side	0.501	0.166	0.237	0.044	0.667	0.782
	Back side	0.448	0.195	0.352	0.044	0.643	0.844
WCDMA IV	Front side	0.531	0.166	0.237	0.044	0.697	0.812
	Back side	0.665	0.195	0.352	0.044	0.860	1.061
WCDMA V	Front side	0.368	0.166	0.237	0.044	0.534	0.649
	Back side	0.444	0.195	0.352	0.044	0.639	0.840
LTE Band 2	Front side	0.605	0.166	0.237	0.044	0.771	0.886
	Back side	0.626	0.195	0.352	0.044	0.821	1.022
LTE Band 5	Front side	0.425	0.166	0.237	0.044	0.591	0.706
	Back side	0.478	0.195	0.352	0.044	0.673	0.874
LTE Band 7	Front side	0.259	0.166	0.237	0.044	0.425	0.540
	Back side	0.305	0.195	0.352	0.044	0.500	0.701
LTE Band 12	Front side	0.431	0.166	0.237	0.044	0.597	0.712
	Back side	0.523	0.195	0.352	0.044	0.718	0.919
LTE Band 14	Front side	0.424	0.166	0.237	0.044	0.590	0.705
	Back side	0.472	0.195	0.352	0.044	0.667	0.868
LTE Band 30	Front side	0.377	0.166	0.237	0.044	0.543	0.658
	Back side	0.533	0.195	0.352	0.044	0.728	0.929
LTE Band 66	Front side	0.481	0.166	0.237	0.044	0.647	0.762
	Back side	0.529	0.195	0.352	0.044	0.724	0.925

Hotspot:

Test position		SARmax (W/kg)				Summed SAR	
		Main Ant0	WiFi 2.4G Ant6(chain0)	WiFi 5G Ant6(chain0)	BT		
		1	2	3	4	1+2	1+3+4
WCDMA II	Front side	0.598	0.267	0.287	0.066	0.865	0.951
	Back side	0.590	0.333	0.552	0.066	0.923	1.208
	Left side	0.145	/	/	0.066	0.145	0.211
	Right side	0.105	0.413	0.389	0.066	0.518	0.560
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	1.297	/	/	0.066	1.297	1.363
WCDMA IV	Front side	0.610	0.267	0.287	0.066	0.877	0.963
	Back side	0.669	0.333	0.552	0.066	1.002	1.287
	Left side	0.073	/	/	0.066	0.073	0.139
	Right side	0.087	0.413	0.389	0.066	0.500	0.542
	Top side	/	0.274	0.532	0.066	0.274	0.598



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 113 of 116

	Bottom side	1.222	/	/	0.066	1.222	1.288
WCDMA V	Front side	0.329	0.267	0.287	0.066	0.596	0.682
	Back side	0.441	0.333	0.552	0.066	0.774	1.059
	Left side	0.305	/	/	0.066	0.305	0.371
	Right side	0.340	0.413	0.389	0.066	0.753	0.795
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	0.130	/	/	0.066	0.130	0.196
LTE Band 2	Front side	0.542	0.267	0.287	0.066	0.809	0.895
	Back side	0.542	0.333	0.552	0.066	0.875	1.160
	Left side	0.143	/	/	0.066	0.143	0.209
	Right side	0.093	0.413	0.389	0.066	0.506	0.548
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	1.248	/	/	0.066	1.248	1.314
LTE Band 5	Front side	0.409	0.267	0.287	0.066	0.676	0.762
	Back side	0.524	0.333	0.552	0.066	0.857	1.142
	Left side	0.352	/	/	0.066	0.352	0.418
	Right side	0.425	0.413	0.389	0.066	0.838	0.880
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	0.154	/	/	0.066	0.154	0.220
LTE Band 7	Front side	0.409	0.267	0.287	0.066	0.676	0.762
	Back side	0.560	0.333	0.552	0.066	0.893	1.178
	Left side	0.074	/	/	0.066	0.074	0.140
	Right side	/	0.413	0.389	0.066	0.413	0.455
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	0.992	/	/	0.066	0.992	1.058
LTE Band 12	Front side	0.374	0.267	0.287	0.066	0.641	0.727
	Back side	0.535	0.333	0.552	0.066	0.868	1.153
	Left side	0.413	/	/	0.066	0.413	0.479
	Right side	0.409	0.413	0.389	0.066	0.822	0.864
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	0.082	/	/	0.066	0.082	0.148
LTE Band 14	Front side	0.390	0.267	0.287	0.066	0.657	0.743
	Back side	0.502	0.333	0.552	0.066	0.835	1.120
	Left side	0.355	/	/	0.066	0.355	0.421
	Right side	0.412	0.413	0.389	0.066	0.825	0.867
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	0.122	/	/	0.066	0.122	0.188
LTE Band 30	Front side	0.494	0.267	0.287	0.066	0.761	0.847
	Back side	0.856	0.333	0.552	0.066	1.189	1.474
	Left side	0.342	/	/	0.066	0.342	0.408
	Right side	0.241	0.413	0.389	0.066	0.654	0.696
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	1.059	/	/	0.066	1.059	1.125



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08

Rev.: 01

Page: 114 of 116

LTE Band 66	Front side	0.590	0.267	0.287	0.066	0.857	0.943
	Back side	0.654	0.333	0.552	0.066	0.987	1.272
	Left side	0.070	/	/	0.066	0.070	0.136
	Right side	0.098	0.413	0.389	0.066	0.511	0.553
	Top side	/	0.274	0.532	0.066	0.274	0.598
	Bottom side	1.161	/	/	0.066	1.161	1.227

Exterimity:

Test position		SARmax (W/kg)		Summed SAR
		Main Ant0	WiFi 5G Ant6(chain0)	
		1	2	
WCDMA II	Front side	/	0.862	0.862
	Back side	/	/	/
	Left side	/	/	/
	Right side	/	0.640	0.640
	Top side	/	1.068	1.068
	Bottom side	3.106	/	3.106
WCDMA IV	Front side	/	0.862	0.862
	Back side	/	/	/
	Left side	/	/	/
	Right side	/	0.640	0.640
	Top side	/	1.068	1.068
	Bottom side	3.174	/	3.174
LTE Band 2	Front side	/	0.862	0.862
	Back side	/	/	/
	Left side	/	/	/
	Right side	/	0.640	0.640
	Top side	/	1.068	1.068
	Bottom side	3.009	/	3.009



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

9 Equipment list

Test Platform		SPEAG DASY5 Professional				
Description		SAR Test System (Frequency range 300MHz-6GHz)				
Software Reference		DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)				
Hardware Reference						
Equipment		Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration
☒	Twin Phantom	SPEAG	QD000P40CD	1770	NCR	NCR
☒	DAE	SPEAG	DAE4	1324	2022-10-17	2023-10-16
☒	E-Field Probe	SPEAG	EX3DV4	3793	2022-09-30	2023-09-29
☒	Validation Kits	SPEAG	D750V3	1210	2021-09-08	2024-09-07
☒	Validation Kits	SPEAG	D835V2	4d161	2020-08-28	2023-08-27
☒	Validation Kits	SPEAG	1750V2	1038	2020-08-29	2023-08-28
☒	Validation Kits	SPEAG	D1900V2	5d114	2020-08-27	2023-08-26
☒	Validation Kits	SPEAG	D2300V2	1072	2022-06-16	2025-06-15
☒	Validation Kits	SPEAG	D2450V2	922	2020-08-27	2023-08-26
☒	Validation Kits	SPEAG	D2600V2	1180	2021-05-12	2024-05-11
☒	Validation Kits	SPEAG	D5GHzV2	1313	2021-01-25	2024-01-24
☒	Dielectric parameter probes	SPEAG	DAKS-3.5	21460031	2023-03-20	2024-03-19
☒	Vector Network Analyzer and Vector Reflectometer	SPEAG	DAKS_VNA R140	111637	2022-09-26	2023-09-26
☒	Universal Radio Communication Tester	R&S	CMW500	111637	2022-09-26	2023-09-26
☒	RF Bi-Directional Coupler	Agilent	86205-60001	MY31400031	NCR	NCR
☒	Signal Generator	R&S	SMB100A	182393	2023-02-06	2024-02-05
☒	Preamplifier	Qiji	YX28980933	202104001	NCR	NCR
☒	Power Sensor	Keysight	U2002H	MY5639004	2022-9-16	2023-09-15
☒	Power Sensor	Keysight	U2002H	MY48200110	2022-12-23	2023-12-22
☒	Attenuator	SHX	TS2-3dB	30704	NCR	NCR
☒	Coaxial low pass filter	Mini-Circuits	VLF-2500(+)	NA	NCR	NCR
☒	Coaxial low pass filter	Microlab Fxr	LA-F13	NA	NCR	NCR
☒	DC POWER SUPPLY	SAKO	SK1730SL5A	NA	NCR	NCR
☒	Speed reading thermometer	LKM	DTM3000	SUW201-30-01	2022-09-19	2023-09-18
☒	Humidity and Temperature Indicator	MingGao	MingGao	NA	2022-09-19	2023-09-18

Note: All the equipments are within the valid period when the tests are performed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2304000111RG08
Rev.: 01
Page: 116 of 116

10 Calibration certificate

Please see the Appendix C

11 Photographs

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

---END---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com