




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.8GHz




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 4000Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 5000Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \GSM 850



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \GSM 1900



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 25



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 26



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 41



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 66



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 71



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WLAN 2.4GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \WLAN 5.2GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \WLAN 5.3GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \WLAN 5.5GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \WLAN 5.8GHz



Absolute minimal distance

OK


OK

Limits

	lower
Run 1	Fit into tolerance

5.1 Receive Volume Control Performance 8N---EVS WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 12



Speech Level RCV: 89.28 dB[SPL]

Calculated Value: 19.28 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 25



Speech Level RCV: 89.2 dB[SPL]

Calculated Value: 19.2 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 26



Speech Level RCV: 89.2 dB[SPL]

Calculated Value: 19.2 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 41



Speech Level RCV: 89.19 dB[SPL]

Calculated Value: 19.19 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 66



Speech Level RCV: 89.25 dB[SPL]

Calculated Value: 19.25 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 71



Speech Level RCV: 89.16 dB[SPL]

Calculated Value: 19.16 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ WLAN 2.4GHz



Speech Level RCV: 92.24 dB[SPL]

Calculated Value: 22.24 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ WLAN 5.2GHz



Speech Level RCV: 92.24 dB[SPL]

Calculated Value: 22.24 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ WLAN 5.3GHz



Speech Level RCV: 88.61 dB[SPL]

Calculated Value: 18.61 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ WLAN 5.5GHz



Speech Level RCV: 88.6 dB[SPL]

Calculated Value: 18.6 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ WLAN 5.8GHz




Speech Level RCV: 89.22 dB[SPL]

Calculated Value: 19.22 dB Ok

5.1 Receive Volume Control Performance 2N---NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 850



Speech Level RCV: 83.43 dB[SPL]

Calculated Value: 13.43 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 1900



Speech Level RCV: 83.46 dB[SPL]

Calculated Value: 13.46 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band II



Speech Level RCV: 83.21 dB[SPL]

Calculated Value: 13.21 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band IV



Speech Level RCV: 83.13 dB[SPL]

Calculated Value: 13.13 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band V



Speech Level RCV: 83.08 dB[SPL]

Calculated Value: 13.08 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 12



Speech Level RCV: 83.81 dB[SPL]

Calculated Value: 13.81 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 25



Speech Level RCV: 84.06 dB[SPL]

Calculated Value: 14.06 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 26



Speech Level RCV: 83.65 dB[SPL]

Calculated Value: 13.65 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 41



Speech Level RCV: 83.48 dB[SPL]

Calculated Value: 13.48 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 84.02 dB[SPL]

Calculated Value: 14.02 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 71



Speech Level RCV: 83.75 dB[SPL]

Calculated Value: 13.75 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 2.4GHz



Speech Level RCV: 85.9 dB[SPL]

Calculated Value: 15.9 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 5.2GHz



Speech Level RCV: 86.19 dB[SPL]

Calculated Value: 16.19 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 5.3GHz



Speech Level RCV: 83.06 dB[SPL]

Calculated Value: 13.06 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 5.5GHz



Speech Level RCV: 82.89 dB[SPL]

Calculated Value: 12.89 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 5.8 GHz




Speech Level RCV: 86.18 dB[SPL]


Calculated Value: 16.18 dB Ok

Receive path - distortion and noise 400Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.5GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN
5.8GHz




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ GSM 850



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ GSM 1900



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 25



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 26



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 41



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 66



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

NSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 71



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 2.4GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.2GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.3GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.5GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WLAN 5.8GHz



Absolute minimal distance

OK


OK

Limits

	lower
Run 1	Fit into tolerance

5.1 Receive Volume Control Performance 2N---WB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\GSM 850



Speech Level RCV: 84.65 dB[SPL]

Calculated Value: 14.65 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\GSM 1900



Speech Level RCV: 84.74 dB[SPL]

Calculated Value: 14.74 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WCDMA Band II



Speech Level RCV: 84.62 dB[SPL]

Calculated Value: 14.62 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WCDMA Band IV



Speech Level RCV: 84.58 dB[SPL]

Calculated Value: 14.58 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WCDMA Band V



Speech Level RCV: 84.43 dB[SPL]

Calculated Value: 14.43 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 12



Speech Level RCV: 83.85 dB[SPL]

Calculated Value: 13.85 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\LTE Band 25



Speech Level RCV: 84.11 dB[SPL]

Calculated Value: 14.11 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 26



Speech Level RCV: 83.57 dB[SPL]

Calculated Value: 13.57 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 41



Speech Level RCV: 83.4 dB[SPL]

Calculated Value: 13.4 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 66



Speech Level RCV: 84.05 dB[SPL]

Calculated Value: 14.05 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 71



Speech Level RCV: 83.7 dB[SPL]

Calculated Value: 13.7 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ WLAN 2.4GHz



Speech Level RCV: 86.02 dB[SPL]

Calculated Value: 16.02 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WLAN 5.2GHz



Speech Level RCV: 86.43 dB[SPL]

Calculated Value: 16.43 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WLAN 5.3 GHz



Speech Level RCV: 82.98 dB[SPL]

Calculated Value: 12.98 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WLAN 5.5 GHz



Speech Level RCV: 82.81 dB[SPL]

Calculated Value: 12.81 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WLAN 5.8 GHz




Speech Level RCV: 86.44 dB[SPL]


Calculated Value: 16.44 dB Ok

Receive path - distortion and noise 250 WB only


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN
5.8GHz




Receive path - distortion and noise 315Hz WB only


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN
5.8GHz




Receive path - distortion and noise 400Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.8GHz




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.2GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.3GHz



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 5.5GHz




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN
5.8GHz




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\
LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 25



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 26



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 41

