


802.11n-20 MHz LOW CHANNEL CARRIER LEVEL

802.11n-20 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-20 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL



802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-27.88	11.57	-8.43	Pass
High	-47.71	11.72	-8.28	Pass

802.11g Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-20.64	10.77	-9.23	Pass
High	-37.08	10.41	-9.59	Pass

802.11n-20 MHz Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-19.88	10.73	-9.27	Pass
High	-35.56	10.34	-9.66	Pass

Test Plots


802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE



802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE



802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE



802.11g HIGH CHANNEL, CARRIER LEVEL



802.11g HIGH CHANNEL, BAND EDGE



802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE



802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




A.5 Conducted Emission

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note 2: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.168	40.48	10.08	65.06	24.58	Peak	L	Pass
1**	0.168	25.00	10.08	55.06	30.06	AV	L	Pass
2	0.262	33.91	10.12	61.37	27.46	Peak	L	Pass
2**	0.262	22.02	10.12	51.37	29.35	AV	L	Pass
3	0.492	43.37	10.15	56.13	12.76	Peak	L	Pass
3**	0.492	32.56	10.15	46.13	13.57	AV	L	Pass
4	0.994	33.73	10.18	56.00	22.27	Peak	L	Pass
4**	0.994	22.31	10.18	46.00	23.69	AV	L	Pass
5	2.558	34.26	10.37	56.00	21.74	Peak	L	Pass
5**	2.558	21.37	10.37	46.00	24.63	AV	L	Pass
6	8.220	32.88	10.81	60.00	27.12	Peak	L	Pass
6**	8.220	21.31	10.81	50.00	28.69	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.180	38.29	10.15	64.49	26.20	Peak	N	Pass
1**	0.180	24.11	10.15	54.49	30.38	AV	N	Pass
2	0.492	44.26	10.17	56.13	11.87	Peak	N	Pass
2**	0.492	34.33	10.17	46.13	11.80	AV	N	Pass
3	0.982	34.07	10.24	56.00	21.93	Peak	N	Pass
3**	0.982	22.26	10.24	46.00	23.74	AV	N	Pass
4	2.210	32.32	10.25	56.00	23.68	Peak	N	Pass
4**	2.210	20.55	10.25	46.00	25.45	AV	N	Pass
5	5.586	32.12	10.49	60.00	27.88	Peak	N	Pass
5**	5.586	19.37	10.49	50.00	30.63	AV	N	Pass
6	15.126	38.90	11.13	60.00	21.10	Peak	N	Pass
6**	15.126	24.88	11.13	50.00	25.12	AV	N	Pass

A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.291	22.16	-28.94	40.0	17.84	Peak	271.00	200	Horizontal	Pass
2	57.111	24.72	-25.43	40.0	15.28	Peak	151.00	200	Horizontal	Pass
3	192.766	30.68	-25.89	43.5	12.82	Peak	75.00	100	Horizontal	Pass
4	238.889	36.23	-24.51	46.0	9.77	Peak	100.00	100	Horizontal	Pass
5	479.983	36.83	-18.70	46.0	9.17	Peak	192.00	100	Horizontal	Pass
6	722.192	33.68	-13.11	46.0	12.32	Peak	68.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	34.074	25.96	-28.09	40.0	14.04	Peak	76.00	100	Vertical	Pass
2	57.014	30.29	-25.41	40.0	9.71	Peak	250.00	100	Vertical	Pass
3	115.603	25.95	-27.42	43.5	17.55	Peak	0.00	100	Vertical	Pass
4	241.120	36.39	-24.42	46.0	9.61	Peak	43.00	200	Vertical	Pass
5	479.983	36.72	-18.70	46.0	9.28	Peak	51.00	100	Vertical	Pass
6	718.846	33.74	-13.31	46.0	12.26	Peak	51.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1306.500	39.52	-15.63	74.0	34.48	Peak	186.00	150	Horizontal	Pass
1**	1306.500	28.50	-15.63	54.0	25.50	AV	186.00	150	Horizontal	Pass
2	2438.250	100.77	-12.38	74.0	-26.77	Peak	241.00	150	Horizontal	N/A
2**	2438.250	97.92	-12.38	54.0	-43.92	AV	241.00	150	Horizontal	N/A
3	3396.500	46.89	-5.83	74.0	27.11	Peak	109.00	150	Horizontal	Pass
3**	3396.500	35.97	-5.83	54.0	18.03	AV	109.00	150	Horizontal	Pass
4	4874.500	47.60	-2.25	74.0	26.40	Peak	231.00	150	Horizontal	Pass
4**	4874.500	43.01	-2.25	54.0	10.99	AV	231.00	150	Horizontal	Pass
5	8257.000	47.42	-4.50	74.0	26.58	Peak	119.00	150	Horizontal	Pass
5**	8257.000	36.96	-4.50	54.0	17.04	AV	119.00	150	Horizontal	Pass
6	17865.501	50.31	0.85	74.0	23.69	Peak	0.00	150	Horizontal	Pass
6**	17865.501	40.50	0.85	54.0	13.50	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1302.750	39.66	-15.59	74.0	34.34	Peak	16.00	150	Vertical	Pass
1**	1302.750	28.63	-15.59	54.0	25.37	AV	16.00	150	Vertical	Pass
2	2438.500	105.30	-12.37	74.0	-31.30	Peak	242.00	150	Vertical	N/A
2**	2438.500	102.08	-12.37	54.0	-48.08	AV	242.00	150	Vertical	N/A
3	2992.500	48.51	-9.03	74.0	25.49	Peak	114.00	150	Vertical	Pass
3**	2992.500	35.86	-9.03	54.0	18.14	AV	114.00	150	Vertical	Pass
4	4874.500	49.39	-2.25	74.0	24.61	Peak	62.00	150	Vertical	Pass
4**	4874.500	45.89	-2.25	54.0	8.11	AV	62.00	150	Vertical	Pass
5	8371.500	47.45	-4.42	74.0	26.55	Peak	0.00	150	Vertical	Pass
5**	8371.500	37.53	-4.42	54.0	16.47	AV	0.00	150	Vertical	Pass
6	16639.500	49.92	-0.95	74.0	24.08	Peak	329.00	150	Vertical	Pass
6**	16639.500	39.65	-0.95	54.0	14.35	AV	329.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.750	39.59	-15.71	74.0	34.41	Peak	74.00	150	Horizontal	Pass
1**	1196.750	29.34	-15.71	54.0	24.66	AV	74.00	150	Horizontal	Pass
2	2435.000	102.92	-12.30	74.0	-28.92	Peak	218.00	150	Horizontal	N/A
2**	2435.000	94.51	-12.30	54.0	-40.51	AV	218.00	150	Horizontal	N/A
3	2997.750	45.93	-8.80	74.0	28.07	Peak	131.00	150	Horizontal	Pass
3**	2997.750	35.73	-8.80	54.0	18.27	AV	131.00	150	Horizontal	Pass
4	6458.000	52.43	-0.13	74.0	21.57	Peak	360.00	150	Horizontal	Pass
4**	6458.000	41.80	-0.13	54.0	12.20	AV	360.00	150	Horizontal	Pass
5	9545.000	47.58	-2.62	74.0	26.42	Peak	351.00	150	Horizontal	Pass
5**	9545.000	36.69	-2.62	54.0	17.31	AV	351.00	150	Horizontal	Pass
6	17588.001	50.59	0.67	74.0	23.41	Peak	360.00	150	Horizontal	Pass
6**	17588.001	39.49	0.67	54.0	14.51	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.250	41.38	-15.74	74.0	32.62	Peak	68.00	150	Vertical	Pass
1**	1198.250	29.40	-15.74	54.0	24.60	AV	68.00	150	Vertical	Pass
2	2437.750	106.26	-12.38	74.0	-32.26	Peak	205.00	150	Vertical	N/A
2**	2437.750	97.43	-12.38	54.0	-43.43	AV	205.00	150	Vertical	N/A
3	2999.250	48.30	-8.74	74.0	25.70	Peak	110.00	150	Vertical	Pass
3**	2999.250	35.54	-8.74	54.0	18.46	AV	110.00	150	Vertical	Pass
4	4796.500	48.95	-3.07	74.0	25.05	Peak	150.00	150	Vertical	Pass
4**	4796.500	42.52	-3.07	54.0	11.48	AV	150.00	150	Vertical	Pass
5	8651.000	47.25	-5.63	74.0	26.75	Peak	349.00	150	Vertical	Pass
5**	8651.000	36.00	-5.63	54.0	18.00	AV	349.00	150	Vertical	Pass
6	14460.000	49.36	-2.62	74.0	24.64	Peak	235.00	150	Vertical	Pass
6**	14460.000	38.84	-2.62	54.0	15.16	AV	235.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1231.250	39.64	-16.01	74.0	34.36	Peak	245.00	150	Horizontal	Pass
1**	1231.250	28.38	-16.01	54.0	25.62	AV	245.00	150	Horizontal	Pass
2	2438.000	102.46	-12.38	74.0	-28.46	Peak	222.00	150	Horizontal	N/A
2**	2438.000	93.96	-12.38	54.0	-39.96	AV	222.00	150	Horizontal	N/A
3	2994.250	46.02	-8.93	74.0	27.98	Peak	80.00	150	Horizontal	Pass
3**	2994.250	35.35	-8.93	54.0	18.65	AV	80.00	150	Horizontal	Pass
4	6246.500	52.58	-0.95	74.0	21.42	Peak	168.00	150	Horizontal	Pass
4**	6246.500	40.96	-0.95	54.0	13.04	AV	168.00	150	Horizontal	Pass
5	10026.500	47.41	-4.20	74.0	26.59	Peak	34.00	150	Horizontal	Pass
5**	10026.500	36.21	-4.20	54.0	17.79	AV	34.00	150	Horizontal	Pass
6	17709.500	50.85	0.38	74.0	23.15	Peak	236.00	150	Horizontal	Pass
6**	17709.500	39.93	0.38	54.0	14.07	AV	236.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.000	39.72	-16.00	74.0	34.28	Peak	358.00	150	Vertical	Pass
1**	1222.000	27.81	-16.00	54.0	26.19	AV	358.00	150	Vertical	Pass
2	2434.250	105.93	-12.32	74.0	-31.93	Peak	200.00	150	Vertical	N/A
2**	2434.250	96.61	-12.32	54.0	-42.61	AV	200.00	150	Vertical	N/A
3	2993.500	49.08	-8.95	74.0	24.92	Peak	90.00	150	Vertical	Pass
3**	2993.500	36.02	-8.95	54.0	17.98	AV	90.00	150	Vertical	Pass
4	4793.000	50.58	-3.12	74.0	23.42	Peak	192.00	150	Vertical	Pass
4**	4793.000	42.77	-3.12	54.0	11.23	AV	192.00	150	Vertical	Pass
5	8386.000	47.05	-4.81	74.0	26.95	Peak	96.00	150	Vertical	Pass
5**	8386.000	35.98	-4.81	54.0	18.02	AV	96.00	150	Vertical	Pass
6	15943.500	49.72	-2.51	74.0	24.28	Peak	0.00	150	Vertical	Pass
6**	15943.500	38.65	-2.51	54.0	15.35	AV	0.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)


Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Test Data and Plots

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.14	-4.87	74.0	21.86	Peak	0.42	150	Vertical	Pass
1**	2390.000	42.97	-4.87	54.0	11.03	AV	0.42	150	Vertical	Pass
2	2385.300	55.01	-4.60	74.0	18.99	Peak	261.00	150	Vertical	Pass
2**	2385.300	46.18	-4.60	54.0	7.82	AV	261.00	150	Vertical	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.21	-3.78	74.0	21.79	Peak	218.00	150	Horizontal	Pass
1**	2483.500	43.93	-3.78	54.0	10.07	AV	218.00	150	Horizontal	Pass
2	2488.180	54.70	-3.81	74.0	19.30	Peak	218.00	150	Horizontal	Pass
2**	2488.180	45.09	-3.81	54.0	8.91	AV	218.00	150	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.06	-4.87	74.0	10.94	Peak	327.00	150	Vertical	Pass
1**	2390.000	50.56	-4.87	54.0	3.44	AV	327.00	150	Vertical	Pass
2	2389.500	63.12	-4.85	74.0	10.88	Peak	271.00	150	Vertical	Pass
2**	2389.500	49.48	-4.85	54.0	4.52	AV	271.00	150	Vertical	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.81	-3.78	74.0	15.19	Peak	256.00	150	Vertical	Pass
1**	2483.500	48.46	-3.78	54.0	5.54	AV	256.00	150	Vertical	Pass
2	2483.770	61.21	-3.78	74.0	12.79	Peak	225.00	150	Vertical	Pass
2**	2483.770	48.22	-3.78	54.0	5.78	AV	225.00	150	Vertical	Pass

802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.36	-4.87	74.0	14.64	Peak	335.98	150	Vertical	Pass
1**	2390.000	48.46	-4.87	54.0	5.54	AV	335.98	150	Vertical	Pass
2	2389.300	59.78	-4.84	74.0	14.22	Peak	261.00	150	Vertical	Pass
2**	2389.300	47.70	-4.84	54.0	6.30	AV	261.00	150	Vertical	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.98	-3.78	74.0	12.02	Peak	223.00	150	Vertical	Pass
1**	2483.500	49.63	-3.78	54.0	4.37	AV	223.00	150	Vertical	Pass
2	2483.770	60.71	-3.78	74.0	13.29	Peak	252.00	150	Vertical	Pass
2**	2483.770	49.05	-3.78	54.0	4.95	AV	252.00	150	Vertical	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-3.17	8
Middle	-3.74	8
High	-2.82	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.93	8
Middle	-5.40	8
High	-9.62	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.23	8
Middle	-6.98	8
High	-10.21	8

Test Plots

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11 n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25A1264-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25A1264-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25A1264-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--