






802.11n-20 MHz LOW CHANNEL CARRIER LEVEL

802.11n-20 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-20 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-31.86	11.91	-8.09	Pass
High	-38.02	11.26	-8.74	Pass

802.11g Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-19.50	9.07	-10.93	Pass
High	-33.15	8.90	-11.10	Pass

802.11n-20 MHz Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-17.84	9.27	-10.73	Pass
High	-30.51	8.99	-11.01	Pass

Test Plots


802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL




802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL



802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE



802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




A.5 Conducted Emission

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note 2: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.166	40.50	10.07	65.16	24.66	Peak	L	Pass
1**	0.166	27.35	10.07	55.16	27.81	AV	L	Pass
2	0.262	35.81	10.12	61.37	25.56	Peak	L	Pass
2**	0.262	22.57	10.12	51.37	28.80	AV	L	Pass
3	0.534	38.29	10.16	56.00	17.71	Peak	L	Pass
3**	0.534	26.42	10.16	46.00	19.58	AV	L	Pass
4	1.346	38.55	10.24	56.00	17.45	Peak	L	Pass
4**	1.346	23.19	10.24	46.00	22.81	AV	L	Pass
5	4.042	39.34	10.42	56.00	16.66	Peak	L	Pass
5**	4.042	24.11	10.42	46.00	21.89	AV	L	Pass
6	14.852	44.64	11.18	60.00	15.36	Peak	L	Pass
6**	14.852	34.06	11.18	50.00	15.94	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.168	40.59	10.15	65.06	24.47	Peak	N	Pass
1**	0.168	25.50	10.15	55.06	29.56	AV	N	Pass
2	0.348	37.84	10.16	59.01	21.17	Peak	N	Pass
2**	0.348	23.60	10.16	49.01	25.41	AV	N	Pass
3	0.996	39.58	10.24	56.00	16.42	Peak	N	Pass
3**	0.996	24.32	10.24	46.00	21.68	AV	N	Pass
4	1.974	42.70	10.24	56.00	13.30	Peak	N	Pass
4**	1.974	26.68	10.24	46.00	19.32	AV	N	Pass
5	4.118	43.19	10.38	56.00	12.81	Peak	N	Pass
5**	4.118	28.51	10.38	46.00	17.49	AV	N	Pass
6	14.346	50.96	11.10	60.00	9.04	Peak	N	Pass
6**	14.346	40.44	11.10	50.00	9.56	AV	N	Pass

A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	51.194	14.90	-24.63	40.0	25.10	Peak	340.00	200	Horizontal	Pass
2	84.757	23.10	-29.82	40.0	16.90	Peak	138.00	200	Horizontal	Pass
3	185.782	35.71	-27.07	43.5	7.79	Peak	264.00	100	Horizontal	Pass
4	269.008	34.14	-24.09	46.0	11.86	Peak	255.00	200	Horizontal	Pass
5	383.226	32.10	-20.82	46.0	13.90	Peak	104.00	100	Horizontal	Pass
6	946.553	31.30	-9.14	46.0	14.70	Peak	186.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	40.185	22.03	-25.85	40.0	17.97	Peak	86.00	100	Vertical	Pass
2	66.666	25.02	-27.89	40.0	14.98	Peak	299.00	100	Vertical	Pass
3	185.491	35.75	-27.11	43.5	7.75	Peak	90.00	200	Vertical	Pass
4	271.142	38.53	-24.02	46.0	7.47	Peak	176.00	100	Vertical	Pass
5	477.655	33.16	-18.77	46.0	12.84	Peak	225.00	100	Vertical	Pass
6	918.180	31.03	-9.20	46.0	14.97	Peak	231.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1357.750	40.05	-15.83	74.0	33.95	Peak	331.00	150	Horizontal	Pass
1**	1357.750	28.57	-15.83	54.0	25.43	AV	331.00	150	Horizontal	Pass
2	2438.250	95.56	-12.38	74.0	-21.56	Peak	297.00	150	Horizontal	N/A
2**	2438.250	92.67	-12.38	54.0	-38.67	AV	297.00	150	Horizontal	N/A
3	3374.000	46.72	-4.80	74.0	27.28	Peak	331.00	150	Horizontal	Pass
3**	3374.000	36.11	-4.80	54.0	17.89	AV	331.00	150	Horizontal	Pass
4	4874.500	49.90	-2.25	74.0	24.10	Peak	349.00	150	Horizontal	Pass
4**	4874.500	45.41	-2.25	54.0	8.59	AV	349.00	150	Horizontal	Pass
5	9254.000	47.49	-5.64	74.0	26.51	Peak	359.00	150	Horizontal	Pass
5**	9254.000	36.06	-5.64	54.0	17.94	AV	359.00	150	Horizontal	Pass
6	14725.000	49.72	-1.64	74.0	24.28	Peak	241.00	150	Horizontal	Pass
6**	14725.000	38.67	-1.64	54.0	15.33	AV	241.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1339.750	39.80	-16.06	74.0	34.20	Peak	179.00	150	Vertical	Pass
1**	1339.750	28.54	-16.06	54.0	25.46	AV	179.00	150	Vertical	Pass
2	2438.250	101.54	-12.38	74.0	-27.54	Peak	134.00	150	Vertical	N/A
2**	2438.250	98.67	-12.38	54.0	-44.67	AV	134.00	150	Vertical	N/A
3	3610.000	46.13	-5.10	74.0	27.87	Peak	0.00	150	Vertical	Pass
3**	3610.000	35.13	-5.10	54.0	18.87	AV	0.00	150	Vertical	Pass
4	4874.500	53.10	-2.25	74.0	20.90	Peak	118.00	150	Vertical	Pass
4**	4874.500	51.25	-2.25	54.0	2.75	AV	118.00	150	Vertical	Pass
5	9739.000	47.31	-4.00	74.0	26.69	Peak	179.00	150	Vertical	Pass
5**	9739.000	36.58	-4.00	54.0	17.42	AV	179.00	150	Vertical	Pass
6	15507.000	49.28	-2.20	74.0	24.72	Peak	32.00	150	Vertical	Pass
6**	15507.000	38.30	-2.20	54.0	15.70	AV	32.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1242.250	40.25	-16.08	74.0	33.75	Peak	234.00	150	Horizontal	Pass
1**	1242.250	28.54	-16.08	54.0	25.46	AV	234.00	150	Horizontal	Pass
2	2438.250	99.94	-12.38	74.0	-25.94	Peak	333.00	150	Horizontal	N/A
2**	2438.250	92.23	-12.38	54.0	-38.23	AV	333.00	150	Horizontal	N/A
3	4872.000	48.06	-2.22	74.0	25.94	Peak	260.00	150	Horizontal	Pass
3**	4872.000	40.99	-2.22	54.0	13.01	AV	260.00	150	Horizontal	Pass
4	7853.000	54.67	1.53	74.0	19.33	Peak	320.00	150	Horizontal	Pass
4**	7853.000	43.62	1.53	54.0	10.38	AV	320.00	150	Horizontal	Pass
5	10863.500	47.79	-3.19	74.0	26.21	Peak	0.00	150	Horizontal	Pass
5**	10863.500	37.34	-3.19	54.0	16.66	AV	0.00	150	Horizontal	Pass
6	17190.500	49.63	0.08	74.0	24.37	Peak	98.00	150	Horizontal	Pass
6**	17190.500	39.70	0.08	54.0	14.30	AV	98.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1415.000	40.52	-15.93	74.0	33.48	Peak	23.00	150	Vertical	Pass
1**	1415.000	28.27	-15.93	54.0	25.73	AV	23.00	150	Vertical	Pass
2	2438.250	106.29	-12.38	74.0	-32.29	Peak	124.00	150	Vertical	N/A
2**	2438.250	98.31	-12.38	54.0	-44.31	AV	124.00	150	Vertical	N/A
3	4877.500	51.12	-2.25	74.0	22.88	Peak	329.00	150	Vertical	Pass
3**	4877.500	44.11	-2.25	54.0	9.89	AV	329.00	150	Vertical	Pass
4	7747.500	53.83	1.44	74.0	20.17	Peak	352.00	150	Vertical	Pass
4**	7747.500	43.10	1.44	54.0	10.90	AV	352.00	150	Vertical	Pass
5	10784.000	48.28	-3.04	74.0	25.72	Peak	149.00	150	Vertical	Pass
5**	10784.000	37.41	-3.04	54.0	16.59	AV	149.00	150	Vertical	Pass
6	16866.000	50.20	-0.81	74.0	23.80	Peak	178.00	150	Vertical	Pass
6**	16866.000	39.27	-0.81	54.0	14.73	AV	178.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.750	40.20	-15.97	74.0	33.80	Peak	203.00	150	Horizontal	Pass
1**	1438.750	28.54	-15.97	54.0	25.46	AV	203.00	150	Horizontal	Pass
2	2438.000	98.97	-12.38	74.0	-24.97	Peak	330.00	150	Horizontal	N/A
2**	2438.000	91.01	-12.38	54.0	-37.01	AV	330.00	150	Horizontal	N/A
3	4872.000	48.88	-2.22	74.0	25.12	Peak	89.00	150	Horizontal	Pass
3**	4872.000	40.59	-2.22	54.0	13.41	AV	89.00	150	Horizontal	Pass
4	7735.000	54.57	1.16	74.0	19.43	Peak	188.00	150	Horizontal	Pass
4**	7735.000	43.33	1.16	54.0	10.67	AV	188.00	150	Horizontal	Pass
5	10787.000	47.72	-3.00	74.0	26.28	Peak	9.00	150	Horizontal	Pass
5**	10787.000	37.53	-3.00	54.0	16.47	AV	9.00	150	Horizontal	Pass
6	16290.500	50.09	-1.55	74.0	23.91	Peak	119.00	150	Horizontal	Pass
6**	16290.500	38.82	-1.55	54.0	15.18	AV	119.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1370.250	39.98	-15.92	74.0	34.02	Peak	9.00	150	Vertical	Pass
1**	1370.250	28.80	-15.92	54.0	25.20	AV	9.00	150	Vertical	Pass
2	2439.750	106.14	-12.37	74.0	-32.14	Peak	129.00	150	Vertical	N/A
2**	2439.750	98.19	-12.37	54.0	-44.19	AV	129.00	150	Vertical	N/A
3	4872.000	50.20	-2.22	74.0	23.80	Peak	4.00	150	Vertical	Pass
3**	4872.000	44.30	-2.22	54.0	9.70	AV	4.00	150	Vertical	Pass
4	7742.000	54.45	1.32	74.0	19.55	Peak	237.00	150	Vertical	Pass
4**	7742.000	43.12	1.32	54.0	10.88	AV	237.00	150	Vertical	Pass
5	10818.000	48.17	-3.02	74.0	25.83	Peak	37.00	150	Vertical	Pass
5**	10818.000	36.88	-3.02	54.0	17.12	AV	37.00	150	Vertical	Pass
6	16400.000	49.69	-1.54	74.0	24.31	Peak	125.00	150	Vertical	Pass
6**	16400.000	38.92	-1.54	54.0	15.08	AV	125.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)


Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Test Data and Plots


802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.65	-4.87	74.0	20.35	Peak	53.31	150	Vertical	Pass
1**	2390.000	41.08	-4.87	54.0	12.92	AV	53.31	150	Vertical	Pass
2	2385.000	58.77	-4.59	74.0	15.23	Peak	310.00	150	Vertical	Pass
2**	2385.000	41.60	-4.59	54.0	12.40	AV	310.00	150	Vertical	Pass


802.11b HIGH CHANNEL

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.88	-3.78	74.0	8.12	Peak	80.00	150	Vertical	Pass
1**	2483.500	44.96	-3.78	54.0	9.04	AV	80.00	150	Vertical	Pass
2	2483.680	68.69	-3.78	74.0	5.31	Peak	77.00	150	Vertical	Pass
2**	2483.680	43.99	-3.78	54.0	10.01	AV	77.00	150	Vertical	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.32	-4.87	74.0	8.68	Peak	263.80	150	Vertical	Pass
1**	2390.000	50.71	-4.87	54.0	3.29	AV	263.80	150	Vertical	Pass
2	2389.500	70.11	-4.85	74.0	3.89	Peak	110.00	150	Vertical	Pass
2**	2389.500	49.37	-4.85	54.0	4.63	AV	110.00	150	Vertical	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.84	-3.78	74.0	7.16	Peak	112.00	150	Vertical	Pass
1**	2483.500	49.79	-3.78	54.0	4.21	AV	112.00	150	Vertical	Pass
2	2483.680	69.99	-3.78	74.0	4.01	Peak	97.00	150	Vertical	Pass
2**	2483.680	49.49	-3.78	54.0	4.51	AV	97.00	150	Vertical	Pass

802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.25	-4.87	74.0	9.75	Peak	98.24	150	Vertical	Pass
1**	2390.000	49.09	-4.87	54.0	4.91	AV	98.24	150	Vertical	Pass
2	2389.200	64.20	-4.83	74.0	9.80	Peak	102.00	150	Vertical	Pass
2**	2389.200	48.36	-4.83	54.0	5.64	AV	102.00	150	Vertical	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.07	-3.78	74.0	11.93	Peak	112.00	150	Vertical	Pass
1**	2483.500	49.60	-3.78	54.0	4.40	AV	112.00	150	Vertical	Pass
2	2483.770	70.23	-3.78	74.0	3.77	Peak	102.00	150	Vertical	Pass
2**	2483.770	48.80	-3.78	54.0	5.20	AV	102.00	150	Vertical	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-5.61	8
Middle	-5.02	8
High	-5.46	8

802.11g Mode:


Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.21	8
Middle	-6.47	8
High	-7.55	8

802.11n-20 MHz Mode:


Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.48	8
Middle	-5.27	8
High	-7.88	8

Test Plots

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11 n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25A1022-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25A1022-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25A1022-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--