



802.11ac40_5190MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:45:19


802.11ac40_5230MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:46:14


5250-5350MHz

802.11ac80_5210MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:49:28

802.11a_5260MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:51:14

802.11a_5280MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:52:31

802.11a_5320MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:53:42

802.11ac20_5260MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:55:13

802.11ac20_5280MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:56:27

802.11ac20_5320MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:59:22

802.11ac40_5270MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:00:29

802.11ac40_5310MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:01:21


802.11ac80_5290MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:07:05


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:23:45

802.11a_5600MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:24:52

802.11a_5700MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:26:20

802.11a_5720MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:27:34

802.11ac20_5500MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:32:15

802.11ac20_5600MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:33:33


802.11ac20_5700MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen

Date: 11.JUL.2026 02:34:54


802.11ac20_5720MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen

Date: 11.JUL.2026 02:36:10


802.11ac40_5510MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen

Date: 11.JUL.2026 02:37:31


802.11ac40_5590MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen

Date: 11.JUL.2026 02:38:44


802.11ac40_5670MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen

Date: 11.JUL.2026 02:39:46


802.11ac40_5710MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen


Date: 11.JUL.2026 02:40:46

802.11ac80_5530MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:42:04


802.11ac80_5610MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:43:09


5725-5850MHz

802.11ac80_5690MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:44:14

802.11a_5745MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:45:47

802.11a_5785MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:47:03

802.11a_5825MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:49:37

802.11ac20_5745MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:53:04

802.11ac20_5785MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:55:48

802.11ac20_5825MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:56:45

802.11ac40_5755MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:59:00

802.11ac40_5795MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 02:59:48

802.11ac80_5775MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:00:51

6.5 Maximum Conducted Output Power

Test Information:

Serial No.:	3P54-4	Test Date:	2026/07/11
Test Site:	RF	Test Mode:	Transmitting
Tester:	Harper Shen	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26.7	Relative Humidity: (%)	66	ATM Pressure: (kPa)	100.1
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Narda	Coaxial Attenuator	773-10	F-08-EM511	2026/03/30	2027/03/29
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2026/5/25	2027/5/24

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5180	13.57	24	Pass
	5200	11.98	24	Pass
	5240	13.29	24	Pass
802.11ac20	5180	13.48	24	Pass
	5200	13.34	24	Pass
	5240	13.14	24	Pass
802.11ac40	5190	12.47	24	Pass
	5230	12.34	24	Pass
802.11ac80	5210	13.35	24	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5260	13.48	24	Pass
	5280	12.19	24	Pass
	5320	14.25	24	Pass
802.11ac20	5260	13.48	24	Pass
	5280	13.68	24	Pass
	5320	13.36	24	Pass
802.11ac40	5270	14.08	24	Pass
	5310	13.24	24	Pass
802.11ac80	5290	13.02	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5500	13.63	24	Pass
	5600	13.04	24	Pass
	5700	13.85	24	Pass
	5720	13.15	24	Pass
802.11ac20	5500	13.98	24	Pass
	5600	14.35	24	Pass
	5700	14.25	24	Pass
	5720	11.99	24	Pass
802.11ac40	5510	15.33	24	Pass
	5590	15.69	24	Pass
	5670	14.69	24	Pass
	5710	14.96	24	Pass
802.11ac80	5530	13.47	24	Pass
	5610	15.16	24	Pass
	5690	15.41	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5745	14.51	30	Pass
	5785	12.64	30	Pass
	5825	13.85	30	Pass
802.11ac20	5745	15.15	30	Pass
	5785	13.44	30	Pass
	5825	12.69	30	Pass
802.11ac40	5755	15.34	30	Pass
	5795	14.83	30	Pass
802.11ac80	5775	14.76	30	Pass

6.6 Power Spectral Density

Test Information:

Serial No.:	3P54-4	Test Date:	2026/07/11
Test Site:	RF	Test Mode:	Transmitting
Tester:	Harper Shen	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26.7	Relative Humidity: (%)	66	ATM Pressure: (kPa)	100.1
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum analyzer	FSV40	101461	2025/08/03	2026/08/02
Narda	Coaxial Attenuator	773-10	F-08-EM511	2026/03/30	2027/03/29
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	3.33	0	3.33	11	Pass
	5200	1.87	0	1.87	11	Pass
	5240	2.97	0	2.97	11	Pass
802.11ac20	5180	2.64	0.09	2.73	11	Pass
	5200	2.61	0.09	2.70	11	Pass
	5240	2.65	0.09	2.74	11	Pass
802.11ac40	5190	-1.41	0.17	-1.24	11	Pass
	5230	-1.49	0.17	-1.32	11	Pass
802.11ac80	5210	-3.18	0.33	-2.85	11	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	3.17	0	3.17	11	Pass
	5280	1.89	0	1.89	11	Pass
	5320	3.86	0	3.86	11	Pass
802.11ac20	5260	2.98	0.09	3.07	11	Pass
	5280	3.19	0.09	3.28	11	Pass
	5320	2.49	0.09	2.58	11	Pass
802.11ac40	5270	0.30	0.17	0.47	11	Pass
	5310	-0.46	0.17	-0.29	11	Pass
802.11ac80	5290	-4.04	0.33	-3.71	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	3.59	0	3.59	11	Pass
	5600	2.42	0	2.42	11	Pass
	5700	3.54	0	3.54	11	Pass
	5720	3.45	0	3.45	11	Pass
802.11ac20	5500	3.18	0.09	3.27	11	Pass
	5600	3.85	0.09	3.94	11	Pass
	5700	3.64	0.09	3.73	11	Pass
	5720	2.33	0.09	2.42	11	Pass
802.11ac40	5510	1.57	0.17	1.74	11	Pass
	5590	1.80	0.17	1.97	11	Pass
	5670	0.76	0.17	0.93	11	Pass
	5710	1.84	0.17	2.01	11	Pass
802.11ac80	5530	-3.32	0.33	-2.99	11	Pass
	5610	-1.59	0.33	-1.26	11	Pass
	5690	-0.83	0.33	-0.50	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor (dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	1.50	0	1.50	30	Pass
	5785	-0.20	0	-0.20	30	Pass
	5825	1.01	0	1.01	30	Pass
802.11ac20	5745	1.55	0.09	1.64	30	Pass
	5785	-0.01	0.09	0.08	30	Pass
	5825	-0.62	0.09	-0.53	30	Pass
802.11ac40	5755	-0.56	0.17	-0.39	30	Pass
	5795	-1.87	0.17	-1.70	30	Pass
802.11ac80	5775	-5.09	0.33	-4.76	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:09:30

802.11a_5200MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:11:14

802.11a_5240MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:12:23

802.11ac20_5180MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:13:50

802.11ac20_5200MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:14:24

802.11ac20_5240MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:15:53

802.11ac40_5190MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:16:32


802.11ac40_5230MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:17:05


5250-5350MHz

802.11ac80_5210MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:17:51

802.11a_5260MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:18:53

802.11a_5280MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:19:26

802.11a_5320MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:20:01

802.11ac20_5260MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:20:47

802.11ac20_5280MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:21:21

802.11ac20_5320MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:22:02

802.11ac40_5270MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:23:00

802.11ac40_5310MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:23:36


802.11ac80_5290MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:24:31


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:25:39

802.11a_5600MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:26:16

802.11a_5700MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:26:56

802.11a_5720MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:30:20

802.11ac20_5500MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:34:25

802.11ac20_5600MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:35:05

802.11ac20_5700MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:35:40

802.11ac20_5720MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:36:30

802.11ac40_5510MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:38:50

802.11ac40_5590MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:39:26

802.11ac40_5670MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:40:03

802.11ac40_5710MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:40:56

802.11ac80_5530MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:42:43


802.11ac80_5610MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:43:28


5725-5850MHz

802.11ac80_5690MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:44:28

802.11a_5745MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:46:11

802.11a_5785MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:46:46

802.11a_5825MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 03:47:24


802.11ac20_5745MHz




802.11ac20_5785MHz




802.11ac20_5825MHz




802.11ac40_5755MHz



802.11ac40_5795MHz



802.11ac80_5775MHz



6.7 Duty Cycle

Test Information:

Serial No.:	3P54-4	Test Date:	2026/07/11
Test Site:	RF	Test Mode:	Transmitting
Tester:	Harper Shen	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	26.7	Relative Humidity: (%)	66	ATM Pressure: (kPa)	100.1
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum analyzer	FSV40	101461	2025/08/03	2026/08/02
Narda	Coaxial Attenuator	773-10	F-08-EM511	2026/03/30	2027/03/29
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A


* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	2.052	2.092	98.09	/	/	0.010
802.11ac20	5200	1.916	1.956	97.96	0.09	522	1
802.11ac40	5190	0.947	0.984	96.24	0.17	1056	2
802.11ac80	5210	0.449	0.485	92.58	0.33	2227	3


Duty Cycle = Ton/(Ton+Toff)*100%

802.11a_5200MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:01:38

802.11ac20_5200MHz




ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:02:37

802.11ac40_5190MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:17:17

802.11ac80_5210MHz



ProjectNo.:2602U64660E-RF Tester:Harper Shen
Date: 11.JUL.2026 01:18:07

7 - EXHIBIT A - EUT PHOTOGRAPHS

Please refer to the attachment 2602U64660E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2602U64660E-RF-INP EUT INTERNAL PHOTOGRAPHS.

8 - EXHIBIT B - TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2602U64660E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

******* END OF REPORT *******