



802.11ac40_5190MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:58:21


802.11ac40_5230MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:59:39


5250-5350MHz

802.11ac80_5210MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:18:45

802.11a_5260MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:15:09

802.11a_5280MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:17:58

802.11a_5320MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 15:31:19

802.11ac20_5260MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:37:37

802.11ac20_5280MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 16:04:49

802.11ac20_5320MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:41:34

802.11ac40_5270MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:01:07

802.11ac40_5310MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 15:46:57


802.11ac80_5290MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 15:54:47


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 16:09:23

802.11a_5600MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:56:24

802.11a_5700MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:32:17

802.11a_5720MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:34:51

802.11ac20_5500MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 15:40:26

802.11ac20_5600MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:45:05

802.11ac20_5700MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:47:07

802.11ac20_5720MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:49:08

802.11ac40_5510MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 15:50:57

802.11ac40_5590MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:08:07

802.11ac40_5670MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:10:25

802.11ac40_5710MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:11:52

802.11ac80_5530MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:24:01


802.11ac80_5610MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:27:35


5725-5850MHz

802.11ac80_5690MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:30:01

802.11a_5745MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:58:16

802.11a_5785MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:05:23

802.11a_5825MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 15:34:11

802.11ac20_5745MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:52:54

802.11ac20_5785MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:54:41

802.11ac20_5825MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 15:43:08

802.11ac40_5755MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:14:13

802.11ac40_5795MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:15:19

802.11ac80_5775MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 15:56:20

5.5 Maximum Conducted Output Power

Serial No.:	3P55-2	Test Date:	2026/07/10
Test Site:	RF	Test Mode:	Transmitting
Tester:	Conor Fu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.8	Relative Humidity: (%)	62	ATM Pressure: (kPa)	99.8
----------------------	------	---------------------------	----	------------------------	------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2026/03/30	2027/03/29
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2026/05/25	2027/05/24
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5150-5250MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5180	13.85	24	Pass
	5200	13.53	24	Pass
	5240	13.97	24	Pass
802.11ac20	5180	14.11	24	Pass
	5200	12.64	24	Pass
	5240	12.62	24	Pass
802.11ac40	5190	13.08	24	Pass
	5230	13.16	24	Pass
802.11ac80	5210	12.47	24	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5260	13.91	24	Pass
	5280	14.99	24	Pass
	5320	15.05	24	Pass
802.11ac20	5260	14.21	24	Pass
	5280	13.07	24	Pass
	5320	13.8	24	Pass
802.11ac40	5270	13.33	24	Pass
	5310	14.01	24	Pass
802.11ac80	5290	15.14	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5500	15.98	24	Pass
	5600	13.81	24	Pass
	5700	14.28	24	Pass
	5720	13.5	24	Pass
802.11ac20	5500	16.1	24	Pass
	5600	14.68	24	Pass
	5700	14.9	24	Pass
	5720	13.55	24	Pass
802.11ac40	5510	15.64	24	Pass
	5590	15.51	24	Pass
	5670	14.92	24	Pass
	5710	14.35	24	Pass
802.11ac80	5530	15.81	24	Pass
	5610	14.8	24	Pass
	5690	14.05	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	13.59	30	Pass
	5785	13.03	30	Pass
	5825	14.79	30	Pass
802.11ac20	5745	15.24	30	Pass
	5785	14.63	30	Pass
	5825	14.81	30	Pass
802.11ac40	5755	15.4	30	Pass
	5795	14.76	30	Pass
802.11ac80	5775	15.61	30	Pass

5.6 Power Spectral Density

Serial No.:	3P55-2	Test Date:	2026/07/10
Test Site:	RF	Test Mode:	Transmitting
Tester:	Conor Fu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.8	Relative Humidity: (%)	62	ATM Pressure: (kPa)	99.8
----------------------	------	---------------------------	----	------------------------	------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum analyzer	FSV40	101461	2025/08/03	2026/08/02
R&S	Coaxial Attenuator	10dB	F-08-EM512	2026/03/30	2027/03/29
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5150-5250MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	4.84	0	4.84	11	Pass
	5200	3.34	0	3.34	11	Pass
	5240	3.59	0	3.59	11	Pass
802.11ac20	5180	3.60	0.13	3.73	11	Pass
	5200	2.13	0.13	2.26	11	Pass
	5240	2.27	0.13	2.4	11	Pass
802.11ac40	5190	-0.49	0.20	-0.29	11	Pass
	5230	-0.38	0.20	-0.18	11	Pass
802.11ac80	5210	-1.96	0.33	-1.63	11	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	4.55	0	4.55	11	Pass
	5280	5.02	0	5.02	11	Pass
	5320	4.66	0	4.66	11	Pass
802.11ac20	5260	3.50	0.13	3.63	11	Pass
	5280	2.46	0.13	2.59	11	Pass
	5320	2.92	0.13	3.05	11	Pass
802.11ac40	5270	-0.05	0.20	0.15	11	Pass
	5310	0.38	0.20	0.58	11	Pass
802.11ac80	5290	-1.55	0.33	-1.22	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	5.65	0	5.65	11	Pass
	5600	3.49	0	3.49	11	Pass
	5700	3.99	0	3.99	11	Pass
	5720	4.15	0	4.15	11	Pass
802.11ac20	5500	5.42	0.13	5.55	11	Pass
	5600	4.17	0.13	4.3	11	Pass
	5700	4.26	0.13	4.39	11	Pass
	5720	4.85	0.13	4.98	11	Pass
802.11ac40	5510	2.06	0.20	2.26	11	Pass
	5590	1.81	0.20	2.01	11	Pass
	5670	1.42	0.20	1.62	11	Pass
	5710	2.06	0.20	2.26	11	Pass
802.11ac80	5530	-0.88	0.33	-0.55	11	Pass
	5610	-1.01	0.33	-0.68	11	Pass
	5690	-1.17	0.33	-0.84	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	0.58	0	0.58	30	Pass
	5785	0.02	0	0.02	30	Pass
	5825	1.61	0	1.61	30	Pass
802.11ac20	5745	2.01	0.13	2.14	30	Pass
	5785	1.49	0.13	1.62	30	Pass
	5825	1.64	0.13	1.77	30	Pass
802.11ac40	5755	-1.04	0.20	-0.84	30	Pass
	5795	-1.71	0.20	-1.51	30	Pass
802.11ac80	5775	-3.78	0.33	-3.45	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 16:29:40

802.11a_5200MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:10:43

802.11a_5240MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:13:24

802.11ac20_5180MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:33:05

802.11ac20_5200MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:34:42

802.11ac20_5240MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:36:21

802.11ac40_5190MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:58:45


802.11ac40_5230MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:00:07


5250-5350MHz

802.11ac80_5210MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:20:46

802.11a_5260MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 16:31:11

802.11a_5280MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 16:32:42

802.11a_5320MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:20:49

802.11ac20_5260MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:38:03

802.11ac20_5280MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:39:46

802.11ac20_5320MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:42:01

802.11ac40_5270MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:01:33

802.11ac40_5310MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:03:00


802.11ac80_5290MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:22:38


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:23:27

802.11a_5600MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:56:51

802.11a_5700MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:32:47

802.11a_5720MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:36:04

802.11ac20_5500MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:43:53

802.11ac20_5600MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:45:28

802.11ac20_5700MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:47:30

802.11ac20_5720MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:51:01

802.11ac40_5510MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:06:49

802.11ac40_5590MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:08:36

802.11ac40_5670MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:10:51

802.11ac40_5710MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:13:26

802.11ac80_5530MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:25:38


802.11ac80_5610MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:28:36


5725-5850MHz

802.11ac80_5690MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:31:19

802.11a_5745MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 11:58:44

802.11a_5785MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:05:49

802.11a_5825MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:08:23

802.11ac20_5745MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:53:23

802.11ac20_5785MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:55:09

802.11ac20_5825MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 13:56:33

802.11ac40_5755MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:14:39

802.11ac40_5795MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:15:44

802.11ac80_5775MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 14:32:46

5.7 Duty Cycle

Serial No.:	3P55-2	Test Date:	2026/07/10
Test Site:	RF	Test Mode:	Transmitting
Tester:	Conor Fu	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25.8	Relative Humidity: (%)	62	ATM Pressure: (kPa)	99.8
----------------------	------	---------------------------	----	------------------------	------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum analyzer	FSV40	101461	2025/08/03	2026/08/02
R&S	Coaxial Attenuator	10dB	F-08-EM512	2026/03/30	2027/03/29
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A


* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	2.063	2.101	98.19	/	/	0.010
802.11ac20	5200	1.925	1.983	97.08	0.13	519	1
802.11ac40	5190	0.942	0.986	95.54	0.20	1062	2
802.11ac80	5210	0.462	0.498	92.77	0.33	2165	3


Duty Cycle = Ton/(Ton+Toff)*100%

802.11a_5200MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 19:33:48

802.11ac20_5200MHz




ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 19:36:30

802.11ac40_5190MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 19:38:59

802.11ac80_5210MHz



ProjectNo.:2602U64661E-RF Tester:Conor Fu
Date: 10.JUL.2026 19:42:10

EXHIBIT A - EUT PHOTOGRAPHS

Please refer to the attachment 2602U64661E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2602U64661E-RF-INP EUT INTERNAL PHOTOGRAPHS.

EXHIBIT B - TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2602U64661E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

******* END OF REPORT *******