

1. Effective (Isotropic) Radiated Power Output Data

1.1 B38_5MHz_EIRP

1.1.1 Test Result

Band: 38 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2572.5	1	0	22.50	3.99	26.49	<=33.01	Pass
			13	22.69	3.99	26.68	<=33.01	Pass
			24	22.81	3.99	26.80	<=33.01	Pass
		12	0	21.60	3.99	25.59	<=33.01	Pass
			6	21.76	3.99	25.75	<=33.01	Pass
			13	21.82	3.99	25.81	<=33.01	Pass
		25	0	21.69	3.99	25.68	<=33.01	Pass
	2595	1	0	23.42	3.99	27.41	<=33.01	Pass
			13	23.59	3.99	27.58	<=33.01	Pass
			24	23.73	3.99	27.72	<=33.01	Pass
		12	0	22.50	3.99	26.49	<=33.01	Pass
			6	22.62	3.99	26.61	<=33.01	Pass
			13	22.74	3.99	26.73	<=33.01	Pass
	25	0	22.56	3.99	26.55	<=33.01	Pass	
	2617.5	1	0	23.96	3.99	27.95	<=33.01	Pass
			13	24.08	3.99	28.07	<=33.01	Pass
			24	23.83	3.99	27.82	<=33.01	Pass
		12	0	22.94	3.99	26.93	<=33.01	Pass
			6	23.09	3.99	27.08	<=33.01	Pass
			13	22.87	3.99	26.86	<=33.01	Pass
		25	0	22.97	3.99	26.96	<=33.01	Pass
16QAM		2572.5	1	0	21.77	3.99	25.76	<=33.01
	13			21.92	3.99	25.91	<=33.01	Pass
	24			22.01	3.99	26.00	<=33.01	Pass
	12		0	20.78	3.99	24.77	<=33.01	Pass
			6	21.06	3.99	25.05	<=33.01	Pass
			13	21.00	3.99	24.99	<=33.01	Pass
	25		0	20.93	3.99	24.92	<=33.01	Pass
	2595	1	0	22.53	3.99	26.52	<=33.01	Pass
			13	22.75	3.99	26.74	<=33.01	Pass
			24	22.85	3.99	26.84	<=33.01	Pass
		12	0	21.61	3.99	25.60	<=33.01	Pass
			6	21.75	3.99	25.74	<=33.01	Pass
			13	21.80	3.99	25.79	<=33.01	Pass
	25	0	21.84	3.99	25.83	<=33.01	Pass	
	2617.5	1	0	22.99	3.99	26.98	<=33.01	Pass
			13	23.34	3.99	27.33	<=33.01	Pass
			24	23.13	3.99	27.12	<=33.01	Pass
		12	0	22.17	3.99	26.16	<=33.01	Pass
			6	22.20	3.99	26.19	<=33.01	Pass
			13	22.12	3.99	26.11	<=33.01	Pass
		25	0	22.05	3.99	26.04	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.2 B38_10MHz_EIRP

1.2.1 Test Result

Band: 38 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2575	1	0	22.63	3.99	26.62	<=33.01	Pass
			25	23.05	3.99	27.04	<=33.01	Pass
			49	22.97	3.99	26.96	<=33.01	Pass
		25	0	21.74	3.99	25.73	<=33.01	Pass
			13	22.12	3.99	26.11	<=33.01	Pass
			25	22.13	3.99	26.12	<=33.01	Pass
		50	0	21.94	3.99	25.93	<=33.01	Pass
	2595	1	0	23.26	3.99	27.25	<=33.01	Pass
			25	23.72	3.99	27.71	<=33.01	Pass
			49	23.96	3.99	27.95	<=33.01	Pass
		25	0	22.43	3.99	26.42	<=33.01	Pass
			13	22.78	3.99	26.77	<=33.01	Pass
			25	22.86	3.99	26.85	<=33.01	Pass
		50	0	22.65	3.99	26.64	<=33.01	Pass
	2615	1	0	24.24	3.99	28.23	<=33.01	Pass
			25	24.05	3.99	28.04	<=33.01	Pass
			49	23.83	3.99	27.82	<=33.01	Pass
		25	0	23.18	3.99	27.17	<=33.01	Pass
			13	23.15	3.99	27.14	<=33.01	Pass
			25	23.00	3.99	26.99	<=33.01	Pass
		50	0	23.06	3.99	27.05	<=33.01	Pass
16QAM	2575	1	0	21.67	3.99	25.66	<=33.01	Pass
			25	22.31	3.99	26.30	<=33.01	Pass
			49	22.24	3.99	26.23	<=33.01	Pass
		25	0	21.07	3.99	25.06	<=33.01	Pass
			13	21.40	3.99	25.39	<=33.01	Pass
			25	21.21	3.99	25.20	<=33.01	Pass
		50	0	21.09	3.99	25.08	<=33.01	Pass
	2595	1	0	22.19	3.99	26.18	<=33.01	Pass
			25	22.71	3.99	26.70	<=33.01	Pass
			49	22.85	3.99	26.84	<=33.01	Pass
		25	0	21.59	3.99	25.58	<=33.01	Pass
			13	21.91	3.99	25.90	<=33.01	Pass
			25	21.97	3.99	25.96	<=33.01	Pass
		50	0	21.71	3.99	25.70	<=33.01	Pass
	2615	1	0	23.20	3.99	27.19	<=33.01	Pass
			25	23.15	3.99	27.14	<=33.01	Pass
			49	22.84	3.99	26.83	<=33.01	Pass
		25	0	22.29	3.99	26.28	<=33.01	Pass
13			22.31	3.99	26.30	<=33.01	Pass	
25			22.17	3.99	26.16	<=33.01	Pass	
50		0	22.18	3.99	26.17	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.3 B38_15MHz_EIRP

1.3.1 Test Result

Band: 38 / Bandwidth: 15MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2577.5	1	0	22.60	3.99	26.59	<=33.01	Pass
			38	23.13	3.99	27.12	<=33.01	Pass
			74	23.09	3.99	27.08	<=33.01	Pass
		36	0	21.90	3.99	25.89	<=33.01	Pass
			18	22.21	3.99	26.20	<=33.01	Pass
			39	22.15	3.99	26.14	<=33.01	Pass
		75	0	22.13	3.99	26.12	<=33.01	Pass
	2595	1	0	23.15	3.99	27.14	<=33.01	Pass
			38	23.67	3.99	27.66	<=33.01	Pass
			74	23.99	3.99	27.98	<=33.01	Pass
		36	0	22.34	3.99	26.33	<=33.01	Pass
			18	22.72	3.99	26.71	<=33.01	Pass
			39	22.97	3.99	26.96	<=33.01	Pass
		75	0	22.62	3.99	26.61	<=33.01	Pass
	2612.5	1	0	24.15	3.99	28.14	<=33.01	Pass
			38	24.18	3.99	28.17	<=33.01	Pass
			74	23.93	3.99	27.92	<=33.01	Pass
		36	0	23.33	3.99	27.32	<=33.01	Pass
			18	23.27	3.99	27.26	<=33.01	Pass
			39	22.98	3.99	26.97	<=33.01	Pass
		75	0	23.20	3.99	27.19	<=33.01	Pass
16QAM	2577.5	1	0	21.78	3.99	25.77	<=33.01	Pass
			38	22.30	3.99	26.29	<=33.01	Pass
			74	22.11	3.99	26.10	<=33.01	Pass
		36	0	21.03	3.99	25.02	<=33.01	Pass
			18	21.38	3.99	25.37	<=33.01	Pass
			39	21.34	3.99	25.33	<=33.01	Pass
		75	0	21.19	3.99	25.18	<=33.01	Pass
	2595	1	0	22.07	3.99	26.06	<=33.01	Pass
			38	22.47	3.99	26.46	<=33.01	Pass
			74	22.78	3.99	26.77	<=33.01	Pass
		36	0	21.55	3.99	25.54	<=33.01	Pass
			18	21.73	3.99	25.72	<=33.01	Pass
			39	21.95	3.99	25.94	<=33.01	Pass
		75	0	21.76	3.99	25.75	<=33.01	Pass
	2612.5	1	0	23.54	3.99	27.53	<=33.01	Pass
			38	23.31	3.99	27.30	<=33.01	Pass
			74	22.64	3.99	26.63	<=33.01	Pass
		36	0	22.44	3.99	26.43	<=33.01	Pass
			18	22.41	3.99	26.40	<=33.01	Pass
			39	22.22	3.99	26.21	<=33.01	Pass
		75	0	22.27	3.99	26.26	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.4 B38_20MHz_EIRP

1.4.1 Test Result

Band: 38 / Bandwidth: 20MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2580	1	0	22.66	3.99	26.65	<=33.01	Pass
			50	23.21	3.99	27.20	<=33.01	Pass
			99	23.08	3.99	27.07	<=33.01	Pass
		50	0	21.98	3.99	25.97	<=33.01	Pass
			25	22.24	3.99	26.23	<=33.01	Pass
			50	22.12	3.99	26.11	<=33.01	Pass
		100	0	22.07	3.99	26.06	<=33.01	Pass
	2595	1	0	23.00	3.99	26.99	<=33.01	Pass
			50	23.57	3.99	27.56	<=33.01	Pass
			99	23.92	3.99	27.91	<=33.01	Pass
		50	0	22.27	3.99	26.26	<=33.01	Pass
			25	22.66	3.99	26.65	<=33.01	Pass
			50	22.89	3.99	26.88	<=33.01	Pass
		100	0	22.60	3.99	26.59	<=33.01	Pass
	2610	1	0	23.94	3.99	27.93	<=33.01	Pass
			50	24.28	3.99	28.27	<=33.01	Pass
			99	23.69	3.99	27.68	<=33.01	Pass
		50	0	23.17	3.99	27.16	<=33.01	Pass
			25	23.38	3.99	27.37	<=33.01	Pass
			50	22.93	3.99	26.92	<=33.01	Pass
		100	0	23.28	3.99	27.27	<=33.01	Pass
16QAM	2580	1	0	21.64	3.99	25.63	<=33.01	Pass
			50	22.31	3.99	26.30	<=33.01	Pass
			99	22.08	3.99	26.07	<=33.01	Pass
		50	0	21.17	3.99	25.16	<=33.01	Pass
			25	21.34	3.99	25.33	<=33.01	Pass
			50	21.28	3.99	25.27	<=33.01	Pass
		100	0	21.21	3.99	25.20	<=33.01	Pass
	2595	1	0	21.90	3.99	25.89	<=33.01	Pass
			50	22.89	3.99	26.88	<=33.01	Pass
			99	22.77	3.99	26.76	<=33.01	Pass
		50	0	21.39	3.99	25.38	<=33.01	Pass
			25	21.79	3.99	25.78	<=33.01	Pass
			50	22.06	3.99	26.05	<=33.01	Pass
		100	0	21.70	3.99	25.69	<=33.01	Pass
	2610	1	0	23.20	3.99	27.19	<=33.01	Pass
			50	23.41	3.99	27.40	<=33.01	Pass
			99	22.75	3.99	26.74	<=33.01	Pass
		50	0	22.30	3.99	26.29	<=33.01	Pass
			25	22.53	3.99	26.52	<=33.01	Pass
			50	22.17	3.99	26.16	<=33.01	Pass
		100	0	22.33	3.99	26.32	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Effective (Isotropic) Radiated Power Output Data

2.1 B41_5MHz_EIRP

2.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2537.5	1	0	23.48	3.99	27.47	<=33.01	Pass
			13	23.48	3.99	27.47	<=33.01	Pass
			24	23.36	3.99	27.35	<=33.01	Pass
		12	0	22.58	3.99	26.57	<=33.01	Pass
			6	22.68	3.99	26.67	<=33.01	Pass
			13	22.48	3.99	26.47	<=33.01	Pass
		25	0	22.62	3.99	26.61	<=33.01	Pass
	2605	1	0	23.94	3.99	27.93	<=33.01	Pass
			13	24.02	3.99	28.01	<=33.01	Pass
			24	23.85	3.99	27.84	<=33.01	Pass
		12	0	22.98	3.99	26.97	<=33.01	Pass
			6	23.06	3.99	27.05	<=33.01	Pass
			13	22.92	3.99	26.91	<=33.01	Pass
	25	0	23.00	3.99	26.99	<=33.01	Pass	
	2672.5	1	0	23.10	3.99	27.09	<=33.01	Pass
			13	23.33	3.99	27.32	<=33.01	Pass
			24	23.35	3.99	27.34	<=33.01	Pass
		12	0	22.41	3.99	26.40	<=33.01	Pass
			6	22.54	3.99	26.53	<=33.01	Pass
			13	22.48	3.99	26.47	<=33.01	Pass
		25	0	22.48	3.99	26.47	<=33.01	Pass
16QAM	2537.5	1	0	22.63	3.99	26.62	<=33.01	Pass
			13	22.84	3.99	26.83	<=33.01	Pass
			24	22.49	3.99	26.48	<=33.01	Pass
		12	0	21.57	3.99	25.56	<=33.01	Pass
			6	21.55	3.99	25.54	<=33.01	Pass
			13	21.48	3.99	25.47	<=33.01	Pass
		25	0	21.50	3.99	25.49	<=33.01	Pass
	2605	1	0	23.08	3.99	27.07	<=33.01	Pass
			13	23.11	3.99	27.10	<=33.01	Pass
			24	22.87	3.99	26.86	<=33.01	Pass
		12	0	22.08	3.99	26.07	<=33.01	Pass
			6	22.17	3.99	26.16	<=33.01	Pass
	25	0	22.13	3.99	26.12	<=33.01	Pass	
	2672.5	1	0	22.06	3.99	26.05	<=33.01	Pass
			0	22.30	3.99	26.29	<=33.01	Pass
			13	22.58	3.99	26.57	<=33.01	Pass
		12	24	22.52	3.99	26.51	<=33.01	Pass
			0	21.40	3.99	25.39	<=33.01	Pass
6			21.51	3.99	25.50	<=33.01	Pass	
13		21.53	3.99	25.52	<=33.01	Pass		
25	0	21.48	3.99	25.47	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

2.2 B41_10MHz_EIRP

2.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2540	1	0	23.36	3.99	27.35	<=33.01	Pass
			25	23.39	3.99	27.38	<=33.01	Pass
			49	23.02	3.99	27.01	<=33.01	Pass
		25	0	22.46	3.99	26.45	<=33.01	Pass
			13	22.45	3.99	26.44	<=33.01	Pass
			25	22.30	3.99	26.29	<=33.01	Pass
		50	0	22.33	3.99	26.32	<=33.01	Pass
	2605	1	0	23.80	3.99	27.79	<=33.01	Pass
			25	24.01	3.99	28.00	<=33.01	Pass
			49	23.79	3.99	27.78	<=33.01	Pass
		25	0	22.91	3.99	26.90	<=33.01	Pass
			13	23.07	3.99	27.06	<=33.01	Pass
			25	22.88	3.99	26.87	<=33.01	Pass
	50	0	22.96	3.99	26.95	<=33.01	Pass	
	2670	1	0	22.93	3.99	26.92	<=33.01	Pass
			25	23.21	3.99	27.20	<=33.01	Pass
			49	23.29	3.99	27.28	<=33.01	Pass
		25	0	22.10	3.99	26.09	<=33.01	Pass
			13	22.35	3.99	26.34	<=33.01	Pass
			25	22.32	3.99	26.31	<=33.01	Pass
		50	0	22.30	3.99	26.29	<=33.01	Pass
16QAM	2540	1	0	22.60	3.99	26.59	<=33.01	Pass
			25	22.45	3.99	26.44	<=33.01	Pass
			49	22.08	3.99	26.07	<=33.01	Pass
		25	0	21.38	3.99	25.37	<=33.01	Pass
			13	21.47	3.99	25.46	<=33.01	Pass
			25	21.27	3.99	25.26	<=33.01	Pass
		50	0	21.34	3.99	25.33	<=33.01	Pass
	2605	1	0	22.69	3.99	26.68	<=33.01	Pass
			25	22.95	3.99	26.94	<=33.01	Pass
			49	22.57	3.99	26.56	<=33.01	Pass
		25	0	22.03	3.99	26.02	<=33.01	Pass
			13	22.16	3.99	26.15	<=33.01	Pass
			25	22.02	3.99	26.01	<=33.01	Pass
	50	0	22.02	3.99	26.01	<=33.01	Pass	
	2670	1	0	22.04	3.99	26.03	<=33.01	Pass
			25	22.11	3.99	26.10	<=33.01	Pass
			49	22.54	3.99	26.53	<=33.01	Pass
		25	0	21.13	3.99	25.12	<=33.01	Pass
			13	21.29	3.99	25.28	<=33.01	Pass
			25	21.31	3.99	25.30	<=33.01	Pass
		50	0	21.20	3.99	25.19	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.3 B41_15MHz_EIRP

2.3.1 Test Result

Band: 41 / Bandwidth: 15MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2542.5	1	0	23.47	3.99	27.46	<=33.01	Pass
			38	23.28	3.99	27.27	<=33.01	Pass
			74	22.86	3.99	26.85	<=33.01	Pass
		36	0	22.52	3.99	26.51	<=33.01	Pass
			18	22.47	3.99	26.46	<=33.01	Pass
			39	22.20	3.99	26.19	<=33.01	Pass
		75	0	22.40	3.99	26.39	<=33.01	Pass
	2605	1	0	23.86	3.99	27.85	<=33.01	Pass
			38	24.02	3.99	28.01	<=33.01	Pass
			74	23.84	3.99	27.83	<=33.01	Pass
		36	0	22.96	3.99	26.95	<=33.01	Pass
			18	23.06	3.99	27.05	<=33.01	Pass
			39	22.96	3.99	26.95	<=33.01	Pass
		75	0	23.02	3.99	27.01	<=33.01	Pass
	2667.5	1	0	23.02	3.99	27.01	<=33.01	Pass
			38	23.09	3.99	27.08	<=33.01	Pass
			74	23.22	3.99	27.21	<=33.01	Pass
		36	0	22.04	3.99	26.03	<=33.01	Pass
			18	22.35	3.99	26.34	<=33.01	Pass
			39	22.46	3.99	26.45	<=33.01	Pass
		75	0	22.23	3.99	26.22	<=33.01	Pass
16QAM	2542.5	1	0	22.55	3.99	26.54	<=33.01	Pass
			38	22.56	3.99	26.55	<=33.01	Pass
			74	21.98	3.99	25.97	<=33.01	Pass
		36	0	21.50	3.99	25.49	<=33.01	Pass
			18	21.35	3.99	25.34	<=33.01	Pass
			39	21.17	3.99	25.16	<=33.01	Pass
		75	0	21.36	3.99	25.35	<=33.01	Pass
	2605	1	0	22.74	3.99	26.73	<=33.01	Pass
			38	22.81	3.99	26.80	<=33.01	Pass
			74	22.72	3.99	26.71	<=33.01	Pass
		36	0	22.03	3.99	26.02	<=33.01	Pass
			18	22.16	3.99	26.15	<=33.01	Pass
			39	22.09	3.99	26.08	<=33.01	Pass
		75	0	22.08	3.99	26.07	<=33.01	Pass
	2667.5	1	0	21.88	3.99	25.87	<=33.01	Pass
			38	22.66	3.99	26.65	<=33.01	Pass
			74	22.49	3.99	26.48	<=33.01	Pass
		36	0	21.12	3.99	25.11	<=33.01	Pass
18			21.30	3.99	25.29	<=33.01	Pass	
39			21.40	3.99	25.39	<=33.01	Pass	
75		0	21.28	3.99	25.27	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

2.4 B41_20MHz_EIRP

2.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2545	1	0	23.46	3.99	27.45	<=33.01	Pass
			50	23.21	3.99	27.20	<=33.01	Pass
			99	22.77	3.99	26.76	<=33.01	Pass
		50	0	22.30	3.99	26.29	<=33.01	Pass
			25	22.34	3.99	26.33	<=33.01	Pass
			50	21.87	3.99	25.86	<=33.01	Pass
		100	0	22.21	3.99	26.20	<=33.01	Pass
	2605	1	0	23.63	3.99	27.62	<=33.01	Pass
			50	23.95	3.99	27.94	<=33.01	Pass
			99	23.79	3.99	27.78	<=33.01	Pass
		50	0	22.86	3.99	26.85	<=33.01	Pass
			25	23.08	3.99	27.07	<=33.01	Pass
			50	22.87	3.99	26.86	<=33.01	Pass
		100	0	22.92	3.99	26.91	<=33.01	Pass
	2665	1	0	22.99	3.99	26.98	<=33.01	Pass
			50	23.11	3.99	27.10	<=33.01	Pass
			99	23.23	3.99	27.22	<=33.01	Pass
		50	0	22.04	3.99	26.03	<=33.01	Pass
			25	22.17	3.99	26.16	<=33.01	Pass
			50	22.31	3.99	26.30	<=33.01	Pass
		100	0	22.01	3.99	26.00	<=33.01	Pass
16QAM	2545	1	0	22.41	3.99	26.40	<=33.01	Pass
			50	22.36	3.99	26.35	<=33.01	Pass
			99	21.75	3.99	25.74	<=33.01	Pass
		50	0	21.30	3.99	25.29	<=33.01	Pass
			25	21.38	3.99	25.37	<=33.01	Pass
			50	21.14	3.99	25.13	<=33.01	Pass
		100	0	21.23	3.99	25.22	<=33.01	Pass
	2605	1	0	22.51	3.99	26.50	<=33.01	Pass
			50	22.78	3.99	26.77	<=33.01	Pass
			99	22.93	3.99	26.92	<=33.01	Pass
		50	0	21.96	3.99	25.95	<=33.01	Pass
			25	22.14	3.99	26.13	<=33.01	Pass
			50	22.00	3.99	25.99	<=33.01	Pass
		100	0	22.04	3.99	26.03	<=33.01	Pass
	2665	1	0	21.87	3.99	25.86	<=33.01	Pass
			50	21.78	3.99	25.77	<=33.01	Pass
			99	22.43	3.99	26.42	<=33.01	Pass
		50	0	21.08	3.99	25.07	<=33.01	Pass
25			21.20	3.99	25.19	<=33.01	Pass	
50			21.28	3.99	25.27	<=33.01	Pass	
100		0	21.12	3.99	25.11	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

3. Effective (Isotropic) Radiated Power Output Data

3.1 B5_1.4MHz_ERP

3.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.67	-2.20	19.32	<=38.45	Pass
			2	23.60	-2.20	19.25	<=38.45	Pass
			5	23.74	-2.20	19.39	<=38.45	Pass
		3	0	23.63	-2.20	19.28	<=38.45	Pass
			2	23.64	-2.20	19.29	<=38.45	Pass
			3	23.66	-2.20	19.31	<=38.45	Pass
		6	0	22.84	-2.20	18.49	<=38.45	Pass
	836.5	1	0	24.29	-2.20	19.94	<=38.45	Pass
			2	24.20	-2.20	19.85	<=38.45	Pass
			5	24.21	-2.20	19.86	<=38.45	Pass
		3	0	24.20	-2.20	19.85	<=38.45	Pass
			2	24.17	-2.20	19.82	<=38.45	Pass
			3	24.13	-2.20	19.78	<=38.45	Pass
		6	0	23.29	-2.20	18.94	<=38.45	Pass
	848.3	1	0	24.05	-2.20	19.70	<=38.45	Pass
			2	23.86	-2.20	19.51	<=38.45	Pass
			5	23.93	-2.20	19.58	<=38.45	Pass
		3	0	23.91	-2.20	19.56	<=38.45	Pass
			2	23.89	-2.20	19.54	<=38.45	Pass
			3	23.92	-2.20	19.57	<=38.45	Pass
		6	0	22.94	-2.20	18.59	<=38.45	Pass
16QAM	824.7	1	0	23.04	-2.20	18.69	<=38.45	Pass
			2	22.99	-2.20	18.64	<=38.45	Pass
			5	23.03	-2.20	18.68	<=38.45	Pass
		3	0	22.85	-2.20	18.50	<=38.45	Pass
			2	22.86	-2.20	18.51	<=38.45	Pass
			3	22.83	-2.20	18.48	<=38.45	Pass
		6	0	21.82	-2.20	17.47	<=38.45	Pass
	836.5	1	0	23.37	-2.20	19.02	<=38.45	Pass
			2	23.30	-2.20	18.95	<=38.45	Pass
			5	23.39	-2.20	19.04	<=38.45	Pass
		3	0	23.39	-2.20	19.04	<=38.45	Pass
			2	23.37	-2.20	19.02	<=38.45	Pass
			3	23.34	-2.20	18.99	<=38.45	Pass
		6	0	22.27	-2.20	17.92	<=38.45	Pass
	848.3	1	0	23.04	-2.20	18.69	<=38.45	Pass
			2	22.94	-2.20	18.59	<=38.45	Pass
			5	22.94	-2.20	18.59	<=38.45	Pass
		3	0	23.16	-2.20	18.81	<=38.45	Pass
2			23.19	-2.20	18.84	<=38.45	Pass	
3			23.14	-2.20	18.79	<=38.45	Pass	
6		0	22.03	-2.20	17.68	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.2 B5_3MHz_ERP

3.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.85	-2.20	19.50	<=38.45	Pass
			7	23.84	-2.20	19.49	<=38.45	Pass
			14	23.88	-2.20	19.53	<=38.45	Pass
		8	0	23.03	-2.20	18.68	<=38.45	Pass
			4	22.98	-2.20	18.63	<=38.45	Pass
			7	23.04	-2.20	18.69	<=38.45	Pass
		15	0	23.04	-2.20	18.69	<=38.45	Pass
	836.5	1	0	24.36	-2.20	20.01	<=38.45	Pass
			7	24.36	-2.20	20.01	<=38.45	Pass
			14	24.23	-2.20	19.88	<=38.45	Pass
		8	0	23.52	-2.20	19.17	<=38.45	Pass
			4	23.50	-2.20	19.15	<=38.45	Pass
			7	23.44	-2.20	19.09	<=38.45	Pass
		15	0	23.48	-2.20	19.13	<=38.45	Pass
	847.5	1	0	24.11	-2.20	19.76	<=38.45	Pass
			7	24.10	-2.20	19.75	<=38.45	Pass
			14	24.02	-2.20	19.67	<=38.45	Pass
		8	0	23.13	-2.20	18.78	<=38.45	Pass
			4	23.15	-2.20	18.80	<=38.45	Pass
			7	23.05	-2.20	18.70	<=38.45	Pass
		15	0	23.12	-2.20	18.77	<=38.45	Pass
16QAM	825.5	1	0	23.42	-2.20	19.07	<=38.45	Pass
			7	23.46	-2.20	19.11	<=38.45	Pass
			14	23.46	-2.20	19.11	<=38.45	Pass
		8	0	22.19	-2.20	17.84	<=38.45	Pass
			4	22.23	-2.20	17.88	<=38.45	Pass
			7	22.23	-2.20	17.88	<=38.45	Pass
		15	0	22.14	-2.20	17.79	<=38.45	Pass
	836.5	1	0	23.59	-2.20	19.24	<=38.45	Pass
			7	23.64	-2.20	19.29	<=38.45	Pass
			14	23.52	-2.20	19.17	<=38.45	Pass
		8	0	22.53	-2.20	18.18	<=38.45	Pass
			4	22.52	-2.20	18.17	<=38.45	Pass
			7	22.46	-2.20	18.11	<=38.45	Pass
		15	0	22.48	-2.20	18.13	<=38.45	Pass
	847.5	1	0	23.12	-2.20	18.77	<=38.45	Pass
			7	23.14	-2.20	18.79	<=38.45	Pass
			14	22.99	-2.20	18.64	<=38.45	Pass
		8	0	22.22	-2.20	17.87	<=38.45	Pass
			4	22.22	-2.20	17.87	<=38.45	Pass
			7	22.15	-2.20	17.80	<=38.45	Pass
		15	0	22.20	-2.20	17.85	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.3 B5_5MHz_ERP

3.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.93	-2.20	19.58	<=38.45	Pass
			13	24.04	-2.20	19.69	<=38.45	Pass
			24	24.03	-2.20	19.68	<=38.45	Pass
		12	0	23.07	-2.20	18.72	<=38.45	Pass
			6	23.17	-2.20	18.82	<=38.45	Pass
			13	23.17	-2.20	18.82	<=38.45	Pass
		25	0	23.12	-2.20	18.77	<=38.45	Pass
	836.5	1	0	24.32	-2.20	19.97	<=38.45	Pass
			13	24.40	-2.20	20.05	<=38.45	Pass
			24	24.25	-2.20	19.90	<=38.45	Pass
		12	0	23.53	-2.20	19.18	<=38.45	Pass
			6	23.61	-2.20	19.26	<=38.45	Pass
			13	23.47	-2.20	19.12	<=38.45	Pass
		25	0	23.53	-2.20	19.18	<=38.45	Pass
	846.5	1	0	24.19	-2.20	19.84	<=38.45	Pass
			13	24.14	-2.20	19.79	<=38.45	Pass
			24	23.97	-2.20	19.62	<=38.45	Pass
		12	0	23.24	-2.20	18.89	<=38.45	Pass
			6	23.28	-2.20	18.93	<=38.45	Pass
			13	23.15	-2.20	18.80	<=38.45	Pass
		25	0	23.18	-2.20	18.83	<=38.45	Pass
16QAM	826.5	1	0	22.86	-2.20	18.51	<=38.45	Pass
			13	23.01	-2.20	18.66	<=38.45	Pass
			24	23.04	-2.20	18.69	<=38.45	Pass
		12	0	22.06	-2.20	17.71	<=38.45	Pass
			6	22.16	-2.20	17.81	<=38.45	Pass
			13	22.16	-2.20	17.81	<=38.45	Pass
		25	0	22.15	-2.20	17.80	<=38.45	Pass
	836.5	1	0	23.62	-2.20	19.27	<=38.45	Pass
			13	23.76	-2.20	19.41	<=38.45	Pass
			24	23.60	-2.20	19.25	<=38.45	Pass
		12	0	22.57	-2.20	18.22	<=38.45	Pass
			6	22.64	-2.20	18.29	<=38.45	Pass
			13	22.51	-2.20	18.16	<=38.45	Pass
		25	0	22.52	-2.20	18.17	<=38.45	Pass
	846.5	1	0	23.31	-2.20	18.96	<=38.45	Pass
			13	23.28	-2.20	18.93	<=38.45	Pass
			24	23.06	-2.20	18.71	<=38.45	Pass
		12	0	22.25	-2.20	17.90	<=38.45	Pass
			6	22.31	-2.20	17.96	<=38.45	Pass
			13	22.18	-2.20	17.83	<=38.45	Pass
		25	0	22.31	-2.20	17.96	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.4 B5_10MHz_ERP

3.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.81	-2.20	19.46	<=38.45	Pass
			25	24.13	-2.20	19.78	<=38.45	Pass
			49	24.09	-2.20	19.74	<=38.45	Pass
		25	0	22.97	-2.20	18.62	<=38.45	Pass
			13	23.24	-2.20	18.89	<=38.45	Pass
			25	23.24	-2.20	18.89	<=38.45	Pass
		50	0	23.12	-2.20	18.77	<=38.45	Pass
	836.5	1	0	24.16	-2.20	19.81	<=38.45	Pass
			25	24.36	-2.20	20.01	<=38.45	Pass
			49	24.14	-2.20	19.79	<=38.45	Pass
		25	0	23.30	-2.20	18.95	<=38.45	Pass
			13	23.52	-2.20	19.17	<=38.45	Pass
			25	23.31	-2.20	18.96	<=38.45	Pass
		50	0	23.40	-2.20	19.05	<=38.45	Pass
	844	1	0	24.27	-2.20	19.92	<=38.45	Pass
			25	24.17	-2.20	19.82	<=38.45	Pass
			49	23.93	-2.20	19.58	<=38.45	Pass
		25	0	23.23	-2.20	18.88	<=38.45	Pass
			13	23.25	-2.20	18.90	<=38.45	Pass
			25	23.08	-2.20	18.73	<=38.45	Pass
		50	0	23.10	-2.20	18.75	<=38.45	Pass
16QAM	829	1	0	23.32	-2.20	18.97	<=38.45	Pass
			25	23.73	-2.20	19.38	<=38.45	Pass
			49	23.68	-2.20	19.33	<=38.45	Pass
		25	0	22.06	-2.20	17.71	<=38.45	Pass
			13	22.33	-2.20	17.98	<=38.45	Pass
			25	22.25	-2.20	17.90	<=38.45	Pass
		50	0	22.18	-2.20	17.83	<=38.45	Pass
	836.5	1	0	23.38	-2.20	19.03	<=38.45	Pass
			25	23.62	-2.20	19.27	<=38.45	Pass
			49	23.30	-2.20	18.95	<=38.45	Pass
		25	0	22.40	-2.20	18.05	<=38.45	Pass
			13	22.58	-2.20	18.23	<=38.45	Pass
			25	22.37	-2.20	18.02	<=38.45	Pass
		50	0	22.46	-2.20	18.11	<=38.45	Pass
	844	1	0	23.30	-2.20	18.95	<=38.45	Pass
			25	23.27	-2.20	18.92	<=38.45	Pass
			49	22.89	-2.20	18.54	<=38.45	Pass
		25	0	22.28	-2.20	17.93	<=38.45	Pass
13			22.34	-2.20	17.99	<=38.45	Pass	
25			22.17	-2.20	17.82	<=38.45	Pass	
50		0	22.15	-2.20	17.80	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

4. Effective (Isotropic) Radiated Power Output Data

4.1 B7_5MHz_EIRP

4.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	23.98	3.98	27.96	<=33.01	Pass
			13	23.56	3.98	27.54	<=33.01	Pass
			24	23.06	3.98	27.04	<=33.01	Pass
		12	0	22.90	3.98	26.88	<=33.01	Pass
			6	22.81	3.98	26.79	<=33.01	Pass
			13	22.49	3.98	26.47	<=33.01	Pass
		25	0	22.71	3.98	26.69	<=33.01	Pass
	2535	1	0	24.05	3.98	28.03	<=33.01	Pass
			13	23.83	3.98	27.81	<=33.01	Pass
			24	23.65	3.98	27.63	<=33.01	Pass
		12	0	23.17	3.98	27.15	<=33.01	Pass
			6	23.13	3.98	27.11	<=33.01	Pass
			13	22.95	3.98	26.93	<=33.01	Pass
	25	0	23.07	3.98	27.05	<=33.01	Pass	
	2567.5	1	0	23.67	3.98	27.65	<=33.01	Pass
			13	23.12	3.98	27.10	<=33.01	Pass
			24	22.68	3.98	26.66	<=33.01	Pass
		12	0	22.41	3.98	26.39	<=33.01	Pass
			6	22.30	3.98	26.28	<=33.01	Pass
			13	22.00	3.98	25.98	<=33.01	Pass
		25	0	22.21	3.98	26.19	<=33.01	Pass
16QAM	2502.5	1	0	22.85	3.98	26.83	<=33.01	Pass
			13	22.49	3.98	26.47	<=33.01	Pass
			24	22.03	3.98	26.01	<=33.01	Pass
		12	0	22.01	3.98	25.99	<=33.01	Pass
			6	21.95	3.98	25.93	<=33.01	Pass
			13	21.66	3.98	25.64	<=33.01	Pass
		25	0	21.89	3.98	25.87	<=33.01	Pass
	2535	1	0	23.47	3.98	27.45	<=33.01	Pass
			13	23.32	3.98	27.30	<=33.01	Pass
			24	23.13	3.98	27.11	<=33.01	Pass
		12	0	22.39	3.98	26.37	<=33.01	Pass
			6	22.32	3.98	26.30	<=33.01	Pass
	25	0	22.12	3.98	26.10	<=33.01	Pass	
	2567.5	1	0	22.70	3.98	26.68	<=33.01	Pass
			13	22.26	3.98	26.24	<=33.01	Pass
			24	21.84	3.98	25.82	<=33.01	Pass
		12	0	21.59	3.98	25.57	<=33.01	Pass
			6	21.41	3.98	25.39	<=33.01	Pass
25		0	21.17	3.98	25.15	<=33.01	Pass	
25	0	21.38	3.98	25.36	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

4.2 B7_10MHz_EIRP

4.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	23.90	3.98	27.88	<=33.01	Pass
			25	22.99	3.98	26.97	<=33.01	Pass
			49	22.64	3.98	26.62	<=33.01	Pass
		25	0	22.45	3.98	26.43	<=33.01	Pass
			13	22.10	3.98	26.08	<=33.01	Pass
			25	21.86	3.98	25.84	<=33.01	Pass
		50	0	22.05	3.98	26.03	<=33.01	Pass
	2535	1	0	24.26	3.98	28.24	<=33.01	Pass
			25	23.79	3.98	27.77	<=33.01	Pass
			49	23.38	3.98	27.36	<=33.01	Pass
		25	0	23.09	3.98	27.07	<=33.01	Pass
			13	23.00	3.98	26.98	<=33.01	Pass
			25	22.73	3.98	26.71	<=33.01	Pass
		50	0	22.89	3.98	26.87	<=33.01	Pass
	2565	1	0	23.57	3.98	27.55	<=33.01	Pass
			25	23.53	3.98	27.51	<=33.01	Pass
			49	22.51	3.98	26.49	<=33.01	Pass
		25	0	22.59	3.98	26.57	<=33.01	Pass
			13	22.62	3.98	26.60	<=33.01	Pass
			25	22.08	3.98	26.06	<=33.01	Pass
		50	0	22.45	3.98	26.43	<=33.01	Pass
16QAM	2505	1	0	22.86	3.98	26.84	<=33.01	Pass
			25	22.12	3.98	26.10	<=33.01	Pass
			49	21.65	3.98	25.63	<=33.01	Pass
		25	0	21.70	3.98	25.68	<=33.01	Pass
			13	21.35	3.98	25.33	<=33.01	Pass
			25	21.11	3.98	25.09	<=33.01	Pass
		50	0	21.24	3.98	25.22	<=33.01	Pass
	2535	1	0	23.73	3.98	27.71	<=33.01	Pass
			25	23.46	3.98	27.44	<=33.01	Pass
			49	22.96	3.98	26.94	<=33.01	Pass
		25	0	22.29	3.98	26.27	<=33.01	Pass
			13	22.20	3.98	26.18	<=33.01	Pass
			25	21.94	3.98	25.92	<=33.01	Pass
		50	0	22.06	3.98	26.04	<=33.01	Pass
	2565	1	0	22.71	3.98	26.69	<=33.01	Pass
			25	22.79	3.98	26.77	<=33.01	Pass
			49	21.78	3.98	25.76	<=33.01	Pass
		25	0	21.81	3.98	25.79	<=33.01	Pass
13			21.81	3.98	25.79	<=33.01	Pass	
25			21.35	3.98	25.33	<=33.01	Pass	
50		0	21.64	3.98	25.62	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

4.3 B7_15MHz_EIRP

4.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	23.72	3.98	27.70	<=33.01	Pass
			38	22.72	3.98	26.70	<=33.01	Pass
			74	23.09	3.98	27.07	<=33.01	Pass
		36	0	22.22	3.98	26.20	<=33.01	Pass
			18	21.96	3.98	25.94	<=33.01	Pass
			39	21.80	3.98	25.78	<=33.01	Pass
		75	0	21.94	3.98	25.92	<=33.01	Pass
	2535	1	0	24.38	3.98	28.36	<=33.01	Pass
			38	23.64	3.98	27.62	<=33.01	Pass
			74	23.15	3.98	27.13	<=33.01	Pass
		36	0	23.21	3.98	27.19	<=33.01	Pass
			18	22.93	3.98	26.91	<=33.01	Pass
			39	22.61	3.98	26.59	<=33.01	Pass
		75	0	22.80	3.98	26.78	<=33.01	Pass
	2562.5	1	0	23.15	3.98	27.13	<=33.01	Pass
			38	23.61	3.98	27.59	<=33.01	Pass
			74	22.54	3.98	26.52	<=33.01	Pass
		36	0	22.47	3.98	26.45	<=33.01	Pass
			18	22.61	3.98	26.59	<=33.01	Pass
			39	22.27	3.98	26.25	<=33.01	Pass
		75	0	22.46	3.98	26.44	<=33.01	Pass
16QAM	2507.5	1	0	23.20	3.98	27.18	<=33.01	Pass
			38	22.37	3.98	26.35	<=33.01	Pass
			74	22.64	3.98	26.62	<=33.01	Pass
		36	0	21.38	3.98	25.36	<=33.01	Pass
			18	21.15	3.98	25.13	<=33.01	Pass
			39	21.05	3.98	25.03	<=33.01	Pass
		75	0	21.12	3.98	25.10	<=33.01	Pass
	2535	1	0	23.63	3.98	27.61	<=33.01	Pass
			38	23.01	3.98	26.99	<=33.01	Pass
			74	22.49	3.98	26.47	<=33.01	Pass
		36	0	22.36	3.98	26.34	<=33.01	Pass
			18	22.11	3.98	26.09	<=33.01	Pass
			39	21.79	3.98	25.77	<=33.01	Pass
		75	0	21.98	3.98	25.96	<=33.01	Pass
	2562.5	1	0	22.52	3.98	26.50	<=33.01	Pass
			38	22.96	3.98	26.94	<=33.01	Pass
			74	21.93	3.98	25.91	<=33.01	Pass
		36	0	21.65	3.98	25.63	<=33.01	Pass
18			21.80	3.98	25.78	<=33.01	Pass	
39			21.45	3.98	25.43	<=33.01	Pass	
75		0	21.60	3.98	25.58	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

4.4 B7_20MHz_EIRP

4.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	23.64	3.98	27.62	<=33.01	Pass
			50	22.58	3.98	26.56	<=33.01	Pass
			99	23.73	3.98	27.71	<=33.01	Pass
		50	0	21.80	3.98	25.78	<=33.01	Pass
			25	21.78	3.98	25.76	<=33.01	Pass
			50	22.14	3.98	26.12	<=33.01	Pass
		100	0	21.84	3.98	25.82	<=33.01	Pass
	2535	1	0	24.49	3.98	28.47	<=33.01	Pass
			50	23.62	3.98	27.60	<=33.01	Pass
			99	22.88	3.98	26.86	<=33.01	Pass
		50	0	23.13	3.98	27.11	<=33.01	Pass
			25	22.84	3.98	26.82	<=33.01	Pass
			50	22.43	3.98	26.41	<=33.01	Pass
		100	0	22.64	3.98	26.62	<=33.01	Pass
	2560	1	0	22.92	3.98	26.90	<=33.01	Pass
			50	23.51	3.98	27.49	<=33.01	Pass
			99	22.49	3.98	26.47	<=33.01	Pass
		50	0	22.08	3.98	26.06	<=33.01	Pass
			25	22.54	3.98	26.52	<=33.01	Pass
			50	22.37	3.98	26.35	<=33.01	Pass
		100	0	22.30	3.98	26.28	<=33.01	Pass
16QAM	2510	1	0	22.86	3.98	26.84	<=33.01	Pass
			50	21.96	3.98	25.94	<=33.01	Pass
			99	23.06	3.98	27.04	<=33.01	Pass
		50	0	20.94	3.98	24.92	<=33.01	Pass
			25	20.92	3.98	24.90	<=33.01	Pass
			50	21.36	3.98	25.34	<=33.01	Pass
		100	0	21.00	3.98	24.98	<=33.01	Pass
	2535	1	0	23.67	3.98	27.65	<=33.01	Pass
			50	22.97	3.98	26.95	<=33.01	Pass
			99	22.17	3.98	26.15	<=33.01	Pass
		50	0	22.27	3.98	26.25	<=33.01	Pass
			25	22.00	3.98	25.98	<=33.01	Pass
			50	21.60	3.98	25.58	<=33.01	Pass
		100	0	21.81	3.98	25.79	<=33.01	Pass
	2560	1	0	22.46	3.98	26.44	<=33.01	Pass
			50	23.11	3.98	27.09	<=33.01	Pass
			99	22.14	3.98	26.12	<=33.01	Pass
		50	0	21.24	3.98	25.22	<=33.01	Pass
25			21.75	3.98	25.73	<=33.01	Pass	
50			21.62	3.98	25.60	<=33.01	Pass	
100		0	21.50	3.98	25.48	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								