


Appendix A: Test Results of Conducted Test

Test Result of 20 dB Bandwidth




GFSK

Channel	Channel Frequency (MHz)	20 dB Bandwidth (kHz)	Result
Low Channel	2402	923.08	Pass
Middle Channel	2441	923.08	Pass
High Channel	2480	923.08	Pass



8DPSK

Channel	Channel Frequency (MHz)	20 dB Bandwidth (kHz)	Result
Low Channel	2402	1258.74	Pass
Middle Channel	2441	1261.74	Pass
High Channel	2480	1258.70	Pass


Low Channel

Middle Channel

High Channel


Test Result of 99% Occupied Bandwidth


GFSK

Channel	Channel Frequency (MHz)	99% Bandwidth (kHz)
Low Channel	2402	872.13
Middle Channel	2441	866.13
High Channel	2480	881.12


Low Channel



Middle Channel






High Channel



8DPSK

Channel	Channel Frequency (MHz)	99% Bandwidth (kHz)
Low Channel	2402	1183.82
Middle Channel	2441	1183.82
High Channel	2480	1180.82


Low Channel

Middle Channel

High Channel





Test Result of Conducted Spurious Emissions, Tx Mode

GFSK

Low Channel


Middle Channel




8DPSK
Low Channel
Middle Channel

High Channel


Test Result of Conducted Band Edge, Tx Mode

GFSK




8DPSK




Test Result of Hopping Band Edge

GFSK



8DPSK




Test Result of Hopping Channel Separation


GFSK

Channel	Channel Frequency (MHz)	Adjacent Channel Separation (MHz)	20 dB Bandwidth (kHz)	Minimum Limit (MHz)	Result
0	2402	1.00	923.08	0.615	Pass
39	2441	1.00	923.08	0.615	Pass
78	2480	1.00	923.08	0.615	Pass


Low Channel



Middle Channel






High Channel




8DPSK

Channel	Channel Frequency (MHz)	Adjacent Channel Separation (MHz)	20 dB Bandwidth (kHz)	Minimum Limit (MHz)	Result
0	2402	1.00	1258.74	0.839	Pass
39	2441	1.00	1261.74	0.841	Pass
78	2480	1.00	1258.70	0.839	Pass

Low Channel
Middle Channel

High Channel


Test Result of Number of Hopping Frequency


Frequency Range	Measured Quantity of Hopping Channel	Limit	Result
2400 to 2483.5 MHz	79	≥15	Pass



Test Result of Dwell Time


GFSK

Data Mode	Number of transfer in a 31.6 (79Hopping*0.4s)	Package transfer time (msec)	Dwell time (s)	Limit (s)	Result
1DH5	17 (times / 5 sec) * 6.32 = 107.44 times	2.93	0.3147992	0.4	Pass



8DPSK

Data Mode	Number of transfer in a 31.6 (79Hopping*0.4s)	Package transfer time (msec)	Dwell time (s)	Limit (s)	Result
3DH5	17 (times / 5 sec) * 6.32 = 107.44 times	2.935	0.3153364	0.4	Pass



Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

GFSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.17	52.71	15.41	37.30	74.00	-21.29	362	43	Peak	Horizontal	
2 *	2402.00	96.35	59.03	37.32	74.00	22.35	362	43	Peak	Horizontal	
3	2839.94	54.66	16.44	38.22	74.00	-19.34	362	43	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.87	53.08	15.78	37.30	74.00	-20.92	334	357	Peak	Vertical	
2 *	2402.00	101.87	64.55	37.32	74.00	27.87	334	357	Peak	Vertical	
3	2846.55	55.09	16.86	38.23	74.00	-18.91	334	357	Peak	Vertical	

GFSK

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.17	39.86	2.56	37.30	54.00	-14.14	362	43	Average	Horizontal	
2 *	2402.00	95.89	58.57	37.32	54.00	41.89	362	43	Average	Horizontal	
3	2839.94	41.70	3.48	38.22	54.00	-12.30	362	43	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.87	40.19	2.89	37.30	54.00	-13.81	334	357	Average	Vertical	
2 *	2402.00	101.44	64.12	37.32	54.00	47.44	334	357	Average	Vertical	
3	2846.55	41.61	3.38	38.23	54.00	-12.39	334	357	Average	Vertical	

GFSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2368.53	52.77	15.49	37.28	74.00	-21.23	392	46	Peak	Horizontal	
2 *	2480.00	96.38	58.69	37.69	74.00	22.38	392	46	Peak	Horizontal	
3	2834.75	55.06	16.84	38.22	74.00	-18.94	392	46	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.92	52.86	15.57	37.29	74.00	-21.14	333	327	Peak	Vertical	
2 *	2480.00	100.07	62.38	37.69	74.00	26.07	333	327	Peak	Vertical	
3	2845.84	54.29	16.06	38.23	74.00	-19.71	333	327	Peak	Vertical	

GFSK

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2368.53	39.94	2.66	37.28	54.00	-14.06	392	46	Average	Horizontal	
2 *	2480.00	95.96	58.27	37.69	54.00	41.96	392	46	Average	Horizontal	
3	2834.75	41.53	3.31	38.22	54.00	-12.47	392	46	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.92	39.98	2.69	37.29	54.00	-14.02	333	327	Average	Vertical	
2 *	2480.00	99.66	61.97	37.69	54.00	45.66	333	327	Average	Vertical	
3	2845.84	41.50	3.27	38.23	54.00	-12.50	333	327	Average	Vertical	

8DPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2383.99	53.12	15.82	37.30	74.00	-20.88	370	252	Peak	Horizontal	
2 *	2402.00	97.20	59.88	37.32	74.00	23.20	370	252	Peak	Horizontal	
3	2825.66	54.95	16.74	38.21	74.00	-19.05	370	252	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2386.35	53.92	16.62	37.30	74.00	-20.88	296	341	Peak	Vertical	
2 *	2402.00	102.71	65.39	37.32	74.00	28.71	296	341	Peak	Vertical	
3	2830.73	54.71	16.50	38.21	74.00	-19.29	296	341	Peak	Vertical	

8DPSK

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.99	40.10	2.00	37.30	54.00	-13.90		370	252	Average	Horizontal	
2 *	2402.00	95.59	56.27	37.32	54.00	39.59		370	252	Average	Horizontal	
3	2825.66	41.53	3.32	38.21	54.00	-12.47		370	252	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.35	41.16	3.06	37.30	54.00	-12.84		296	341	Average	Vertical	
2 *	2402.00	99.16	61.84	37.32	54.00	45.16		296	341	Average	Vertical	
3	2830.73	41.51	3.30	38.21	54.00	-12.49		296	341	Average	Vertical	

8DPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2389.65	52.95	15.65	37.30	74.00	-21.05	362	387	Peak	Horizontal	
2 *	2488.00	96.24	58.55	37.69	74.00	22.24	362	387	Peak	Horizontal	
3	2483.58	56.79	19.08	37.71	74.00	-17.21	362	387	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2384.81	52.74	15.44	37.30	74.00	-21.26	335	327	Peak	Vertical	
2 *	2488.00	100.87	63.18	37.69	74.00	26.87	335	327	Peak	Vertical	
3	2483.58	60.79	23.08	37.71	74.00	-13.21	335	327	Peak	Vertical	

8DPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	39.99	2.69	37.30	54.00	-14.01	362	387	Average	Horizontal		
2 *	2480.00	92.53	54.64	37.69	54.00	38.53	362	387	Average	Horizontal		
3	2483.50	42.64	4.93	37.71	54.00	-11.36	362	387	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.81	40.18	2.88	37.30	54.00	-13.82	335	327	Average	Vertical		
2 *	2480.00	97.38	59.69	37.69	54.00	43.38	335	327	Average	Vertical		
3	2483.58	43.67	6.16	37.71	54.00	-10.13	335	327	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

GFSK

Middle Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	54.90	34.96	19.94	127.60	-72.70	100	1	QP	Open		
2	0.06	43.36	23.11	20.25	111.72	-68.36	100	202	QP	Open		
3	0.08	44.55	24.34	20.21	109.06	-64.51	100	203	QP	Open		
4	0.11	45.25	25.06	20.19	106.91	-61.66	100	154	QP	Open		
5	0.12	41.40	21.22	20.18	105.71	-64.31	100	189	QP	Open		
6	0.14	39.49	19.33	20.16	104.04	-65.35	100	174	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.50	57.75	37.67	20.08	73.59	-15.84	100	176	QP	Open		
2	1.01	49.86	29.69	20.17	67.52	-17.66	100	176	QP	Open		
3	6.47	35.90	15.62	20.28	69.50	-33.60	100	150	QP	Open		
4	8.90	46.42	26.05	20.37	69.50	-23.08	100	180	QP	Open		
5	20.00	40.09	19.45	20.64	69.50	-29.41	100	168	QP	Open		
6	24.75	43.07	22.34	20.73	69.50	-26.43	100	275	QP	Open		

GFSK

Middle Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	49.74	29.78	19.96	127.85	-78.11	100	126 QP	Close	
2	0.03	41.47	21.20	20.27	118.89	-76.62	100	200 QP	Close	
3	0.06	38.33	18.08	20.25	111.72	-73.39	100	100 QP	Close	
4	0.09	37.88	17.67	20.21	108.97	-71.09	100	134 QP	Close	
5	0.11	36.06	15.87	20.19	107.16	-71.10	100	132 QP	Close	
6	0.14	32.50	12.34	20.16	104.74	-72.24	100	151 QP	Close	

Middle Channel(Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.50	49.67	29.59	20.08	73.59	-23.92	100	232 QP	Close	
2	6.15	47.17	26.90	20.27	69.50	-22.33	100	248 QP	Close	
3	9.16	60.69	40.30	20.39	69.50	-8.81	100	78 QP	Close	
4	14.25	45.59	25.04	20.55	69.50	-23.91	100	265 QP	Close	
5	20.00	52.38	31.74	20.64	69.50	-17.12	100	200 QP	Close	
6	22.74	52.30	31.61	20.69	69.50	-17.20	100	161 QP	Close	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


GFSK

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	59.97	23.48	30.48	-7.00	40.00	-16.52	300	64 QP	Horizontal	
2	143.78	35.73	41.64	-5.91	43.50	-7.77	100	277 QP	Horizontal	
3	254.56	34.55	40.85	-6.30	46.00	-11.45	200	208 QP	Horizontal	
4	360.09	36.85	40.47	-3.62	46.00	-9.15	200	258 QP	Horizontal	
5	607.25	33.67	33.19	0.48	46.00	-12.33	100	182 QP	Horizontal	
6	845.87	35.51	31.39	4.12	46.00	-10.49	100	68 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	38.92	33.23	39.65	-6.42	40.00	-6.77	300	148 QP	Vertical	
2	143.78	31.13	37.04	-5.91	43.50	-12.37	100	298 QP	Vertical	
3	239.71	30.57	37.24	-6.67	46.00	-15.43	200	282 QP	Vertical	
4	347.00	32.74	36.48	-3.74	46.00	-13.26	100	327 QP	Vertical	
5	732.67	32.45	30.23	2.22	46.00	-13.55	400	204 QP	Vertical	
6	881.08	34.58	30.02	4.56	46.00	-11.42	100	101 QP	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

GFSK

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4894.00	51.44	68.85	-9.41	74.00	-22.56	112	192	Peak	Horizontal	
2	4894.00	48.06	57.47	-9.41	54.00	-5.94	112	192	Average	Horizontal	
3	7206.00	54.87	61.51	-6.64	76.35	-21.48	101	257	Peak	Horizontal	
4	7206.00	49.91	56.55	-6.64	75.89	-25.98	101	257	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4894.00	47.69	57.10	-9.41	74.00	-26.31	480	52	Peak	Vertical	
2	7206.00	59.47	66.11	-6.64	81.87	-22.40	243	36	Peak	Vertical	
3	7206.00	55.21	61.85	-6.64	81.44	-26.23	243	36	Average	Vertical	

GFSK


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4960.00	50.89	60.16	-9.27	74.00	-23.11	400	326	Peak	Horizontal	
2	4960.00	47.89	57.16	-9.27	54.00	-6.11	400	326	Average	Horizontal	
3	7440.00	47.06	53.65	-6.59	74.00	-26.94	300	192	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4960.00	51.54	60.81	-9.27	74.00	-22.46	400	30	Peak	Vertical	
2	4960.00	47.73	57.00	-9.27	54.00	-6.27	400	30	Average	Vertical	
3	7440.00	51.67	58.46	-6.59	74.00	-22.13	105	360	Peak	Vertical	
4	7440.00	46.02	52.61	-6.59	54.00	-7.98	105	360	Average	Vertical	

8DPSK

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4894.00	44.71	54.12	-9.41	74.00	-29.29	180	51	Peak	Horizontal		
2	7206.00	53.95	68.59	-6.64	77.20	-23.25	237	32	Peak	Horizontal		
3	7206.00	45.71	52.35	-6.64	73.59	-27.88	237	32	Average	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4894.00	43.49	52.90	-9.41	74.00	-30.51	200	275	Peak	Vertical		
2	7206.00	58.65	65.29	-6.64	82.71	-24.06	226	40	Peak	Vertical		
3	7206.00	50.92	57.56	-6.64	79.16	-28.24	226	40	Average	Vertical		

8DPSK

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	52.67	62.02	-9.35	74.00	-21.33	100	97	Peak	Horizontal	
2	4882.00	45.99	55.34	-9.35	54.00	-8.01	100	97	Average	Horizontal	
3	7323.00	54.25	60.87	-6.62	74.00	-19.75	290	45	Peak	Horizontal	
4	7323.00	46.74	53.36	-6.62	54.00	-7.26	290	45	Average	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	51.91	61.26	-9.35	74.00	-22.09	100	66	Peak	Vertical	
2	4882.00	45.06	54.41	-9.35	54.00	-8.94	100	66	Average	Vertical	
3	7323.00	59.25	65.87	-6.62	74.00	-14.75	100	19	Peak	Vertical	
4	7323.00	52.23	58.85	-6.62	54.00	-1.77	100	19	Average	Vertical	


8DPSK

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4968.00	52.78	62.05	-9.27	74.00	-21.22	399		338	Peak	Horizontal	
2	4968.00	46.22	55.49	-9.27	54.00	-7.78	399		338	Average	Horizontal	
3	7440.00	46.66	53.25	-6.59	74.00	-27.34	300		47	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4968.00	52.04	61.31	-9.27	74.00	-21.96	100		42	Peak	Vertical	
2	4968.00	45.04	54.31	-9.27	54.00	-8.96	100		42	Average	Vertical	
3	7440.00	53.85	60.44	-6.59	74.00	-20.15	100		62	Peak	Vertical	
4	7440.00	45.95	52.54	-6.59	54.00	-8.05	100		62	Average	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd. (New Taipei Branch)
No. 458-18 & 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.165	25.68	9.66	65.21	-29.87	QP	line1	
2	0.165	10.32	9.66	55.21	-35.23	Average	line1	
3	0.377	23.95	9.65	58.34	-24.74	QP	line1	
4	0.377	15.65	9.65	48.34	-23.04	Average	line1	
5	1.500	21.93	9.67	56.00	-24.40	QP	line1	
6	1.500	10.95	9.67	46.00	-25.38	Average	line1	
7	2.756	25.90	9.69	56.00	-20.41	QP	line1	
8	2.756	16.33	9.69	46.00	-19.98	Average	line1	
9	5.007	19.90	9.72	60.00	-30.38	QP	line1	
10	5.007	10.38	9.72	50.00	-29.90	Average	line1	
11	20.438	17.00	9.72	60.00	-33.28	QP	line1	
12	20.438	9.25	9.72	50.00	-31.03	Average	line1	



TUV Rheinland Taiwan Ltd. (New Taipei Branch)
No. 458-18 & 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.152	21.35	9.68	65.92	-34.89	QP	neutral	
2	0.152	5.49	9.68	55.92	-40.75	Average	neutral	
3	0.176	26.82	9.67	64.68	-28.19	QP	neutral	
4	0.176	8.21	9.67	54.68	-36.80	Average	neutral	
5	0.352	17.54	9.66	58.92	-31.72	QP	neutral	
6	0.352	0.03	9.66	48.92	-39.23	Average	neutral	
7	1.633	17.87	9.69	56.00	-28.44	QP	neutral	
8	1.633	11.44	9.69	46.00	-24.87	Average	neutral	
9	2.688	20.85	9.70	56.00	-25.45	QP	neutral	
10	2.688	13.66	9.70	46.00	-22.64	Average	neutral	
11	17.425	15.63	9.81	60.00	-34.56	QP	neutral	
12	17.425	8.26	9.81	50.00	-31.93	Average	neutral	