



A photograph of a grey Orbcomm modem. The device features several ventilation grilles: two on the top surface and a long one along the front edge. A white rectangular label with the text "LABEL LOCATION" is positioned in the center of the top surface, overlapping the grilles. The front edge also has a red oval logo on the left and the "ORBCOMM" brand name on the right.

LABEL LOCATION

ORBCOMM

1. PARTS TO BE MANUFACTURED IN COMPLIANCE WITH THE MOST CURRENT RoHS & REACH DIRECTIVE. RoHS & REACH DECLARATION MUST BE SUBMITTED WITH FIRST ARTICLE INSPECTION SAMPLES, AND RESUBMITTED WHENEVER NEW CHANGES TO THE DIRECTIVES ARE ISSUED.
2. REFERENCE BOM FOR SPECIFIC LABEL STOCK. SUBSTITUTE WITH ORBCOMM APPROVAL ONLY.
3. USE BRADY UL RECOMMENDED LABELS AND RIBBONS. SUBSTITUTE WITH ORBCOMM APPROVAL ONLY.
4. REFERENCE THE LATEST REVISION OF VARIANT ARTWORK FILE SR402232-00X.svg FOR PRINT TEMPLATE.
5. PRINT TABLE AND VARIANT ARTWORK CONTROL SPECIFIC CONTENT. NOTE THAT ALL GRAPHICS AND TEXT MAY NOT APPEAR ON ALL VARIANTS.
6. FINAL PRODUCTION ARTWORK LAYOUT TO BE APPROVED BY ORBCOMM ENGINEERING.
7. ALL GRAPHIC IMAGE ASPECT RATIOS MUST BE MAINTAINED.
8. REFERENCE PRINT TABLE ON PAGE 2 FOR SPECIFIC CONTENT TO BE PRINTED IN BOXES 1-10
9. IN TEXT FORMAT, ADD UNIT SERIAL NUMBER. SEE PRINT TABLE AND DOC100190 FOR SERIAL NUMBER FORMAT.
10. IN TEXT FORMAT, ADD UNIT PART NUMBER. SEE PRINT TABLE AND DOC100186.
11. IN TEXT FORMAT, ADD THE IMEI NUMBER SCANNED FROM THE UNITS CELLULAR MODEM MODULE.
12. IN TEXT FORMAT, ADD THE CPU ID NUMBER SCANNED FROM THE UNITS CPU.
13. <COUNTRY> SHALL BE REPLACED BY THE NAME OF THE COUNTRY THE PRODUCT IS BUILT IN, IF APPLICABLE
14. PRINT THE QR CODE AS A TEXT STRING WITH THE FOLLOWING FIELDS SEPARATED BY COMMAS. IF A FIELD IS BLANK, USE 2 COMMAS (,) BEFORE THE NEXT FIELD.
 - UNIT SERIAL NUMBER
 - UNIT PART NUMBER & REVISION IN THE FORMAT OUTLINED IN VIEW A-A.
 - IMEI NUMBER
 - CPU ID NUMBER

REVISIONS				
REV	ECO	DESCRIPTION	DATE	APPROVA
A	5351	INITIAL RELEASE	04-FEB-21	B. HART
B	5550	CHANGED DRAWING FROM B SIZE TO D SIZED SHEET. UPDATED LABEL, DRAWING AND NOTES TO MATCH PRODUCTION SAMPLES (ADDING FCC PFC ID AND IC ID).	18-JUN-21	B. HART



**LABEL ARTWORK SHOWN FOR REFERENCE ONLY REFER TO
PRINT TABLE FOR SPECIFIC CONTENT**

						MATERIAL		SEE BOM		DRAWING(S) NO. 08-17-PHOTO-12-12-19 DATE OF PHOTOS	
						THRESH		N/A		PHOTOGRAPHIC SCALE 1x3in	
						© ORC COMM INC., 2021		THIRD ANGLE PROJECTION		TITLE:	
						PROPRIETARY AND CONFIDENTIAL				LABEL MAIN FM50xx 1x3in	
VARIANT TABLE											
VARIANT PART NUMBER	PART REVISION	CHANGING VARIABLE									
SR402232-001	SEE BOM	BL MAIN FM50xx_ ORBCOMM									
DRAWINGS FOR RES ONLY USE 3D CAD MODEL FOR ALL DIMENSIONS SPECIFIED						DO NOT DISCLOSE GO COPY		ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED		DWG. NO. SP402232-000	
						DRAWING BY: JF MORGAN				REV	
						NOT TO SCALE - COLOR OF OBJECTS MAY VARY					

PRINT TABLE										
BOX 2 PART NUMBER	REVISION	BOX 1 MODEL NUMBER	BOX 3 SERIAL NUMBER FORMAT	BOX 4 FCC ID (CELLULAR)	BOX 5 IC ID (CELLULAR)	BOX 6 FCC ID (WI-FI/BLEETOOTH)	BOX 7 IC ID (WI-FI/BLEETOOTH)	Box 8 FCC ID (NFC)	Box 9 IC ID (NFC)	BOX 10 VARIANT SPECIFIC CERTIFICATION LOGOS
FM5000-2X01	SEE AGILE	FM5000	ABCD#YYWWXXXX	XPY1EHM44NN	8595A-1EHM44NN	2ADHKWILC3000U	20266-WILC3000UA	XGS-FM5	11881A-FM5	

MATERIAL	SEE BOM	ORBCOMM [®]	
FINISH	N/A	© ORBCOMM Inc. 2021 PROPRIETARY AND CONFIDENTIAL DO NOT DISCLOSE OR COPY	
THIRD ANGLE PROJECTION 		TITLE: LABEL MAIN FM50xx 1x3in	
ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SPECIFIED		DWG. NO. SR402232-000	REV B
DRAWING FOR REF ONLY USE 3D CAD MODEL FOR MANUFACTURE		DATE 2021-05-07	SHEET 2 OF 2