



4.72 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)



4.73 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	8.53	13	Pass



4.74 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




4.75 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)



4.76 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




4.77 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



4.78 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




4.79 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




4.80 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




4.81 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




4.82 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)



4.83 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




4.84 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




4.85 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1895	0.1	8.58	13	Pass




4.86 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)



4.87 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1895	0.1	8.58	13	Pass



4.88 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)



4.89 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




4.90 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:379000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




5. n41

5.1 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	3.37	13	Pass




5.2 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




5.3 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	3.42	13	Pass




5.4 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




5.5 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




5.6 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




5.7 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




5.8 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




5.9 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




5.10 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




5.11 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




5.12 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)



5.13 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




5.14 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




5.15 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.2	13	Pass




5.16 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




5.17 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



5.18 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




5.19 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




5.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)



5.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




5.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




5.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




5.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




5.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




5.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




5.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




5.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)



5.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



5.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)



5.31 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	2.97	13	Pass

