



5.32 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)




5.33 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	3.48	13	Pass




5.34 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	5.06	13	Pass




5.35 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	4.47	13	Pass




5.36 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	5.95	13	Pass




5.37 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	4.97	13	Pass




5.38 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	6.26	13	Pass




5.39 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	5.92	13	Pass




5.40 Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	5.55	13	Pass




5.41 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	3.91	13	Pass




5.42 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)




5.43 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	4.06	13	Pass




5.44 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.25	13	Pass




5.45 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.15	13	Pass




5.46 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.09	13	Pass




5.47 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.82	13	Pass




5.48 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.48	13	Pass




5.49 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.65	13	Pass




5.50 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.81	13	Pass




5.51 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	3.98	13	Pass




5.52 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)




5.53 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	4.39	13	Pass




5.54 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	5.31	13	Pass




5.55 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	5.43	13	Pass




5.56 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	6.15	13	Pass




5.57 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	5.84	13	Pass




5.58 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	6.38	13	Pass




5.59 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	6.25	13	Pass




5.60 Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	6.73	13	Pass




5.61 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	3.02	13	Pass




5.62 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)




5.63 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	3.47	13	Pass




5.64 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	4.78	13	Pass




5.65 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	4.4	13	Pass




5.66 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	5.13	13	Pass




5.67 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	4.98	13	Pass




5.68 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	6.36	13	Pass




5.69 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	6.22	13	Pass




5.70 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	6.56	13	Pass




5.71 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	3.99	13	Pass




5.72 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)




5.73 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	4.95	13	Pass




5.74 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.11	13	Pass




5.75 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.96	13	Pass




5.76 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.11	13	Pass




5.77 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.84	13	Pass




5.78 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.43	13	Pass




5.79 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.67	13	Pass



5.80 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.75	13	Pass



5.81 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	4.03	13	Pass

