

Transmitter Radiated Power (EIRP/ERP)

WCDMA Mode Test Data

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B2	LCH	24.03	-1.36	22.67	0.185	2.000	Pass
	MCH	24.85	-1.36	23.49	0.223	2.000	Pass
	HCH	24.96	-1.36	23.60	0.229	2.000	Pass
HSDPA B2	LCH	23.56	-1.36	22.20	0.166	2.000	Pass
	MCH	23.88	-1.36	22.52	0.179	2.000	Pass
	HCH	23.98	-1.36	22.62	0.183	2.000	Pass
HSUPA B2	LCH	23.63	-1.36	22.27	0.169	2.000	Pass
	MCH	23.99	-1.36	22.63	0.183	2.000	Pass
	HCH	24.08	-1.36	22.72	0.187	2.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B4	LCH	24.31	-1.91	22.40	0.174	1.000	Pass
	MCH	24.77	-1.91	22.86	0.193	1.000	Pass
	HCH	25.26	-1.91	23.35	0.216	1.000	Pass
HSDPA B4	LCH	23.40	-1.91	21.49	0.141	1.000	Pass
	MCH	23.94	-1.91	22.03	0.160	1.000	Pass
	HCH	24.27	-1.91	22.36	0.172	1.000	Pass
HSUPA B4	LCH	23.43	-1.91	21.52	0.142	1.000	Pass
	MCH	24.02	-1.91	22.11	0.163	1.000	Pass
	HCH	24.38	-1.91	22.47	0.177	1.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
WCDMA B5	LCH	24.7	-0.85	-3.00	21.70	0.148	7.000	Pass
	MCH	24.72	-0.85	-3.00	21.72	0.149	7.000	Pass
	HCH	24.71	-0.85	-3.00	21.71	0.148	7.000	Pass
HSDPA B5	LCH	23.74	-0.85	-3.00	20.74	0.119	7.000	Pass
	MCH	23.75	-0.85	-3.00	20.75	0.119	7.000	Pass
	HCH	23.73	-0.85	-3.00	20.73	0.118	7.000	Pass
HSUPA B5	LCH	23.74	-0.85	-3.00	20.74	0.119	7.000	Pass
	MCH	23.80	-0.85	-3.00	20.80	0.120	7.000	Pass
	HCH	23.74	-0.85	-3.00	20.74	0.119	7.000	Pass

HSDPA Conducted Output Power

Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B2	Subtest 1	23.56	23.86	23.96	0.227	0.243	0.249	Pass
	Subtest 2	23.4	23.88	23.98	0.219	0.244	0.250	Pass
	Subtest 3	22.89	23.35	23.47	0.195	0.216	0.222	Pass
	Subtest 4	22.85	23.36	23.51	0.193	0.217	0.224	Pass
HSDPA B4	Subtest 1	23.39	23.94	24.27	0.218	0.248	0.267	Pass
	Subtest 2	23.4	23.93	24.27	0.219	0.247	0.267	Pass
	Subtest 3	22.91	23.48	23.79	0.195	0.223	0.239	Pass
	Subtest 4	22.88	23.43	23.77	0.194	0.220	0.238	Pass
Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B5	Subtest 1	23.71	23.73	23.72	0.235	0.236	0.236	Pass
	Subtest 2	23.74	23.75	23.73	0.237	0.237	0.236	Pass
	Subtest 3	23.23	23.23	23.21	0.210	0.210	0.209	Pass
	Subtest 4	23.19	23.26	23.18	0.208	0.212	0.208	Pass

HSUPA Conducted Output Power

Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B2	Subtest 1	23.61	23.9	24.08	0.230	0.245	0.256	Pass
	Subtest 2	21.67	22	22.08	0.147	0.158	0.161	Pass
	Subtest 3	22.6	22.95	23.11	0.182	0.197	0.205	Pass
	Subtest 4	21.56	21.92	22.11	0.143	0.156	0.163	Pass
	Subtest 5	23.63	23.99	24.06	0.231	0.251	0.255	Pass
HSUPA B4	Subtest 1	23.39	24.02	24.31	0.218	0.252	0.270	Pass
	Subtest 2	21.42	22.02	22.4	0.139	0.159	0.174	Pass
	Subtest 3	22.41	22.98	23.42	0.174	0.199	0.220	Pass
	Subtest 4	21.47	21.95	22.44	0.140	0.157	0.175	Pass
	Subtest 5	23.43	23.98	24.38	0.220	0.250	0.274	Pass
Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B5	Subtest 1	23.74	23.8	23.74	0.237	0.240	0.237	Pass
	Subtest 2	21.68	21.77	21.7	0.147	0.150	0.148	Pass
	Subtest 3	22.79	22.78	22.71	0.190	0.190	0.187	Pass
	Subtest 4	21.67	21.73	21.76	0.147	0.149	0.150	Pass
	Subtest 5	23.7	23.76	23.74	0.234	0.238	0.237	Pass

LTE Mode Test Data

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
1.4	LCH	QPSK	1	Low	22.57	-1.36	21.21	0.132	2.000	Pass
			1	Mid	22.88	-1.36	21.52	0.142	2.000	Pass
			1	High	22.85	-1.36	21.49	0.141	2.000	Pass
			3	Low	22.86	-1.36	21.50	0.141	2.000	Pass
			3	Mid	22.64	-1.36	21.28	0.134	2.000	Pass
			3	High	22.85	-1.36	21.49	0.141	2.000	Pass
			6	Low	21.95	-1.36	20.59	0.115	2.000	Pass
		Q16	1	Low	22.23	-1.36	20.87	0.122	2.000	Pass
			1	Mid	22.17	-1.36	20.81	0.121	2.000	Pass
			1	High	22.21	-1.36	20.85	0.122	2.000	Pass
			3	Low	21.92	-1.36	20.56	0.114	2.000	Pass
			3	Mid	21.69	-1.36	20.33	0.108	2.000	Pass
			3	High	21.73	-1.36	20.37	0.109	2.000	Pass
			6	Low	20.75	-1.36	19.39	0.087	2.000	Pass
		Q64	1	Low	21.1	-1.36	19.74	0.094	2.000	Pass
			1	Mid	20.83	-1.36	19.47	0.089	2.000	Pass
			1	High	20.98	-1.36	19.62	0.092	2.000	Pass
			3	Low	21.1	-1.36	19.74	0.094	2.000	Pass
			3	Mid	20.91	-1.36	19.55	0.090	2.000	Pass
			3	High	20.86	-1.36	19.50	0.089	2.000	Pass
			6	Low	20.01	-1.36	18.65	0.073	2.000	Pass
	MCH	QPSK	1	Low	22.95	-1.36	21.59	0.144	2.000	Pass
			1	Mid	23	-1.36	21.64	0.146	2.000	Pass
			1	High	22.66	-1.36	21.30	0.135	2.000	Pass
			3	Low	22.57	-1.36	21.21	0.132	2.000	Pass
			3	Mid	22.8	-1.36	21.44	0.139	2.000	Pass
			3	High	22.47	-1.36	21.11	0.129	2.000	Pass
			6	Low	21.47	-1.36	20.11	0.103	2.000	Pass
		Q16	1	Low	22.04	-1.36	20.68	0.117	2.000	Pass
			1	Mid	22.17	-1.36	20.81	0.121	2.000	Pass
			1	High	21.81	-1.36	20.45	0.111	2.000	Pass
			3	Low	21.75	-1.36	20.39	0.109	2.000	Pass
			3	Mid	21.97	-1.36	20.61	0.115	2.000	Pass
			3	High	21.5	-1.36	20.14	0.103	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q64	6	Low	20.47	-1.36	19.11	0.081	2.000	Pass
			1	Low	20.7	-1.36	19.34	0.086	2.000	Pass
			1	Mid	20.79	-1.36	19.43	0.088	2.000	Pass
			1	High	20.79	-1.36	19.43	0.088	2.000	Pass
			3	Low	20.73	-1.36	19.37	0.086	2.000	Pass
			3	Mid	20.57	-1.36	19.21	0.083	2.000	Pass
			3	High	20.63	-1.36	19.27	0.085	2.000	Pass
			6	Low	19.82	-1.36	18.46	0.070	2.000	Pass
	HCH	QPSK	1	Low	22.89	-1.36	21.53	0.142	2.000	Pass
			1	Mid	23.02	-1.36	21.66	0.147	2.000	Pass
			1	High	23.04	-1.36	21.68	0.147	2.000	Pass
			3	Low	23.23	-1.36	21.87	0.154	2.000	Pass
			3	Mid	23.14	-1.36	21.78	0.151	2.000	Pass
			3	High	23.04	-1.36	21.68	0.147	2.000	Pass
			6	Low	22.25	-1.36	20.89	0.123	2.000	Pass
		Q16	1	Low	22.12	-1.36	20.76	0.119	2.000	Pass
			1	Mid	22.24	-1.36	20.88	0.122	2.000	Pass
			1	High	22.45	-1.36	21.09	0.129	2.000	Pass
			3	Low	22.34	-1.36	20.98	0.125	2.000	Pass
			3	Mid	22.01	-1.36	20.65	0.116	2.000	Pass
			3	High	22.29	-1.36	20.93	0.124	2.000	Pass
			6	Low	21.02	-1.36	19.66	0.092	2.000	Pass
		Q64	1	Low	21.16	-1.36	19.80	0.095	2.000	Pass
			1	Mid	21.37	-1.36	20.01	0.100	2.000	Pass
			1	High	21.28	-1.36	19.92	0.098	2.000	Pass
			3	Low	21.05	-1.36	19.69	0.093	2.000	Pass
			3	Mid	21.07	-1.36	19.71	0.094	2.000	Pass
			3	High	21.02	-1.36	19.66	0.092	2.000	Pass
			6	Low	20.26	-1.36	18.90	0.078	2.000	Pass
3	LCH	QPSK	1	Low	22.82	-1.36	21.46	0.140	2.000	Pass
			1	Mid	22.82	-1.36	21.46	0.140	2.000	Pass
			1	High	22.79	-1.36	21.43	0.139	2.000	Pass
			8	Low	21.85	-1.36	20.49	0.112	2.000	Pass
			8	Mid	21.8	-1.36	20.44	0.111	2.000	Pass
			8	High	21.68	-1.36	20.32	0.108	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	15	Low	21.79	-1.36	20.43	0.110	2.000	Pass
			1	Low	22.05	-1.36	20.69	0.117	2.000	Pass
			1	Mid	22.14	-1.36	20.78	0.120	2.000	Pass
			1	High	21.91	-1.36	20.55	0.114	2.000	Pass
			8	Low	20.68	-1.36	19.32	0.086	2.000	Pass
			8	Mid	20.83	-1.36	19.47	0.089	2.000	Pass
			8	High	21.13	-1.36	19.77	0.095	2.000	Pass
			15	Low	20.81	-1.36	19.45	0.088	2.000	Pass
		Q64	1	Low	20.87	-1.36	19.51	0.089	2.000	Pass
			1	Mid	21.06	-1.36	19.70	0.093	2.000	Pass
			1	High	21.05	-1.36	19.69	0.093	2.000	Pass
			8	Low	20.03	-1.36	18.67	0.074	2.000	Pass
			8	Mid	19.72	-1.36	18.36	0.069	2.000	Pass
			8	High	19.99	-1.36	18.63	0.073	2.000	Pass
			15	Low	20	-1.36	18.64	0.073	2.000	Pass
	MCH	QPSK	1	Low	22.4	-1.36	21.04	0.127	2.000	Pass
			1	Mid	22.88	-1.36	21.52	0.142	2.000	Pass
			1	High	22.6	-1.36	21.24	0.133	2.000	Pass
			8	Low	21.59	-1.36	20.23	0.105	2.000	Pass
			8	Mid	21.71	-1.36	20.35	0.108	2.000	Pass
			8	High	21.83	-1.36	20.47	0.111	2.000	Pass
			15	Low	21.7	-1.36	20.34	0.108	2.000	Pass
		Q16	1	Low	21.83	-1.36	20.47	0.111	2.000	Pass
			1	Mid	22.14	-1.36	20.78	0.120	2.000	Pass
			1	High	21.99	-1.36	20.63	0.116	2.000	Pass
			8	Low	20.76	-1.36	19.40	0.087	2.000	Pass
			8	Mid	21	-1.36	19.64	0.092	2.000	Pass
			8	High	20.79	-1.36	19.43	0.088	2.000	Pass
			15	Low	20.54	-1.36	19.18	0.083	2.000	Pass
		Q64	1	Low	20.88	-1.36	19.52	0.090	2.000	Pass
			1	Mid	21.1	-1.36	19.74	0.094	2.000	Pass
			1	High	20.98	-1.36	19.62	0.092	2.000	Pass
			8	Low	19.46	-1.36	18.10	0.065	2.000	Pass
			8	Mid	19.86	-1.36	18.50	0.071	2.000	Pass
			8	High	20.07	-1.36	18.71	0.074	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
	HCH	QPSK	15	Low	19.66	-1.36	18.30	0.068	2.000	Pass
			1	Low	22.87	-1.36	21.51	0.142	2.000	Pass
			1	Mid	22.95	-1.36	21.59	0.144	2.000	Pass
			1	High	23	-1.36	21.64	0.146	2.000	Pass
			8	Low	22	-1.36	20.64	0.116	2.000	Pass
			8	Mid	22.09	-1.36	20.73	0.118	2.000	Pass
			8	High	22.01	-1.36	20.65	0.116	2.000	Pass
			15	Low	22.15	-1.36	20.79	0.120	2.000	Pass
		Q16	1	Low	22.15	-1.36	20.79	0.120	2.000	Pass
			1	Mid	22.42	-1.36	21.06	0.128	2.000	Pass
			1	High	22.39	-1.36	21.03	0.127	2.000	Pass
			8	Low	21.12	-1.36	19.76	0.095	2.000	Pass
			8	Mid	20.9	-1.36	19.54	0.090	2.000	Pass
			8	High	21.31	-1.36	19.95	0.099	2.000	Pass
			15	Low	21.19	-1.36	19.83	0.096	2.000	Pass
		Q64	1	Low	21.36	-1.36	20.00	0.100	2.000	Pass
			1	Mid	21.23	-1.36	19.87	0.097	2.000	Pass
			1	High	21.14	-1.36	19.78	0.095	2.000	Pass
			8	Low	19.94	-1.36	18.58	0.072	2.000	Pass
			8	Mid	20.23	-1.36	18.87	0.077	2.000	Pass
			8	High	20.42	-1.36	19.06	0.081	2.000	Pass
			15	Low	20.34	-1.36	18.98	0.079	2.000	Pass
5	LCH	QPSK	1	Low	22.88	-1.36	21.52	0.142	2.000	Pass
			1	Mid	23.11	-1.36	21.75	0.150	2.000	Pass
			1	High	22.65	-1.36	21.29	0.135	2.000	Pass
			12	Low	21.85	-1.36	20.49	0.112	2.000	Pass
			12	Mid	21.88	-1.36	20.52	0.113	2.000	Pass
			12	High	21.86	-1.36	20.50	0.112	2.000	Pass
			25	Low	21.78	-1.36	20.42	0.110	2.000	Pass
		Q16	1	Low	22.16	-1.36	20.80	0.120	2.000	Pass
			1	Mid	22.35	-1.36	20.99	0.126	2.000	Pass
			1	High	22.29	-1.36	20.93	0.124	2.000	Pass
			12	Low	20.84	-1.36	19.48	0.089	2.000	Pass
			12	Mid	20.81	-1.36	19.45	0.088	2.000	Pass
			12	High	20.75	-1.36	19.39	0.087	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q64	25	Low	20.99	-1.36	19.63	0.092	2.000	Pass
			1	Low	21.01	-1.36	19.65	0.092	2.000	Pass
			1	Mid	21.3	-1.36	19.94	0.099	2.000	Pass
			1	High	20.7	-1.36	19.34	0.086	2.000	Pass
			12	Low	19.65	-1.36	18.29	0.067	2.000	Pass
			12	Mid	20.07	-1.36	18.71	0.074	2.000	Pass
			12	High	19.85	-1.36	18.49	0.071	2.000	Pass
			25	Low	19.73	-1.36	18.37	0.069	2.000	Pass
	MCH	QPSK	1	Low	22.56	-1.36	21.20	0.132	2.000	Pass
			1	Mid	22.97	-1.36	21.61	0.145	2.000	Pass
			1	High	22.8	-1.36	21.44	0.139	2.000	Pass
			12	Low	21.67	-1.36	20.31	0.107	2.000	Pass
			12	Mid	21.88	-1.36	20.52	0.113	2.000	Pass
			12	High	21.69	-1.36	20.33	0.108	2.000	Pass
			25	Low	21.75	-1.36	20.39	0.109	2.000	Pass
		Q16	1	Low	22.11	-1.36	20.75	0.119	2.000	Pass
			1	Mid	21.83	-1.36	20.47	0.111	2.000	Pass
			1	High	22	-1.36	20.64	0.116	2.000	Pass
			12	Low	20.63	-1.36	19.27	0.085	2.000	Pass
			12	Mid	20.78	-1.36	19.42	0.087	2.000	Pass
			12	High	20.59	-1.36	19.23	0.084	2.000	Pass
			25	Low	20.55	-1.36	19.19	0.083	2.000	Pass
		Q64	1	Low	20.88	-1.36	19.52	0.090	2.000	Pass
			1	Mid	20.91	-1.36	19.55	0.090	2.000	Pass
			1	High	20.93	-1.36	19.57	0.091	2.000	Pass
			12	Low	19.76	-1.36	18.40	0.069	2.000	Pass
			12	Mid	19.98	-1.36	18.62	0.073	2.000	Pass
			12	High	19.66	-1.36	18.30	0.068	2.000	Pass
			25	Low	19.57	-1.36	18.21	0.066	2.000	Pass
	HCH	QPSK	1	Low	23.04	-1.36	21.68	0.147	2.000	Pass
			1	Mid	23.07	-1.36	21.71	0.148	2.000	Pass
			1	High	23.08	-1.36	21.72	0.149	2.000	Pass
			12	Low	21.92	-1.36	20.56	0.114	2.000	Pass
			12	Mid	22.31	-1.36	20.95	0.124	2.000	Pass
			12	High	22.14	-1.36	20.78	0.120	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	25	Low	22.05	-1.36	20.69	0.117	2.000	Pass
			1	Low	22.42	-1.36	21.06	0.128	2.000	Pass
			1	Mid	22.41	-1.36	21.05	0.127	2.000	Pass
			1	High	22.59	-1.36	21.23	0.133	2.000	Pass
			12	Low	21	-1.36	19.64	0.092	2.000	Pass
			12	Mid	21.32	-1.36	19.96	0.099	2.000	Pass
			12	High	21.39	-1.36	20.03	0.101	2.000	Pass
			25	Low	21.23	-1.36	19.87	0.097	2.000	Pass
		Q64	1	Low	21.17	-1.36	19.81	0.096	2.000	Pass
			1	Mid	21.16	-1.36	19.80	0.095	2.000	Pass
			1	High	21.35	-1.36	19.99	0.100	2.000	Pass
			12	Low	19.92	-1.36	18.56	0.072	2.000	Pass
			12	Mid	20.26	-1.36	18.90	0.078	2.000	Pass
			12	High	20.27	-1.36	18.91	0.078	2.000	Pass
			25	Low	19.91	-1.36	18.55	0.072	2.000	Pass
			25	Low	22.56	-1.36	21.20	0.132	2.000	Pass
10	LCH	QPSK	1	Mid	23.01	-1.36	21.65	0.146	2.000	Pass
			1	High	22.94	-1.36	21.58	0.144	2.000	Pass
			25	Low	21.75	-1.36	20.39	0.109	2.000	Pass
			25	Mid	22.05	-1.36	20.69	0.117	2.000	Pass
			25	High	21.87	-1.36	20.51	0.112	2.000	Pass
			50	Low	22	-1.36	20.64	0.116	2.000	Pass
		Q16	1	Low	22.22	-1.36	20.86	0.122	2.000	Pass
			1	Mid	22.03	-1.36	20.67	0.117	2.000	Pass
			1	High	22.29	-1.36	20.93	0.124	2.000	Pass
			25	Low	20.72	-1.36	19.36	0.086	2.000	Pass
			25	Mid	20.96	-1.36	19.60	0.091	2.000	Pass
			25	High	21.02	-1.36	19.66	0.092	2.000	Pass
			50	Low	20.89	-1.36	19.53	0.090	2.000	Pass
		Q64	1	Low	20.99	-1.36	19.63	0.092	2.000	Pass
			1	Mid	20.91	-1.36	19.55	0.090	2.000	Pass
			1	High	20.83	-1.36	19.47	0.089	2.000	Pass
			25	Low	19.71	-1.36	18.35	0.068	2.000	Pass
			25	Mid	19.78	-1.36	18.42	0.070	2.000	Pass
			25	High	19.83	-1.36	18.47	0.070	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	Low	20.07	-1.36	18.71	0.074	2.000	Pass
			1	Low	22.77	-1.36	21.41	0.138	2.000	Pass
			1	Mid	22.65	-1.36	21.29	0.135	2.000	Pass
			1	High	22.6	-1.36	21.24	0.133	2.000	Pass
			25	Low	21.77	-1.36	20.41	0.110	2.000	Pass
			25	Mid	21.81	-1.36	20.45	0.111	2.000	Pass
			25	High	21.84	-1.36	20.48	0.112	2.000	Pass
			50	Low	21.53	-1.36	20.17	0.104	2.000	Pass
			1	Low	21.86	-1.36	20.50	0.112	2.000	Pass
			1	Mid	21.9	-1.36	20.54	0.113	2.000	Pass
			1	High	21.79	-1.36	20.43	0.110	2.000	Pass
			25	Low	20.61	-1.36	19.25	0.084	2.000	Pass
			25	Mid	20.79	-1.36	19.43	0.088	2.000	Pass
			25	High	20.61	-1.36	19.25	0.084	2.000	Pass
			50	Low	20.81	-1.36	19.45	0.088	2.000	Pass
			1	Low	20.62	-1.36	19.26	0.084	2.000	Pass
			1	Mid	20.86	-1.36	19.50	0.089	2.000	Pass
			1	High	20.89	-1.36	19.53	0.090	2.000	Pass
			25	Low	19.86	-1.36	18.50	0.071	2.000	Pass
			25	Mid	19.6	-1.36	18.24	0.067	2.000	Pass
			25	High	19.92	-1.36	18.56	0.072	2.000	Pass
			50	Low	19.66	-1.36	18.30	0.068	2.000	Pass
			1	Low	22.81	-1.36	21.45	0.140	2.000	Pass
			1	Mid	22.87	-1.36	21.51	0.142	2.000	Pass
			1	High	23.13	-1.36	21.77	0.150	2.000	Pass
			25	Low	22.03	-1.36	20.67	0.117	2.000	Pass
			25	Mid	21.71	-1.36	20.35	0.108	2.000	Pass
			25	High	21.78	-1.36	20.42	0.110	2.000	Pass
			50	Low	21.9	-1.36	20.54	0.113	2.000	Pass
			1	Low	21.72	-1.36	20.36	0.109	2.000	Pass
			1	Mid	22.13	-1.36	20.77	0.119	2.000	Pass
			1	High	22.29	-1.36	20.93	0.124	2.000	Pass
			25	Low	20.93	-1.36	19.57	0.091	2.000	Pass
			25	Mid	20.96	-1.36	19.60	0.091	2.000	Pass
			25	High	21.22	-1.36	19.86	0.097	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q64	50	Low	20.91	-1.36	19.55	0.090	2.000	Pass
			1	Low	21.02	-1.36	19.66	0.092	2.000	Pass
			1	Mid	20.94	-1.36	19.58	0.091	2.000	Pass
			1	High	21.65	-1.36	20.29	0.107	2.000	Pass
			25	Low	19.66	-1.36	18.30	0.068	2.000	Pass
			25	Mid	20	-1.36	18.64	0.073	2.000	Pass
			25	High	19.9	-1.36	18.54	0.071	2.000	Pass
			50	Low	20.1	-1.36	18.74	0.075	2.000	Pass
	15	QPSK	1	Low	22.74	-1.36	21.38	0.137	2.000	Pass
			1	Mid	22.86	-1.36	21.50	0.141	2.000	Pass
			1	High	23.17	-1.36	21.81	0.152	2.000	Pass
			36	Low	21.65	-1.36	20.29	0.107	2.000	Pass
			36	Mid	21.93	-1.36	20.57	0.114	2.000	Pass
			36	High	21.9	-1.36	20.54	0.113	2.000	Pass
			75	Low	21.93	-1.36	20.57	0.114	2.000	Pass
		Q16	1	Low	22.07	-1.36	20.71	0.118	2.000	Pass
			1	Mid	22.13	-1.36	20.77	0.119	2.000	Pass
			1	High	22.21	-1.36	20.85	0.122	2.000	Pass
			36	Low	20.57	-1.36	19.21	0.083	2.000	Pass
			36	Mid	20.99	-1.36	19.63	0.092	2.000	Pass
			36	High	20.94	-1.36	19.58	0.091	2.000	Pass
			75	Low	20.82	-1.36	19.46	0.088	2.000	Pass
		Q64	1	Low	21.19	-1.36	19.83	0.096	2.000	Pass
			1	Mid	20.98	-1.36	19.62	0.092	2.000	Pass
			1	High	20.8	-1.36	19.44	0.088	2.000	Pass
			36	Low	19.93	-1.36	18.57	0.072	2.000	Pass
			36	Mid	19.8	-1.36	18.44	0.070	2.000	Pass
			36	High	19.97	-1.36	18.61	0.073	2.000	Pass
			75	Low	20.03	-1.36	18.67	0.074	2.000	Pass
	MCH	QPSK	1	Low	22.45	-1.36	21.09	0.129	2.000	Pass
			1	Mid	22.45	-1.36	21.09	0.129	2.000	Pass
			1	High	22.55	-1.36	21.19	0.132	2.000	Pass
			36	Low	21.82	-1.36	20.46	0.111	2.000	Pass
			36	Mid	21.89	-1.36	20.53	0.113	2.000	Pass
			36	High	21.53	-1.36	20.17	0.104	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	75	Low	21.54	-1.36	20.18	0.104	2.000	Pass
			1	Low	21.75	-1.36	20.39	0.109	2.000	Pass
			1	Mid	21.84	-1.36	20.48	0.112	2.000	Pass
			1	High	21.97	-1.36	20.61	0.115	2.000	Pass
			36	Low	20.76	-1.36	19.40	0.087	2.000	Pass
			36	Mid	20.7	-1.36	19.34	0.086	2.000	Pass
			36	High	20.65	-1.36	19.29	0.085	2.000	Pass
			75	Low	20.87	-1.36	19.51	0.089	2.000	Pass
		Q64	1	Low	20.75	-1.36	19.39	0.087	2.000	Pass
			1	Mid	21.01	-1.36	19.65	0.092	2.000	Pass
			1	High	21.19	-1.36	19.83	0.096	2.000	Pass
			36	Low	19.7	-1.36	18.34	0.068	2.000	Pass
			36	Mid	19.77	-1.36	18.41	0.069	2.000	Pass
			36	High	19.55	-1.36	18.19	0.066	2.000	Pass
			75	Low	19.73	-1.36	18.37	0.069	2.000	Pass
	HCH	QPSK	1	Low	22.72	-1.36	21.36	0.137	2.000	Pass
			1	Mid	23.12	-1.36	21.76	0.150	2.000	Pass
			1	High	22.83	-1.36	21.47	0.140	2.000	Pass
			36	Low	21.64	-1.36	20.28	0.107	2.000	Pass
			36	Mid	21.86	-1.36	20.50	0.112	2.000	Pass
			36	High	21.79	-1.36	20.43	0.110	2.000	Pass
			75	Low	22.02	-1.36	20.66	0.116	2.000	Pass
		Q16	1	Low	22.16	-1.36	20.80	0.120	2.000	Pass
			1	Mid	22	-1.36	20.64	0.116	2.000	Pass
			1	High	22.3	-1.36	20.94	0.124	2.000	Pass
			36	Low	20.68	-1.36	19.32	0.086	2.000	Pass
			36	Mid	20.94	-1.36	19.58	0.091	2.000	Pass
			36	High	21.02	-1.36	19.66	0.092	2.000	Pass
			75	Low	20.86	-1.36	19.50	0.089	2.000	Pass
		Q64	1	Low	20.9	-1.36	19.54	0.090	2.000	Pass
			1	Mid	21.17	-1.36	19.81	0.096	2.000	Pass
			1	High	21.3	-1.36	19.94	0.099	2.000	Pass
			36	Low	19.68	-1.36	18.32	0.068	2.000	Pass
			36	Mid	19.62	-1.36	18.26	0.067	2.000	Pass
			36	High	20.15	-1.36	18.79	0.076	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
20	LCH	QPSK	75	Low	19.83	-1.36	18.47	0.070	2.000	Pass
			1	Low	22.94	-1.36	21.58	0.144	2.000	Pass
			1	Mid	22.74	-1.36	21.38	0.137	2.000	Pass
			1	High	22.97	-1.36	21.61	0.145	2.000	Pass
			50	Low	21.82	-1.36	20.46	0.111	2.000	Pass
			50	Mid	21.79	-1.36	20.43	0.110	2.000	Pass
			50	High	21.82	-1.36	20.46	0.111	2.000	Pass
		Q16	100	Low	21.61	-1.36	20.25	0.106	2.000	Pass
			1	Low	21.96	-1.36	20.60	0.115	2.000	Pass
			1	Mid	22.07	-1.36	20.71	0.118	2.000	Pass
			1	High	21.7	-1.36	20.34	0.108	2.000	Pass
			50	Low	20.83	-1.36	19.47	0.089	2.000	Pass
			50	Mid	20.85	-1.36	19.49	0.089	2.000	Pass
			50	High	20.74	-1.36	19.38	0.087	2.000	Pass
			100	Low	20.78	-1.36	19.42	0.087	2.000	Pass
		Q64	1	Low	20.79	-1.36	19.43	0.088	2.000	Pass
			1	Mid	21.01	-1.36	19.65	0.092	2.000	Pass
			1	High	21.07	-1.36	19.71	0.094	2.000	Pass
			50	Low	19.89	-1.36	18.53	0.071	2.000	Pass
			50	Mid	19.71	-1.36	18.35	0.068	2.000	Pass
			50	High	19.8	-1.36	18.44	0.070	2.000	Pass
			100	Low	19.78	-1.36	18.42	0.070	2.000	Pass
	MCH	QPSK	1	Low	22.51	-1.36	21.15	0.130	2.000	Pass
			1	Mid	22.97	-1.36	21.61	0.145	2.000	Pass
			1	High	23.22	-1.36	21.86	0.153	2.000	Pass
			50	Low	21.1	-1.36	19.74	0.094	2.000	Pass
			50	Mid	21.67	-1.36	20.31	0.107	2.000	Pass
			50	High	21.58	-1.36	20.22	0.105	2.000	Pass
			100	Low	21.82	-1.36	20.46	0.111	2.000	Pass
		Q16	1	Low	21.65	-1.36	20.29	0.107	2.000	Pass
			1	Mid	21.88	-1.36	20.52	0.113	2.000	Pass
			1	High	22.2	-1.36	20.84	0.121	2.000	Pass
			50	Low	20.66	-1.36	19.30	0.085	2.000	Pass
			50	Mid	20.75	-1.36	19.39	0.087	2.000	Pass
			50	High	20.79	-1.36	19.43	0.088	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q64	100	Low	20.73	-1.36	19.37	0.086	2.000	Pass
			1	Low	20.86	-1.36	19.50	0.089	2.000	Pass
			1	Mid	20.82	-1.36	19.46	0.088	2.000	Pass
			1	High	20.89	-1.36	19.53	0.090	2.000	Pass
			50	Low	19.8	-1.36	18.44	0.070	2.000	Pass
			50	Mid	19.77	-1.36	18.41	0.069	2.000	Pass
			50	High	19.62	-1.36	18.26	0.067	2.000	Pass
			100	Low	19.73	-1.36	18.37	0.069	2.000	Pass
	HCH	QPSK	1	Low	22.88	-1.36	21.52	0.142	2.000	Pass
			1	Mid	22.93	-1.36	21.57	0.144	2.000	Pass
			1	High	22.99	-1.36	21.63	0.146	2.000	Pass
			50	Low	21.73	-1.36	20.37	0.109	2.000	Pass
			50	Mid	21.85	-1.36	20.49	0.112	2.000	Pass
			50	High	21.97	-1.36	20.61	0.115	2.000	Pass
			100	Low	21.89	-1.36	20.53	0.113	2.000	Pass
		Q16	1	Low	22.06	-1.36	20.70	0.117	2.000	Pass
			1	Mid	21.97	-1.36	20.61	0.115	2.000	Pass
			1	High	22.21	-1.36	20.85	0.122	2.000	Pass
			50	Low	20.93	-1.36	19.57	0.091	2.000	Pass
			50	Mid	20.77	-1.36	19.41	0.087	2.000	Pass
			50	High	20.68	-1.36	19.32	0.086	2.000	Pass
			100	Low	20.8	-1.36	19.44	0.088	2.000	Pass
		Q64	1	Low	20.97	-1.36	19.61	0.091	2.000	Pass
			1	Mid	20.76	-1.36	19.40	0.087	2.000	Pass
			1	High	21.06	-1.36	19.70	0.093	2.000	Pass
			50	Low	19.78	-1.36	18.42	0.070	2.000	Pass
			50	Mid	19.78	-1.36	18.42	0.070	2.000	Pass
			50	High	19.72	-1.36	18.36	0.069	2.000	Pass
			100	Low	19.67	-1.36	18.31	0.068	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
1.4	LCH	QPSK	1	Low	22.16	-1.91	20.25	0.106	1.000	Pass
			1	Mid	22.39	-1.91	20.48	0.112	1.000	Pass
			1	High	22.16	-1.91	20.25	0.106	1.000	Pass
			3	Low	22.02	-1.91	20.11	0.103	1.000	Pass
			3	Mid	22.05	-1.91	20.14	0.103	1.000	Pass
			3	High	22.11	-1.91	20.20	0.105	1.000	Pass
			6	Low	21.1	-1.91	19.19	0.083	1.000	Pass
		Q16	1	Low	21.3	-1.91	19.39	0.087	1.000	Pass
			1	Mid	21.36	-1.91	19.45	0.088	1.000	Pass
			1	High	21.48	-1.91	19.57	0.091	1.000	Pass
			3	Low	21.19	-1.91	19.28	0.085	1.000	Pass
			3	Mid	21.21	-1.91	19.30	0.085	1.000	Pass
			3	High	21.26	-1.91	19.35	0.086	1.000	Pass
			6	Low	20.22	-1.91	18.31	0.068	1.000	Pass
		Q64	1	Low	20.18	-1.91	18.27	0.067	1.000	Pass
			1	Mid	20.12	-1.91	18.21	0.066	1.000	Pass
			1	High	20.16	-1.91	18.25	0.067	1.000	Pass
			3	Low	20.16	-1.91	18.25	0.067	1.000	Pass
			3	Mid	20.19	-1.91	18.28	0.067	1.000	Pass
			3	High	20.15	-1.91	18.24	0.067	1.000	Pass
			6	Low	19.17	-1.91	17.26	0.053	1.000	Pass
	MCH	QPSK	1	Low	22.8	-1.91	20.89	0.123	1.000	Pass
			1	Mid	22.86	-1.91	20.95	0.124	1.000	Pass
			1	High	22.78	-1.91	20.87	0.122	1.000	Pass
			3	Low	22.81	-1.91	20.90	0.123	1.000	Pass
			3	Mid	22.89	-1.91	20.98	0.125	1.000	Pass
			3	High	22.83	-1.91	20.92	0.124	1.000	Pass
			6	Low	21.85	-1.91	19.94	0.099	1.000	Pass
		Q16	1	Low	22.2	-1.91	20.29	0.107	1.000	Pass
			1	Mid	22.11	-1.91	20.20	0.105	1.000	Pass
			1	High	22.27	-1.91	20.36	0.109	1.000	Pass
			3	Low	21.97	-1.91	20.06	0.101	1.000	Pass
			3	Mid	21.96	-1.91	20.05	0.101	1.000	Pass
			3	High	21.89	-1.91	19.98	0.100	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q64	6	Low	21.05	-1.91	19.14	0.082	1.000	Pass
			1	Low	21.06	-1.91	19.15	0.082	1.000	Pass
			1	Mid	20.99	-1.91	19.08	0.081	1.000	Pass
			1	High	21.07	-1.91	19.16	0.082	1.000	Pass
			3	Low	20.98	-1.91	19.07	0.081	1.000	Pass
			3	Mid	20.85	-1.91	18.94	0.078	1.000	Pass
			3	High	21.03	-1.91	19.12	0.082	1.000	Pass
			6	Low	19.9	-1.91	17.99	0.063	1.000	Pass
	HCH	QPSK	1	Low	23.77	-1.91	21.86	0.153	1.000	Pass
			1	Mid	23.81	-1.91	21.90	0.155	1.000	Pass
			1	High	23.57	-1.91	21.66	0.147	1.000	Pass
			3	Low	23.69	-1.91	21.78	0.151	1.000	Pass
			3	Mid	23.68	-1.91	21.77	0.150	1.000	Pass
			3	High	23.67	-1.91	21.76	0.150	1.000	Pass
			6	Low	22.85	-1.91	20.94	0.124	1.000	Pass
		Q16	1	Low	22.91	-1.91	21.00	0.126	1.000	Pass
			1	Mid	22.91	-1.91	21.00	0.126	1.000	Pass
			1	High	23.08	-1.91	21.17	0.131	1.000	Pass
			3	Low	22.8	-1.91	20.89	0.123	1.000	Pass
			3	Mid	22.7	-1.91	20.79	0.120	1.000	Pass
			3	High	22.68	-1.91	20.77	0.119	1.000	Pass
			6	Low	21.82	-1.91	19.91	0.098	1.000	Pass
		Q64	1	Low	22.06	-1.91	20.15	0.104	1.000	Pass
			1	Mid	21.86	-1.91	19.95	0.099	1.000	Pass
			1	High	21.91	-1.91	20.00	0.100	1.000	Pass
			3	Low	21.82	-1.91	19.91	0.098	1.000	Pass
			3	Mid	21.87	-1.91	19.96	0.099	1.000	Pass
			3	High	21.73	-1.91	19.82	0.096	1.000	Pass
			6	Low	20.71	-1.91	18.80	0.076	1.000	Pass
3	LCH	QPSK	1	Low	22.11	-1.91	20.20	0.105	1.000	Pass
			1	Mid	22.34	-1.91	20.43	0.110	1.000	Pass
			1	High	22.26	-1.91	20.35	0.108	1.000	Pass
			8	Low	21.18	-1.91	19.27	0.085	1.000	Pass
			8	Mid	21.21	-1.91	19.30	0.085	1.000	Pass
			8	High	21.28	-1.91	19.37	0.086	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	15	Low	21.11	-1.91	19.20	0.083	1.000	Pass
			1	Low	21.49	-1.91	19.58	0.091	1.000	Pass
			1	Mid	21.48	-1.91	19.57	0.091	1.000	Pass
			1	High	21.87	-1.91	19.96	0.099	1.000	Pass
			8	Low	20.29	-1.91	18.38	0.069	1.000	Pass
			8	Mid	20.34	-1.91	18.43	0.070	1.000	Pass
			8	High	20.36	-1.91	18.45	0.070	1.000	Pass
			15	Low	20.24	-1.91	18.33	0.068	1.000	Pass
		Q64	1	Low	20.24	-1.91	18.33	0.068	1.000	Pass
			1	Mid	20.62	-1.91	18.71	0.074	1.000	Pass
			1	High	20.55	-1.91	18.64	0.073	1.000	Pass
			8	Low	19.22	-1.91	17.31	0.054	1.000	Pass
			8	Mid	19.27	-1.91	17.36	0.054	1.000	Pass
			8	High	19.31	-1.91	17.40	0.055	1.000	Pass
			15	Low	19.28	-1.91	17.37	0.055	1.000	Pass
	MCH	QPSK	1	Low	22.66	-1.91	20.75	0.119	1.000	Pass
			1	Mid	23.21	-1.91	21.30	0.135	1.000	Pass
			1	High	22.88	-1.91	20.97	0.125	1.000	Pass
			8	Low	21.83	-1.91	19.92	0.098	1.000	Pass
			8	Mid	21.89	-1.91	19.98	0.100	1.000	Pass
			8	High	21.96	-1.91	20.05	0.101	1.000	Pass
			15	Low	21.81	-1.91	19.90	0.098	1.000	Pass
		Q16	1	Low	22.21	-1.91	20.30	0.107	1.000	Pass
			1	Mid	22.02	-1.91	20.11	0.103	1.000	Pass
			1	High	22.3	-1.91	20.39	0.109	1.000	Pass
			8	Low	20.89	-1.91	18.98	0.079	1.000	Pass
			8	Mid	21.01	-1.91	19.10	0.081	1.000	Pass
			8	High	20.99	-1.91	19.08	0.081	1.000	Pass
			15	Low	20.88	-1.91	18.97	0.079	1.000	Pass
		Q64	1	Low	20.89	-1.91	18.98	0.079	1.000	Pass
			1	Mid	21.26	-1.91	19.35	0.086	1.000	Pass
			1	High	21.16	-1.91	19.25	0.084	1.000	Pass
			8	Low	19.85	-1.91	17.94	0.062	1.000	Pass
			8	Mid	19.91	-1.91	18.00	0.063	1.000	Pass
			8	High	19.94	-1.91	18.03	0.064	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
	HCH	QPSK	15	Low	19.92	-1.91	18.01	0.063	1.000	Pass
			1	Low	23.62	-1.91	21.71	0.148	1.000	Pass
			1	Mid	23.74	-1.91	21.83	0.152	1.000	Pass
			1	High	23.64	-1.91	21.73	0.149	1.000	Pass
			8	Low	22.69	-1.91	20.78	0.120	1.000	Pass
			8	Mid	22.86	-1.91	20.95	0.124	1.000	Pass
			8	High	22.8	-1.91	20.89	0.123	1.000	Pass
			15	Low	22.74	-1.91	20.83	0.121	1.000	Pass
		Q16	1	Low	23.14	-1.91	21.23	0.133	1.000	Pass
			1	Mid	22.77	-1.91	20.86	0.122	1.000	Pass
			1	High	23.02	-1.91	21.11	0.129	1.000	Pass
			8	Low	21.78	-1.91	19.87	0.097	1.000	Pass
			8	Mid	21.79	-1.91	19.88	0.097	1.000	Pass
			8	High	21.91	-1.91	20.00	0.100	1.000	Pass
			15	Low	21.75	-1.91	19.84	0.096	1.000	Pass
		Q64	1	Low	21.94	-1.91	20.03	0.101	1.000	Pass
			1	Mid	22.11	-1.91	20.20	0.105	1.000	Pass
			1	High	22.02	-1.91	20.11	0.103	1.000	Pass
			8	Low	20.78	-1.91	18.87	0.077	1.000	Pass
			8	Mid	20.72	-1.91	18.81	0.076	1.000	Pass
			8	High	20.89	-1.91	18.98	0.079	1.000	Pass
			15	Low	20.73	-1.91	18.82	0.076	1.000	Pass
5	LCH	QPSK	1	Low	22.33	-1.91	20.42	0.110	1.000	Pass
			1	Mid	22.39	-1.91	20.48	0.112	1.000	Pass
			1	High	22.19	-1.91	20.28	0.107	1.000	Pass
			12	Low	21.14	-1.91	19.23	0.084	1.000	Pass
			12	Mid	21.3	-1.91	19.39	0.087	1.000	Pass
			12	High	21.28	-1.91	19.37	0.086	1.000	Pass
			25	Low	21.23	-1.91	19.32	0.086	1.000	Pass
		Q16	1	Low	21.72	-1.91	19.81	0.096	1.000	Pass
			1	Mid	21.77	-1.91	19.86	0.097	1.000	Pass
			1	High	21.69	-1.91	19.78	0.095	1.000	Pass
			12	Low	20.21	-1.91	18.30	0.068	1.000	Pass
			12	Mid	20.38	-1.91	18.47	0.070	1.000	Pass
			12	High	20.39	-1.91	18.48	0.070	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q64	25	Low	20.36	-1.91	18.45	0.070	1.000	Pass
			1	Low	20.4	-1.91	18.49	0.071	1.000	Pass
			1	Mid	20.38	-1.91	18.47	0.070	1.000	Pass
			1	High	20.61	-1.91	18.70	0.074	1.000	Pass
			12	Low	19.13	-1.91	17.22	0.053	1.000	Pass
			12	Mid	19.35	-1.91	17.44	0.055	1.000	Pass
			12	High	19.3	-1.91	17.39	0.055	1.000	Pass
			25	Low	19.28	-1.91	17.37	0.055	1.000	Pass
	MCH	QPSK	1	Low	22.83	-1.91	20.92	0.124	1.000	Pass
			1	Mid	23.04	-1.91	21.13	0.130	1.000	Pass
			1	High	22.89	-1.91	20.98	0.125	1.000	Pass
			12	Low	21.85	-1.91	19.94	0.099	1.000	Pass
			12	Mid	21.92	-1.91	20.01	0.100	1.000	Pass
			12	High	21.89	-1.91	19.98	0.100	1.000	Pass
			25	Low	21.86	-1.91	19.95	0.099	1.000	Pass
		Q16	1	Low	21.96	-1.91	20.05	0.101	1.000	Pass
			1	Mid	22.39	-1.91	20.48	0.112	1.000	Pass
			1	High	22.34	-1.91	20.43	0.110	1.000	Pass
			12	Low	20.9	-1.91	18.99	0.079	1.000	Pass
			12	Mid	20.98	-1.91	19.07	0.081	1.000	Pass
			12	High	21.06	-1.91	19.15	0.082	1.000	Pass
			25	Low	20.85	-1.91	18.94	0.078	1.000	Pass
		Q64	1	Low	21.03	-1.91	19.12	0.082	1.000	Pass
			1	Mid	21.29	-1.91	19.38	0.087	1.000	Pass
			1	High	21.02	-1.91	19.11	0.081	1.000	Pass
			12	Low	19.84	-1.91	17.93	0.062	1.000	Pass
			12	Mid	19.92	-1.91	18.01	0.063	1.000	Pass
			12	High	19.97	-1.91	18.06	0.064	1.000	Pass
			25	Low	19.88	-1.91	17.97	0.063	1.000	Pass
	HCH	QPSK	1	Low	23.61	-1.91	21.70	0.148	1.000	Pass
			1	Mid	23.68	-1.91	21.77	0.150	1.000	Pass
			1	High	23.65	-1.91	21.74	0.149	1.000	Pass
			12	Low	22.65	-1.91	20.74	0.119	1.000	Pass
			12	Mid	22.69	-1.91	20.78	0.120	1.000	Pass
			12	High	22.81	-1.91	20.90	0.123	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	25	Low	22.7	-1.91	20.79	0.120	1.000	Pass
			1	Low	23.11	-1.91	21.20	0.132	1.000	Pass
			1	Mid	23.1	-1.91	21.19	0.132	1.000	Pass
			1	High	23.24	-1.91	21.33	0.136	1.000	Pass
			12	Low	21.8	-1.91	19.89	0.097	1.000	Pass
			12	Mid	21.75	-1.91	19.84	0.096	1.000	Pass
			12	High	21.8	-1.91	19.89	0.097	1.000	Pass
			25	Low	21.69	-1.91	19.78	0.095	1.000	Pass
		Q64	1	Low	21.93	-1.91	20.02	0.100	1.000	Pass
			1	Mid	21.91	-1.91	20.00	0.100	1.000	Pass
			1	High	21.95	-1.91	20.04	0.101	1.000	Pass
			12	Low	20.61	-1.91	18.70	0.074	1.000	Pass
			12	Mid	20.75	-1.91	18.84	0.077	1.000	Pass
			12	High	20.89	-1.91	18.98	0.079	1.000	Pass
			25	Low	20.76	-1.91	18.85	0.077	1.000	Pass
10	LCH	QPSK	1	Low	22.28	-1.91	20.37	0.109	1.000	Pass
			1	Mid	22.45	-1.91	20.54	0.113	1.000	Pass
			1	High	22.52	-1.91	20.61	0.115	1.000	Pass
			25	Low	21.29	-1.91	19.38	0.087	1.000	Pass
			25	Mid	21.4	-1.91	19.49	0.089	1.000	Pass
			25	High	21.42	-1.91	19.51	0.089	1.000	Pass
			50	Low	21.32	-1.91	19.41	0.087	1.000	Pass
		Q16	1	Low	21.39	-1.91	19.48	0.089	1.000	Pass
			1	Mid	21.75	-1.91	19.84	0.096	1.000	Pass
			1	High	21.69	-1.91	19.78	0.095	1.000	Pass
			25	Low	20.33	-1.91	18.42	0.070	1.000	Pass
			25	Mid	20.35	-1.91	18.44	0.070	1.000	Pass
			25	High	20.49	-1.91	18.58	0.072	1.000	Pass
			50	Low	20.38	-1.91	18.47	0.070	1.000	Pass
		Q64	1	Low	20.39	-1.91	18.48	0.070	1.000	Pass
			1	Mid	20.5	-1.91	18.59	0.072	1.000	Pass
			1	High	20.61	-1.91	18.70	0.074	1.000	Pass
			25	Low	19.28	-1.91	17.37	0.055	1.000	Pass
			25	Mid	19.5	-1.91	17.59	0.057	1.000	Pass
			25	High	19.47	-1.91	17.56	0.057	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	Low	19.43	-1.91	17.52	0.056	1.000	Pass
			1	Low	22.96	-1.91	21.05	0.127	1.000	Pass
			1	Mid	22.9	-1.91	20.99	0.126	1.000	Pass
			1	High	22.96	-1.91	21.05	0.127	1.000	Pass
			25	Low	21.87	-1.91	19.96	0.099	1.000	Pass
			25	Mid	21.9	-1.91	19.99	0.100	1.000	Pass
			25	High	21.97	-1.91	20.06	0.101	1.000	Pass
			50	Low	21.86	-1.91	19.95	0.099	1.000	Pass
		Q16	1	Low	22.64	-1.91	20.73	0.118	1.000	Pass
			1	Mid	22.11	-1.91	20.20	0.105	1.000	Pass
			1	High	22	-1.91	20.09	0.102	1.000	Pass
			25	Low	20.93	-1.91	19.02	0.080	1.000	Pass
			25	Mid	21	-1.91	19.09	0.081	1.000	Pass
			25	High	21	-1.91	19.09	0.081	1.000	Pass
			50	Low	20.88	-1.91	18.97	0.079	1.000	Pass
		Q64	1	Low	20.98	-1.91	19.07	0.081	1.000	Pass
			1	Mid	21.1	-1.91	19.19	0.083	1.000	Pass
			1	High	21.03	-1.91	19.12	0.082	1.000	Pass
			25	Low	19.89	-1.91	17.98	0.063	1.000	Pass
			25	Mid	19.92	-1.91	18.01	0.063	1.000	Pass
			25	High	19.92	-1.91	18.01	0.063	1.000	Pass
			50	Low	19.87	-1.91	17.96	0.063	1.000	Pass
	HCH	QPSK	1	Low	23.44	-1.91	21.53	0.142	1.000	Pass
			1	Mid	23.89	-1.91	21.98	0.158	1.000	Pass
			1	High	23.36	-1.91	21.45	0.140	1.000	Pass
			25	Low	22.57	-1.91	20.66	0.116	1.000	Pass
			25	Mid	22.57	-1.91	20.66	0.116	1.000	Pass
			25	High	22.75	-1.91	20.84	0.121	1.000	Pass
			50	Low	22.61	-1.91	20.70	0.117	1.000	Pass
		Q16	1	Low	22.7	-1.91	20.79	0.120	1.000	Pass
			1	Mid	23.17	-1.91	21.26	0.134	1.000	Pass
			1	High	22.89	-1.91	20.98	0.125	1.000	Pass
			25	Low	21.67	-1.91	19.76	0.095	1.000	Pass
			25	Mid	21.7	-1.91	19.79	0.095	1.000	Pass
			25	High	21.71	-1.91	19.80	0.095	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q64	50	Low	21.6	-1.91	19.69	0.093	1.000	Pass
			1	Low	21.56	-1.91	19.65	0.092	1.000	Pass
			1	Mid	21.85	-1.91	19.94	0.099	1.000	Pass
			1	High	22.06	-1.91	20.15	0.104	1.000	Pass
			25	Low	20.6	-1.91	18.69	0.074	1.000	Pass
			25	Mid	20.7	-1.91	18.79	0.076	1.000	Pass
			25	High	20.79	-1.91	18.88	0.077	1.000	Pass
			50	Low	20.59	-1.91	18.68	0.074	1.000	Pass
	LCH	QPSK	1	Low	22.45	-1.91	20.54	0.113	1.000	Pass
			1	Mid	22.76	-1.91	20.85	0.122	1.000	Pass
			1	High	22.4	-1.91	20.49	0.112	1.000	Pass
			36	Low	21.27	-1.91	19.36	0.086	1.000	Pass
			36	Mid	21.42	-1.91	19.51	0.089	1.000	Pass
			36	High	21.58	-1.91	19.67	0.093	1.000	Pass
			75	Low	22.26	-1.91	20.35	0.108	1.000	Pass
		Q16	1	Low	22.4	-1.91	20.49	0.112	1.000	Pass
			1	Mid	22.11	-1.91	20.20	0.105	1.000	Pass
			1	High	21.97	-1.91	20.06	0.101	1.000	Pass
			36	Low	22.24	-1.91	20.33	0.108	1.000	Pass
			36	Mid	22.24	-1.91	20.33	0.108	1.000	Pass
			36	High	20.93	-1.91	19.02	0.080	1.000	Pass
			75	Low	21.3	-1.91	19.39	0.087	1.000	Pass
		Q64	1	Low	21.17	-1.91	19.26	0.084	1.000	Pass
			1	Mid	21.34	-1.91	19.43	0.088	1.000	Pass
			1	High	21.18	-1.91	19.27	0.085	1.000	Pass
			36	Low	21.3	-1.91	19.39	0.087	1.000	Pass
			36	Mid	21.34	-1.91	19.43	0.088	1.000	Pass
			36	High	20.04	-1.91	18.13	0.065	1.000	Pass
			75	Low	19.98	-1.91	18.07	0.064	1.000	Pass
15	MCH	QPSK	1	Low	20.06	-1.91	18.15	0.065	1.000	Pass
			1	Mid	19.99	-1.91	18.08	0.064	1.000	Pass
			1	High	20.35	-1.91	18.44	0.070	1.000	Pass
			36	Low	20.21	-1.91	18.30	0.068	1.000	Pass
			36	Mid	20.23	-1.91	18.32	0.068	1.000	Pass
			36	High	19.24	-1.91	17.33	0.054	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	75	Low	22.7	-1.91	20.79	0.120	1.000	Pass
			1	Low	23.04	-1.91	21.13	0.130	1.000	Pass
			1	Mid	22.64	-1.91	20.73	0.118	1.000	Pass
			1	High	22.95	-1.91	21.04	0.127	1.000	Pass
			36	Low	22.71	-1.91	20.80	0.120	1.000	Pass
			36	Mid	22.76	-1.91	20.85	0.122	1.000	Pass
			36	High	21.81	-1.91	19.90	0.098	1.000	Pass
			75	Low	22.24	-1.91	20.33	0.108	1.000	Pass
		Q64	1	Low	22.07	-1.91	20.16	0.104	1.000	Pass
			1	Mid	22.24	-1.91	20.33	0.108	1.000	Pass
			1	High	21.86	-1.91	19.95	0.099	1.000	Pass
			36	Low	21.82	-1.91	19.91	0.098	1.000	Pass
			36	Mid	21.83	-1.91	19.92	0.098	1.000	Pass
			36	High	20.93	-1.91	19.02	0.080	1.000	Pass
			75	Low	21.22	-1.91	19.31	0.085	1.000	Pass
	HCH	QPSK	1	Low	21.05	-1.91	19.14	0.082	1.000	Pass
			1	Mid	20.87	-1.91	18.96	0.079	1.000	Pass
			1	High	21.05	-1.91	19.14	0.082	1.000	Pass
			36	Low	21.01	-1.91	19.10	0.081	1.000	Pass
			36	Mid	21.06	-1.91	19.15	0.082	1.000	Pass
			36	High	20.09	-1.91	18.18	0.066	1.000	Pass
			75	Low	23.9	-1.91	21.99	0.158	1.000	Pass
		Q16	1	Low	23.88	-1.91	21.97	0.157	1.000	Pass
			1	Mid	23.4	-1.91	21.49	0.141	1.000	Pass
			1	High	23.61	-1.91	21.70	0.148	1.000	Pass
			36	Low	23.55	-1.91	21.64	0.146	1.000	Pass
			36	Mid	23.67	-1.91	21.76	0.150	1.000	Pass
			36	High	22.94	-1.91	21.03	0.127	1.000	Pass
			75	Low	22.79	-1.91	20.88	0.122	1.000	Pass
		Q64	1	Low	22.82	-1.91	20.91	0.123	1.000	Pass
			1	Mid	23.22	-1.91	21.31	0.135	1.000	Pass
			1	High	22.95	-1.91	21.04	0.127	1.000	Pass
			36	Low	22.83	-1.91	20.92	0.124	1.000	Pass
			36	Mid	22.72	-1.91	20.81	0.121	1.000	Pass
			36	High	21.98	-1.91	20.07	0.102	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
20	LCH	QPSK	75	Low	22.16	-1.91	20.25	0.106	1.000	Pass
			1	Low	21.77	-1.91	19.86	0.097	1.000	Pass
			1	Mid	22.02	-1.91	20.11	0.103	1.000	Pass
			1	High	21.94	-1.91	20.03	0.101	1.000	Pass
			50	Low	21.93	-1.91	20.02	0.100	1.000	Pass
			50	Mid	21.64	-1.91	19.73	0.094	1.000	Pass
			50	High	20.69	-1.91	18.78	0.076	1.000	Pass
		Q16	100	Low	22.07	-1.91	20.16	0.104	1.000	Pass
			1	Low	22.36	-1.91	20.45	0.111	1.000	Pass
			1	Mid	22.15	-1.91	20.24	0.106	1.000	Pass
			1	High	21.04	-1.91	19.13	0.082	1.000	Pass
			50	Low	21.28	-1.91	19.37	0.086	1.000	Pass
			50	Mid	21.45	-1.91	19.54	0.090	1.000	Pass
			50	High	21.07	-1.91	19.16	0.082	1.000	Pass
			100	Low	21.36	-1.91	19.45	0.088	1.000	Pass
		Q64	1	Low	21.38	-1.91	19.47	0.089	1.000	Pass
			1	Mid	22	-1.91	20.09	0.102	1.000	Pass
			1	High	20.18	-1.91	18.27	0.067	1.000	Pass
			50	Low	20.35	-1.91	18.44	0.070	1.000	Pass
			50	Mid	20.29	-1.91	18.38	0.069	1.000	Pass
			50	High	20.27	-1.91	18.36	0.069	1.000	Pass
			100	Low	20.11	-1.91	18.20	0.066	1.000	Pass
	MCH	QPSK	1	Low	20.64	-1.91	18.73	0.075	1.000	Pass
			1	Mid	20.55	-1.91	18.64	0.073	1.000	Pass
			1	High	19.37	-1.91	17.46	0.056	1.000	Pass
			50	Low	19.45	-1.91	17.54	0.057	1.000	Pass
			50	Mid	19.24	-1.91	17.33	0.054	1.000	Pass
			50	High	19.37	-1.91	17.46	0.056	1.000	Pass
			100	Low	22.47	-1.91	20.56	0.114	1.000	Pass
		Q16	1	Low	23.27	-1.91	21.36	0.137	1.000	Pass
			1	Mid	22.68	-1.91	20.77	0.119	1.000	Pass
			1	High	21.66	-1.91	19.75	0.094	1.000	Pass
			50	Low	22.02	-1.91	20.11	0.103	1.000	Pass
			50	Mid	21.9	-1.91	19.99	0.100	1.000	Pass
			50	High	21.78	-1.91	19.87	0.097	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q64	100	Low	22.3	-1.91	20.39	0.109	1.000	Pass
			1	Low	21.99	-1.91	20.08	0.102	1.000	Pass
			1	Mid	22.44	-1.91	20.53	0.113	1.000	Pass
			1	High	21.08	-1.91	19.17	0.083	1.000	Pass
			50	Low	21.01	-1.91	19.10	0.081	1.000	Pass
			50	Mid	21	-1.91	19.09	0.081	1.000	Pass
			50	High	20.84	-1.91	18.93	0.078	1.000	Pass
			100	Low	20.96	-1.91	19.05	0.080	1.000	Pass
	HCH	QPSK	1	Low	21.27	-1.91	19.36	0.086	1.000	Pass
			1	Mid	21.06	-1.91	19.15	0.082	1.000	Pass
			1	High	19.94	-1.91	18.03	0.064	1.000	Pass
			50	Low	19.71	-1.91	17.80	0.060	1.000	Pass
			50	Mid	19.92	-1.91	18.01	0.063	1.000	Pass
			50	High	19.94	-1.91	18.03	0.064	1.000	Pass
			100	Low	23.75	-1.91	21.84	0.153	1.000	Pass
		Q16	1	Low	23.62	-1.91	21.71	0.148	1.000	Pass
			1	Mid	23.74	-1.91	21.83	0.152	1.000	Pass
			1	High	22.8	-1.91	20.89	0.123	1.000	Pass
			50	Low	23.03	-1.91	21.12	0.129	1.000	Pass
			50	Mid	22.79	-1.91	20.88	0.122	1.000	Pass
			50	High	22.62	-1.91	20.71	0.118	1.000	Pass
			100	Low	23.02	-1.91	21.11	0.129	1.000	Pass
		Q64	1	Low	22.97	-1.91	21.06	0.128	1.000	Pass
			1	Mid	22.86	-1.91	20.95	0.124	1.000	Pass
			1	High	21.8	-1.91	19.89	0.097	1.000	Pass
			50	Low	21.83	-1.91	19.92	0.098	1.000	Pass
			50	Mid	21.84	-1.91	19.93	0.098	1.000	Pass
			50	High	21.64	-1.91	19.73	0.094	1.000	Pass
			100	Low	21.98	-1.91	20.07	0.102	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
1.4	LCH	QPSK	1	Low	23.06	-0.85	-3	20.06	0.101	7.000	Pass
			1	Mid	23.64	-0.85	-3	20.64	0.116	7.000	Pass
			1	High	23.04	-0.85	-3	20.04	0.101	7.000	Pass
			3	Low	22.77	-0.85	-3	19.77	0.095	7.000	Pass
			3	Mid	23.17	-0.85	-3	20.17	0.104	7.000	Pass
			3	High	23.09	-0.85	-3	20.09	0.102	7.000	Pass
			6	Low	22.09	-0.85	-3	19.09	0.081	7.000	Pass
		Q16	1	Low	22.4	-0.85	-3	19.40	0.087	7.000	Pass
			1	Mid	22.22	-0.85	-3	19.22	0.084	7.000	Pass
			1	High	22.23	-0.85	-3	19.23	0.084	7.000	Pass
			3	Low	22.26	-0.85	-3	19.26	0.084	7.000	Pass
			3	Mid	21.94	-0.85	-3	18.94	0.078	7.000	Pass
			3	High	22.06	-0.85	-3	19.06	0.081	7.000	Pass
			6	Low	21.04	-0.85	-3	18.04	0.064	7.000	Pass
		Q64	1	Low	21.21	-0.85	-3	18.21	0.066	7.000	Pass
			1	Mid	21.35	-0.85	-3	18.35	0.068	7.000	Pass
			1	High	21.09	-0.85	-3	18.09	0.064	7.000	Pass
			3	Low	21.28	-0.85	-3	18.28	0.067	7.000	Pass
			3	Mid	21.11	-0.85	-3	18.11	0.065	7.000	Pass
			3	High	21.09	-0.85	-3	18.09	0.064	7.000	Pass
			6	Low	20	-0.85	-3	17.00	0.050	7.000	Pass
	MCH	QPSK	1	Low	23.4	-0.85	-3	20.40	0.110	7.000	Pass
			1	Mid	23.3	-0.85	-3	20.30	0.107	7.000	Pass
			1	High	22.91	-0.85	-3	19.91	0.098	7.000	Pass
			3	Low	22.91	-0.85	-3	19.91	0.098	7.000	Pass
			3	Mid	22.97	-0.85	-3	19.97	0.099	7.000	Pass
			3	High	22.95	-0.85	-3	19.95	0.099	7.000	Pass
			6	Low	21.97	-0.85	-3	18.97	0.079	7.000	Pass
		Q16	1	Low	22.35	-0.85	-3	19.35	0.086	7.000	Pass
			1	Mid	22.78	-0.85	-3	19.78	0.095	7.000	Pass
			1	High	22.05	-0.85	-3	19.05	0.080	7.000	Pass
			3	Low	22.1	-0.85	-3	19.10	0.081	7.000	Pass
			3	Mid	22.25	-0.85	-3	19.25	0.084	7.000	Pass
			3	High	22.37	-0.85	-3	19.37	0.086	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q64	6	Low	21.16	-0.85	-3	18.16	0.065	7.000	Pass
			1	Low	21.31	-0.85	-3	18.31	0.068	7.000	Pass
			1	Mid	21.35	-0.85	-3	18.35	0.068	7.000	Pass
			1	High	21.22	-0.85	-3	18.22	0.066	7.000	Pass
			3	Low	21.22	-0.85	-3	18.22	0.066	7.000	Pass
			3	Mid	21.29	-0.85	-3	18.29	0.067	7.000	Pass
			3	High	21.09	-0.85	-3	18.09	0.064	7.000	Pass
			6	Low	20.19	-0.85	-3	17.19	0.052	7.000	Pass
	HCH	QPSK	1	Low	23.2	-0.85	-3	20.20	0.105	7.000	Pass
			1	Mid	23.04	-0.85	-3	20.04	0.101	7.000	Pass
			1	High	22.93	-0.85	-3	19.93	0.098	7.000	Pass
			3	Low	23.05	-0.85	-3	20.05	0.101	7.000	Pass
			3	Mid	22.87	-0.85	-3	19.87	0.097	7.000	Pass
			3	High	22.98	-0.85	-3	19.98	0.100	7.000	Pass
			6	Low	22.01	-0.85	-3	19.01	0.080	7.000	Pass
		Q16	1	Low	22.5	-0.85	-3	19.50	0.089	7.000	Pass
			1	Mid	22.33	-0.85	-3	19.33	0.086	7.000	Pass
			1	High	22.1	-0.85	-3	19.10	0.081	7.000	Pass
			3	Low	21.89	-0.85	-3	18.89	0.077	7.000	Pass
			3	Mid	22.22	-0.85	-3	19.22	0.084	7.000	Pass
			3	High	22.21	-0.85	-3	19.21	0.083	7.000	Pass
			6	Low	21.28	-0.85	-3	18.28	0.067	7.000	Pass
		Q64	1	Low	20.92	-0.85	-3	17.92	0.062	7.000	Pass
			1	Mid	21.59	-0.85	-3	18.59	0.072	7.000	Pass
			1	High	21.03	-0.85	-3	18.03	0.064	7.000	Pass
			3	Low	20.98	-0.85	-3	17.98	0.063	7.000	Pass
			3	Mid	21.02	-0.85	-3	18.02	0.063	7.000	Pass
			3	High	21.18	-0.85	-3	18.18	0.066	7.000	Pass
			6	Low	19.98	-0.85	-3	16.98	0.050	7.000	Pass
3	LCH	QPSK	1	Low	23.03	-0.85	-3	20.03	0.101	7.000	Pass
			1	Mid	23.03	-0.85	-3	20.03	0.101	7.000	Pass
			1	High	22.89	-0.85	-3	19.89	0.097	7.000	Pass
			8	Low	22.05	-0.85	-3	19.05	0.080	7.000	Pass
			8	Mid	22.01	-0.85	-3	19.01	0.080	7.000	Pass
			8	High	21.98	-0.85	-3	18.98	0.079	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	15	Low	22.21	-0.85	-3	19.21	0.083	7.000	Pass
			1	Low	22.53	-0.85	-3	19.53	0.090	7.000	Pass
			1	Mid	22.61	-0.85	-3	19.61	0.091	7.000	Pass
			1	High	22.79	-0.85	-3	19.79	0.095	7.000	Pass
			8	Low	21.27	-0.85	-3	18.27	0.067	7.000	Pass
			8	Mid	21.08	-0.85	-3	18.08	0.064	7.000	Pass
			8	High	21.37	-0.85	-3	18.37	0.069	7.000	Pass
			15	Low	21.04	-0.85	-3	18.04	0.064	7.000	Pass
		Q64	1	Low	21.09	-0.85	-3	18.09	0.064	7.000	Pass
			1	Mid	21.45	-0.85	-3	18.45	0.070	7.000	Pass
			1	High	21.08	-0.85	-3	18.08	0.064	7.000	Pass
			8	Low	20.23	-0.85	-3	17.23	0.053	7.000	Pass
			8	Mid	20.15	-0.85	-3	17.15	0.052	7.000	Pass
			8	High	20.16	-0.85	-3	17.16	0.052	7.000	Pass
			15	Low	20	-0.85	-3	17.00	0.050	7.000	Pass
	MCH	QPSK	1	Low	23.22	-0.85	-3	20.22	0.105	7.000	Pass
			1	Mid	23.02	-0.85	-3	20.02	0.100	7.000	Pass
			1	High	22.86	-0.85	-3	19.86	0.097	7.000	Pass
			8	Low	21.97	-0.85	-3	18.97	0.079	7.000	Pass
			8	Mid	22.32	-0.85	-3	19.32	0.086	7.000	Pass
			8	High	22.23	-0.85	-3	19.23	0.084	7.000	Pass
			15	Low	22.07	-0.85	-3	19.07	0.081	7.000	Pass
		Q16	1	Low	22.43	-0.85	-3	19.43	0.088	7.000	Pass
			1	Mid	22.35	-0.85	-3	19.35	0.086	7.000	Pass
			1	High	22.65	-0.85	-3	19.65	0.092	7.000	Pass
			8	Low	21.2	-0.85	-3	18.20	0.066	7.000	Pass
			8	Mid	21.1	-0.85	-3	18.10	0.065	7.000	Pass
			8	High	21.2	-0.85	-3	18.20	0.066	7.000	Pass
			15	Low	21.3	-0.85	-3	18.30	0.068	7.000	Pass
		Q64	1	Low	21.08	-0.85	-3	18.08	0.064	7.000	Pass
			1	Mid	21.59	-0.85	-3	18.59	0.072	7.000	Pass
			1	High	21.42	-0.85	-3	18.42	0.070	7.000	Pass
			8	Low	20.06	-0.85	-3	17.06	0.051	7.000	Pass
			8	Mid	20.05	-0.85	-3	17.05	0.051	7.000	Pass
			8	High	20.37	-0.85	-3	17.37	0.055	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
	HCH	QPSK	15	Low	20.06	-0.85	-3	17.06	0.051	7.000	Pass
			1	Low	23.02	-0.85	-3	20.02	0.100	7.000	Pass
			1	Mid	23.15	-0.85	-3	20.15	0.104	7.000	Pass
			1	High	23.26	-0.85	-3	20.26	0.106	7.000	Pass
			8	Low	22.09	-0.85	-3	19.09	0.081	7.000	Pass
			8	Mid	22.08	-0.85	-3	19.08	0.081	7.000	Pass
			8	High	21.86	-0.85	-3	18.86	0.077	7.000	Pass
			15	Low	22.27	-0.85	-3	19.27	0.085	7.000	Pass
		Q16	1	Low	22.71	-0.85	-3	19.71	0.094	7.000	Pass
			1	Mid	22.8	-0.85	-3	19.80	0.095	7.000	Pass
			1	High	22.4	-0.85	-3	19.40	0.087	7.000	Pass
			8	Low	21.18	-0.85	-3	18.18	0.066	7.000	Pass
			8	Mid	21.03	-0.85	-3	18.03	0.064	7.000	Pass
			8	High	21.09	-0.85	-3	18.09	0.064	7.000	Pass
			15	Low	21.42	-0.85	-3	18.42	0.070	7.000	Pass
		Q64	1	Low	21.22	-0.85	-3	18.22	0.066	7.000	Pass
			1	Mid	21.26	-0.85	-3	18.26	0.067	7.000	Pass
			1	High	20.84	-0.85	-3	17.84	0.061	7.000	Pass
			8	Low	20.12	-0.85	-3	17.12	0.052	7.000	Pass
			8	Mid	20.08	-0.85	-3	17.08	0.051	7.000	Pass
			8	High	19.87	-0.85	-3	16.87	0.049	7.000	Pass
			15	Low	20.13	-0.85	-3	17.13	0.052	7.000	Pass
5	LCH	QPSK	1	Low	23.16	-0.85	-3	20.16	0.104	7.000	Pass
			1	Mid	23.21	-0.85	-3	20.21	0.105	7.000	Pass
			1	High	23.13	-0.85	-3	20.13	0.103	7.000	Pass
			12	Low	21.88	-0.85	-3	18.88	0.077	7.000	Pass
			12	Mid	22.13	-0.85	-3	19.13	0.082	7.000	Pass
			12	High	22.21	-0.85	-3	19.21	0.083	7.000	Pass
			25	Low	22.32	-0.85	-3	19.32	0.086	7.000	Pass
		Q16	1	Low	22.26	-0.85	-3	19.26	0.084	7.000	Pass
			1	Mid	23.09	-0.85	-3	20.09	0.102	7.000	Pass
			1	High	22.53	-0.85	-3	19.53	0.090	7.000	Pass
			12	Low	21.06	-0.85	-3	18.06	0.064	7.000	Pass
			12	Mid	21.35	-0.85	-3	18.35	0.068	7.000	Pass
			12	High	21.2	-0.85	-3	18.20	0.066	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q64	25	Low	20.95	-0.85	-3	17.95	0.062	7.000	Pass
			1	Low	21.37	-0.85	-3	18.37	0.069	7.000	Pass
			1	Mid	21.5	-0.85	-3	18.50	0.071	7.000	Pass
			1	High	21.17	-0.85	-3	18.17	0.066	7.000	Pass
			12	Low	20.24	-0.85	-3	17.24	0.053	7.000	Pass
			12	Mid	20.44	-0.85	-3	17.44	0.055	7.000	Pass
			12	High	20.24	-0.85	-3	17.24	0.053	7.000	Pass
			25	Low	20.3	-0.85	-3	17.30	0.054	7.000	Pass
	MCH	QPSK	1	Low	23.29	-0.85	-3	20.29	0.107	7.000	Pass
			1	Mid	23.23	-0.85	-3	20.23	0.105	7.000	Pass
			1	High	23	-0.85	-3	20.00	0.100	7.000	Pass
			12	Low	22.1	-0.85	-3	19.10	0.081	7.000	Pass
			12	Mid	21.99	-0.85	-3	18.99	0.079	7.000	Pass
			12	High	22.14	-0.85	-3	19.14	0.082	7.000	Pass
			25	Low	21.92	-0.85	-3	18.92	0.078	7.000	Pass
		Q16	1	Low	22.37	-0.85	-3	19.37	0.086	7.000	Pass
			1	Mid	22.83	-0.85	-3	19.83	0.096	7.000	Pass
			1	High	22.1	-0.85	-3	19.10	0.081	7.000	Pass
			12	Low	21.2	-0.85	-3	18.20	0.066	7.000	Pass
			12	Mid	21.04	-0.85	-3	18.04	0.064	7.000	Pass
			12	High	21.06	-0.85	-3	18.06	0.064	7.000	Pass
			25	Low	21.12	-0.85	-3	18.12	0.065	7.000	Pass
		Q64	1	Low	21.32	-0.85	-3	18.32	0.068	7.000	Pass
			1	Mid	21.67	-0.85	-3	18.67	0.074	7.000	Pass
			1	High	21.2	-0.85	-3	18.20	0.066	7.000	Pass
			12	Low	20.3	-0.85	-3	17.30	0.054	7.000	Pass
			12	Mid	20.36	-0.85	-3	17.36	0.054	7.000	Pass
			12	High	20	-0.85	-3	17.00	0.050	7.000	Pass
			25	Low	20.16	-0.85	-3	17.16	0.052	7.000	Pass
	HCH	QPSK	1	Low	23.32	-0.85	-3	20.32	0.108	7.000	Pass
			1	Mid	22.98	-0.85	-3	19.98	0.100	7.000	Pass
			1	High	22.8	-0.85	-3	19.80	0.095	7.000	Pass
			12	Low	21.98	-0.85	-3	18.98	0.079	7.000	Pass
			12	Mid	22.11	-0.85	-3	19.11	0.081	7.000	Pass
			12	High	22.17	-0.85	-3	19.17	0.083	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	25	Low	22.2	-0.85	-3	19.20	0.083	7.000	Pass
			1	Low	22.81	-0.85	-3	19.81	0.096	7.000	Pass
			1	Mid	22.22	-0.85	-3	19.22	0.084	7.000	Pass
			1	High	22.48	-0.85	-3	19.48	0.089	7.000	Pass
			12	Low	20.84	-0.85	-3	17.84	0.061	7.000	Pass
			12	Mid	21.33	-0.85	-3	18.33	0.068	7.000	Pass
			12	High	21.19	-0.85	-3	18.19	0.066	7.000	Pass
			25	Low	21.28	-0.85	-3	18.28	0.067	7.000	Pass
		Q64	1	Low	21.25	-0.85	-3	18.25	0.067	7.000	Pass
			1	Mid	21.4	-0.85	-3	18.40	0.069	7.000	Pass
			1	High	21.44	-0.85	-3	18.44	0.070	7.000	Pass
			12	Low	20	-0.85	-3	17.00	0.050	7.000	Pass
			12	Mid	20.39	-0.85	-3	17.39	0.055	7.000	Pass
			12	High	20.12	-0.85	-3	17.12	0.052	7.000	Pass
			25	Low	20.04	-0.85	-3	17.04	0.051	7.000	Pass
10	LCH	QPSK	1	Low	23.34	-0.85	-3	20.34	0.108	7.000	Pass
			1	Mid	23.14	-0.85	-3	20.14	0.103	7.000	Pass
			1	High	23.18	-0.85	-3	20.18	0.104	7.000	Pass
			25	Low	21.93	-0.85	-3	18.93	0.078	7.000	Pass
			25	Mid	22.24	-0.85	-3	19.24	0.084	7.000	Pass
			25	High	22.35	-0.85	-3	19.35	0.086	7.000	Pass
			50	Low	22.3	-0.85	-3	19.30	0.085	7.000	Pass
		Q16	1	Low	22.41	-0.85	-3	19.41	0.087	7.000	Pass
			1	Mid	22.59	-0.85	-3	19.59	0.091	7.000	Pass
			1	High	22.49	-0.85	-3	19.49	0.089	7.000	Pass
			25	Low	21.11	-0.85	-3	18.11	0.065	7.000	Pass
			25	Mid	21.14	-0.85	-3	18.14	0.065	7.000	Pass
			25	High	21.28	-0.85	-3	18.28	0.067	7.000	Pass
			50	Low	21.34	-0.85	-3	18.34	0.068	7.000	Pass
		Q64	1	Low	21.16	-0.85	-3	18.16	0.065	7.000	Pass
			1	Mid	21.51	-0.85	-3	18.51	0.071	7.000	Pass
			1	High	20.84	-0.85	-3	17.84	0.061	7.000	Pass
			25	Low	20.11	-0.85	-3	17.11	0.051	7.000	Pass
			25	Mid	20.3	-0.85	-3	17.30	0.054	7.000	Pass
			25	High	20.24	-0.85	-3	17.24	0.053	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
	MCH	QPSK	50	Low	20.15	-0.85	-3	17.15	0.052	7.000	Pass
			1	Low	23.14	-0.85	-3	20.14	0.103	7.000	Pass
			1	Mid	23.38	-0.85	-3	20.38	0.109	7.000	Pass
			1	High	23.11	-0.85	-3	20.11	0.103	7.000	Pass
			25	Low	22.15	-0.85	-3	19.15	0.082	7.000	Pass
			25	Mid	22.14	-0.85	-3	19.14	0.082	7.000	Pass
			25	High	22.12	-0.85	-3	19.12	0.082	7.000	Pass
			50	Low	22.02	-0.85	-3	19.02	0.080	7.000	Pass
		Q16	1	Low	22.51	-0.85	-3	19.51	0.089	7.000	Pass
			1	Mid	22.37	-0.85	-3	19.37	0.086	7.000	Pass
			1	High	22.92	-0.85	-3	19.92	0.098	7.000	Pass
			25	Low	21.32	-0.85	-3	18.32	0.068	7.000	Pass
			25	Mid	21.07	-0.85	-3	18.07	0.064	7.000	Pass
			25	High	21.13	-0.85	-3	18.13	0.065	7.000	Pass
			50	Low	21.27	-0.85	-3	18.27	0.067	7.000	Pass
		Q64	1	Low	21.59	-0.85	-3	18.59	0.072	7.000	Pass
			1	Mid	21.39	-0.85	-3	18.39	0.069	7.000	Pass
			1	High	21.25	-0.85	-3	18.25	0.067	7.000	Pass
			25	Low	20.07	-0.85	-3	17.07	0.051	7.000	Pass
			25	Mid	20.09	-0.85	-3	17.09	0.051	7.000	Pass
			25	High	20.06	-0.85	-3	17.06	0.051	7.000	Pass
			50	Low	19.95	-0.85	-3	16.95	0.050	7.000	Pass
	HCH	QPSK	1	Low	22.99	-0.85	-3	19.99	0.100	7.000	Pass
			1	Mid	23.37	-0.85	-3	20.37	0.109	7.000	Pass
			1	High	23.33	-0.85	-3	20.33	0.108	7.000	Pass
			25	Low	22.19	-0.85	-3	19.19	0.083	7.000	Pass
			25	Mid	22.22	-0.85	-3	19.22	0.084	7.000	Pass
			25	High	22.3	-0.85	-3	19.30	0.085	7.000	Pass
			50	Low	22.23	-0.85	-3	19.23	0.084	7.000	Pass
		Q16	1	Low	22.5	-0.85	-3	19.50	0.089	7.000	Pass
			1	Mid	22.49	-0.85	-3	19.49	0.089	7.000	Pass
			1	High	22.08	-0.85	-3	19.08	0.081	7.000	Pass
			25	Low	21.19	-0.85	-3	18.19	0.066	7.000	Pass
			25	Mid	21.15	-0.85	-3	18.15	0.065	7.000	Pass
			25	High	21.35	-0.85	-3	18.35	0.068	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q64	50	Low	21.06	-0.85	-3	18.06	0.064	7.000	Pass
			1	Low	21.32	-0.85	-3	18.32	0.068	7.000	Pass
			1	Mid	21.51	-0.85	-3	18.51	0.071	7.000	Pass
			1	High	21.22	-0.85	-3	18.22	0.066	7.000	Pass
			25	Low	20.1	-0.85	-3	17.10	0.051	7.000	Pass
			25	Mid	20.39	-0.85	-3	17.39	0.055	7.000	Pass
			25	High	20.25	-0.85	-3	17.25	0.053	7.000	Pass
			50	Low	20.19	-0.85	-3	17.19	0.052	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
5	LCH	QPSK	1	Low	22.06	-1.34	20.72	0.118	2.000	Pass
			1	Mid	22.13	-1.34	20.79	0.120	2.000	Pass
			1	High	22.26	-1.34	20.92	0.124	2.000	Pass
			12	Low	21.14	-1.34	19.80	0.095	2.000	Pass
			12	Mid	21.14	-1.34	19.80	0.095	2.000	Pass
			12	High	21.27	-1.34	19.93	0.098	2.000	Pass
			25	Low	20.94	-1.34	19.60	0.091	2.000	Pass
		Q16	1	Low	21.18	-1.34	19.84	0.096	2.000	Pass
			1	Mid	21.38	-1.34	20.04	0.101	2.000	Pass
			1	High	21.54	-1.34	20.20	0.105	2.000	Pass
			12	Low	20.27	-1.34	18.93	0.078	2.000	Pass
			12	Mid	20.31	-1.34	18.97	0.079	2.000	Pass
			12	High	19.97	-1.34	18.63	0.073	2.000	Pass
			25	Low	20.01	-1.34	18.67	0.074	2.000	Pass
		Q64	1	Low	20.08	-1.34	18.74	0.075	2.000	Pass
			1	Mid	20.36	-1.34	19.02	0.080	2.000	Pass
			1	High	20.36	-1.34	19.02	0.080	2.000	Pass
			12	Low	19.02	-1.34	17.68	0.059	2.000	Pass
			12	Mid	19.05	-1.34	17.71	0.059	2.000	Pass
			12	High	19.15	-1.34	17.81	0.060	2.000	Pass
			25	Low	18.98	-1.34	17.64	0.058	2.000	Pass
	MCH	QPSK	1	Low	22.61	-1.34	21.27	0.134	2.000	Pass
			1	Mid	22.71	-1.34	21.37	0.137	2.000	Pass
			1	High	22.52	-1.34	21.18	0.131	2.000	Pass
			12	Low	21.46	-1.34	20.12	0.103	2.000	Pass
			12	Mid	21.79	-1.34	20.45	0.111	2.000	Pass
			12	High	21.85	-1.34	20.51	0.112	2.000	Pass
			25	Low	21.7	-1.34	20.36	0.109	2.000	Pass
		Q16	1	Low	21.99	-1.34	20.65	0.116	2.000	Pass
			1	Mid	22.02	-1.34	20.68	0.117	2.000	Pass
			1	High	22.24	-1.34	20.90	0.123	2.000	Pass
			12	Low	20.76	-1.34	19.42	0.087	2.000	Pass
			12	Mid	20.93	-1.34	19.59	0.091	2.000	Pass
			12	High	20.78	-1.34	19.44	0.088	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q64	25	Low	20.87	-1.34	19.53	0.090	2.000	Pass
			1	Low	20.96	-1.34	19.62	0.092	2.000	Pass
			1	Mid	20.97	-1.34	19.63	0.092	2.000	Pass
			1	High	20.89	-1.34	19.55	0.090	2.000	Pass
			12	Low	19.75	-1.34	18.41	0.069	2.000	Pass
			12	Mid	19.99	-1.34	18.65	0.073	2.000	Pass
			12	High	19.89	-1.34	18.55	0.072	2.000	Pass
			25	Low	19.64	-1.34	18.30	0.068	2.000	Pass
	HCH	QPSK	1	Low	23.23	-1.34	21.89	0.155	2.000	Pass
			1	Mid	22.83	-1.34	21.49	0.141	2.000	Pass
			1	High	23.2	-1.34	21.86	0.153	2.000	Pass
			12	Low	22.14	-1.34	20.80	0.120	2.000	Pass
			12	Mid	22.2	-1.34	20.86	0.122	2.000	Pass
			12	High	22	-1.34	20.66	0.116	2.000	Pass
			25	Low	22.23	-1.34	20.89	0.123	2.000	Pass
		Q16	1	Low	22.39	-1.34	21.05	0.127	2.000	Pass
			1	Mid	22.32	-1.34	20.98	0.125	2.000	Pass
			1	High	22.47	-1.34	21.13	0.130	2.000	Pass
			12	Low	21.08	-1.34	19.74	0.094	2.000	Pass
			12	Mid	21.15	-1.34	19.81	0.096	2.000	Pass
			12	High	21.36	-1.34	20.02	0.100	2.000	Pass
			25	Low	21.28	-1.34	19.94	0.099	2.000	Pass
		Q64	1	Low	21.42	-1.34	20.08	0.102	2.000	Pass
			1	Mid	21.37	-1.34	20.03	0.101	2.000	Pass
			1	High	20.97	-1.34	19.63	0.092	2.000	Pass
			12	Low	19.91	-1.34	18.57	0.072	2.000	Pass
			12	Mid	20.11	-1.34	18.77	0.075	2.000	Pass
			12	High	20.15	-1.34	18.81	0.076	2.000	Pass
			25	Low	19.92	-1.34	18.58	0.072	2.000	Pass
10	LCH	QPSK	1	Low	21.81	-1.34	20.47	0.111	2.000	Pass
			1	Mid	22.27	-1.34	20.93	0.124	2.000	Pass
			1	High	22.18	-1.34	20.84	0.121	2.000	Pass
			25	Low	20.98	-1.34	19.64	0.092	2.000	Pass
			25	Mid	21.04	-1.34	19.70	0.093	2.000	Pass
			25	High	21.14	-1.34	19.80	0.095	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	50	Low	21.09	-1.34	19.75	0.094	2.000	Pass
			1	Low	21.17	-1.34	19.83	0.096	2.000	Pass
			1	Mid	21.4	-1.34	20.06	0.101	2.000	Pass
			1	High	21.37	-1.34	20.03	0.101	2.000	Pass
			25	Low	20.09	-1.34	18.75	0.075	2.000	Pass
			25	Mid	20.21	-1.34	18.87	0.077	2.000	Pass
			25	High	20.38	-1.34	19.04	0.080	2.000	Pass
			50	Low	20.04	-1.34	18.70	0.074	2.000	Pass
		Q64	1	Low	20.11	-1.34	18.77	0.075	2.000	Pass
			1	Mid	20.38	-1.34	19.04	0.080	2.000	Pass
			1	High	20.37	-1.34	19.03	0.080	2.000	Pass
			25	Low	18.81	-1.34	17.47	0.056	2.000	Pass
			25	Mid	19.38	-1.34	18.04	0.064	2.000	Pass
			25	High	19.22	-1.34	17.88	0.061	2.000	Pass
			50	Low	19.08	-1.34	17.74	0.059	2.000	Pass
	MCH	QPSK	1	Low	22.51	-1.34	21.17	0.131	2.000	Pass
			1	Mid	22.6	-1.34	21.26	0.134	2.000	Pass
			1	High	22.72	-1.34	21.38	0.137	2.000	Pass
			25	Low	21.53	-1.34	20.19	0.104	2.000	Pass
			25	Mid	21.66	-1.34	20.32	0.108	2.000	Pass
			25	High	21.69	-1.34	20.35	0.108	2.000	Pass
			50	Low	21.65	-1.34	20.31	0.107	2.000	Pass
		Q16	1	Low	21.84	-1.34	20.50	0.112	2.000	Pass
			1	Mid	21.81	-1.34	20.47	0.111	2.000	Pass
			1	High	21.86	-1.34	20.52	0.113	2.000	Pass
			25	Low	20.54	-1.34	19.20	0.083	2.000	Pass
			25	Mid	20.84	-1.34	19.50	0.089	2.000	Pass
			25	High	20.67	-1.34	19.33	0.086	2.000	Pass
			50	Low	20.69	-1.34	19.35	0.086	2.000	Pass
		Q64	1	Low	20.58	-1.34	19.24	0.084	2.000	Pass
			1	Mid	21.02	-1.34	19.68	0.093	2.000	Pass
			1	High	20.84	-1.34	19.50	0.089	2.000	Pass
			25	Low	19.77	-1.34	18.43	0.070	2.000	Pass
			25	Mid	19.83	-1.34	18.49	0.071	2.000	Pass
			25	High	19.61	-1.34	18.27	0.067	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
	HCH	QPSK	50	Low	19.55	-1.34	18.21	0.066	2.000	Pass
			1	Low	22.95	-1.34	21.61	0.145	2.000	Pass
			1	Mid	23.4	-1.34	22.06	0.161	2.000	Pass
			1	High	23.32	-1.34	21.98	0.158	2.000	Pass
			25	Low	21.87	-1.34	20.53	0.113	2.000	Pass
			25	Mid	22.08	-1.34	20.74	0.119	2.000	Pass
			25	High	22.17	-1.34	20.83	0.121	2.000	Pass
		Q16	50	Low	21.84	-1.34	20.50	0.112	2.000	Pass
			1	Low	22.07	-1.34	20.73	0.118	2.000	Pass
			1	Mid	22.2	-1.34	20.86	0.122	2.000	Pass
			1	High	22.06	-1.34	20.72	0.118	2.000	Pass
			25	Low	20.87	-1.34	19.53	0.090	2.000	Pass
			25	Mid	21.34	-1.34	20.00	0.100	2.000	Pass
			25	High	21.1	-1.34	19.76	0.095	2.000	Pass
			50	Low	20.9	-1.34	19.56	0.090	2.000	Pass
		Q64	1	Low	21.25	-1.34	19.91	0.098	2.000	Pass
			1	Mid	21.35	-1.34	20.01	0.100	2.000	Pass
			1	High	21.46	-1.34	20.12	0.103	2.000	Pass
			25	Low	19.84	-1.34	18.50	0.071	2.000	Pass
			25	Mid	20.1	-1.34	18.76	0.075	2.000	Pass
			25	High	19.99	-1.34	18.65	0.073	2.000	Pass
			50	Low	20.17	-1.34	18.83	0.076	2.000	Pass
15	LCH	QPSK	1	Low	22.05	-1.34	20.71	0.118	2.000	Pass
			1	Mid	21.92	-1.34	20.58	0.114	2.000	Pass
			1	High	22.37	-1.34	21.03	0.127	2.000	Pass
			36	Low	21.15	-1.34	19.81	0.096	2.000	Pass
			36	Mid	21.09	-1.34	19.75	0.094	2.000	Pass
			36	High	21.34	-1.34	20.00	0.100	2.000	Pass
			75	Low	20.98	-1.34	19.64	0.092	2.000	Pass
		Q16	1	Low	21.35	-1.34	20.01	0.100	2.000	Pass
			1	Mid	21.28	-1.34	19.94	0.099	2.000	Pass
			1	High	21.37	-1.34	20.03	0.101	2.000	Pass
			36	Low	20.17	-1.34	18.83	0.076	2.000	Pass
			36	Mid	20.45	-1.34	19.11	0.081	2.000	Pass
			36	High	20.46	-1.34	19.12	0.082	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q64	75	Low	20.15	-1.34	18.81	0.076	2.000	Pass
			1	Low	20.07	-1.34	18.73	0.075	2.000	Pass
			1	Mid	20.41	-1.34	19.07	0.081	2.000	Pass
			1	High	20.75	-1.34	19.41	0.087	2.000	Pass
			36	Low	18.84	-1.34	17.50	0.056	2.000	Pass
			36	Mid	19.18	-1.34	17.84	0.061	2.000	Pass
			36	High	19.42	-1.34	18.08	0.064	2.000	Pass
			75	Low	19.18	-1.34	17.84	0.061	2.000	Pass
	MCH	QPSK	1	Low	22.72	-1.34	21.38	0.137	2.000	Pass
			1	Mid	22.51	-1.34	21.17	0.131	2.000	Pass
			1	High	23	-1.34	21.66	0.147	2.000	Pass
			36	Low	21.65	-1.34	20.31	0.107	2.000	Pass
			36	Mid	21.64	-1.34	20.30	0.107	2.000	Pass
			36	High	21.77	-1.34	20.43	0.110	2.000	Pass
			75	Low	21.68	-1.34	20.34	0.108	2.000	Pass
		Q16	1	Low	21.68	-1.34	20.34	0.108	2.000	Pass
			1	Mid	21.72	-1.34	20.38	0.109	2.000	Pass
			1	High	21.84	-1.34	20.50	0.112	2.000	Pass
			36	Low	20.73	-1.34	19.39	0.087	2.000	Pass
			36	Mid	20.74	-1.34	19.40	0.087	2.000	Pass
			36	High	20.48	-1.34	19.14	0.082	2.000	Pass
			75	Low	20.49	-1.34	19.15	0.082	2.000	Pass
		Q64	1	Low	20.86	-1.34	19.52	0.090	2.000	Pass
			1	Mid	20.78	-1.34	19.44	0.088	2.000	Pass
			1	High	21.01	-1.34	19.67	0.093	2.000	Pass
			36	Low	19.55	-1.34	18.21	0.066	2.000	Pass
			36	Mid	19.5	-1.34	18.16	0.065	2.000	Pass
			36	High	19.58	-1.34	18.24	0.067	2.000	Pass
			75	Low	19.75	-1.34	18.41	0.069	2.000	Pass
	HCH	QPSK	1	Low	22.86	-1.34	21.52	0.142	2.000	Pass
			1	Mid	23.45	-1.34	22.11	0.163	2.000	Pass
			1	High	23.37	-1.34	22.03	0.160	2.000	Pass
			36	Low	21.89	-1.34	20.55	0.114	2.000	Pass
			36	Mid	21.99	-1.34	20.65	0.116	2.000	Pass
			36	High	22	-1.34	20.66	0.116	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	75	Low	21.93	-1.34	20.59	0.115	2.000	Pass
			1	Low	21.99	-1.34	20.65	0.116	2.000	Pass
			1	Mid	22.15	-1.34	20.81	0.121	2.000	Pass
			1	High	22.13	-1.34	20.79	0.120	2.000	Pass
			36	Low	20.96	-1.34	19.62	0.092	2.000	Pass
			36	Mid	20.95	-1.34	19.61	0.091	2.000	Pass
			36	High	21	-1.34	19.66	0.092	2.000	Pass
			75	Low	21.03	-1.34	19.69	0.093	2.000	Pass
		Q64	1	Low	21.35	-1.34	20.01	0.100	2.000	Pass
			1	Mid	21.07	-1.34	19.73	0.094	2.000	Pass
			1	High	21.01	-1.34	19.67	0.093	2.000	Pass
			36	Low	19.95	-1.34	18.61	0.073	2.000	Pass
			36	Mid	19.86	-1.34	18.52	0.071	2.000	Pass
			36	High	19.95	-1.34	18.61	0.073	2.000	Pass
			75	Low	19.95	-1.34	18.61	0.073	2.000	Pass
20	LCH	QPSK	1	Low	21.99	-1.34	20.65	0.116	2.000	Pass
			1	Mid	22.25	-1.34	20.91	0.123	2.000	Pass
			1	High	22.38	-1.34	21.04	0.127	2.000	Pass
			50	Low	20.9	-1.34	19.56	0.090	2.000	Pass
			50	Mid	21.27	-1.34	19.93	0.098	2.000	Pass
			50	High	21.41	-1.34	20.07	0.102	2.000	Pass
			100	Low	21.3	-1.34	19.96	0.099	2.000	Pass
		Q16	1	Low	21.09	-1.34	19.75	0.094	2.000	Pass
			1	Mid	21.47	-1.34	20.13	0.103	2.000	Pass
			1	High	21.73	-1.34	20.39	0.109	2.000	Pass
			50	Low	20	-1.34	18.66	0.073	2.000	Pass
			50	Mid	20.49	-1.34	19.15	0.082	2.000	Pass
			50	High	20.53	-1.34	19.19	0.083	2.000	Pass
			100	Low	20.14	-1.34	18.80	0.076	2.000	Pass
		Q64	1	Low	20.02	-1.34	18.68	0.074	2.000	Pass
			1	Mid	20.51	-1.34	19.17	0.083	2.000	Pass
			1	High	20.73	-1.34	19.39	0.087	2.000	Pass
			50	Low	19.03	-1.34	17.69	0.059	2.000	Pass
			50	Mid	19.14	-1.34	17.80	0.060	2.000	Pass
			50	High	19.21	-1.34	17.87	0.061	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
	MCH	QPSK	100	Low	19.48	-1.34	18.14	0.065	2.000	Pass
			1	Low	22.6	-1.34	21.26	0.134	2.000	Pass
			1	Mid	22.82	-1.34	21.48	0.141	2.000	Pass
			1	High	22.69	-1.34	21.35	0.136	2.000	Pass
			50	Low	21.73	-1.34	20.39	0.109	2.000	Pass
			50	Mid	21.68	-1.34	20.34	0.108	2.000	Pass
			50	High	21.92	-1.34	20.58	0.114	2.000	Pass
		Q16	100	Low	21.45	-1.34	20.11	0.103	2.000	Pass
			1	Low	21.71	-1.34	20.37	0.109	2.000	Pass
			1	Mid	21.87	-1.34	20.53	0.113	2.000	Pass
			1	High	21.74	-1.34	20.40	0.110	2.000	Pass
			50	Low	20.75	-1.34	19.41	0.087	2.000	Pass
			50	Mid	20.44	-1.34	19.10	0.081	2.000	Pass
			50	High	20.75	-1.34	19.41	0.087	2.000	Pass
			100	Low	20.65	-1.34	19.31	0.085	2.000	Pass
		Q64	1	Low	20.91	-1.34	19.57	0.091	2.000	Pass
			1	Mid	20.86	-1.34	19.52	0.090	2.000	Pass
			1	High	20.89	-1.34	19.55	0.090	2.000	Pass
			50	Low	19.46	-1.34	18.12	0.065	2.000	Pass
			50	Mid	19.56	-1.34	18.22	0.066	2.000	Pass
			50	High	19.62	-1.34	18.28	0.067	2.000	Pass
			100	Low	19.46	-1.34	18.12	0.065	2.000	Pass
	HCH	QPSK	1	Low	22.98	-1.34	21.64	0.146	2.000	Pass
			1	Mid	22.98	-1.34	21.64	0.146	2.000	Pass
			1	High	23.15	-1.34	21.81	0.152	2.000	Pass
			50	Low	21.68	-1.34	20.34	0.108	2.000	Pass
			50	Mid	21.92	-1.34	20.58	0.114	2.000	Pass
			50	High	21.9	-1.34	20.56	0.114	2.000	Pass
			100	Low	21.91	-1.34	20.57	0.114	2.000	Pass
		Q16	1	Low	21.86	-1.34	20.52	0.113	2.000	Pass
			1	Mid	21.91	-1.34	20.57	0.114	2.000	Pass
			1	High	22.35	-1.34	21.01	0.126	2.000	Pass
			50	Low	21	-1.34	19.66	0.092	2.000	Pass
			50	Mid	20.95	-1.34	19.61	0.091	2.000	Pass
			50	High	20.93	-1.34	19.59	0.091	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			100	Low	21.08	-1.34	19.74	0.094	2.000	Pass
		Q64	1	Low	21	-1.34	19.66	0.092	2.000	Pass
			1	Mid	21.16	-1.34	19.82	0.096	2.000	Pass
			1	High	21.28	-1.34	19.94	0.099	2.000	Pass
			50	Low	19.98	-1.34	18.64	0.073	2.000	Pass
			50	Mid	20.13	-1.34	18.79	0.076	2.000	Pass
			50	High	19.89	-1.34	18.55	0.072	2.000	Pass
			100	Low	20.14	-1.34	18.80	0.076	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
1.4	LCH	QPSK	1	Low	24.17	-0.76	-2.91	21.26	0.134	3.000	Pass
			1	Mid	23.76	-0.76	-2.91	20.85	0.122	3.000	Pass
			1	High	23.45	-0.76	-2.91	20.54	0.113	3.000	Pass
			3	Low	23.58	-0.76	-2.91	20.67	0.117	3.000	Pass
			3	Mid	23.73	-0.76	-2.91	20.82	0.121	3.000	Pass
			3	High	23.83	-0.76	-2.91	20.92	0.124	3.000	Pass
			6	Low	22.47	-0.76	-2.91	19.56	0.090	3.000	Pass
		Q16	1	Low	22.74	-0.76	-2.91	19.83	0.096	3.000	Pass
			1	Mid	23.06	-0.76	-2.91	20.15	0.104	3.000	Pass
			1	High	22.69	-0.76	-2.91	19.78	0.095	3.000	Pass
			3	Low	22.73	-0.76	-2.91	19.82	0.096	3.000	Pass
			3	Mid	22.78	-0.76	-2.91	19.87	0.097	3.000	Pass
			3	High	22.63	-0.76	-2.91	19.72	0.094	3.000	Pass
			6	Low	21.66	-0.76	-2.91	18.75	0.075	3.000	Pass
		Q64	1	Low	21.73	-0.76	-2.91	18.82	0.076	3.000	Pass
			1	Mid	21.86	-0.76	-2.91	18.95	0.079	3.000	Pass
			1	High	21.64	-0.76	-2.91	18.73	0.075	3.000	Pass
			3	Low	21.8	-0.76	-2.91	18.89	0.077	3.000	Pass
			3	Mid	21.81	-0.76	-2.91	18.90	0.078	3.000	Pass
			3	High	21.61	-0.76	-2.91	18.70	0.074	3.000	Pass
			6	Low	20.55	-0.76	-2.91	17.64	0.058	3.000	Pass
	MCH	QPSK	1	Low	23.63	-0.76	-2.91	20.72	0.118	3.000	Pass
			1	Mid	23.94	-0.76	-2.91	21.03	0.127	3.000	Pass
			1	High	23.66	-0.76	-2.91	20.75	0.119	3.000	Pass
			3	Low	23.7	-0.76	-2.91	20.79	0.120	3.000	Pass
			3	Mid	23.73	-0.76	-2.91	20.82	0.121	3.000	Pass
			3	High	23.43	-0.76	-2.91	20.52	0.113	3.000	Pass
			6	Low	22.78	-0.76	-2.91	19.87	0.097	3.000	Pass
		Q16	1	Low	23.01	-0.76	-2.91	20.10	0.102	3.000	Pass
			1	Mid	22.88	-0.76	-2.91	19.97	0.099	3.000	Pass
			1	High	23.01	-0.76	-2.91	20.10	0.102	3.000	Pass
			3	Low	22.99	-0.76	-2.91	20.08	0.102	3.000	Pass
			3	Mid	22.83	-0.76	-2.91	19.92	0.098	3.000	Pass
			3	High	22.74	-0.76	-2.91	19.83	0.096	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q64	6	Low	21.9	-0.76	-2.91	18.99	0.079	3.000	Pass
			1	Low	21.87	-0.76	-2.91	18.96	0.079	3.000	Pass
			1	Mid	21.73	-0.76	-2.91	18.82	0.076	3.000	Pass
			1	High	21.66	-0.76	-2.91	18.75	0.075	3.000	Pass
			3	Low	21.76	-0.76	-2.91	18.85	0.077	3.000	Pass
			3	Mid	21.96	-0.76	-2.91	19.05	0.080	3.000	Pass
			3	High	21.75	-0.76	-2.91	18.84	0.077	3.000	Pass
			6	Low	20.66	-0.76	-2.91	17.75	0.060	3.000	Pass
	HCH	QPSK	1	Low	23.91	-0.76	-2.91	21.00	0.126	3.000	Pass
			1	Mid	23.98	-0.76	-2.91	21.07	0.128	3.000	Pass
			1	High	23.8	-0.76	-2.91	20.89	0.123	3.000	Pass
			3	Low	23.82	-0.76	-2.91	20.91	0.123	3.000	Pass
			3	Mid	24.01	-0.76	-2.91	21.10	0.129	3.000	Pass
			3	High	24.02	-0.76	-2.91	21.11	0.129	3.000	Pass
			6	Low	22.92	-0.76	-2.91	20.01	0.100	3.000	Pass
		Q16	1	Low	23.01	-0.76	-2.91	20.10	0.102	3.000	Pass
			1	Mid	22.96	-0.76	-2.91	20.05	0.101	3.000	Pass
			1	High	22.89	-0.76	-2.91	19.98	0.100	3.000	Pass
			3	Low	22.72	-0.76	-2.91	19.81	0.096	3.000	Pass
			3	Mid	22.98	-0.76	-2.91	20.07	0.102	3.000	Pass
			3	High	22.87	-0.76	-2.91	19.96	0.099	3.000	Pass
			6	Low	21.98	-0.76	-2.91	19.07	0.081	3.000	Pass
		Q64	1	Low	21.94	-0.76	-2.91	19.03	0.080	3.000	Pass
			1	Mid	22.12	-0.76	-2.91	19.21	0.083	3.000	Pass
			1	High	21.9	-0.76	-2.91	18.99	0.079	3.000	Pass
			3	Low	21.8	-0.76	-2.91	18.89	0.077	3.000	Pass
			3	Mid	22.04	-0.76	-2.91	19.13	0.082	3.000	Pass
			3	High	21.74	-0.76	-2.91	18.83	0.076	3.000	Pass
			6	Low	20.68	-0.76	-2.91	17.77	0.060	3.000	Pass
3	LCH	QPSK	1	Low	23.54	-0.76	-2.91	20.63	0.116	3.000	Pass
			1	Mid	23.41	-0.76	-2.91	20.50	0.112	3.000	Pass
			1	High	23.71	-0.76	-2.91	20.80	0.120	3.000	Pass
			8	Low	22.7	-0.76	-2.91	19.79	0.095	3.000	Pass
			8	Mid	22.84	-0.76	-2.91	19.93	0.098	3.000	Pass
			8	High	22.69	-0.76	-2.91	19.78	0.095	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	15	Low	22.43	-0.76	-2.91	19.52	0.090	3.000	Pass
			1	Low	23.03	-0.76	-2.91	20.12	0.103	3.000	Pass
			1	Mid	23.17	-0.76	-2.91	20.26	0.106	3.000	Pass
			1	High	23.09	-0.76	-2.91	20.18	0.104	3.000	Pass
			8	Low	21.79	-0.76	-2.91	18.88	0.077	3.000	Pass
			8	Mid	21.62	-0.76	-2.91	18.71	0.074	3.000	Pass
			8	High	21.71	-0.76	-2.91	18.80	0.076	3.000	Pass
			15	Low	21.56	-0.76	-2.91	18.65	0.073	3.000	Pass
		Q64	1	Low	21.85	-0.76	-2.91	18.94	0.078	3.000	Pass
			1	Mid	21.9	-0.76	-2.91	18.99	0.079	3.000	Pass
			1	High	21.5	-0.76	-2.91	18.59	0.072	3.000	Pass
			8	Low	20.74	-0.76	-2.91	17.83	0.061	3.000	Pass
			8	Mid	20.75	-0.76	-2.91	17.84	0.061	3.000	Pass
			8	High	20.93	-0.76	-2.91	18.02	0.063	3.000	Pass
			15	Low	20.85	-0.76	-2.91	17.94	0.062	3.000	Pass
	MCH	QPSK	1	Low	23.58	-0.76	-2.91	20.67	0.117	3.000	Pass
			1	Mid	23.75	-0.76	-2.91	20.84	0.121	3.000	Pass
			1	High	23.58	-0.76	-2.91	20.67	0.117	3.000	Pass
			8	Low	22.77	-0.76	-2.91	19.86	0.097	3.000	Pass
			8	Mid	22.8	-0.76	-2.91	19.89	0.097	3.000	Pass
			8	High	22.64	-0.76	-2.91	19.73	0.094	3.000	Pass
			15	Low	22.46	-0.76	-2.91	19.55	0.090	3.000	Pass
		Q16	1	Low	22.74	-0.76	-2.91	19.83	0.096	3.000	Pass
			1	Mid	23.45	-0.76	-2.91	20.54	0.113	3.000	Pass
			1	High	23.25	-0.76	-2.91	20.34	0.108	3.000	Pass
			8	Low	21.76	-0.76	-2.91	18.85	0.077	3.000	Pass
			8	Mid	21.94	-0.76	-2.91	19.03	0.080	3.000	Pass
			8	High	21.87	-0.76	-2.91	18.96	0.079	3.000	Pass
			15	Low	21.74	-0.76	-2.91	18.83	0.076	3.000	Pass
		Q64	1	Low	21.87	-0.76	-2.91	18.96	0.079	3.000	Pass
			1	Mid	21.97	-0.76	-2.91	19.06	0.081	3.000	Pass
			1	High	21.69	-0.76	-2.91	18.78	0.076	3.000	Pass
			8	Low	20.91	-0.76	-2.91	18.00	0.063	3.000	Pass
			8	Mid	20.94	-0.76	-2.91	18.03	0.064	3.000	Pass
			8	High	21	-0.76	-2.91	18.09	0.064	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
	HCH	QPSK	15	Low	20.6	-0.76	-2.91	17.69	0.059	3.000	Pass
			1	Low	23.52	-0.76	-2.91	20.61	0.115	3.000	Pass
			1	Mid	23.72	-0.76	-2.91	20.81	0.121	3.000	Pass
			1	High	23.77	-0.76	-2.91	20.86	0.122	3.000	Pass
			8	Low	22.83	-0.76	-2.91	19.92	0.098	3.000	Pass
			8	Mid	22.89	-0.76	-2.91	19.98	0.100	3.000	Pass
			8	High	22.85	-0.76	-2.91	19.94	0.099	3.000	Pass
			15	Low	22.88	-0.76	-2.91	19.97	0.099	3.000	Pass
		Q16	1	Low	23.32	-0.76	-2.91	20.41	0.110	3.000	Pass
			1	Mid	23.37	-0.76	-2.91	20.46	0.111	3.000	Pass
			1	High	23.23	-0.76	-2.91	20.32	0.108	3.000	Pass
			8	Low	21.87	-0.76	-2.91	18.96	0.079	3.000	Pass
			8	Mid	22.27	-0.76	-2.91	19.36	0.086	3.000	Pass
			8	High	21.74	-0.76	-2.91	18.83	0.076	3.000	Pass
			15	Low	21.86	-0.76	-2.91	18.95	0.079	3.000	Pass
		Q64	1	Low	22.02	-0.76	-2.91	19.11	0.081	3.000	Pass
			1	Mid	21.96	-0.76	-2.91	19.05	0.080	3.000	Pass
			1	High	21.84	-0.76	-2.91	18.93	0.078	3.000	Pass
			8	Low	21.12	-0.76	-2.91	18.21	0.066	3.000	Pass
			8	Mid	20.94	-0.76	-2.91	18.03	0.064	3.000	Pass
			8	High	20.98	-0.76	-2.91	18.07	0.064	3.000	Pass
			15	Low	21.05	-0.76	-2.91	18.14	0.065	3.000	Pass
5	LCH	QPSK	1	Low	24	-0.76	-2.91	21.09	0.129	3.000	Pass
			1	Mid	23.98	-0.76	-2.91	21.07	0.128	3.000	Pass
			1	High	23.91	-0.76	-2.91	21.00	0.126	3.000	Pass
			12	Low	22.6	-0.76	-2.91	19.69	0.093	3.000	Pass
			12	Mid	22.61	-0.76	-2.91	19.70	0.093	3.000	Pass
			12	High	22.91	-0.76	-2.91	20.00	0.100	3.000	Pass
			25	Low	22.84	-0.76	-2.91	19.93	0.098	3.000	Pass
		Q16	1	Low	23	-0.76	-2.91	20.09	0.102	3.000	Pass
			1	Mid	23.07	-0.76	-2.91	20.16	0.104	3.000	Pass
			1	High	22.96	-0.76	-2.91	20.05	0.101	3.000	Pass
			12	Low	21.93	-0.76	-2.91	19.02	0.080	3.000	Pass
			12	Mid	21.79	-0.76	-2.91	18.88	0.077	3.000	Pass
			12	High	21.77	-0.76	-2.91	18.86	0.077	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q64	25	Low	21.47	-0.76	-2.91	18.56	0.072	3.000	Pass
			1	Low	22.02	-0.76	-2.91	19.11	0.081	3.000	Pass
			1	Mid	22.14	-0.76	-2.91	19.23	0.084	3.000	Pass
			1	High	21.78	-0.76	-2.91	18.87	0.077	3.000	Pass
			12	Low	20.89	-0.76	-2.91	17.98	0.063	3.000	Pass
			12	Mid	20.72	-0.76	-2.91	17.81	0.060	3.000	Pass
			12	High	20.69	-0.76	-2.91	17.78	0.060	3.000	Pass
			25	Low	20.9	-0.76	-2.91	17.99	0.063	3.000	Pass
	MCH	QPSK	1	Low	23.64	-0.76	-2.91	20.73	0.118	3.000	Pass
			1	Mid	23.68	-0.76	-2.91	20.77	0.119	3.000	Pass
			1	High	23.92	-0.76	-2.91	21.01	0.126	3.000	Pass
			12	Low	22.81	-0.76	-2.91	19.90	0.098	3.000	Pass
			12	Mid	22.87	-0.76	-2.91	19.96	0.099	3.000	Pass
			12	High	22.93	-0.76	-2.91	20.02	0.100	3.000	Pass
			25	Low	22.83	-0.76	-2.91	19.92	0.098	3.000	Pass
		Q16	1	Low	23.23	-0.76	-2.91	20.32	0.108	3.000	Pass
			1	Mid	23.43	-0.76	-2.91	20.52	0.113	3.000	Pass
			1	High	23.43	-0.76	-2.91	20.52	0.113	3.000	Pass
			12	Low	21.65	-0.76	-2.91	18.74	0.075	3.000	Pass
			12	Mid	21.71	-0.76	-2.91	18.80	0.076	3.000	Pass
			12	High	21.98	-0.76	-2.91	19.07	0.081	3.000	Pass
			25	Low	21.85	-0.76	-2.91	18.94	0.078	3.000	Pass
		Q64	1	Low	22.08	-0.76	-2.91	19.17	0.083	3.000	Pass
			1	Mid	21.88	-0.76	-2.91	18.97	0.079	3.000	Pass
			1	High	22.28	-0.76	-2.91	19.37	0.086	3.000	Pass
			12	Low	20.63	-0.76	-2.91	17.72	0.059	3.000	Pass
			12	Mid	20.77	-0.76	-2.91	17.86	0.061	3.000	Pass
			12	High	20.78	-0.76	-2.91	17.87	0.061	3.000	Pass
			25	Low	20.77	-0.76	-2.91	17.86	0.061	3.000	Pass
	HCH	QPSK	1	Low	23.93	-0.76	-2.91	21.02	0.126	3.000	Pass
			1	Mid	23.82	-0.76	-2.91	20.91	0.123	3.000	Pass
			1	High	24.15	-0.76	-2.91	21.24	0.133	3.000	Pass
			12	Low	22.99	-0.76	-2.91	20.08	0.102	3.000	Pass
			12	Mid	22.84	-0.76	-2.91	19.93	0.098	3.000	Pass
			12	High	22.83	-0.76	-2.91	19.92	0.098	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	25	Low	22.91	-0.76	-2.91	20.00	0.100	3.000	Pass
			1	Low	23.51	-0.76	-2.91	20.60	0.115	3.000	Pass
			1	Mid	23.6	-0.76	-2.91	20.69	0.117	3.000	Pass
			1	High	23.24	-0.76	-2.91	20.33	0.108	3.000	Pass
			12	Low	22.1	-0.76	-2.91	19.19	0.083	3.000	Pass
			12	Mid	21.91	-0.76	-2.91	19.00	0.079	3.000	Pass
			12	High	21.97	-0.76	-2.91	19.06	0.081	3.000	Pass
			25	Low	22.06	-0.76	-2.91	19.15	0.082	3.000	Pass
		Q64	1	Low	22.03	-0.76	-2.91	19.12	0.082	3.000	Pass
			1	Mid	22.2	-0.76	-2.91	19.29	0.085	3.000	Pass
			1	High	21.97	-0.76	-2.91	19.06	0.081	3.000	Pass
			12	Low	21.03	-0.76	-2.91	18.12	0.065	3.000	Pass
			12	Mid	20.89	-0.76	-2.91	17.98	0.063	3.000	Pass
			12	High	21.05	-0.76	-2.91	18.14	0.065	3.000	Pass
			25	Low	20.98	-0.76	-2.91	18.07	0.064	3.000	Pass
			25	Low	20.98	-0.76	-2.91	18.07	0.064	3.000	Pass
10	LCH	QPSK	1	Low	23.89	-0.76	-2.91	20.98	0.125	3.000	Pass
			1	Mid	23.6	-0.76	-2.91	20.69	0.117	3.000	Pass
			1	High	23.88	-0.76	-2.91	20.97	0.125	3.000	Pass
			25	Low	22.78	-0.76	-2.91	19.87	0.097	3.000	Pass
			25	Mid	22.61	-0.76	-2.91	19.70	0.093	3.000	Pass
			25	High	22.62	-0.76	-2.91	19.71	0.094	3.000	Pass
			50	Low	22.65	-0.76	-2.91	19.74	0.094	3.000	Pass
		Q16	1	Low	22.78	-0.76	-2.91	19.87	0.097	3.000	Pass
			1	Mid	23.23	-0.76	-2.91	20.32	0.108	3.000	Pass
			1	High	22.87	-0.76	-2.91	19.96	0.099	3.000	Pass
			25	Low	21.44	-0.76	-2.91	18.53	0.071	3.000	Pass
			25	Mid	21.69	-0.76	-2.91	18.78	0.076	3.000	Pass
			25	High	21.94	-0.76	-2.91	19.03	0.080	3.000	Pass
			50	Low	21.95	-0.76	-2.91	19.04	0.080	3.000	Pass
		Q64	1	Low	21.8	-0.76	-2.91	18.89	0.077	3.000	Pass
			1	Mid	22.18	-0.76	-2.91	19.27	0.085	3.000	Pass
			1	High	21.97	-0.76	-2.91	19.06	0.081	3.000	Pass
			25	Low	20.74	-0.76	-2.91	17.83	0.061	3.000	Pass
			25	Mid	21.01	-0.76	-2.91	18.10	0.065	3.000	Pass
			25	High	20.78	-0.76	-2.91	17.87	0.061	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
	MCH	QPSK	50	Low	20.99	-0.76	-2.91	18.08	0.064	3.000	Pass
			1	Low	23.65	-0.76	-2.91	20.74	0.119	3.000	Pass
			1	Mid	23.69	-0.76	-2.91	20.78	0.120	3.000	Pass
			1	High	23.85	-0.76	-2.91	20.94	0.124	3.000	Pass
			25	Low	22.58	-0.76	-2.91	19.67	0.093	3.000	Pass
			25	Mid	22.69	-0.76	-2.91	19.78	0.095	3.000	Pass
			25	High	22.58	-0.76	-2.91	19.67	0.093	3.000	Pass
			50	Low	22.69	-0.76	-2.91	19.78	0.095	3.000	Pass
		Q16	1	Low	23.02	-0.76	-2.91	20.11	0.103	3.000	Pass
			1	Mid	22.85	-0.76	-2.91	19.94	0.099	3.000	Pass
			1	High	22.92	-0.76	-2.91	20.01	0.100	3.000	Pass
			25	Low	21.78	-0.76	-2.91	18.87	0.077	3.000	Pass
			25	Mid	21.63	-0.76	-2.91	18.72	0.074	3.000	Pass
			25	High	21.82	-0.76	-2.91	18.91	0.078	3.000	Pass
			50	Low	21.68	-0.76	-2.91	18.77	0.075	3.000	Pass
		Q64	1	Low	21.8	-0.76	-2.91	18.89	0.077	3.000	Pass
			1	Mid	21.94	-0.76	-2.91	19.03	0.080	3.000	Pass
			1	High	21.81	-0.76	-2.91	18.90	0.078	3.000	Pass
			25	Low	20.66	-0.76	-2.91	17.75	0.060	3.000	Pass
			25	Mid	21.02	-0.76	-2.91	18.11	0.065	3.000	Pass
			25	High	20.95	-0.76	-2.91	18.04	0.064	3.000	Pass
			50	Low	20.98	-0.76	-2.91	18.07	0.064	3.000	Pass
	HCH	QPSK	1	Low	23.84	-0.76	-2.91	20.93	0.124	3.000	Pass
			1	Mid	24.01	-0.76	-2.91	21.10	0.129	3.000	Pass
			1	High	23.51	-0.76	-2.91	20.60	0.115	3.000	Pass
			25	Low	22.83	-0.76	-2.91	19.92	0.098	3.000	Pass
			25	Mid	22.9	-0.76	-2.91	19.99	0.100	3.000	Pass
			25	High	22.78	-0.76	-2.91	19.87	0.097	3.000	Pass
			50	Low	22.7	-0.76	-2.91	19.79	0.095	3.000	Pass
		Q16	1	Low	23.15	-0.76	-2.91	20.24	0.106	3.000	Pass
			1	Mid	22.86	-0.76	-2.91	19.95	0.099	3.000	Pass
			1	High	23.04	-0.76	-2.91	20.13	0.103	3.000	Pass
			25	Low	21.93	-0.76	-2.91	19.02	0.080	3.000	Pass
			25	Mid	21.87	-0.76	-2.91	18.96	0.079	3.000	Pass
			25	High	22.03	-0.76	-2.91	19.12	0.082	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q64	50	Low	21.82	-0.76	-2.91	18.91	0.078	3.000	Pass
			1	Low	22	-0.76	-2.91	19.09	0.081	3.000	Pass
			1	Mid	22.18	-0.76	-2.91	19.27	0.085	3.000	Pass
			1	High	22.01	-0.76	-2.91	19.10	0.081	3.000	Pass
			25	Low	20.98	-0.76	-2.91	18.07	0.064	3.000	Pass
			25	Mid	20.73	-0.76	-2.91	17.82	0.061	3.000	Pass
			25	High	20.81	-0.76	-2.91	17.90	0.062	3.000	Pass
			50	Low	20.8	-0.76	-2.91	17.89	0.062	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
5	LCH	QPSK	1	Low	23.57	-0.87	-3.02	20.55	0.114	3.000	Pass
			1	Mid	24.03	-0.87	-3.02	21.01	0.126	3.000	Pass
			1	High	23.68	-0.87	-3.02	20.66	0.116	3.000	Pass
			12	Low	22.99	-0.87	-3.02	19.97	0.099	3.000	Pass
			12	Mid	23.03	-0.87	-3.02	20.01	0.100	3.000	Pass
			12	High	22.92	-0.87	-3.02	19.90	0.098	3.000	Pass
			25	Low	22.94	-0.87	-3.02	19.92	0.098	3.000	Pass
		Q16	1	Low	23.65	-0.87	-3.02	20.63	0.116	3.000	Pass
			1	Mid	23.43	-0.87	-3.02	20.41	0.110	3.000	Pass
			1	High	23.19	-0.87	-3.02	20.17	0.104	3.000	Pass
			12	Low	22	-0.87	-3.02	18.98	0.079	3.000	Pass
			12	Mid	22.13	-0.87	-3.02	19.11	0.081	3.000	Pass
			12	High	21.84	-0.87	-3.02	18.82	0.076	3.000	Pass
			25	Low	21.78	-0.87	-3.02	18.76	0.075	3.000	Pass
		Q64	1	Low	22.38	-0.87	-3.02	19.36	0.086	3.000	Pass
			1	Mid	22.36	-0.87	-3.02	19.34	0.086	3.000	Pass
			1	High	22.18	-0.87	-3.02	19.16	0.082	3.000	Pass
			12	Low	21.05	-0.87	-3.02	18.03	0.064	3.000	Pass
			12	Mid	20.98	-0.87	-3.02	17.96	0.063	3.000	Pass
			12	High	20.94	-0.87	-3.02	17.92	0.062	3.000	Pass
			25	Low	20.87	-0.87	-3.02	17.85	0.061	3.000	Pass
	MCH	QPSK	1	Low	24.18	-0.87	-3.02	21.16	0.131	3.000	Pass
			1	Mid	24.06	-0.87	-3.02	21.04	0.127	3.000	Pass
			1	High	23.84	-0.87	-3.02	20.82	0.121	3.000	Pass
			12	Low	22.74	-0.87	-3.02	19.72	0.094	3.000	Pass
			12	Mid	22.81	-0.87	-3.02	19.79	0.095	3.000	Pass
			12	High	23.02	-0.87	-3.02	20.00	0.100	3.000	Pass
			25	Low	22.79	-0.87	-3.02	19.77	0.095	3.000	Pass
		Q16	1	Low	23.44	-0.87	-3.02	20.42	0.110	3.000	Pass
			1	Mid	23.51	-0.87	-3.02	20.49	0.112	3.000	Pass
			1	High	23.66	-0.87	-3.02	20.64	0.116	3.000	Pass
			12	Low	21.79	-0.87	-3.02	18.77	0.075	3.000	Pass
			12	Mid	22.08	-0.87	-3.02	19.06	0.081	3.000	Pass
			12	High	21.85	-0.87	-3.02	18.83	0.076	3.000	Pass
			25	Low	21.9	-0.87	-3.02	18.88	0.077	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
		Q64	1	Low	21.98	-0.87	-3.02	18.96	0.079	3.000	Pass
			1	Mid	21.99	-0.87	-3.02	18.97	0.079	3.000	Pass
			1	High	22.02	-0.87	-3.02	19.00	0.079	3.000	Pass
			12	Low	20.95	-0.87	-3.02	17.93	0.062	3.000	Pass
			12	Mid	20.68	-0.87	-3.02	17.66	0.058	3.000	Pass
			12	High	20.74	-0.87	-3.02	17.72	0.059	3.000	Pass
			25	Low	20.73	-0.87	-3.02	17.71	0.059	3.000	Pass
	HCH	QPSK	1	Low	23.84	-0.87	-3.02	20.82	0.121	3.000	Pass
			1	Mid	23.92	-0.87	-3.02	20.90	0.123	3.000	Pass
			1	High	23.8	-0.87	-3.02	20.78	0.120	3.000	Pass
			12	Low	23.04	-0.87	-3.02	20.02	0.100	3.000	Pass
			12	Mid	22.85	-0.87	-3.02	19.83	0.096	3.000	Pass
			12	High	22.75	-0.87	-3.02	19.73	0.094	3.000	Pass
			25	Low	22.99	-0.87	-3.02	19.97	0.099	3.000	Pass
		Q16	1	Low	23.3	-0.87	-3.02	20.28	0.107	3.000	Pass
			1	Mid	23.28	-0.87	-3.02	20.26	0.106	3.000	Pass
			1	High	23.12	-0.87	-3.02	20.10	0.102	3.000	Pass
			12	Low	21.83	-0.87	-3.02	18.81	0.076	3.000	Pass
			12	Mid	22.01	-0.87	-3.02	18.99	0.079	3.000	Pass
			12	High	21.68	-0.87	-3.02	18.66	0.073	3.000	Pass
			25	Low	21.73	-0.87	-3.02	18.71	0.074	3.000	Pass
		Q64	1	Low	22.17	-0.87	-3.02	19.15	0.082	3.000	Pass
			1	Mid	22.2	-0.87	-3.02	19.18	0.083	3.000	Pass
			1	High	21.82	-0.87	-3.02	18.80	0.076	3.000	Pass
			12	Low	20.66	-0.87	-3.02	17.64	0.058	3.000	Pass
			12	Mid	20.79	-0.87	-3.02	17.77	0.060	3.000	Pass
			12	High	20.91	-0.87	-3.02	17.89	0.062	3.000	Pass
			25	Low	20.88	-0.87	-3.02	17.86	0.061	3.000	Pass
10	LCH	QPSK	1	Low	23.69	-0.87	-3.02	20.67	0.117	3.000	Pass
			1	Mid	24.01	-0.87	-3.02	20.99	0.126	3.000	Pass
			1	High	23.89	-0.87	-3.02	20.87	0.122	3.000	Pass
			25	Low	23	-0.87	-3.02	19.98	0.100	3.000	Pass
			25	Mid	22.78	-0.87	-3.02	19.76	0.095	3.000	Pass
			25	High	22.96	-0.87	-3.02	19.94	0.099	3.000	Pass
			50	Low	22.99	-0.87	-3.02	19.97	0.099	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
		Q16	1	Low	23.45	-0.87	-3.02	20.43	0.110	3.000	Pass
			1	Mid	23.02	-0.87	-3.02	20.00	0.100	3.000	Pass
			1	High	22.79	-0.87	-3.02	19.77	0.095	3.000	Pass
			25	Low	22.05	-0.87	-3.02	19.03	0.080	3.000	Pass
			25	Mid	21.91	-0.87	-3.02	18.89	0.077	3.000	Pass
			25	High	21.81	-0.87	-3.02	18.79	0.076	3.000	Pass
			50	Low	21.75	-0.87	-3.02	18.73	0.075	3.000	Pass
		Q64	1	Low	21.95	-0.87	-3.02	18.93	0.078	3.000	Pass
			1	Mid	22.29	-0.87	-3.02	19.27	0.085	3.000	Pass
			1	High	21.93	-0.87	-3.02	18.91	0.078	3.000	Pass
			25	Low	21.14	-0.87	-3.02	18.12	0.065	3.000	Pass
			25	Mid	21.09	-0.87	-3.02	18.07	0.064	3.000	Pass
			25	High	20.76	-0.87	-3.02	17.74	0.059	3.000	Pass
			50	Low	20.9	-0.87	-3.02	17.88	0.061	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
1.4	LCH	QPSK	1	Low	22.83	-1.36	21.47	0.140	2.000	Pass
			1	Mid	22.54	-1.36	21.18	0.131	2.000	Pass
			1	High	22.59	-1.36	21.23	0.133	2.000	Pass
			3	Low	22.81	-1.36	21.45	0.140	2.000	Pass
			3	Mid	22.37	-1.36	21.01	0.126	2.000	Pass
			3	High	22.41	-1.36	21.05	0.127	2.000	Pass
			6	Low	21.73	-1.36	20.37	0.109	2.000	Pass
		Q16	1	Low	21.69	-1.36	20.33	0.108	2.000	Pass
			1	Mid	22.09	-1.36	20.73	0.118	2.000	Pass
			1	High	22	-1.36	20.64	0.116	2.000	Pass
			3	Low	21.63	-1.36	20.27	0.106	2.000	Pass
			3	Mid	21.72	-1.36	20.36	0.109	2.000	Pass
			3	High	21.65	-1.36	20.29	0.107	2.000	Pass
			6	Low	20.69	-1.36	19.33	0.086	2.000	Pass
		Q64	1	Low	20.79	-1.36	19.43	0.088	2.000	Pass
			1	Mid	20.88	-1.36	19.52	0.090	2.000	Pass
			1	High	20.68	-1.36	19.32	0.086	2.000	Pass
			3	Low	20.61	-1.36	19.25	0.084	2.000	Pass
			3	Mid	20.87	-1.36	19.51	0.089	2.000	Pass
			3	High	20.69	-1.36	19.33	0.086	2.000	Pass
			6	Low	19.83	-1.36	18.47	0.070	2.000	Pass
	MCH	QPSK	1	Low	22.93	-1.36	21.57	0.144	2.000	Pass
			1	Mid	22.76	-1.36	21.40	0.138	2.000	Pass
			1	High	22.82	-1.36	21.46	0.140	2.000	Pass
			3	Low	22.46	-1.36	21.10	0.129	2.000	Pass
			3	Mid	22.56	-1.36	21.20	0.132	2.000	Pass
			3	High	22.49	-1.36	21.13	0.130	2.000	Pass
			6	Low	21.69	-1.36	20.33	0.108	2.000	Pass
		Q16	1	Low	21.69	-1.36	20.33	0.108	2.000	Pass
			1	Mid	22.13	-1.36	20.77	0.119	2.000	Pass
			1	High	21.95	-1.36	20.59	0.115	2.000	Pass
			3	Low	21.69	-1.36	20.33	0.108	2.000	Pass
			3	Mid	21.71	-1.36	20.35	0.108	2.000	Pass
			3	High	21.73	-1.36	20.37	0.109	2.000	Pass
			6	Low	20.71	-1.36	19.35	0.086	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q64	1	Low	20.76	-1.36	19.40	0.087	2.000	Pass
			1	Mid	20.92	-1.36	19.56	0.090	2.000	Pass
			1	High	20.87	-1.36	19.51	0.089	2.000	Pass
			3	Low	20.5	-1.36	19.14	0.082	2.000	Pass
			3	Mid	20.85	-1.36	19.49	0.089	2.000	Pass
			3	High	20.6	-1.36	19.24	0.084	2.000	Pass
			6	Low	19.78	-1.36	18.42	0.070	2.000	Pass
	HCH	QPSK	1	Low	23.15	-1.36	21.79	0.151	2.000	Pass
			1	Mid	23.22	-1.36	21.86	0.153	2.000	Pass
			1	High	23.12	-1.36	21.76	0.150	2.000	Pass
			3	Low	23.13	-1.36	21.77	0.150	2.000	Pass
			3	Mid	22.89	-1.36	21.53	0.142	2.000	Pass
			3	High	22.99	-1.36	21.63	0.146	2.000	Pass
			6	Low	21.86	-1.36	20.50	0.112	2.000	Pass
		Q16	1	Low	22.08	-1.36	20.72	0.118	2.000	Pass
			1	Mid	22.2	-1.36	20.84	0.121	2.000	Pass
			1	High	22.18	-1.36	20.82	0.121	2.000	Pass
			3	Low	21.98	-1.36	20.62	0.115	2.000	Pass
			3	Mid	22.35	-1.36	20.99	0.126	2.000	Pass
			3	High	22.28	-1.36	20.92	0.124	2.000	Pass
			6	Low	21.25	-1.36	19.89	0.097	2.000	Pass
		Q64	1	Low	21.28	-1.36	19.92	0.098	2.000	Pass
			1	Mid	21.42	-1.36	20.06	0.101	2.000	Pass
			1	High	21.18	-1.36	19.82	0.096	2.000	Pass
			3	Low	21.25	-1.36	19.89	0.097	2.000	Pass
			3	Mid	21.14	-1.36	19.78	0.095	2.000	Pass
			3	High	21.06	-1.36	19.70	0.093	2.000	Pass
			6	Low	20.07	-1.36	18.71	0.074	2.000	Pass
3	LCH	QPSK	1	Low	22.55	-1.36	21.19	0.132	2.000	Pass
			1	Mid	22.68	-1.36	21.32	0.136	2.000	Pass
			1	High	22.68	-1.36	21.32	0.136	2.000	Pass
			8	Low	21.61	-1.36	20.25	0.106	2.000	Pass
			8	Mid	21.5	-1.36	20.14	0.103	2.000	Pass
			8	High	21.42	-1.36	20.06	0.101	2.000	Pass
			15	Low	21.46	-1.36	20.10	0.102	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q16	1	Low	21.69	-1.36	20.33	0.108	2.000	Pass
			1	Mid	22.14	-1.36	20.78	0.120	2.000	Pass
			1	High	21.91	-1.36	20.55	0.114	2.000	Pass
			8	Low	20.87	-1.36	19.51	0.089	2.000	Pass
			8	Mid	20.76	-1.36	19.40	0.087	2.000	Pass
			8	High	20.9	-1.36	19.54	0.090	2.000	Pass
			15	Low	20.56	-1.36	19.20	0.083	2.000	Pass
		Q64	1	Low	20.68	-1.36	19.32	0.086	2.000	Pass
			1	Mid	20.97	-1.36	19.61	0.091	2.000	Pass
			1	High	20.99	-1.36	19.63	0.092	2.000	Pass
			8	Low	19.64	-1.36	18.28	0.067	2.000	Pass
			8	Mid	19.71	-1.36	18.35	0.068	2.000	Pass
			8	High	19.64	-1.36	18.28	0.067	2.000	Pass
			15	Low	19.83	-1.36	18.47	0.070	2.000	Pass
	MCH	QPSK	1	Low	22.8	-1.36	21.44	0.139	2.000	Pass
			1	Mid	22.95	-1.36	21.59	0.144	2.000	Pass
			1	High	22.73	-1.36	21.37	0.137	2.000	Pass
			8	Low	21.79	-1.36	20.43	0.110	2.000	Pass
			8	Mid	21.72	-1.36	20.36	0.109	2.000	Pass
			8	High	21.67	-1.36	20.31	0.107	2.000	Pass
			15	Low	21.86	-1.36	20.50	0.112	2.000	Pass
		Q16	1	Low	21.99	-1.36	20.63	0.116	2.000	Pass
			1	Mid	21.87	-1.36	20.51	0.112	2.000	Pass
			1	High	21.88	-1.36	20.52	0.113	2.000	Pass
			8	Low	20.58	-1.36	19.22	0.084	2.000	Pass
			8	Mid	20.94	-1.36	19.58	0.091	2.000	Pass
			8	High	20.73	-1.36	19.37	0.086	2.000	Pass
			15	Low	20.6	-1.36	19.24	0.084	2.000	Pass
		Q64	1	Low	20.91	-1.36	19.55	0.090	2.000	Pass
			1	Mid	20.93	-1.36	19.57	0.091	2.000	Pass
			1	High	21.17	-1.36	19.81	0.096	2.000	Pass
			8	Low	19.74	-1.36	18.38	0.069	2.000	Pass
			8	Mid	19.52	-1.36	18.16	0.065	2.000	Pass
			8	High	19.67	-1.36	18.31	0.068	2.000	Pass
			15	Low	19.75	-1.36	18.39	0.069	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
	HCH	QPSK	1	Low	22.81	-1.36	21.45	0.140	2.000	Pass
			1	Mid	23.36	-1.36	22.00	0.158	2.000	Pass
			1	High	23.03	-1.36	21.67	0.147	2.000	Pass
			8	Low	22.12	-1.36	20.76	0.119	2.000	Pass
			8	Mid	22.11	-1.36	20.75	0.119	2.000	Pass
			8	High	22.19	-1.36	20.83	0.121	2.000	Pass
			15	Low	22.21	-1.36	20.85	0.122	2.000	Pass
		Q16	1	Low	22.02	-1.36	20.66	0.116	2.000	Pass
			1	Mid	22.85	-1.36	21.49	0.141	2.000	Pass
			1	High	22.53	-1.36	21.17	0.131	2.000	Pass
			8	Low	21.18	-1.36	19.82	0.096	2.000	Pass
			8	Mid	21.07	-1.36	19.71	0.094	2.000	Pass
			8	High	21.15	-1.36	19.79	0.095	2.000	Pass
			15	Low	20.99	-1.36	19.63	0.092	2.000	Pass
		Q64	1	Low	21.2	-1.36	19.84	0.096	2.000	Pass
			1	Mid	21.39	-1.36	20.03	0.101	2.000	Pass
			1	High	21.45	-1.36	20.09	0.102	2.000	Pass
			8	Low	20.06	-1.36	18.70	0.074	2.000	Pass
			8	Mid	20.25	-1.36	18.89	0.077	2.000	Pass
			8	High	20.23	-1.36	18.87	0.077	2.000	Pass
			15	Low	20.05	-1.36	18.69	0.074	2.000	Pass
5	LCH	QPSK	1	Low	22.6	-1.36	21.24	0.133	2.000	Pass
			1	Mid	22.76	-1.36	21.40	0.138	2.000	Pass
			1	High	22.7	-1.36	21.34	0.136	2.000	Pass
			12	Low	21.48	-1.36	20.12	0.103	2.000	Pass
			12	Mid	21.69	-1.36	20.33	0.108	2.000	Pass
			12	High	21.48	-1.36	20.12	0.103	2.000	Pass
			25	Low	21.53	-1.36	20.17	0.104	2.000	Pass
		Q16	1	Low	22.02	-1.36	20.66	0.116	2.000	Pass
			1	Mid	21.86	-1.36	20.50	0.112	2.000	Pass
			1	High	21.93	-1.36	20.57	0.114	2.000	Pass
			12	Low	20.61	-1.36	19.25	0.084	2.000	Pass
			12	Mid	20.69	-1.36	19.33	0.086	2.000	Pass
			12	High	20.94	-1.36	19.58	0.091	2.000	Pass
			25	Low	20.64	-1.36	19.28	0.085	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q64	1	Low	20.88	-1.36	19.52	0.090	2.000	Pass
			1	Mid	21.11	-1.36	19.75	0.094	2.000	Pass
			1	High	20.98	-1.36	19.62	0.092	2.000	Pass
			12	Low	19.68	-1.36	18.32	0.068	2.000	Pass
			12	Mid	19.81	-1.36	18.45	0.070	2.000	Pass
			12	High	19.83	-1.36	18.47	0.070	2.000	Pass
			25	Low	19.75	-1.36	18.39	0.069	2.000	Pass
	MCH	QPSK	1	Low	22.35	-1.36	20.99	0.126	2.000	Pass
			1	Mid	22.81	-1.36	21.45	0.140	2.000	Pass
			1	High	22.6	-1.36	21.24	0.133	2.000	Pass
			12	Low	21.58	-1.36	20.22	0.105	2.000	Pass
			12	Mid	21.71	-1.36	20.35	0.108	2.000	Pass
			12	High	21.92	-1.36	20.56	0.114	2.000	Pass
			25	Low	21.69	-1.36	20.33	0.108	2.000	Pass
		Q16	1	Low	22.13	-1.36	20.77	0.119	2.000	Pass
			1	Mid	21.97	-1.36	20.61	0.115	2.000	Pass
			1	High	22.11	-1.36	20.75	0.119	2.000	Pass
			12	Low	20.51	-1.36	19.15	0.082	2.000	Pass
			12	Mid	20.77	-1.36	19.41	0.087	2.000	Pass
			12	High	20.73	-1.36	19.37	0.086	2.000	Pass
			25	Low	20.77	-1.36	19.41	0.087	2.000	Pass
		Q64	1	Low	20.83	-1.36	19.47	0.089	2.000	Pass
			1	Mid	20.69	-1.36	19.33	0.086	2.000	Pass
			1	High	20.74	-1.36	19.38	0.087	2.000	Pass
			12	Low	19.94	-1.36	18.58	0.072	2.000	Pass
			12	Mid	19.65	-1.36	18.29	0.067	2.000	Pass
			12	High	19.62	-1.36	18.26	0.067	2.000	Pass
			25	Low	19.73	-1.36	18.37	0.069	2.000	Pass
	HCH	QPSK	1	Low	23.12	-1.36	21.76	0.150	2.000	Pass
			1	Mid	23.42	-1.36	22.06	0.161	2.000	Pass
			1	High	22.91	-1.36	21.55	0.143	2.000	Pass
			12	Low	21.88	-1.36	20.52	0.113	2.000	Pass
			12	Mid	22.12	-1.36	20.76	0.119	2.000	Pass
			12	High	21.92	-1.36	20.56	0.114	2.000	Pass
			25	Low	22.01	-1.36	20.65	0.116	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q16	1	Low	22.44	-1.36	21.08	0.128	2.000	Pass
			1	Mid	22.55	-1.36	21.19	0.132	2.000	Pass
			1	High	22.6	-1.36	21.24	0.133	2.000	Pass
			12	Low	20.97	-1.36	19.61	0.091	2.000	Pass
			12	Mid	21.13	-1.36	19.77	0.095	2.000	Pass
			12	High	21.11	-1.36	19.75	0.094	2.000	Pass
			25	Low	20.82	-1.36	19.46	0.088	2.000	Pass
		Q64	1	Low	21.17	-1.36	19.81	0.096	2.000	Pass
			1	Mid	21.37	-1.36	20.01	0.100	2.000	Pass
			1	High	21.46	-1.36	20.10	0.102	2.000	Pass
			12	Low	20.03	-1.36	18.67	0.074	2.000	Pass
			12	Mid	20.12	-1.36	18.76	0.075	2.000	Pass
			12	High	20.29	-1.36	18.93	0.078	2.000	Pass
			25	Low	20.02	-1.36	18.66	0.073	2.000	Pass
10	LCH	QPSK	1	Low	22.73	-1.36	21.37	0.137	2.000	Pass
			1	Mid	22.8	-1.36	21.44	0.139	2.000	Pass
			1	High	22.63	-1.36	21.27	0.134	2.000	Pass
			25	Low	21.66	-1.36	20.30	0.107	2.000	Pass
			25	Mid	21.59	-1.36	20.23	0.105	2.000	Pass
			25	High	21.82	-1.36	20.46	0.111	2.000	Pass
			50	Low	21.62	-1.36	20.26	0.106	2.000	Pass
		Q16	1	Low	21.66	-1.36	20.30	0.107	2.000	Pass
			1	Mid	21.9	-1.36	20.54	0.113	2.000	Pass
			1	High	21.72	-1.36	20.36	0.109	2.000	Pass
			25	Low	20.52	-1.36	19.16	0.082	2.000	Pass
			25	Mid	20.92	-1.36	19.56	0.090	2.000	Pass
			25	High	20.87	-1.36	19.51	0.089	2.000	Pass
			50	Low	20.86	-1.36	19.50	0.089	2.000	Pass
		Q64	1	Low	21.08	-1.36	19.72	0.094	2.000	Pass
			1	Mid	20.85	-1.36	19.49	0.089	2.000	Pass
			1	High	20.88	-1.36	19.52	0.090	2.000	Pass
			25	Low	19.74	-1.36	18.38	0.069	2.000	Pass
			25	Mid	19.64	-1.36	18.28	0.067	2.000	Pass
			25	High	19.72	-1.36	18.36	0.069	2.000	Pass
			50	Low	19.79	-1.36	18.43	0.070	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
	MCH	QPSK	1	Low	22.85	-1.36	21.49	0.141	2.000	Pass
			1	Mid	22.82	-1.36	21.46	0.140	2.000	Pass
			1	High	22.76	-1.36	21.40	0.138	2.000	Pass
			25	Low	21.64	-1.36	20.28	0.107	2.000	Pass
			25	Mid	21.7	-1.36	20.34	0.108	2.000	Pass
			25	High	21.73	-1.36	20.37	0.109	2.000	Pass
			50	Low	21.83	-1.36	20.47	0.111	2.000	Pass
		Q16	1	Low	21.58	-1.36	20.22	0.105	2.000	Pass
			1	Mid	21.95	-1.36	20.59	0.115	2.000	Pass
			1	High	21.75	-1.36	20.39	0.109	2.000	Pass
			25	Low	20.75	-1.36	19.39	0.087	2.000	Pass
			25	Mid	20.81	-1.36	19.45	0.088	2.000	Pass
			25	High	20.75	-1.36	19.39	0.087	2.000	Pass
			50	Low	20.65	-1.36	19.29	0.085	2.000	Pass
		Q64	1	Low	20.92	-1.36	19.56	0.090	2.000	Pass
			1	Mid	20.94	-1.36	19.58	0.091	2.000	Pass
			1	High	21.12	-1.36	19.76	0.095	2.000	Pass
			25	Low	19.5	-1.36	18.14	0.065	2.000	Pass
			25	Mid	19.81	-1.36	18.45	0.070	2.000	Pass
			25	High	19.86	-1.36	18.50	0.071	2.000	Pass
			50	Low	19.69	-1.36	18.33	0.068	2.000	Pass
	HCH	QPSK	1	Low	22.76	-1.36	21.40	0.138	2.000	Pass
			1	Mid	22.67	-1.36	21.31	0.135	2.000	Pass
			1	High	22.76	-1.36	21.40	0.138	2.000	Pass
			25	Low	22.01	-1.36	20.65	0.116	2.000	Pass
			25	Mid	22.16	-1.36	20.80	0.120	2.000	Pass
			25	High	22.1	-1.36	20.74	0.119	2.000	Pass
			50	Low	22.15	-1.36	20.79	0.120	2.000	Pass
		Q16	1	Low	22.33	-1.36	20.97	0.125	2.000	Pass
			1	Mid	22.32	-1.36	20.96	0.125	2.000	Pass
			1	High	21.9	-1.36	20.54	0.113	2.000	Pass
			25	Low	21.1	-1.36	19.74	0.094	2.000	Pass
			25	Mid	21.3	-1.36	19.94	0.099	2.000	Pass
			25	High	21.08	-1.36	19.72	0.094	2.000	Pass
			50	Low	21.02	-1.36	19.66	0.092	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q64	1	Low	21.16	-1.36	19.80	0.095	2.000	Pass
			1	Mid	21.43	-1.36	20.07	0.102	2.000	Pass
			1	High	21.22	-1.36	19.86	0.097	2.000	Pass
			25	Low	20.07	-1.36	18.71	0.074	2.000	Pass
			25	Mid	20.18	-1.36	18.82	0.076	2.000	Pass
			25	High	20.28	-1.36	18.92	0.078	2.000	Pass
			50	Low	20.24	-1.36	18.88	0.077	2.000	Pass
15	LCH	QPSK	1	Low	22.79	-1.36	21.43	0.139	2.000	Pass
			1	Mid	22.55	-1.36	21.19	0.132	2.000	Pass
			1	High	22.78	-1.36	21.42	0.139	2.000	Pass
			36	Low	21.74	-1.36	20.38	0.109	2.000	Pass
			36	Mid	21.77	-1.36	20.41	0.110	2.000	Pass
			36	High	21.59	-1.36	20.23	0.105	2.000	Pass
			75	Low	21.61	-1.36	20.25	0.106	2.000	Pass
		Q16	1	Low	22.01	-1.36	20.65	0.116	2.000	Pass
			1	Mid	21.65	-1.36	20.29	0.107	2.000	Pass
			1	High	21.73	-1.36	20.37	0.109	2.000	Pass
			36	Low	20.81	-1.36	19.45	0.088	2.000	Pass
			36	Mid	20.54	-1.36	19.18	0.083	2.000	Pass
			36	High	20.78	-1.36	19.42	0.087	2.000	Pass
			75	Low	20.87	-1.36	19.51	0.089	2.000	Pass
		Q64	1	Low	20.88	-1.36	19.52	0.090	2.000	Pass
			1	Mid	20.75	-1.36	19.39	0.087	2.000	Pass
			1	High	20.77	-1.36	19.41	0.087	2.000	Pass
			36	Low	19.43	-1.36	18.07	0.064	2.000	Pass
			36	Mid	19.58	-1.36	18.22	0.066	2.000	Pass
			36	High	19.55	-1.36	18.19	0.066	2.000	Pass
			75	Low	19.66	-1.36	18.30	0.068	2.000	Pass
	MCH	QPSK	1	Low	22.95	-1.36	21.59	0.144	2.000	Pass
			1	Mid	22.34	-1.36	20.98	0.125	2.000	Pass
			1	High	23.05	-1.36	21.69	0.148	2.000	Pass
			36	Low	21.49	-1.36	20.13	0.103	2.000	Pass
			36	Mid	21.76	-1.36	20.40	0.110	2.000	Pass
			36	High	21.74	-1.36	20.38	0.109	2.000	Pass
			75	Low	21.58	-1.36	20.22	0.105	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q16	1	Low	21.63	-1.36	20.27	0.106	2.000	Pass
			1	Mid	21.83	-1.36	20.47	0.111	2.000	Pass
			1	High	21.97	-1.36	20.61	0.115	2.000	Pass
			36	Low	20.65	-1.36	19.29	0.085	2.000	Pass
			36	Mid	20.89	-1.36	19.53	0.090	2.000	Pass
			36	High	20.98	-1.36	19.62	0.092	2.000	Pass
			75	Low	20.64	-1.36	19.28	0.085	2.000	Pass
		Q64	1	Low	20.76	-1.36	19.40	0.087	2.000	Pass
			1	Mid	20.77	-1.36	19.41	0.087	2.000	Pass
			1	High	20.86	-1.36	19.50	0.089	2.000	Pass
			36	Low	19.63	-1.36	18.27	0.067	2.000	Pass
			36	Mid	19.56	-1.36	18.20	0.066	2.000	Pass
			36	High	19.56	-1.36	18.20	0.066	2.000	Pass
			75	Low	19.75	-1.36	18.39	0.069	2.000	Pass
	HCH	QPSK	1	Low	22.76	-1.36	21.40	0.138	2.000	Pass
			1	Mid	23.15	-1.36	21.79	0.151	2.000	Pass
			1	High	22.61	-1.36	21.25	0.133	2.000	Pass
			36	Low	21.98	-1.36	20.62	0.115	2.000	Pass
			36	Mid	22.13	-1.36	20.77	0.119	2.000	Pass
			36	High	22.13	-1.36	20.77	0.119	2.000	Pass
			75	Low	22.04	-1.36	20.68	0.117	2.000	Pass
		Q16	1	Low	22.01	-1.36	20.65	0.116	2.000	Pass
			1	Mid	22.27	-1.36	20.91	0.123	2.000	Pass
			1	High	22.48	-1.36	21.12	0.129	2.000	Pass
			36	Low	20.6	-1.36	19.24	0.084	2.000	Pass
			36	Mid	20.87	-1.36	19.51	0.089	2.000	Pass
			36	High	21.2	-1.36	19.84	0.096	2.000	Pass
			75	Low	20.83	-1.36	19.47	0.089	2.000	Pass
		Q64	1	Low	21.12	-1.36	19.76	0.095	2.000	Pass
			1	Mid	21.52	-1.36	20.16	0.104	2.000	Pass
			1	High	21	-1.36	19.64	0.092	2.000	Pass
			36	Low	19.98	-1.36	18.62	0.073	2.000	Pass
			36	Mid	19.96	-1.36	18.60	0.072	2.000	Pass
			36	High	19.93	-1.36	18.57	0.072	2.000	Pass
			75	Low	20.12	-1.36	18.76	0.075	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
20	LCH	QPSK	1	Low	23.13	-1.36	21.77	0.150	2.000	Pass
			1	Mid	22.63	-1.36	21.27	0.134	2.000	Pass
			1	High	22.51	-1.36	21.15	0.130	2.000	Pass
			50	Low	21.61	-1.36	20.25	0.106	2.000	Pass
			50	Mid	21.78	-1.36	20.42	0.110	2.000	Pass
			50	High	21.75	-1.36	20.39	0.109	2.000	Pass
			100	Low	21.5	-1.36	20.14	0.103	2.000	Pass
		Q16	1	Low	21.96	-1.36	20.60	0.115	2.000	Pass
			1	Mid	21.86	-1.36	20.50	0.112	2.000	Pass
			1	High	21.95	-1.36	20.59	0.115	2.000	Pass
			50	Low	20.5	-1.36	19.14	0.082	2.000	Pass
			50	Mid	20.98	-1.36	19.62	0.092	2.000	Pass
			50	High	20.58	-1.36	19.22	0.084	2.000	Pass
			100	Low	20.62	-1.36	19.26	0.084	2.000	Pass
		Q64	1	Low	20.88	-1.36	19.52	0.090	2.000	Pass
			1	Mid	20.62	-1.36	19.26	0.084	2.000	Pass
			1	High	20.93	-1.36	19.57	0.091	2.000	Pass
			50	Low	19.59	-1.36	18.23	0.067	2.000	Pass
			50	Mid	19.9	-1.36	18.54	0.071	2.000	Pass
			50	High	19.82	-1.36	18.46	0.070	2.000	Pass
			100	Low	19.79	-1.36	18.43	0.070	2.000	Pass
	MCH	QPSK	1	Low	22.69	-1.36	21.33	0.136	2.000	Pass
			1	Mid	22.91	-1.36	21.55	0.143	2.000	Pass
			1	High	22.59	-1.36	21.23	0.133	2.000	Pass
			50	Low	21.73	-1.36	20.37	0.109	2.000	Pass
			50	Mid	21.6	-1.36	20.24	0.106	2.000	Pass
			50	High	21.7	-1.36	20.34	0.108	2.000	Pass
			100	Low	21.44	-1.36	20.08	0.102	2.000	Pass
		Q16	1	Low	21.69	-1.36	20.33	0.108	2.000	Pass
			1	Mid	21.73	-1.36	20.37	0.109	2.000	Pass
			1	High	22.15	-1.36	20.79	0.120	2.000	Pass
			50	Low	20.64	-1.36	19.28	0.085	2.000	Pass
			50	Mid	20.85	-1.36	19.49	0.089	2.000	Pass
			50	High	20.76	-1.36	19.40	0.087	2.000	Pass
			100	Low	20.85	-1.36	19.49	0.089	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q64	1	Low	20.77	-1.36	19.41	0.087	2.000	Pass
			1	Mid	20.84	-1.36	19.48	0.089	2.000	Pass
			1	High	20.89	-1.36	19.53	0.090	2.000	Pass
			50	Low	19.69	-1.36	18.33	0.068	2.000	Pass
			50	Mid	19.8	-1.36	18.44	0.070	2.000	Pass
			50	High	19.75	-1.36	18.39	0.069	2.000	Pass
			100	Low	19.74	-1.36	18.38	0.069	2.000	Pass
	HCH	QPSK	1	Low	22.68	-1.36	21.32	0.136	2.000	Pass
			1	Mid	23.09	-1.36	21.73	0.149	2.000	Pass
			1	High	23.14	-1.36	21.78	0.151	2.000	Pass
			50	Low	21.73	-1.36	20.37	0.109	2.000	Pass
			50	Mid	21.93	-1.36	20.57	0.114	2.000	Pass
			50	High	22.13	-1.36	20.77	0.119	2.000	Pass
			100	Low	21.84	-1.36	20.48	0.112	2.000	Pass
		Q16	1	Low	22.08	-1.36	20.72	0.118	2.000	Pass
			1	Mid	22.32	-1.36	20.96	0.125	2.000	Pass
			1	High	22.11	-1.36	20.75	0.119	2.000	Pass
			50	Low	20.71	-1.36	19.35	0.086	2.000	Pass
			50	Mid	20.87	-1.36	19.51	0.089	2.000	Pass
			50	High	20.73	-1.36	19.37	0.086	2.000	Pass
			100	Low	20.83	-1.36	19.47	0.089	2.000	Pass
		Q64	1	Low	20.96	-1.36	19.60	0.091	2.000	Pass
			1	Mid	20.84	-1.36	19.48	0.089	2.000	Pass
			1	High	21.15	-1.36	19.79	0.095	2.000	Pass
			50	Low	19.84	-1.36	18.48	0.070	2.000	Pass
			50	Mid	20.08	-1.36	18.72	0.074	2.000	Pass
			50	High	20.03	-1.36	18.67	0.074	2.000	Pass
			100	Low	20.03	-1.36	18.67	0.074	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
1.4	LCH	QPSK	1	Low	22.92	-0.77	-2.92	20.00	0.100	7.000	Pass
			1	Mid	23.09	-0.77	-2.92	20.17	0.104	7.000	Pass
			1	High	22.91	-0.77	-2.92	19.99	0.100	7.000	Pass
			3	Low	23.28	-0.77	-2.92	20.36	0.109	7.000	Pass
			3	Mid	23.12	-0.77	-2.92	20.20	0.105	7.000	Pass
			3	High	22.91	-0.77	-2.92	19.99	0.100	7.000	Pass
			6	Low	21.89	-0.77	-2.92	18.97	0.079	7.000	Pass
		Q16	1	Low	22.34	-0.77	-2.92	19.42	0.087	7.000	Pass
			1	Mid	22.39	-0.77	-2.92	19.47	0.089	7.000	Pass
			1	High	22.37	-0.77	-2.92	19.45	0.088	7.000	Pass
			3	Low	22.17	-0.77	-2.92	19.25	0.084	7.000	Pass
			3	Mid	22.38	-0.77	-2.92	19.46	0.088	7.000	Pass
			3	High	22.03	-0.77	-2.92	19.11	0.081	7.000	Pass
			6	Low	20.85	-0.77	-2.92	17.93	0.062	7.000	Pass
		Q64	1	Low	21.1	-0.77	-2.92	18.18	0.066	7.000	Pass
			1	Mid	21.27	-0.77	-2.92	18.35	0.068	7.000	Pass
			1	High	21.12	-0.77	-2.92	18.20	0.066	7.000	Pass
			3	Low	21.1	-0.77	-2.92	18.18	0.066	7.000	Pass
			3	Mid	21.02	-0.77	-2.92	18.10	0.065	7.000	Pass
			3	High	21.15	-0.77	-2.92	18.23	0.067	7.000	Pass
			6	Low	20.16	-0.77	-2.92	17.24	0.053	7.000	Pass
	MCH	QPSK	1	Low	23	-0.77	-2.92	20.08	0.102	7.000	Pass
			1	Mid	23.24	-0.77	-2.92	20.32	0.108	7.000	Pass
			1	High	23.18	-0.77	-2.92	20.26	0.106	7.000	Pass
			3	Low	22.89	-0.77	-2.92	19.97	0.099	7.000	Pass
			3	Mid	23.15	-0.77	-2.92	20.23	0.105	7.000	Pass
			3	High	23.05	-0.77	-2.92	20.13	0.103	7.000	Pass
			6	Low	22.23	-0.77	-2.92	19.31	0.085	7.000	Pass
		Q16	1	Low	22.1	-0.77	-2.92	19.18	0.083	7.000	Pass
			1	Mid	22.54	-0.77	-2.92	19.62	0.092	7.000	Pass
			1	High	22.31	-0.77	-2.92	19.39	0.087	7.000	Pass
			3	Low	22.39	-0.77	-2.92	19.47	0.089	7.000	Pass
			3	Mid	22.12	-0.77	-2.92	19.20	0.083	7.000	Pass
			3	High	22.03	-0.77	-2.92	19.11	0.081	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q64	6	Low	21.18	-0.77	-2.92	18.26	0.067	7.000	Pass
			1	Low	21.4	-0.77	-2.92	18.48	0.070	7.000	Pass
			1	Mid	21.34	-0.77	-2.92	18.42	0.070	7.000	Pass
			1	High	21.2	-0.77	-2.92	18.28	0.067	7.000	Pass
			3	Low	20.94	-0.77	-2.92	18.02	0.063	7.000	Pass
			3	Mid	21.05	-0.77	-2.92	18.13	0.065	7.000	Pass
			3	High	21.37	-0.77	-2.92	18.45	0.070	7.000	Pass
			6	Low	20.11	-0.77	-2.92	17.19	0.052	7.000	Pass
	HCH	QPSK	1	Low	23.08	-0.77	-2.92	20.16	0.104	7.000	Pass
			1	Mid	23.12	-0.77	-2.92	20.20	0.105	7.000	Pass
			1	High	23.03	-0.77	-2.92	20.11	0.103	7.000	Pass
			3	Low	23.23	-0.77	-2.92	20.31	0.107	7.000	Pass
			3	Mid	23.09	-0.77	-2.92	20.17	0.104	7.000	Pass
			3	High	23.06	-0.77	-2.92	20.14	0.103	7.000	Pass
			6	Low	21.93	-0.77	-2.92	19.01	0.080	7.000	Pass
		Q16	1	Low	22.36	-0.77	-2.92	19.44	0.088	7.000	Pass
			1	Mid	22.52	-0.77	-2.92	19.60	0.091	7.000	Pass
			1	High	22.16	-0.77	-2.92	19.24	0.084	7.000	Pass
			3	Low	22.08	-0.77	-2.92	19.16	0.082	7.000	Pass
			3	Mid	22.26	-0.77	-2.92	19.34	0.086	7.000	Pass
			3	High	22.32	-0.77	-2.92	19.40	0.087	7.000	Pass
			6	Low	21.04	-0.77	-2.92	18.12	0.065	7.000	Pass
		Q64	1	Low	21.27	-0.77	-2.92	18.35	0.068	7.000	Pass
			1	Mid	21.17	-0.77	-2.92	18.25	0.067	7.000	Pass
			1	High	21.01	-0.77	-2.92	18.09	0.064	7.000	Pass
			3	Low	21.35	-0.77	-2.92	18.43	0.070	7.000	Pass
			3	Mid	21.16	-0.77	-2.92	18.24	0.067	7.000	Pass
			3	High	21.18	-0.77	-2.92	18.26	0.067	7.000	Pass
			6	Low	19.86	-0.77	-2.92	16.94	0.049	7.000	Pass
3	LCH	QPSK	1	Low	23.03	-0.77	-2.92	20.11	0.103	7.000	Pass
			1	Mid	23.08	-0.77	-2.92	20.16	0.104	7.000	Pass
			1	High	22.91	-0.77	-2.92	19.99	0.100	7.000	Pass
			8	Low	22.15	-0.77	-2.92	19.23	0.084	7.000	Pass
			8	Mid	22.14	-0.77	-2.92	19.22	0.084	7.000	Pass
			8	High	21.88	-0.77	-2.92	18.96	0.079	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q16	15	Low	22.1	-0.77	-2.92	19.18	0.083	7.000	Pass
			1	Low	22.32	-0.77	-2.92	19.40	0.087	7.000	Pass
			1	Mid	22.75	-0.77	-2.92	19.83	0.096	7.000	Pass
			1	High	22.29	-0.77	-2.92	19.37	0.086	7.000	Pass
			8	Low	21.17	-0.77	-2.92	18.25	0.067	7.000	Pass
			8	Mid	21.38	-0.77	-2.92	18.46	0.070	7.000	Pass
			8	High	20.99	-0.77	-2.92	18.07	0.064	7.000	Pass
			15	Low	21.15	-0.77	-2.92	18.23	0.067	7.000	Pass
		Q64	1	Low	21.43	-0.77	-2.92	18.51	0.071	7.000	Pass
			1	Mid	21.14	-0.77	-2.92	18.22	0.066	7.000	Pass
			1	High	21.34	-0.77	-2.92	18.42	0.070	7.000	Pass
			8	Low	20.26	-0.77	-2.92	17.34	0.054	7.000	Pass
			8	Mid	20.11	-0.77	-2.92	17.19	0.052	7.000	Pass
			8	High	19.97	-0.77	-2.92	17.05	0.051	7.000	Pass
			15	Low	20.28	-0.77	-2.92	17.36	0.054	7.000	Pass
	MCH	QPSK	1	Low	23.02	-0.77	-2.92	20.10	0.102	7.000	Pass
			1	Mid	23.22	-0.77	-2.92	20.30	0.107	7.000	Pass
			1	High	22.86	-0.77	-2.92	19.94	0.099	7.000	Pass
			8	Low	21.87	-0.77	-2.92	18.95	0.079	7.000	Pass
			8	Mid	21.95	-0.77	-2.92	19.03	0.080	7.000	Pass
			8	High	21.95	-0.77	-2.92	19.03	0.080	7.000	Pass
			15	Low	22.05	-0.77	-2.92	19.13	0.082	7.000	Pass
		Q16	1	Low	22.72	-0.77	-2.92	19.80	0.095	7.000	Pass
			1	Mid	22.48	-0.77	-2.92	19.56	0.090	7.000	Pass
			1	High	22.32	-0.77	-2.92	19.40	0.087	7.000	Pass
			8	Low	20.99	-0.77	-2.92	18.07	0.064	7.000	Pass
			8	Mid	21.13	-0.77	-2.92	18.21	0.066	7.000	Pass
			8	High	21.37	-0.77	-2.92	18.45	0.070	7.000	Pass
			15	Low	21.28	-0.77	-2.92	18.36	0.069	7.000	Pass
		Q64	1	Low	21.19	-0.77	-2.92	18.27	0.067	7.000	Pass
			1	Mid	21.65	-0.77	-2.92	18.73	0.075	7.000	Pass
			1	High	20.91	-0.77	-2.92	17.99	0.063	7.000	Pass
			8	Low	20.2	-0.77	-2.92	17.28	0.053	7.000	Pass
			8	Mid	20.13	-0.77	-2.92	17.21	0.053	7.000	Pass
			8	High	20.17	-0.77	-2.92	17.25	0.053	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
	HCH	QPSK	15	Low	20.09	-0.77	-2.92	17.17	0.052	7.000	Pass
			1	Low	22.73	-0.77	-2.92	19.81	0.096	7.000	Pass
			1	Mid	23.02	-0.77	-2.92	20.10	0.102	7.000	Pass
			1	High	22.8	-0.77	-2.92	19.88	0.097	7.000	Pass
			8	Low	21.95	-0.77	-2.92	19.03	0.080	7.000	Pass
			8	Mid	21.91	-0.77	-2.92	18.99	0.079	7.000	Pass
			8	High	22.05	-0.77	-2.92	19.13	0.082	7.000	Pass
			15	Low	22.05	-0.77	-2.92	19.13	0.082	7.000	Pass
		Q16	1	Low	22.36	-0.77	-2.92	19.44	0.088	7.000	Pass
			1	Mid	22.27	-0.77	-2.92	19.35	0.086	7.000	Pass
			1	High	22.77	-0.77	-2.92	19.85	0.097	7.000	Pass
			8	Low	20.92	-0.77	-2.92	18.00	0.063	7.000	Pass
			8	Mid	21.12	-0.77	-2.92	18.20	0.066	7.000	Pass
			8	High	21.26	-0.77	-2.92	18.34	0.068	7.000	Pass
			15	Low	21.07	-0.77	-2.92	18.15	0.065	7.000	Pass
		Q64	1	Low	21.52	-0.77	-2.92	18.60	0.072	7.000	Pass
			1	Mid	21.41	-0.77	-2.92	18.49	0.071	7.000	Pass
			1	High	21.32	-0.77	-2.92	18.40	0.069	7.000	Pass
			8	Low	19.92	-0.77	-2.92	17.00	0.050	7.000	Pass
			8	Mid	20	-0.77	-2.92	17.08	0.051	7.000	Pass
			8	High	19.9	-0.77	-2.92	16.98	0.050	7.000	Pass
			15	Low	20.18	-0.77	-2.92	17.26	0.053	7.000	Pass
5	LCH	QPSK	1	Low	22.95	-0.77	-2.92	20.03	0.101	7.000	Pass
			1	Mid	22.99	-0.77	-2.92	20.07	0.102	7.000	Pass
			1	High	22.97	-0.77	-2.92	20.05	0.101	7.000	Pass
			12	Low	21.91	-0.77	-2.92	18.99	0.079	7.000	Pass
			12	Mid	21.85	-0.77	-2.92	18.93	0.078	7.000	Pass
			12	High	22.28	-0.77	-2.92	19.36	0.086	7.000	Pass
			25	Low	22.26	-0.77	-2.92	19.34	0.086	7.000	Pass
		Q16	1	Low	22.37	-0.77	-2.92	19.45	0.088	7.000	Pass
			1	Mid	22.27	-0.77	-2.92	19.35	0.086	7.000	Pass
			1	High	22.48	-0.77	-2.92	19.56	0.090	7.000	Pass
			12	Low	21.21	-0.77	-2.92	18.29	0.067	7.000	Pass
			12	Mid	21.19	-0.77	-2.92	18.27	0.067	7.000	Pass
			12	High	21.1	-0.77	-2.92	18.18	0.066	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q64	25	Low	21.01	-0.77	-2.92	18.09	0.064	7.000	Pass
			1	Low	21.23	-0.77	-2.92	18.31	0.068	7.000	Pass
			1	Mid	21.25	-0.77	-2.92	18.33	0.068	7.000	Pass
			1	High	21.38	-0.77	-2.92	18.46	0.070	7.000	Pass
			12	Low	20.07	-0.77	-2.92	17.15	0.052	7.000	Pass
			12	Mid	20.13	-0.77	-2.92	17.21	0.053	7.000	Pass
			12	High	20.08	-0.77	-2.92	17.16	0.052	7.000	Pass
			25	Low	20.3	-0.77	-2.92	17.38	0.055	7.000	Pass
	MCH	QPSK	1	Low	22.8	-0.77	-2.92	19.88	0.097	7.000	Pass
			1	Mid	23.04	-0.77	-2.92	20.12	0.103	7.000	Pass
			1	High	23.19	-0.77	-2.92	20.27	0.106	7.000	Pass
			12	Low	22	-0.77	-2.92	19.08	0.081	7.000	Pass
			12	Mid	22.25	-0.77	-2.92	19.33	0.086	7.000	Pass
			12	High	22.11	-0.77	-2.92	19.19	0.083	7.000	Pass
			25	Low	22.33	-0.77	-2.92	19.41	0.087	7.000	Pass
		Q16	1	Low	22.7	-0.77	-2.92	19.78	0.095	7.000	Pass
			1	Mid	22.55	-0.77	-2.92	19.63	0.092	7.000	Pass
			1	High	22.25	-0.77	-2.92	19.33	0.086	7.000	Pass
			12	Low	21.13	-0.77	-2.92	18.21	0.066	7.000	Pass
			12	Mid	21.24	-0.77	-2.92	18.32	0.068	7.000	Pass
			12	High	21.22	-0.77	-2.92	18.30	0.068	7.000	Pass
			25	Low	20.95	-0.77	-2.92	18.03	0.064	7.000	Pass
		Q64	1	Low	21.47	-0.77	-2.92	18.55	0.072	7.000	Pass
			1	Mid	21.39	-0.77	-2.92	18.47	0.070	7.000	Pass
			1	High	21.14	-0.77	-2.92	18.22	0.066	7.000	Pass
			12	Low	20.29	-0.77	-2.92	17.37	0.055	7.000	Pass
			12	Mid	20.16	-0.77	-2.92	17.24	0.053	7.000	Pass
			12	High	20.15	-0.77	-2.92	17.23	0.053	7.000	Pass
			25	Low	20.2	-0.77	-2.92	17.28	0.053	7.000	Pass
	HCH	QPSK	1	Low	23.26	-0.77	-2.92	20.34	0.108	7.000	Pass
			1	Mid	22.84	-0.77	-2.92	19.92	0.098	7.000	Pass
			1	High	23.2	-0.77	-2.92	20.28	0.107	7.000	Pass
			12	Low	22.18	-0.77	-2.92	19.26	0.084	7.000	Pass
			12	Mid	22.02	-0.77	-2.92	19.10	0.081	7.000	Pass
			12	High	21.93	-0.77	-2.92	19.01	0.080	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q16	25	Low	22.06	-0.77	-2.92	19.14	0.082	7.000	Pass
			1	Low	22.72	-0.77	-2.92	19.80	0.095	7.000	Pass
			1	Mid	22.76	-0.77	-2.92	19.84	0.096	7.000	Pass
			1	High	22.18	-0.77	-2.92	19.26	0.084	7.000	Pass
			12	Low	21.21	-0.77	-2.92	18.29	0.067	7.000	Pass
			12	Mid	21.19	-0.77	-2.92	18.27	0.067	7.000	Pass
			12	High	21.23	-0.77	-2.92	18.31	0.068	7.000	Pass
			25	Low	21.33	-0.77	-2.92	18.41	0.069	7.000	Pass
		Q64	1	Low	21.45	-0.77	-2.92	18.53	0.071	7.000	Pass
			1	Mid	21.56	-0.77	-2.92	18.64	0.073	7.000	Pass
			1	High	21.3	-0.77	-2.92	18.38	0.069	7.000	Pass
			12	Low	20.27	-0.77	-2.92	17.35	0.054	7.000	Pass
			12	Mid	20.47	-0.77	-2.92	17.55	0.057	7.000	Pass
			12	High	19.93	-0.77	-2.92	17.01	0.050	7.000	Pass
			25	Low	20.11	-0.77	-2.92	17.19	0.052	7.000	Pass
10	LCH	QPSK	1	Low	23.26	-0.77	-2.92	20.34	0.108	7.000	Pass
			1	Mid	23.05	-0.77	-2.92	20.13	0.103	7.000	Pass
			1	High	23.2	-0.77	-2.92	20.28	0.107	7.000	Pass
			25	Low	22.27	-0.77	-2.92	19.35	0.086	7.000	Pass
			25	Mid	21.93	-0.77	-2.92	19.01	0.080	7.000	Pass
			25	High	22.28	-0.77	-2.92	19.36	0.086	7.000	Pass
			50	Low	22.31	-0.77	-2.92	19.39	0.087	7.000	Pass
		Q16	1	Low	22.29	-0.77	-2.92	19.37	0.086	7.000	Pass
			1	Mid	22.34	-0.77	-2.92	19.42	0.087	7.000	Pass
			1	High	22.29	-0.77	-2.92	19.37	0.086	7.000	Pass
			25	Low	20.88	-0.77	-2.92	17.96	0.063	7.000	Pass
			25	Mid	21.08	-0.77	-2.92	18.16	0.065	7.000	Pass
			25	High	21.3	-0.77	-2.92	18.38	0.069	7.000	Pass
			50	Low	21.12	-0.77	-2.92	18.20	0.066	7.000	Pass
		Q64	1	Low	21.21	-0.77	-2.92	18.29	0.067	7.000	Pass
			1	Mid	21.2	-0.77	-2.92	18.28	0.067	7.000	Pass
			1	High	21.06	-0.77	-2.92	18.14	0.065	7.000	Pass
			25	Low	20.25	-0.77	-2.92	17.33	0.054	7.000	Pass
			25	Mid	20.1	-0.77	-2.92	17.18	0.052	7.000	Pass
			25	High	20.12	-0.77	-2.92	17.20	0.052	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
	MCH	QPSK	50	Low	20.18	-0.77	-2.92	17.26	0.053	7.000	Pass
			1	Low	23.32	-0.77	-2.92	20.40	0.110	7.000	Pass
			1	Mid	23.02	-0.77	-2.92	20.10	0.102	7.000	Pass
			1	High	22.77	-0.77	-2.92	19.85	0.097	7.000	Pass
			25	Low	22.21	-0.77	-2.92	19.29	0.085	7.000	Pass
			25	Mid	22.05	-0.77	-2.92	19.13	0.082	7.000	Pass
			25	High	22.26	-0.77	-2.92	19.34	0.086	7.000	Pass
			50	Low	22.31	-0.77	-2.92	19.39	0.087	7.000	Pass
		Q16	1	Low	21.93	-0.77	-2.92	19.01	0.080	7.000	Pass
			1	Mid	22.24	-0.77	-2.92	19.32	0.086	7.000	Pass
			1	High	21.75	-0.77	-2.92	18.83	0.076	7.000	Pass
			25	Low	20.94	-0.77	-2.92	18.02	0.063	7.000	Pass
			25	Mid	21.26	-0.77	-2.92	18.34	0.068	7.000	Pass
			25	High	21.32	-0.77	-2.92	18.40	0.069	7.000	Pass
			50	Low	21.02	-0.77	-2.92	18.10	0.065	7.000	Pass
		Q64	1	Low	21.64	-0.77	-2.92	18.72	0.074	7.000	Pass
			1	Mid	21.1	-0.77	-2.92	18.18	0.066	7.000	Pass
			1	High	21.17	-0.77	-2.92	18.25	0.067	7.000	Pass
			25	Low	20.11	-0.77	-2.92	17.19	0.052	7.000	Pass
			25	Mid	19.99	-0.77	-2.92	17.07	0.051	7.000	Pass
			25	High	19.98	-0.77	-2.92	17.06	0.051	7.000	Pass
			50	Low	20.33	-0.77	-2.92	17.41	0.055	7.000	Pass
	HCH	QPSK	1	Low	23.02	-0.77	-2.92	20.10	0.102	7.000	Pass
			1	Mid	22.92	-0.77	-2.92	20.00	0.100	7.000	Pass
			1	High	22.63	-0.77	-2.92	19.71	0.094	7.000	Pass
			25	Low	22.2	-0.77	-2.92	19.28	0.085	7.000	Pass
			25	Mid	22.03	-0.77	-2.92	19.11	0.081	7.000	Pass
			25	High	22.18	-0.77	-2.92	19.26	0.084	7.000	Pass
			50	Low	21.86	-0.77	-2.92	18.94	0.078	7.000	Pass
		Q16	1	Low	22.56	-0.77	-2.92	19.64	0.092	7.000	Pass
			1	Mid	22.43	-0.77	-2.92	19.51	0.089	7.000	Pass
			1	High	22.05	-0.77	-2.92	19.13	0.082	7.000	Pass
			25	Low	21.1	-0.77	-2.92	18.18	0.066	7.000	Pass
			25	Mid	21.13	-0.77	-2.92	18.21	0.066	7.000	Pass
			25	High	21.11	-0.77	-2.92	18.19	0.066	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q64	50	Low	21.07	-0.77	-2.92	18.15	0.065	7.000	Pass
			1	Low	21.25	-0.77	-2.92	18.33	0.068	7.000	Pass
			1	Mid	21.22	-0.77	-2.92	18.30	0.068	7.000	Pass
			1	High	21.06	-0.77	-2.92	18.14	0.065	7.000	Pass
			25	Low	19.98	-0.77	-2.92	17.06	0.051	7.000	Pass
			25	Mid	20.27	-0.77	-2.92	17.35	0.054	7.000	Pass
			25	High	19.96	-0.77	-2.92	17.04	0.051	7.000	Pass
			50	Low	20.28	-0.77	-2.92	17.36	0.054	7.000	Pass
15	LCH	QPSK	1	Low	23.28	-0.77	-2.92	20.36	0.109	7.000	Pass
			1	Mid	23.17	-0.77	-2.92	20.25	0.106	7.000	Pass
			1	High	23.24	-0.77	-2.92	20.32	0.108	7.000	Pass
			36	Low	21.89	-0.77	-2.92	18.97	0.079	7.000	Pass
			36	Mid	21.96	-0.77	-2.92	19.04	0.080	7.000	Pass
			36	High	21.97	-0.77	-2.92	19.05	0.080	7.000	Pass
			75	Low	21.92	-0.77	-2.92	19.00	0.079	7.000	Pass
		Q16	1	Low	22.31	-0.77	-2.92	19.39	0.087	7.000	Pass
			1	Mid	22.91	-0.77	-2.92	19.99	0.100	7.000	Pass
			1	High	22.19	-0.77	-2.92	19.27	0.085	7.000	Pass
			36	Low	21.18	-0.77	-2.92	18.26	0.067	7.000	Pass
			36	Mid	20.89	-0.77	-2.92	17.97	0.063	7.000	Pass
			36	High	21.23	-0.77	-2.92	18.31	0.068	7.000	Pass
			75	Low	21.2	-0.77	-2.92	18.28	0.067	7.000	Pass
		Q64	1	Low	21.12	-0.77	-2.92	18.20	0.066	7.000	Pass
			1	Mid	21	-0.77	-2.92	18.08	0.064	7.000	Pass
			1	High	21.16	-0.77	-2.92	18.24	0.067	7.000	Pass
			36	Low	20.1	-0.77	-2.92	17.18	0.052	7.000	Pass
			36	Mid	19.98	-0.77	-2.92	17.06	0.051	7.000	Pass
			36	High	20.21	-0.77	-2.92	17.29	0.054	7.000	Pass
			75	Low	19.88	-0.77	-2.92	16.96	0.050	7.000	Pass
	MCH	QPSK	1	Low	23.31	-0.77	-2.92	20.39	0.109	7.000	Pass
			1	Mid	23.04	-0.77	-2.92	20.12	0.103	7.000	Pass
			1	High	23.01	-0.77	-2.92	20.09	0.102	7.000	Pass
			36	Low	22.04	-0.77	-2.92	19.12	0.082	7.000	Pass
			36	Mid	21.96	-0.77	-2.92	19.04	0.080	7.000	Pass
			36	High	22.11	-0.77	-2.92	19.19	0.083	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q16	75	Low	21.89	-0.77	-2.92	18.97	0.079	7.000	Pass
			1	Low	22.42	-0.77	-2.92	19.50	0.089	7.000	Pass
			1	Mid	22.5	-0.77	-2.92	19.58	0.091	7.000	Pass
			1	High	22.08	-0.77	-2.92	19.16	0.082	7.000	Pass
			36	Low	21.14	-0.77	-2.92	18.22	0.066	7.000	Pass
			36	Mid	21.2	-0.77	-2.92	18.28	0.067	7.000	Pass
			36	High	21.19	-0.77	-2.92	18.27	0.067	7.000	Pass
			75	Low	21.06	-0.77	-2.92	18.14	0.065	7.000	Pass
		Q64	1	Low	21.19	-0.77	-2.92	18.27	0.067	7.000	Pass
			1	Mid	21.4	-0.77	-2.92	18.48	0.070	7.000	Pass
			1	High	21.15	-0.77	-2.92	18.23	0.067	7.000	Pass
			36	Low	20.07	-0.77	-2.92	17.15	0.052	7.000	Pass
			36	Mid	20.19	-0.77	-2.92	17.27	0.053	7.000	Pass
			36	High	20.06	-0.77	-2.92	17.14	0.052	7.000	Pass
			75	Low	20.04	-0.77	-2.92	17.12	0.052	7.000	Pass
	HCH	QPSK	1	Low	22.75	-0.77	-2.92	19.83	0.096	7.000	Pass
			1	Mid	23.25	-0.77	-2.92	20.33	0.108	7.000	Pass
			1	High	23.07	-0.77	-2.92	20.15	0.104	7.000	Pass
			36	Low	21.84	-0.77	-2.92	18.92	0.078	7.000	Pass
			36	Mid	22.03	-0.77	-2.92	19.11	0.081	7.000	Pass
			36	High	21.98	-0.77	-2.92	19.06	0.081	7.000	Pass
			75	Low	21.99	-0.77	-2.92	19.07	0.081	7.000	Pass
		Q16	1	Low	22.64	-0.77	-2.92	19.72	0.094	7.000	Pass
			1	Mid	22.42	-0.77	-2.92	19.50	0.089	7.000	Pass
			1	High	22.11	-0.77	-2.92	19.19	0.083	7.000	Pass
			36	Low	20.92	-0.77	-2.92	18.00	0.063	7.000	Pass
			36	Mid	21.01	-0.77	-2.92	18.09	0.064	7.000	Pass
			36	High	21.21	-0.77	-2.92	18.29	0.067	7.000	Pass
			75	Low	20.95	-0.77	-2.92	18.03	0.064	7.000	Pass
		Q64	1	Low	21.25	-0.77	-2.92	18.33	0.068	7.000	Pass
			1	Mid	21.59	-0.77	-2.92	18.67	0.074	7.000	Pass
			1	High	21.43	-0.77	-2.92	18.51	0.071	7.000	Pass
			36	Low	20.13	-0.77	-2.92	17.21	0.053	7.000	Pass
			36	Mid	19.96	-0.77	-2.92	17.04	0.051	7.000	Pass
			36	High	19.97	-0.77	-2.92	17.05	0.051	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Anten na Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
			75	Low	20.32	-0.77	-2.92	17.40	0.055	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
1.4	LCH	QPSK	1	Low	23.05	-0.85	-3	20.05	0.101	100.000	Pass
			1	Mid	23.14	-0.85	-3	20.14	0.103	100.000	Pass
			1	High	23.14	-0.85	-3	20.14	0.103	100.000	Pass
			3	Low	22.93	-0.85	-3	19.93	0.098	100.000	Pass
			3	Mid	22.93	-0.85	-3	19.93	0.098	100.000	Pass
			3	High	23.14	-0.85	-3	20.14	0.103	100.000	Pass
			6	Low	21.89	-0.85	-3	18.89	0.077	100.000	Pass
		Q16	1	Low	22.34	-0.85	-3	19.34	0.086	100.000	Pass
			1	Mid	22.42	-0.85	-3	19.42	0.087	100.000	Pass
			1	High	22.57	-0.85	-3	19.57	0.091	100.000	Pass
			3	Low	22.05	-0.85	-3	19.05	0.080	100.000	Pass
			3	Mid	22.22	-0.85	-3	19.22	0.084	100.000	Pass
			3	High	22.1	-0.85	-3	19.10	0.081	100.000	Pass
			6	Low	21.06	-0.85	-3	18.06	0.064	100.000	Pass
		Q64	1	Low	21.19	-0.85	-3	18.19	0.066	100.000	Pass
			1	Mid	21.2	-0.85	-3	18.20	0.066	100.000	Pass
			1	High	21.25	-0.85	-3	18.25	0.067	100.000	Pass
			3	Low	21.35	-0.85	-3	18.35	0.068	100.000	Pass
			3	Mid	21.31	-0.85	-3	18.31	0.068	100.000	Pass
			3	High	21.15	-0.85	-3	18.15	0.065	100.000	Pass
			6	Low	20.12	-0.85	-3	17.12	0.052	100.000	Pass
	MCH	QPSK	1	Low	22.99	-0.85	-3	19.99	0.100	100.000	Pass
			1	Mid	23.08	-0.85	-3	20.08	0.102	100.000	Pass
			1	High	22.94	-0.85	-3	19.94	0.099	100.000	Pass
			3	Low	23.08	-0.85	-3	20.08	0.102	100.000	Pass
			3	Mid	23.07	-0.85	-3	20.07	0.102	100.000	Pass
			3	High	23.05	-0.85	-3	20.05	0.101	100.000	Pass
			6	Low	21.98	-0.85	-3	18.98	0.079	100.000	Pass
		Q16	1	Low	21.97	-0.85	-3	18.97	0.079	100.000	Pass
			1	Mid	22.27	-0.85	-3	19.27	0.085	100.000	Pass
			1	High	22.29	-0.85	-3	19.29	0.085	100.000	Pass
			3	Low	22.17	-0.85	-3	19.17	0.083	100.000	Pass
			3	Mid	21.94	-0.85	-3	18.94	0.078	100.000	Pass
			3	High	22.07	-0.85	-3	19.07	0.081	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
		Q64	6	Low	21.08	-0.85	-3	18.08	0.064	100.000	Pass
			1	Low	21.09	-0.85	-3	18.09	0.064	100.000	Pass
			1	Mid	21.21	-0.85	-3	18.21	0.066	100.000	Pass
			1	High	21.22	-0.85	-3	18.22	0.066	100.000	Pass
			3	Low	21.06	-0.85	-3	18.06	0.064	100.000	Pass
			3	Mid	20.92	-0.85	-3	17.92	0.062	100.000	Pass
			3	High	21.28	-0.85	-3	18.28	0.067	100.000	Pass
			6	Low	20.03	-0.85	-3	17.03	0.050	100.000	Pass
	HCH	QPSK	1	Low	23.21	-0.85	-3	20.21	0.105	100.000	Pass
			1	Mid	23.08	-0.85	-3	20.08	0.102	100.000	Pass
			1	High	22.93	-0.85	-3	19.93	0.098	100.000	Pass
			3	Low	23.1	-0.85	-3	20.10	0.102	100.000	Pass
			3	Mid	23.23	-0.85	-3	20.23	0.105	100.000	Pass
			3	High	23.2	-0.85	-3	20.20	0.105	100.000	Pass
			6	Low	21.92	-0.85	-3	18.92	0.078	100.000	Pass
		Q16	1	Low	22	-0.85	-3	19.00	0.079	100.000	Pass
			1	Mid	22.37	-0.85	-3	19.37	0.086	100.000	Pass
			1	High	22.25	-0.85	-3	19.25	0.084	100.000	Pass
			3	Low	22.06	-0.85	-3	19.06	0.081	100.000	Pass
			3	Mid	21.99	-0.85	-3	18.99	0.079	100.000	Pass
			3	High	22.21	-0.85	-3	19.21	0.083	100.000	Pass
			6	Low	21.27	-0.85	-3	18.27	0.067	100.000	Pass
		Q64	1	Low	21.43	-0.85	-3	18.43	0.070	100.000	Pass
			1	Mid	21.13	-0.85	-3	18.13	0.065	100.000	Pass
			1	High	21.38	-0.85	-3	18.38	0.069	100.000	Pass
			3	Low	20.96	-0.85	-3	17.96	0.063	100.000	Pass
			3	Mid	21.28	-0.85	-3	18.28	0.067	100.000	Pass
			3	High	20.93	-0.85	-3	17.93	0.062	100.000	Pass
			6	Low	20.13	-0.85	-3	17.13	0.052	100.000	Pass
3	LCH	QPSK	1	Low	23.08	-0.85	-3	20.08	0.102	100.000	Pass
			1	Mid	22.98	-0.85	-3	19.98	0.100	100.000	Pass
			1	High	22.81	-0.85	-3	19.81	0.096	100.000	Pass
			8	Low	22.06	-0.85	-3	19.06	0.081	100.000	Pass
			8	Mid	22.01	-0.85	-3	19.01	0.080	100.000	Pass
			8	High	22.02	-0.85	-3	19.02	0.080	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
		Q16	15	Low	22.16	-0.85	-3	19.16	0.082	100.000	Pass
			1	Low	22.49	-0.85	-3	19.49	0.089	100.000	Pass
			1	Mid	22.22	-0.85	-3	19.22	0.084	100.000	Pass
			1	High	22.54	-0.85	-3	19.54	0.090	100.000	Pass
			8	Low	21.14	-0.85	-3	18.14	0.065	100.000	Pass
			8	Mid	21.21	-0.85	-3	18.21	0.066	100.000	Pass
			8	High	21.24	-0.85	-3	18.24	0.067	100.000	Pass
			15	Low	21.08	-0.85	-3	18.08	0.064	100.000	Pass
		Q64	1	Low	21.21	-0.85	-3	18.21	0.066	100.000	Pass
			1	Mid	21.21	-0.85	-3	18.21	0.066	100.000	Pass
			1	High	21.34	-0.85	-3	18.34	0.068	100.000	Pass
			8	Low	20.37	-0.85	-3	17.37	0.055	100.000	Pass
			8	Mid	20.14	-0.85	-3	17.14	0.052	100.000	Pass
			8	High	19.99	-0.85	-3	16.99	0.050	100.000	Pass
			15	Low	20.28	-0.85	-3	17.28	0.053	100.000	Pass
	MCH	QPSK	1	Low	22.94	-0.85	-3	19.94	0.099	100.000	Pass
			1	Mid	23.06	-0.85	-3	20.06	0.101	100.000	Pass
			1	High	23.08	-0.85	-3	20.08	0.102	100.000	Pass
			8	Low	21.88	-0.85	-3	18.88	0.077	100.000	Pass
			8	Mid	21.93	-0.85	-3	18.93	0.078	100.000	Pass
			8	High	21.92	-0.85	-3	18.92	0.078	100.000	Pass
			15	Low	22.01	-0.85	-3	19.01	0.080	100.000	Pass
		Q16	1	Low	22.37	-0.85	-3	19.37	0.086	100.000	Pass
			1	Mid	22.53	-0.85	-3	19.53	0.090	100.000	Pass
			1	High	22.48	-0.85	-3	19.48	0.089	100.000	Pass
			8	Low	20.97	-0.85	-3	17.97	0.063	100.000	Pass
			8	Mid	21.24	-0.85	-3	18.24	0.067	100.000	Pass
			8	High	21.01	-0.85	-3	18.01	0.063	100.000	Pass
			15	Low	20.98	-0.85	-3	17.98	0.063	100.000	Pass
		Q64	1	Low	21.47	-0.85	-3	18.47	0.070	100.000	Pass
			1	Mid	21.29	-0.85	-3	18.29	0.067	100.000	Pass
			1	High	21.37	-0.85	-3	18.37	0.069	100.000	Pass
			8	Low	19.94	-0.85	-3	16.94	0.049	100.000	Pass
			8	Mid	19.95	-0.85	-3	16.95	0.050	100.000	Pass
			8	High	20.34	-0.85	-3	17.34	0.054	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
	HCH	QPSK	15	Low	20	-0.85	-3	17.00	0.050	100.000	Pass
			1	Low	23.33	-0.85	-3	20.33	0.108	100.000	Pass
			1	Mid	23.24	-0.85	-3	20.24	0.106	100.000	Pass
			1	High	23	-0.85	-3	20.00	0.100	100.000	Pass
			8	Low	22.07	-0.85	-3	19.07	0.081	100.000	Pass
			8	Mid	21.89	-0.85	-3	18.89	0.077	100.000	Pass
			8	High	21.89	-0.85	-3	18.89	0.077	100.000	Pass
			15	Low	21.89	-0.85	-3	18.89	0.077	100.000	Pass
		Q16	1	Low	22.57	-0.85	-3	19.57	0.091	100.000	Pass
			1	Mid	22.91	-0.85	-3	19.91	0.098	100.000	Pass
			1	High	22.49	-0.85	-3	19.49	0.089	100.000	Pass
			8	Low	21.23	-0.85	-3	18.23	0.067	100.000	Pass
			8	Mid	21.33	-0.85	-3	18.33	0.068	100.000	Pass
			8	High	21.18	-0.85	-3	18.18	0.066	100.000	Pass
			15	Low	21.18	-0.85	-3	18.18	0.066	100.000	Pass
		Q64	1	Low	21.11	-0.85	-3	18.11	0.065	100.000	Pass
			1	Mid	21.39	-0.85	-3	18.39	0.069	100.000	Pass
			1	High	21.2	-0.85	-3	18.20	0.066	100.000	Pass
			8	Low	20.06	-0.85	-3	17.06	0.051	100.000	Pass
			8	Mid	19.85	-0.85	-3	16.85	0.048	100.000	Pass
			8	High	20.3	-0.85	-3	17.30	0.054	100.000	Pass
			15	Low	20.09	-0.85	-3	17.09	0.051	100.000	Pass
5	LCH	QPSK	1	Low	23.06	-0.85	-3	20.06	0.101	100.000	Pass
			1	Mid	23	-0.85	-3	20.00	0.100	100.000	Pass
			1	High	22.85	-0.85	-3	19.85	0.097	100.000	Pass
			12	Low	21.89	-0.85	-3	18.89	0.077	100.000	Pass
			12	Mid	22.31	-0.85	-3	19.31	0.085	100.000	Pass
			12	High	21.98	-0.85	-3	18.98	0.079	100.000	Pass
			25	Low	22.2	-0.85	-3	19.20	0.083	100.000	Pass
		Q16	1	Low	22.51	-0.85	-3	19.51	0.089	100.000	Pass
			1	Mid	22.45	-0.85	-3	19.45	0.088	100.000	Pass
			1	High	22.4	-0.85	-3	19.40	0.087	100.000	Pass
			12	Low	21.08	-0.85	-3	18.08	0.064	100.000	Pass
			12	Mid	20.99	-0.85	-3	17.99	0.063	100.000	Pass
			12	High	21.15	-0.85	-3	18.15	0.065	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
		Q64	25	Low	20.94	-0.85	-3	17.94	0.062	100.000	Pass
			1	Low	21.46	-0.85	-3	18.46	0.070	100.000	Pass
			1	Mid	21.4	-0.85	-3	18.40	0.069	100.000	Pass
			1	High	21.45	-0.85	-3	18.45	0.070	100.000	Pass
			12	Low	20.08	-0.85	-3	17.08	0.051	100.000	Pass
			12	Mid	20.18	-0.85	-3	17.18	0.052	100.000	Pass
			12	High	19.99	-0.85	-3	16.99	0.050	100.000	Pass
			25	Low	20.15	-0.85	-3	17.15	0.052	100.000	Pass
	MCH	QPSK	1	Low	22.97	-0.85	-3	19.97	0.099	100.000	Pass
			1	Mid	23.39	-0.85	-3	20.39	0.109	100.000	Pass
			1	High	22.85	-0.85	-3	19.85	0.097	100.000	Pass
			12	Low	22.08	-0.85	-3	19.08	0.081	100.000	Pass
			12	Mid	22.02	-0.85	-3	19.02	0.080	100.000	Pass
			12	High	22.18	-0.85	-3	19.18	0.083	100.000	Pass
			25	Low	21.97	-0.85	-3	18.97	0.079	100.000	Pass
		Q16	1	Low	22.64	-0.85	-3	19.64	0.092	100.000	Pass
			1	Mid	22.42	-0.85	-3	19.42	0.087	100.000	Pass
			1	High	22.4	-0.85	-3	19.40	0.087	100.000	Pass
			12	Low	21.25	-0.85	-3	18.25	0.067	100.000	Pass
			12	Mid	21.19	-0.85	-3	18.19	0.066	100.000	Pass
			12	High	21.29	-0.85	-3	18.29	0.067	100.000	Pass
			25	Low	21.23	-0.85	-3	18.23	0.067	100.000	Pass
		Q64	1	Low	21.22	-0.85	-3	18.22	0.066	100.000	Pass
			1	Mid	21.11	-0.85	-3	18.11	0.065	100.000	Pass
			1	High	21.62	-0.85	-3	18.62	0.073	100.000	Pass
			12	Low	20.13	-0.85	-3	17.13	0.052	100.000	Pass
			12	Mid	20.19	-0.85	-3	17.19	0.052	100.000	Pass
			12	High	19.95	-0.85	-3	16.95	0.050	100.000	Pass
			25	Low	19.99	-0.85	-3	16.99	0.050	100.000	Pass
	HCH	QPSK	1	Low	22.94	-0.85	-3	19.94	0.099	100.000	Pass
			1	Mid	23.18	-0.85	-3	20.18	0.104	100.000	Pass
			1	High	23.07	-0.85	-3	20.07	0.102	100.000	Pass
			12	Low	22.09	-0.85	-3	19.09	0.081	100.000	Pass
			12	Mid	22.11	-0.85	-3	19.11	0.081	100.000	Pass
			12	High	22.08	-0.85	-3	19.08	0.081	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
		Q16	25	Low	22.19	-0.85	-3	19.19	0.083	100.000	Pass
			1	Low	22.59	-0.85	-3	19.59	0.091	100.000	Pass
			1	Mid	22.63	-0.85	-3	19.63	0.092	100.000	Pass
			1	High	22.2	-0.85	-3	19.20	0.083	100.000	Pass
			12	Low	20.92	-0.85	-3	17.92	0.062	100.000	Pass
			12	Mid	21.42	-0.85	-3	18.42	0.070	100.000	Pass
			12	High	21.14	-0.85	-3	18.14	0.065	100.000	Pass
			25	Low	20.97	-0.85	-3	17.97	0.063	100.000	Pass
		Q64	1	Low	20.97	-0.85	-3	17.97	0.063	100.000	Pass
			1	Mid	21.2	-0.85	-3	18.20	0.066	100.000	Pass
			1	High	21.4	-0.85	-3	18.40	0.069	100.000	Pass
			12	Low	19.87	-0.85	-3	16.87	0.049	100.000	Pass
			12	Mid	20.21	-0.85	-3	17.21	0.053	100.000	Pass
			12	High	20.12	-0.85	-3	17.12	0.052	100.000	Pass
			25	Low	19.99	-0.85	-3	16.99	0.050	100.000	Pass
10	LCH	QPSK	1	Low	23.38	-0.85	-3	20.38	0.109	100.000	Pass
			1	Mid	22.87	-0.85	-3	19.87	0.097	100.000	Pass
			1	High	22.95	-0.85	-3	19.95	0.099	100.000	Pass
			25	Low	21.99	-0.85	-3	18.99	0.079	100.000	Pass
			25	Mid	22.11	-0.85	-3	19.11	0.081	100.000	Pass
			25	High	22.24	-0.85	-3	19.24	0.084	100.000	Pass
			50	Low	22.25	-0.85	-3	19.25	0.084	100.000	Pass
		Q16	1	Low	22.22	-0.85	-3	19.22	0.084	100.000	Pass
			1	Mid	22.58	-0.85	-3	19.58	0.091	100.000	Pass
			1	High	22.16	-0.85	-3	19.16	0.082	100.000	Pass
			25	Low	21.16	-0.85	-3	18.16	0.065	100.000	Pass
			25	Mid	21.1	-0.85	-3	18.10	0.065	100.000	Pass
			25	High	21.11	-0.85	-3	18.11	0.065	100.000	Pass
			50	Low	21.13	-0.85	-3	18.13	0.065	100.000	Pass
		Q64	1	Low	21.1	-0.85	-3	18.10	0.065	100.000	Pass
			1	Mid	21.46	-0.85	-3	18.46	0.070	100.000	Pass
			1	High	21.04	-0.85	-3	18.04	0.064	100.000	Pass
			3	Low	20.04	-0.85	-3	17.04	0.051	100.000	Pass
			3	Mid	19.98	-0.85	-3	16.98	0.050	100.000	Pass
			3	High	19.99	-0.85	-3	16.99	0.050	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
			6	Low	20.01	-0.85	-3	17.01	0.050	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
5	LCH	QPSK	1	Low	23.11	-1.34	21.77	0.150	2.000	Pass
			1	Mid	23.25	-1.34	21.91	0.155	2.000	Pass
			1	High	22.81	-1.34	21.47	0.140	2.000	Pass
			12	Low	21.98	-1.34	20.64	0.116	2.000	Pass
			12	Mid	22.08	-1.34	20.74	0.119	2.000	Pass
			12	High	22.13	-1.34	20.79	0.120	2.000	Pass
			25	Low	22.18	-1.34	20.84	0.121	2.000	Pass
		Q16	1	Low	22.72	-1.34	21.38	0.137	2.000	Pass
			1	Mid	22.69	-1.34	21.35	0.136	2.000	Pass
			1	High	22.14	-1.34	20.80	0.120	2.000	Pass
			12	Low	20.91	-1.34	19.57	0.091	2.000	Pass
			12	Mid	21.05	-1.34	19.71	0.094	2.000	Pass
			12	High	21.23	-1.34	19.89	0.097	2.000	Pass
			25	Low	21.02	-1.34	19.68	0.093	2.000	Pass
		Q64	1	Low	21.65	-1.34	20.31	0.107	2.000	Pass
			1	Mid	21.52	-1.34	20.18	0.104	2.000	Pass
			1	High	20.88	-1.34	19.54	0.090	2.000	Pass
			12	Low	20.34	-1.34	19.00	0.079	2.000	Pass
			12	Mid	20.18	-1.34	18.84	0.077	2.000	Pass
			12	High	20.13	-1.34	18.79	0.076	2.000	Pass
			25	Low	20.07	-1.34	18.73	0.075	2.000	Pass
	MCH	QPSK	1	Low	23.15	-1.34	21.81	0.152	2.000	Pass
			1	Mid	22.92	-1.34	21.58	0.144	2.000	Pass
			1	High	23.02	-1.34	21.68	0.147	2.000	Pass
			12	Low	21.8	-1.34	20.46	0.111	2.000	Pass
			12	Mid	21.7	-1.34	20.36	0.109	2.000	Pass
			12	High	21.79	-1.34	20.45	0.111	2.000	Pass
			25	Low	21.84	-1.34	20.50	0.112	2.000	Pass
		Q16	1	Low	22.2	-1.34	20.86	0.122	2.000	Pass
			1	Mid	22.35	-1.34	21.01	0.126	2.000	Pass
			1	High	22.13	-1.34	20.79	0.120	2.000	Pass
			12	Low	20.92	-1.34	19.58	0.091	2.000	Pass
			12	Mid	20.76	-1.34	19.42	0.087	2.000	Pass
			12	High	20.7	-1.34	19.36	0.086	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q64	25	Low	20.97	-1.34	19.63	0.092	2.000	Pass
			1	Low	21.26	-1.34	19.92	0.098	2.000	Pass
			1	Mid	21.22	-1.34	19.88	0.097	2.000	Pass
			1	High	20.93	-1.34	19.59	0.091	2.000	Pass
			12	Low	19.8	-1.34	18.46	0.070	2.000	Pass
			12	Mid	20.11	-1.34	18.77	0.075	2.000	Pass
			12	High	19.9	-1.34	18.56	0.072	2.000	Pass
			25	Low	19.81	-1.34	18.47	0.070	2.000	Pass
	HCH	QPSK	1	Low	22.51	-1.34	21.17	0.131	2.000	Pass
			1	Mid	22.65	-1.34	21.31	0.135	2.000	Pass
			1	High	22.78	-1.34	21.44	0.139	2.000	Pass
			12	Low	21.63	-1.34	20.29	0.107	2.000	Pass
			12	Mid	21.68	-1.34	20.34	0.108	2.000	Pass
			12	High	21.46	-1.34	20.12	0.103	2.000	Pass
			25	Low	21.65	-1.34	20.31	0.107	2.000	Pass
		Q16	1	Low	21.93	-1.34	20.59	0.115	2.000	Pass
			1	Mid	22.31	-1.34	20.97	0.125	2.000	Pass
			1	High	22.08	-1.34	20.74	0.119	2.000	Pass
			12	Low	20.83	-1.34	19.49	0.089	2.000	Pass
			12	Mid	20.79	-1.34	19.45	0.088	2.000	Pass
			12	High	20.48	-1.34	19.14	0.082	2.000	Pass
			25	Low	20.88	-1.34	19.54	0.090	2.000	Pass
		Q64	1	Low	20.94	-1.34	19.60	0.091	2.000	Pass
			1	Mid	20.98	-1.34	19.64	0.092	2.000	Pass
			1	High	20.77	-1.34	19.43	0.088	2.000	Pass
			12	Low	19.6	-1.34	18.26	0.067	2.000	Pass
			12	Mid	19.72	-1.34	18.38	0.069	2.000	Pass
			12	High	19.63	-1.34	18.29	0.067	2.000	Pass
			25	Low	19.53	-1.34	18.19	0.066	2.000	Pass
10	LCH	QPSK	1	Low	22.93	-1.34	21.59	0.144	2.000	Pass
			1	Mid	23	-1.34	21.66	0.147	2.000	Pass
			1	High	22.86	-1.34	21.52	0.142	2.000	Pass
			25	Low	22.17	-1.34	20.83	0.121	2.000	Pass
			25	Mid	21.92	-1.34	20.58	0.114	2.000	Pass
			25	High	21.85	-1.34	20.51	0.112	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	50	Low	22.02	-1.34	20.68	0.117	2.000	Pass
			1	Low	22.28	-1.34	20.94	0.124	2.000	Pass
			1	Mid	22.31	-1.34	20.97	0.125	2.000	Pass
			1	High	22.13	-1.34	20.79	0.120	2.000	Pass
			25	Low	21.08	-1.34	19.74	0.094	2.000	Pass
			25	Mid	21.15	-1.34	19.81	0.096	2.000	Pass
			25	High	20.93	-1.34	19.59	0.091	2.000	Pass
			50	Low	21.11	-1.34	19.77	0.095	2.000	Pass
		Q64	1	Low	21.37	-1.34	20.03	0.101	2.000	Pass
			1	Mid	21.35	-1.34	20.01	0.100	2.000	Pass
			1	High	21.13	-1.34	19.79	0.095	2.000	Pass
			25	Low	19.99	-1.34	18.65	0.073	2.000	Pass
			25	Mid	20.02	-1.34	18.68	0.074	2.000	Pass
			25	High	19.94	-1.34	18.60	0.072	2.000	Pass
			50	Low	19.96	-1.34	18.62	0.073	2.000	Pass
	MCH	QPSK	1	Low	22.94	-1.34	21.60	0.145	2.000	Pass
			1	Mid	22.97	-1.34	21.63	0.146	2.000	Pass
			1	High	22.63	-1.34	21.29	0.135	2.000	Pass
			25	Low	21.96	-1.34	20.62	0.115	2.000	Pass
			25	Mid	21.95	-1.34	20.61	0.115	2.000	Pass
			25	High	21.99	-1.34	20.65	0.116	2.000	Pass
			50	Low	21.81	-1.34	20.47	0.111	2.000	Pass
		Q16	1	Low	22.3	-1.34	20.96	0.125	2.000	Pass
			1	Mid	22.15	-1.34	20.81	0.121	2.000	Pass
			1	High	22.08	-1.34	20.74	0.119	2.000	Pass
			25	Low	21.04	-1.34	19.70	0.093	2.000	Pass
			25	Mid	21.01	-1.34	19.67	0.093	2.000	Pass
			25	High	20.98	-1.34	19.64	0.092	2.000	Pass
			50	Low	21.06	-1.34	19.72	0.094	2.000	Pass
		Q64	1	Low	21.33	-1.34	19.99	0.100	2.000	Pass
			1	Mid	21.19	-1.34	19.85	0.097	2.000	Pass
			1	High	20.92	-1.34	19.58	0.091	2.000	Pass
			25	Low	19.97	-1.34	18.63	0.073	2.000	Pass
			25	Mid	19.87	-1.34	18.53	0.071	2.000	Pass
			25	High	20.02	-1.34	18.68	0.074	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
	HCH	QPSK	50	Low	19.84	-1.34	18.50	0.071	2.000	Pass
			1	Low	22.9	-1.34	21.56	0.143	2.000	Pass
			1	Mid	22.77	-1.34	21.43	0.139	2.000	Pass
			1	High	22.66	-1.34	21.32	0.136	2.000	Pass
			25	Low	21.6	-1.34	20.26	0.106	2.000	Pass
			25	Mid	21.55	-1.34	20.21	0.105	2.000	Pass
			25	High	21.45	-1.34	20.11	0.103	2.000	Pass
		Q16	50	Low	21.59	-1.34	20.25	0.106	2.000	Pass
			1	Low	21.85	-1.34	20.51	0.112	2.000	Pass
			1	Mid	22.17	-1.34	20.83	0.121	2.000	Pass
			1	High	21.8	-1.34	20.46	0.111	2.000	Pass
			25	Low	20.96	-1.34	19.62	0.092	2.000	Pass
			25	Mid	20.87	-1.34	19.53	0.090	2.000	Pass
			25	High	20.58	-1.34	19.24	0.084	2.000	Pass
			50	Low	20.81	-1.34	19.47	0.089	2.000	Pass
		Q64	1	Low	21	-1.34	19.66	0.092	2.000	Pass
			1	Mid	20.93	-1.34	19.59	0.091	2.000	Pass
			1	High	20.71	-1.34	19.37	0.086	2.000	Pass
			25	Low	19.82	-1.34	18.48	0.070	2.000	Pass
			25	Mid	19.58	-1.34	18.24	0.067	2.000	Pass
			25	High	19.73	-1.34	18.39	0.069	2.000	Pass
			50	Low	19.82	-1.34	18.48	0.070	2.000	Pass
15	LCH	QPSK	1	Low	22.97	-1.34	21.63	0.146	2.000	Pass
			1	Mid	23.11	-1.34	21.77	0.150	2.000	Pass
			1	High	23.03	-1.34	21.69	0.148	2.000	Pass
			36	Low	22.01	-1.34	20.67	0.117	2.000	Pass
			36	Mid	22.05	-1.34	20.71	0.118	2.000	Pass
			36	High	22	-1.34	20.66	0.116	2.000	Pass
			75	Low	22.05	-1.34	20.71	0.118	2.000	Pass
		Q16	1	Low	22.13	-1.34	20.79	0.120	2.000	Pass
			1	Mid	22.21	-1.34	20.87	0.122	2.000	Pass
			1	High	22.19	-1.34	20.85	0.122	2.000	Pass
			36	Low	21	-1.34	19.66	0.092	2.000	Pass
			36	Mid	21.13	-1.34	19.79	0.095	2.000	Pass
			36	High	20.89	-1.34	19.55	0.090	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q64	75	Low	21.22	-1.34	19.88	0.097	2.000	Pass
			1	Low	21.34	-1.34	20.00	0.100	2.000	Pass
			1	Mid	21.33	-1.34	19.99	0.100	2.000	Pass
			1	High	21.43	-1.34	20.09	0.102	2.000	Pass
			36	Low	20.11	-1.34	18.77	0.075	2.000	Pass
			36	Mid	19.9	-1.34	18.56	0.072	2.000	Pass
			36	High	19.86	-1.34	18.52	0.071	2.000	Pass
			75	Low	20.05	-1.34	18.71	0.074	2.000	Pass
	MCH	QPSK	1	Low	22.79	-1.34	21.45	0.140	2.000	Pass
			1	Mid	23.03	-1.34	21.69	0.148	2.000	Pass
			1	High	22.77	-1.34	21.43	0.139	2.000	Pass
			36	Low	22.14	-1.34	20.80	0.120	2.000	Pass
			36	Mid	21.66	-1.34	20.32	0.108	2.000	Pass
			36	High	21.57	-1.34	20.23	0.105	2.000	Pass
			75	Low	21.94	-1.34	20.60	0.115	2.000	Pass
		Q16	1	Low	22.37	-1.34	21.03	0.127	2.000	Pass
			1	Mid	22.28	-1.34	20.94	0.124	2.000	Pass
			1	High	21.94	-1.34	20.60	0.115	2.000	Pass
			36	Low	20.97	-1.34	19.63	0.092	2.000	Pass
			36	Mid	20.8	-1.34	19.46	0.088	2.000	Pass
			36	High	20.68	-1.34	19.34	0.086	2.000	Pass
			75	Low	20.84	-1.34	19.50	0.089	2.000	Pass
		Q64	1	Low	21.03	-1.34	19.69	0.093	2.000	Pass
			1	Mid	21.22	-1.34	19.88	0.097	2.000	Pass
			1	High	20.78	-1.34	19.44	0.088	2.000	Pass
			36	Low	19.9	-1.34	18.56	0.072	2.000	Pass
			36	Mid	19.94	-1.34	18.60	0.072	2.000	Pass
			36	High	19.97	-1.34	18.63	0.073	2.000	Pass
			75	Low	19.89	-1.34	18.55	0.072	2.000	Pass
	HCH	QPSK	1	Low	22.78	-1.34	21.44	0.139	2.000	Pass
			1	Mid	22.77	-1.34	21.43	0.139	2.000	Pass
			1	High	22.88	-1.34	21.54	0.143	2.000	Pass
			36	Low	21.87	-1.34	20.53	0.113	2.000	Pass
			36	Mid	21.94	-1.34	20.60	0.115	2.000	Pass
			36	High	21.41	-1.34	20.07	0.102	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	75	Low	21.91	-1.34	20.57	0.114	2.000	Pass
			1	Low	21.97	-1.34	20.63	0.116	2.000	Pass
			1	Mid	22.09	-1.34	20.75	0.119	2.000	Pass
			1	High	21.59	-1.34	20.25	0.106	2.000	Pass
			36	Low	20.92	-1.34	19.58	0.091	2.000	Pass
			36	Mid	20.88	-1.34	19.54	0.090	2.000	Pass
			36	High	20.53	-1.34	19.19	0.083	2.000	Pass
			75	Low	20.58	-1.34	19.24	0.084	2.000	Pass
		Q64	1	Low	21.26	-1.34	19.92	0.098	2.000	Pass
			1	Mid	20.97	-1.34	19.63	0.092	2.000	Pass
			1	High	20.85	-1.34	19.51	0.089	2.000	Pass
			36	Low	19.64	-1.34	18.30	0.068	2.000	Pass
			36	Mid	19.66	-1.34	18.32	0.068	2.000	Pass
			36	High	19.72	-1.34	18.38	0.069	2.000	Pass
			75	Low	19.52	-1.34	18.18	0.066	2.000	Pass
20	LCH	QPSK	1	Low	23.28	-1.34	21.94	0.156	2.000	Pass
			1	Mid	23.46	-1.34	22.12	0.163	2.000	Pass
			1	High	22.91	-1.34	21.57	0.144	2.000	Pass
			50	Low	22.04	-1.34	20.70	0.117	2.000	Pass
			50	Mid	22.2	-1.34	20.86	0.122	2.000	Pass
			50	High	21.83	-1.34	20.49	0.112	2.000	Pass
			100	Low	22.28	-1.34	20.94	0.124	2.000	Pass
		Q16	1	Low	22.23	-1.34	20.89	0.123	2.000	Pass
			1	Mid	22.62	-1.34	21.28	0.134	2.000	Pass
			1	High	22.37	-1.34	21.03	0.127	2.000	Pass
			50	Low	21.08	-1.34	19.74	0.094	2.000	Pass
			50	Mid	21.24	-1.34	19.90	0.098	2.000	Pass
			50	High	20.87	-1.34	19.53	0.090	2.000	Pass
			100	Low	21.04	-1.34	19.70	0.093	2.000	Pass
		Q64	1	Low	21.26	-1.34	19.92	0.098	2.000	Pass
			1	Mid	21.31	-1.34	19.97	0.099	2.000	Pass
			1	High	21.46	-1.34	20.12	0.103	2.000	Pass
			50	Low	20.14	-1.34	18.80	0.076	2.000	Pass
			50	Mid	20.36	-1.34	19.02	0.080	2.000	Pass
			50	High	20.11	-1.34	18.77	0.075	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			100	Low	20.25	-1.34	18.91	0.078	2.000	Pass
			1	Low	23.4	-1.34	22.06	0.161	2.000	Pass
			1	Mid	23.09	-1.34	21.75	0.150	2.000	Pass
			1	High	22.65	-1.34	21.31	0.135	2.000	Pass
			50	Low	21.92	-1.34	20.58	0.114	2.000	Pass
			50	Mid	21.97	-1.34	20.63	0.116	2.000	Pass
			50	High	21.93	-1.34	20.59	0.115	2.000	Pass
			100	Low	21.88	-1.34	20.54	0.113	2.000	Pass
			1	Low	22.39	-1.34	21.05	0.127	2.000	Pass
			1	Mid	22.24	-1.34	20.90	0.123	2.000	Pass
			1	High	22.13	-1.34	20.79	0.120	2.000	Pass
			50	Low	21.28	-1.34	19.94	0.099	2.000	Pass
			50	Mid	20.81	-1.34	19.47	0.089	2.000	Pass
			50	High	21.02	-1.34	19.68	0.093	2.000	Pass
			100	Low	20.85	-1.34	19.51	0.089	2.000	Pass
			1	Low	21.23	-1.34	19.89	0.097	2.000	Pass
			1	Mid	21.08	-1.34	19.74	0.094	2.000	Pass
			1	High	21.41	-1.34	20.07	0.102	2.000	Pass
			50	Low	20.32	-1.34	18.98	0.079	2.000	Pass
			50	Mid	20	-1.34	18.66	0.073	2.000	Pass
			50	High	19.8	-1.34	18.46	0.070	2.000	Pass
			100	Low	19.95	-1.34	18.61	0.073	2.000	Pass
			1	Low	22.9	-1.34	21.56	0.143	2.000	Pass
			1	Mid	22.78	-1.34	21.44	0.139	2.000	Pass
			1	High	22.63	-1.34	21.29	0.135	2.000	Pass
			50	Low	22.02	-1.34	20.68	0.117	2.000	Pass
			50	Mid	21.96	-1.34	20.62	0.115	2.000	Pass
			50	High	21.76	-1.34	20.42	0.110	2.000	Pass
			100	Low	21.81	-1.34	20.47	0.111	2.000	Pass
			1	Low	22.1	-1.34	20.76	0.119	2.000	Pass
			1	Mid	22.03	-1.34	20.69	0.117	2.000	Pass
			1	High	22.19	-1.34	20.85	0.122	2.000	Pass
			50	Low	20.89	-1.34	19.55	0.090	2.000	Pass
			50	Mid	20.82	-1.34	19.48	0.089	2.000	Pass
			50	High	20.84	-1.34	19.50	0.089	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			100	Low	21.01	-1.34	19.67	0.093	2.000	Pass
		Q64	1	Low	21.34	-1.34	20.00	0.100	2.000	Pass
			1	Mid	21.18	-1.34	19.84	0.096	2.000	Pass
			1	High	20.97	-1.34	19.63	0.092	2.000	Pass
			50	Low	19.92	-1.34	18.58	0.072	2.000	Pass
			50	Mid	19.98	-1.34	18.64	0.073	2.000	Pass
			50	High	19.72	-1.34	18.38	0.069	2.000	Pass
			100	Low	20.03	-1.34	18.69	0.074	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 40(2305~2320)										
5	LCH	QPSK	1	Low	22.89	-0.15	22.74	0.188	2.000	Pass
			1	Mid	23.24	-0.15	23.09	0.204	2.000	Pass
			1	High	23.09	-0.15	22.94	0.197	2.000	Pass
			12	Low	21.98	-0.15	21.83	0.152	2.000	Pass
			12	Mid	21.94	-0.15	21.79	0.151	2.000	Pass
			12	High	21.82	-0.15	21.67	0.147	2.000	Pass
			25	Low	22.13	-0.15	21.98	0.158	2.000	Pass
		Q16	1	Low	22.33	-0.15	22.18	0.165	2.000	Pass
			1	Mid	22.23	-0.15	22.08	0.161	2.000	Pass
			1	High	22.49	-0.15	22.34	0.171	2.000	Pass
			12	Low	20.97	-0.15	20.82	0.121	2.000	Pass
			12	Mid	21.17	-0.15	21.02	0.126	2.000	Pass
			12	High	20.97	-0.15	20.82	0.121	2.000	Pass
			25	Low	20.92	-0.15	20.77	0.119	2.000	Pass
		Q64	1	Low	21.32	-0.15	21.17	0.131	2.000	Pass
			1	Mid	21.33	-0.15	21.18	0.131	2.000	Pass
			1	High	21.15	-0.15	21.00	0.126	2.000	Pass
			12	Low	20.06	-0.15	19.91	0.098	2.000	Pass
			12	Mid	20.17	-0.15	20.02	0.100	2.000	Pass
			12	High	19.97	-0.15	19.82	0.096	2.000	Pass
			25	Low	20.08	-0.15	19.93	0.098	2.000	Pass
	MCH	QPSK	1	Low	22.82	-0.15	22.67	0.185	2.000	Pass
			1	Mid	23.13	-0.15	22.98	0.199	2.000	Pass
			1	High	22.95	-0.15	22.80	0.191	2.000	Pass
			12	Low	21.93	-0.15	21.78	0.151	2.000	Pass
			12	Mid	22.11	-0.15	21.96	0.157	2.000	Pass
			12	High	22.02	-0.15	21.87	0.154	2.000	Pass
			25	Low	21.85	-0.15	21.70	0.148	2.000	Pass
		Q16	1	Low	22.16	-0.15	22.01	0.159	2.000	Pass
			1	Mid	22.3	-0.15	22.15	0.164	2.000	Pass
			1	High	22.18	-0.15	22.03	0.160	2.000	Pass
			12	Low	21.12	-0.15	20.97	0.125	2.000	Pass
			12	Mid	20.98	-0.15	20.83	0.121	2.000	Pass
			12	High	20.9	-0.15	20.75	0.119	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 40(2305~2320)										
		Q64	25	Low	20.94	-0.15	20.79	0.120	2.000	Pass
			1	Low	21.3	-0.15	21.15	0.130	2.000	Pass
			1	Mid	21.3	-0.15	21.15	0.130	2.000	Pass
			1	High	21.13	-0.15	20.98	0.125	2.000	Pass
			12	Low	19.75	-0.15	19.60	0.091	2.000	Pass
			12	Mid	20.12	-0.15	19.97	0.099	2.000	Pass
			12	High	20.04	-0.15	19.89	0.097	2.000	Pass
			25	Low	20.16	-0.15	20.01	0.100	2.000	Pass
	HCH	QPSK	1	Low	22.62	-0.15	22.47	0.177	2.000	Pass
			1	Mid	22.97	-0.15	22.82	0.191	2.000	Pass
			1	High	22.81	-0.15	22.66	0.185	2.000	Pass
			12	Low	21.81	-0.15	21.66	0.147	2.000	Pass
			12	Mid	22.1	-0.15	21.95	0.157	2.000	Pass
			12	High	22.03	-0.15	21.88	0.154	2.000	Pass
			25	Low	21.78	-0.15	21.63	0.146	2.000	Pass
		Q16	1	Low	22.26	-0.15	22.11	0.163	2.000	Pass
			1	Mid	22.12	-0.15	21.97	0.157	2.000	Pass
			1	High	22.39	-0.15	22.24	0.167	2.000	Pass
			12	Low	20.77	-0.15	20.62	0.115	2.000	Pass
			12	Mid	20.87	-0.15	20.72	0.118	2.000	Pass
			12	High	21.04	-0.15	20.89	0.123	2.000	Pass
			25	Low	20.7	-0.15	20.55	0.114	2.000	Pass
		Q64	1	Low	21.22	-0.15	21.07	0.128	2.000	Pass
			1	Mid	21.19	-0.15	21.04	0.127	2.000	Pass
			1	High	21.04	-0.15	20.89	0.123	2.000	Pass
			12	Low	19.7	-0.15	19.55	0.090	2.000	Pass
			12	Mid	20.24	-0.15	20.09	0.102	2.000	Pass
			12	High	19.99	-0.15	19.84	0.096	2.000	Pass
			25	Low	20.01	-0.15	19.86	0.097	2.000	Pass
10	LCH	QPSK	1	Low	22.44	-0.15	22.29	0.169	2.000	Pass
			1	Mid	23.09	-0.15	22.94	0.197	2.000	Pass
			1	High	22.97	-0.15	22.82	0.191	2.000	Pass
			25	Low	21.64	-0.15	21.49	0.141	2.000	Pass
			25	Mid	21.95	-0.15	21.80	0.151	2.000	Pass
			25	High	21.95	-0.15	21.80	0.151	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 40(2305~2320)										
		Q16	50	Low	22.01	-0.15	21.86	0.153	2.000	Pass
			1	Low	22.37	-0.15	22.22	0.167	2.000	Pass
			1	Mid	22.35	-0.15	22.20	0.166	2.000	Pass
			1	High	21.96	-0.15	21.81	0.152	2.000	Pass
			25	Low	20.83	-0.15	20.68	0.117	2.000	Pass
			25	Mid	21.09	-0.15	20.94	0.124	2.000	Pass
			25	High	20.9	-0.15	20.75	0.119	2.000	Pass
			50	Low	20.79	-0.15	20.64	0.116	2.000	Pass
		Q64	1	Low	21.14	-0.15	20.99	0.126	2.000	Pass
			1	Mid	21.21	-0.15	21.06	0.128	2.000	Pass
			1	High	21.09	-0.15	20.94	0.124	2.000	Pass
			25	Low	20.15	-0.15	20.00	0.100	2.000	Pass
			25	Mid	20	-0.15	19.85	0.097	2.000	Pass
			25	High	20.36	-0.15	20.21	0.105	2.000	Pass
			50	Low	20.39	-0.15	20.24	0.106	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 40(2345~2360)										
5	LCH	QPSK	1	Low	22.78	-0.15	22.63	0.183	2.000	Pass
			1	Mid	22.9	-0.15	22.75	0.188	2.000	Pass
			1	High	22.64	-0.15	22.49	0.177	2.000	Pass
			12	Low	21.67	-0.15	21.52	0.142	2.000	Pass
			12	Mid	22.05	-0.15	21.90	0.155	2.000	Pass
			12	High	21.98	-0.15	21.83	0.152	2.000	Pass
			25	Low	21.74	-0.15	21.59	0.144	2.000	Pass
		Q16	1	Low	22.07	-0.15	21.92	0.156	2.000	Pass
			1	Mid	22.14	-0.15	21.99	0.158	2.000	Pass
			1	High	22.2	-0.15	22.05	0.160	2.000	Pass
			12	Low	20.61	-0.15	20.46	0.111	2.000	Pass
			12	Mid	20.74	-0.15	20.59	0.115	2.000	Pass
			12	High	20.7	-0.15	20.55	0.114	2.000	Pass
			25	Low	20.74	-0.15	20.59	0.115	2.000	Pass
		Q64	1	Low	21.01	-0.15	20.86	0.122	2.000	Pass
			1	Mid	21.04	-0.15	20.89	0.123	2.000	Pass
			1	High	21.12	-0.15	20.97	0.125	2.000	Pass
			12	Low	19.57	-0.15	19.42	0.087	2.000	Pass
			12	Mid	19.39	-0.15	19.24	0.084	2.000	Pass
			12	High	19.54	-0.15	19.39	0.087	2.000	Pass
			25	Low	19.71	-0.15	19.56	0.090	2.000	Pass
	MCH	QPSK	1	Low	13.16	-0.15	13.01	0.020	2.000	Pass
			1	Mid	13.19	-0.15	13.04	0.020	2.000	Pass
			1	High	13.04	-0.15	12.89	0.019	2.000	Pass
			12	Low	12.39	-0.15	12.24	0.017	2.000	Pass
			12	Mid	12.14	-0.15	11.99	0.016	2.000	Pass
			12	High	12.05	-0.15	11.90	0.015	2.000	Pass
			25	Low	12.34	-0.15	12.19	0.017	2.000	Pass
		Q16	1	Low	12.49	-0.15	12.34	0.017	2.000	Pass
			1	Mid	12.88	-0.15	12.73	0.019	2.000	Pass
			1	High	12.65	-0.15	12.50	0.018	2.000	Pass
			12	Low	11.43	-0.15	11.28	0.013	2.000	Pass
			12	Mid	11.42	-0.15	11.27	0.013	2.000	Pass
			12	High	11.46	-0.15	11.31	0.014	2.000	Pass
			25	Low	11.36	-0.15	11.21	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 40(2345~2360)										
		Q64	1	Low	11.57	-0.15	11.42	0.014	2.000	Pass
			1	Mid	11.43	-0.15	11.28	0.013	2.000	Pass
			1	High	11.65	-0.15	11.50	0.014	2.000	Pass
			12	Low	10.27	-0.15	10.12	0.010	2.000	Pass
			12	Mid	10.24	-0.15	10.09	0.010	2.000	Pass
			12	High	10.25	-0.15	10.10	0.010	2.000	Pass
			25	Low	10.06	-0.15	9.91	0.010	2.000	Pass
	HCH	QPSK	1	Low	13.29	-0.15	13.14	0.021	2.000	Pass
			1	Mid	13.03	-0.15	12.88	0.019	2.000	Pass
			1	High	13.39	-0.15	13.24	0.021	2.000	Pass
			12	Low	12.11	-0.15	11.96	0.016	2.000	Pass
			12	Mid	12.5	-0.15	12.35	0.017	2.000	Pass
			12	High	12.37	-0.15	12.22	0.017	2.000	Pass
			25	Low	12.17	-0.15	12.02	0.016	2.000	Pass
		Q16	1	Low	12.65	-0.15	12.50	0.018	2.000	Pass
			1	Mid	12.78	-0.15	12.63	0.018	2.000	Pass
			1	High	12.38	-0.15	12.23	0.017	2.000	Pass
			12	Low	11.28	-0.15	11.13	0.013	2.000	Pass
			12	Mid	11.34	-0.15	11.19	0.013	2.000	Pass
			12	High	11.48	-0.15	11.33	0.014	2.000	Pass
			25	Low	11.32	-0.15	11.17	0.013	2.000	Pass
		Q64	1	Low	11.56	-0.15	11.41	0.014	2.000	Pass
			1	Mid	11.26	-0.15	11.11	0.013	2.000	Pass
			1	High	11.54	-0.15	11.39	0.014	2.000	Pass
			12	Low	10.42	-0.15	10.27	0.011	2.000	Pass
			12	Mid	10.42	-0.15	10.27	0.011	2.000	Pass
			12	High	10.16	-0.15	10.01	0.010	2.000	Pass
			25	Low	10.41	-0.15	10.26	0.011	2.000	Pass
10	LCH	QPSK	1	Low	13.29	-0.15	13.14	0.021	2.000	Pass
			1	Mid	13.43	-0.15	13.28	0.021	2.000	Pass
			1	High	13.19	-0.15	13.04	0.020	2.000	Pass
			25	Low	12.3	-0.15	12.15	0.016	2.000	Pass
			25	Mid	12.25	-0.15	12.10	0.016	2.000	Pass
			25	High	12.54	-0.15	12.39	0.017	2.000	Pass
			50	Low	12.09	-0.15	11.94	0.016	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 40(2345~2360)										
		Q16	1	Low	12.7	-0.15	12.55	0.018	2.000	Pass
			1	Mid	12.59	-0.15	12.44	0.018	2.000	Pass
			1	High	12.57	-0.15	12.42	0.017	2.000	Pass
			25	Low	11.2	-0.15	11.05	0.013	2.000	Pass
			25	Mid	11.24	-0.15	11.09	0.013	2.000	Pass
			25	High	11.4	-0.15	11.25	0.013	2.000	Pass
			50	Low	11.1	-0.15	10.95	0.012	2.000	Pass
		Q64	1	Low	11.39	-0.15	11.24	0.013	2.000	Pass
			1	Mid	11.57	-0.15	11.42	0.014	2.000	Pass
			1	High	11.35	-0.15	11.20	0.013	2.000	Pass
			25	Low	9.27	-0.15	9.12	0.008	2.000	Pass
			25	Mid	10.34	-0.15	10.19	0.010	2.000	Pass
			25	High	10.45	-0.15	10.30	0.011	2.000	Pass
			50	Low	10.17	-0.15	10.02	0.010	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
5	LCH	QPSK	1	Low	25.11	-0.72	24.39	0.275	2.000	Pass
			1	Mid	25.53	-0.72	24.81	0.303	2.000	Pass
			1	High	25.45	-0.72	24.73	0.297	2.000	Pass
			12	Low	24.39	-0.72	23.67	0.233	2.000	Pass
			12	Mid	24.27	-0.72	23.55	0.226	2.000	Pass
			12	High	24.36	-0.72	23.64	0.231	2.000	Pass
			25	Low	24.18	-0.72	23.46	0.222	2.000	Pass
		Q16	1	Low	24.81	-0.72	24.09	0.256	2.000	Pass
			1	Mid	24.67	-0.72	23.95	0.248	2.000	Pass
			1	High	24.96	-0.72	24.24	0.265	2.000	Pass
			12	Low	23.31	-0.72	22.59	0.182	2.000	Pass
			12	Mid	23.23	-0.72	22.51	0.178	2.000	Pass
			12	High	23.31	-0.72	22.59	0.182	2.000	Pass
			25	Low	23.5	-0.72	22.78	0.190	2.000	Pass
		Q64	1	Low	23.35	-0.72	22.63	0.183	2.000	Pass
			1	Mid	23.58	-0.72	22.86	0.193	2.000	Pass
			1	High	23.52	-0.72	22.80	0.191	2.000	Pass
			12	Low	22.29	-0.72	21.57	0.144	2.000	Pass
			12	Mid	22.37	-0.72	21.65	0.146	2.000	Pass
			12	High	22.42	-0.72	21.70	0.148	2.000	Pass
			25	Low	22.36	-0.72	21.64	0.146	2.000	Pass
	MCH	QPSK	1	Low	26.5	-0.72	25.78	0.378	2.000	Pass
			1	Mid	26.64	-0.72	25.92	0.391	2.000	Pass
			1	High	26.33	-0.72	25.61	0.364	2.000	Pass
			12	Low	25.15	-0.72	24.43	0.277	2.000	Pass
			12	Mid	25.51	-0.72	24.79	0.301	2.000	Pass
			12	High	25.37	-0.72	24.65	0.292	2.000	Pass
			25	Low	25.29	-0.72	24.57	0.286	2.000	Pass
		Q16	1	Low	25.45	-0.72	24.73	0.297	2.000	Pass
			1	Mid	25.89	-0.72	25.17	0.329	2.000	Pass
			1	High	25.61	-0.72	24.89	0.308	2.000	Pass
			12	Low	24.4	-0.72	23.68	0.233	2.000	Pass
			12	Mid	24.39	-0.72	23.67	0.233	2.000	Pass
			12	High	24.56	-0.72	23.84	0.242	2.000	Pass
			25	Low	24.46	-0.72	23.74	0.237	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q64	1	Low	24.61	-0.72	23.89	0.245	2.000	Pass
			1	Mid	24.95	-0.72	24.23	0.265	2.000	Pass
			1	High	24.4	-0.72	23.68	0.233	2.000	Pass
			12	Low	23.31	-0.72	22.59	0.182	2.000	Pass
			12	Mid	23.64	-0.72	22.92	0.196	2.000	Pass
			12	High	23.27	-0.72	22.55	0.180	2.000	Pass
			25	Low	23.55	-0.72	22.83	0.192	2.000	Pass
	HCH	QPSK	1	Low	26.2	-0.72	25.48	0.353	2.000	Pass
			1	Mid	26.66	-0.72	25.94	0.393	2.000	Pass
			1	High	26.26	-0.72	25.54	0.358	2.000	Pass
			12	Low	25.17	-0.72	24.45	0.279	2.000	Pass
			12	Mid	25.24	-0.72	24.52	0.283	2.000	Pass
			12	High	25.41	-0.72	24.69	0.294	2.000	Pass
			25	Low	25.24	-0.72	24.52	0.283	2.000	Pass
		Q16	1	Low	25.95	-0.72	25.23	0.333	2.000	Pass
			1	Mid	25.95	-0.72	25.23	0.333	2.000	Pass
			1	High	25.65	-0.72	24.93	0.311	2.000	Pass
			12	Low	24.58	-0.72	23.86	0.243	2.000	Pass
			12	Mid	24.53	-0.72	23.81	0.240	2.000	Pass
			12	High	24.58	-0.72	23.86	0.243	2.000	Pass
			25	Low	24.2	-0.72	23.48	0.223	2.000	Pass
		Q64	1	Low	24.51	-0.72	23.79	0.239	2.000	Pass
			1	Mid	24.53	-0.72	23.81	0.240	2.000	Pass
			1	High	24.47	-0.72	23.75	0.237	2.000	Pass
			12	Low	23.51	-0.72	22.79	0.190	2.000	Pass
			12	Mid	23.19	-0.72	22.47	0.177	2.000	Pass
			12	High	23.58	-0.72	22.86	0.193	2.000	Pass
			25	Low	23.31	-0.72	22.59	0.182	2.000	Pass
10	LCH	QPSK	1	Low	25.32	-0.72	24.60	0.288	2.000	Pass
			1	Mid	25.47	-0.72	24.75	0.299	2.000	Pass
			1	High	25.27	-0.72	24.55	0.285	2.000	Pass
			25	Low	24.36	-0.72	23.64	0.231	2.000	Pass
			25	Mid	24.35	-0.72	23.63	0.231	2.000	Pass
			25	High	24.51	-0.72	23.79	0.239	2.000	Pass
			50	Low	24.33	-0.72	23.61	0.230	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	24.32	-0.72	23.60	0.229	2.000	Pass
			1	Mid	24.52	-0.72	23.80	0.240	2.000	Pass
			1	High	24.57	-0.72	23.85	0.243	2.000	Pass
			25	Low	23.16	-0.72	22.44	0.175	2.000	Pass
			25	Mid	23.56	-0.72	22.84	0.192	2.000	Pass
			25	High	23.47	-0.72	22.75	0.188	2.000	Pass
			50	Low	23.65	-0.72	22.93	0.196	2.000	Pass
		Q64	1	Low	23.75	-0.72	23.03	0.201	2.000	Pass
			1	Mid	23.67	-0.72	22.95	0.197	2.000	Pass
			1	High	23.77	-0.72	23.05	0.202	2.000	Pass
			25	Low	22.12	-0.72	21.40	0.138	2.000	Pass
			25	Mid	22.5	-0.72	21.78	0.151	2.000	Pass
			25	High	22.42	-0.72	21.70	0.148	2.000	Pass
			50	Low	22.31	-0.72	21.59	0.144	2.000	Pass
	MCH	QPSK	1	Low	26.38	-0.72	25.66	0.368	2.000	Pass
			1	Mid	26.35	-0.72	25.63	0.366	2.000	Pass
			1	High	26.19	-0.72	25.47	0.352	2.000	Pass
			25	Low	25.3	-0.72	24.58	0.287	2.000	Pass
			25	Mid	25.24	-0.72	24.52	0.283	2.000	Pass
			25	High	25.33	-0.72	24.61	0.289	2.000	Pass
			50	Low	25.46	-0.72	24.74	0.298	2.000	Pass
		Q16	1	Low	25.55	-0.72	24.83	0.304	2.000	Pass
			1	Mid	25.72	-0.72	25.00	0.316	2.000	Pass
			1	High	25.64	-0.72	24.92	0.310	2.000	Pass
			25	Low	24.31	-0.72	23.59	0.229	2.000	Pass
			25	Mid	24.64	-0.72	23.92	0.247	2.000	Pass
			25	High	24.32	-0.72	23.60	0.229	2.000	Pass
			50	Low	24.43	-0.72	23.71	0.235	2.000	Pass
		Q64	1	Low	24.78	-0.72	24.06	0.255	2.000	Pass
			1	Mid	24.67	-0.72	23.95	0.248	2.000	Pass
			1	High	24.74	-0.72	24.02	0.252	2.000	Pass
			25	Low	23.62	-0.72	22.90	0.195	2.000	Pass
			25	Mid	23.26	-0.72	22.54	0.179	2.000	Pass
			25	High	23.23	-0.72	22.51	0.178	2.000	Pass
			50	Low	23.49	-0.72	22.77	0.189	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
	HCH	QPSK	1	Low	26.36	-0.72	25.64	0.366	2.000	Pass
			1	Mid	26.13	-0.72	25.41	0.348	2.000	Pass
			1	High	26.07	-0.72	25.35	0.343	2.000	Pass
			25	Low	25.31	-0.72	24.59	0.288	2.000	Pass
			25	Mid	25.57	-0.72	24.85	0.305	2.000	Pass
			25	High	25.49	-0.72	24.77	0.300	2.000	Pass
			50	Low	25.34	-0.72	24.62	0.290	2.000	Pass
		Q16	1	Low	25.44	-0.72	24.72	0.296	2.000	Pass
			1	Mid	25.51	-0.72	24.79	0.301	2.000	Pass
			1	High	25.65	-0.72	24.93	0.311	2.000	Pass
			25	Low	24.45	-0.72	23.73	0.236	2.000	Pass
			25	Mid	24.4	-0.72	23.68	0.233	2.000	Pass
			25	High	24.63	-0.72	23.91	0.246	2.000	Pass
			50	Low	24.55	-0.72	23.83	0.242	2.000	Pass
		Q64	1	Low	24.8	-0.72	24.08	0.256	2.000	Pass
			1	Mid	24.61	-0.72	23.89	0.245	2.000	Pass
			1	High	24.41	-0.72	23.69	0.234	2.000	Pass
			25	Low	23.38	-0.72	22.66	0.185	2.000	Pass
			25	Mid	23.68	-0.72	22.96	0.198	2.000	Pass
			25	High	23.27	-0.72	22.55	0.180	2.000	Pass
			50	Low	23.39	-0.72	22.67	0.185	2.000	Pass
15	LCH	QPSK	1	Low	25.41	-0.72	24.69	0.294	2.000	Pass
			1	Mid	25.4	-0.72	24.68	0.294	2.000	Pass
			1	High	25.76	-0.72	25.04	0.319	2.000	Pass
			36	Low	24.33	-0.72	23.61	0.230	2.000	Pass
			36	Mid	24.34	-0.72	23.62	0.230	2.000	Pass
			36	High	24.61	-0.72	23.89	0.245	2.000	Pass
			75	Low	24.55	-0.72	23.83	0.242	2.000	Pass
		Q16	1	Low	24.41	-0.72	23.69	0.234	2.000	Pass
			1	Mid	24.56	-0.72	23.84	0.242	2.000	Pass
			1	High	25.09	-0.72	24.37	0.274	2.000	Pass
			36	Low	23.33	-0.72	22.61	0.182	2.000	Pass
			36	Mid	23.52	-0.72	22.80	0.191	2.000	Pass
			36	High	23.56	-0.72	22.84	0.192	2.000	Pass
			75	Low	23.71	-0.72	22.99	0.199	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q64	1	Low	23.61	-0.72	22.89	0.195	2.000	Pass
			1	Mid	23.53	-0.72	22.81	0.191	2.000	Pass
			1	High	23.76	-0.72	23.04	0.201	2.000	Pass
			36	Low	22.46	-0.72	21.74	0.149	2.000	Pass
			36	Mid	22.67	-0.72	21.95	0.157	2.000	Pass
			36	High	22.74	-0.72	22.02	0.159	2.000	Pass
			75	Low	22.65	-0.72	21.93	0.156	2.000	Pass
	MCH	QPSK	1	Low	26.53	-0.72	25.81	0.381	2.000	Pass
			1	Mid	26.41	-0.72	25.69	0.371	2.000	Pass
			1	High	26.08	-0.72	25.36	0.344	2.000	Pass
			36	Low	25.25	-0.72	24.53	0.284	2.000	Pass
			36	Mid	25.46	-0.72	24.74	0.298	2.000	Pass
			36	High	25.12	-0.72	24.40	0.275	2.000	Pass
			75	Low	25.25	-0.72	24.53	0.284	2.000	Pass
		Q16	1	Low	25.77	-0.72	25.05	0.320	2.000	Pass
			1	Mid	25.39	-0.72	24.67	0.293	2.000	Pass
			1	High	25.5	-0.72	24.78	0.301	2.000	Pass
			36	Low	24.6	-0.72	23.88	0.244	2.000	Pass
			36	Mid	24.58	-0.72	23.86	0.243	2.000	Pass
			36	High	24.15	-0.72	23.43	0.220	2.000	Pass
			75	Low	24.56	-0.72	23.84	0.242	2.000	Pass
		Q64	1	Low	24.74	-0.72	24.02	0.252	2.000	Pass
			1	Mid	24.5	-0.72	23.78	0.239	2.000	Pass
			1	High	24.53	-0.72	23.81	0.240	2.000	Pass
			36	Low	23.38	-0.72	22.66	0.185	2.000	Pass
			36	Mid	23.41	-0.72	22.69	0.186	2.000	Pass
			36	High	23.19	-0.72	22.47	0.177	2.000	Pass
			75	Low	23.53	-0.72	22.81	0.191	2.000	Pass
	HCH	QPSK	1	Low	26.62	-0.72	25.90	0.389	2.000	Pass
			1	Mid	26.46	-0.72	25.74	0.375	2.000	Pass
			1	High	26.3	-0.72	25.58	0.361	2.000	Pass
			36	Low	25.54	-0.72	24.82	0.303	2.000	Pass
			36	Mid	25.15	-0.72	24.43	0.277	2.000	Pass
			36	High	25.23	-0.72	24.51	0.282	2.000	Pass
			75	Low	25.22	-0.72	24.50	0.282	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	25.78	-0.72	25.06	0.321	2.000	Pass
			1	Mid	25.58	-0.72	24.86	0.306	2.000	Pass
			1	High	25.19	-0.72	24.47	0.280	2.000	Pass
			36	Low	24.32	-0.72	23.60	0.229	2.000	Pass
			36	Mid	24.26	-0.72	23.54	0.226	2.000	Pass
			36	High	24.4	-0.72	23.68	0.233	2.000	Pass
			75	Low	24.42	-0.72	23.70	0.234	2.000	Pass
		Q64	1	Low	24.61	-0.72	23.89	0.245	2.000	Pass
			1	Mid	24.53	-0.72	23.81	0.240	2.000	Pass
			1	High	24.48	-0.72	23.76	0.238	2.000	Pass
			36	Low	23.65	-0.72	22.93	0.196	2.000	Pass
			36	Mid	23.29	-0.72	22.57	0.181	2.000	Pass
			36	High	23.35	-0.72	22.63	0.183	2.000	Pass
			75	Low	23.39	-0.72	22.67	0.185	2.000	Pass
20	LCH	QPSK	1	Low	25.37	-0.72	24.65	0.292	2.000	Pass
			1	Mid	25.75	-0.72	25.03	0.318	2.000	Pass
			1	High	25.91	-0.72	25.19	0.330	2.000	Pass
			50	Low	24.43	-0.72	23.71	0.235	2.000	Pass
			50	Mid	24.54	-0.72	23.82	0.241	2.000	Pass
			50	High	24.57	-0.72	23.85	0.243	2.000	Pass
			100	Low	24.53	-0.72	23.81	0.240	2.000	Pass
		Q16	1	Low	24.62	-0.72	23.90	0.245	2.000	Pass
			1	Mid	25.17	-0.72	24.45	0.279	2.000	Pass
			1	High	25.16	-0.72	24.44	0.278	2.000	Pass
			50	Low	23.6	-0.72	22.88	0.194	2.000	Pass
			50	Mid	23.51	-0.72	22.79	0.190	2.000	Pass
			50	High	23.55	-0.72	22.83	0.192	2.000	Pass
			100	Low	23.55	-0.72	22.83	0.192	2.000	Pass
		Q64	1	Low	23.43	-0.72	22.71	0.187	2.000	Pass
			1	Mid	23.82	-0.72	23.10	0.204	2.000	Pass
			1	High	24	-0.72	23.28	0.213	2.000	Pass
			50	Low	22.55	-0.72	21.83	0.152	2.000	Pass
			50	Mid	22.67	-0.72	21.95	0.157	2.000	Pass
			50	High	22.8	-0.72	22.08	0.161	2.000	Pass
			100	Low	22.51	-0.72	21.79	0.151	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
	MCH	QPSK	1	Low	26.62	-0.72	25.90	0.389	2.000	Pass
			1	Mid	26.52	-0.72	25.80	0.380	2.000	Pass
			1	High	26.03	-0.72	25.31	0.340	2.000	Pass
			50	Low	25.4	-0.72	24.68	0.294	2.000	Pass
			50	Mid	25.61	-0.72	24.89	0.308	2.000	Pass
			50	High	25.17	-0.72	24.45	0.279	2.000	Pass
			100	Low	25.43	-0.72	24.71	0.296	2.000	Pass
		Q16	1	Low	26.02	-0.72	25.30	0.339	2.000	Pass
			1	Mid	25.79	-0.72	25.07	0.321	2.000	Pass
			1	High	25.34	-0.72	24.62	0.290	2.000	Pass
			50	Low	24.56	-0.72	23.84	0.242	2.000	Pass
			50	Mid	24.52	-0.72	23.80	0.240	2.000	Pass
			50	High	24.27	-0.72	23.55	0.226	2.000	Pass
			100	Low	24.52	-0.72	23.80	0.240	2.000	Pass
		Q64	1	Low	24.54	-0.72	23.82	0.241	2.000	Pass
			1	Mid	24.37	-0.72	23.65	0.232	2.000	Pass
			1	High	24.5	-0.72	23.78	0.239	2.000	Pass
			50	Low	23.52	-0.72	22.80	0.191	2.000	Pass
			50	Mid	23.64	-0.72	22.92	0.196	2.000	Pass
			50	High	23.13	-0.72	22.41	0.174	2.000	Pass
			100	Low	23.36	-0.72	22.64	0.184	2.000	Pass
	HCH	QPSK	1	Low	26.5	-0.72	25.78	0.378	2.000	Pass
			1	Mid	26.66	-0.72	25.94	0.393	2.000	Pass
			1	High	26.21	-0.72	25.49	0.354	2.000	Pass
			50	Low	25.66	-0.72	24.94	0.312	2.000	Pass
			50	Mid	25.51	-0.72	24.79	0.301	2.000	Pass
			50	High	25.32	-0.72	24.60	0.288	2.000	Pass
			100	Low	25.54	-0.72	24.82	0.303	2.000	Pass
		Q16	1	Low	25.96	-0.72	25.24	0.334	2.000	Pass
			1	Mid	25.63	-0.72	24.91	0.310	2.000	Pass
			1	High	25.33	-0.72	24.61	0.289	2.000	Pass
			50	Low	24.51	-0.72	23.79	0.239	2.000	Pass
			50	Mid	24.29	-0.72	23.57	0.228	2.000	Pass
			50	High	24.26	-0.72	23.54	0.226	2.000	Pass
			100	Low	24.56	-0.72	23.84	0.242	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q64	1	Low	24.7	-0.72	23.98	0.250	2.000	Pass
			1	Mid	24.69	-0.72	23.97	0.249	2.000	Pass
			1	High	24.65	-0.72	23.93	0.247	2.000	Pass
			50	Low	23.59	-0.72	22.87	0.194	2.000	Pass
			50	Mid	23.59	-0.72	22.87	0.194	2.000	Pass
			50	High	23.45	-0.72	22.73	0.187	2.000	Pass
			100	Low	23.45	-0.72	22.73	0.187	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
1.4	LCH	QPSK	1	Low	22.23	-1.91	20.32	0.108	1.000	Pass
			1	Mid	22.23	-1.91	20.32	0.108	1.000	Pass
			1	High	22.21	-1.91	20.30	0.107	1.000	Pass
			3	Low	22.28	-1.91	20.37	0.109	1.000	Pass
			3	Mid	22.17	-1.91	20.26	0.106	1.000	Pass
			3	High	22.12	-1.91	20.21	0.105	1.000	Pass
			6	Low	21.25	-1.91	19.34	0.086	1.000	Pass
		Q16	1	Low	21.26	-1.91	19.35	0.086	1.000	Pass
			1	Mid	21.46	-1.91	19.55	0.090	1.000	Pass
			1	High	21.4	-1.91	19.49	0.089	1.000	Pass
			3	Low	21.28	-1.91	19.37	0.086	1.000	Pass
			3	Mid	21.07	-1.91	19.16	0.082	1.000	Pass
			3	High	21.27	-1.91	19.36	0.086	1.000	Pass
			6	Low	20.28	-1.91	18.37	0.069	1.000	Pass
		Q64	1	Low	20.52	-1.91	18.61	0.073	1.000	Pass
			1	Mid	20.39	-1.91	18.48	0.070	1.000	Pass
			1	High	20.21	-1.91	18.30	0.068	1.000	Pass
			3	Low	20.14	-1.91	18.23	0.067	1.000	Pass
			3	Mid	20.43	-1.91	18.52	0.071	1.000	Pass
			3	High	19.93	-1.91	18.02	0.063	1.000	Pass
			6	Low	19.35	-1.91	17.44	0.055	1.000	Pass
	MCH	QPSK	1	Low	23.12	-1.91	21.21	0.132	1.000	Pass
			1	Mid	23.67	-1.91	21.76	0.150	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	23.29	-1.91	21.38	0.137	1.000	Pass
			3	Low	23.09	-1.91	21.18	0.131	1.000	Pass
			3	Mid	23.22	-1.91	21.31	0.135	1.000	Pass
			3	High	23.18	-1.91	21.27	0.134	1.000	Pass
			6	Low	22.07	-1.91	20.16	0.104	1.000	Pass
		Q16	1	Low	22.26	-1.91	20.35	0.108	1.000	Pass
			1	Mid	22.62	-1.91	20.71	0.118	1.000	Pass
			1	High	22.3	-1.91	20.39	0.109	1.000	Pass
			3	Low	22.42	-1.91	20.51	0.112	1.000	Pass
			3	Mid	22.13	-1.91	20.22	0.105	1.000	Pass
			3	High	22.35	-1.91	20.44	0.111	1.000	Pass
			6	Low	21.2	-1.91	19.29	0.085	1.000	Pass
		Q64	1	Low	21.24	-1.91	19.33	0.086	1.000	Pass
			1	Mid	21.28	-1.91	19.37	0.086	1.000	Pass
			1	High	21.52	-1.91	19.61	0.091	1.000	Pass
			3	Low	21.43	-1.91	19.52	0.090	1.000	Pass
			3	Mid	21.32	-1.91	19.41	0.087	1.000	Pass
			3	High	21.34	-1.91	19.43	0.088	1.000	Pass
			6	Low	20.26	-1.91	18.35	0.068	1.000	Pass
	HCH	QPSK	1	Low	23.74	-1.91	21.83	0.152	1.000	Pass
			1	Mid	23.83	-1.91	21.92	0.156	1.000	Pass
			1	High	23.8	-1.91	21.89	0.155	1.000	Pass
			3	Low	23.67	-1.91	21.76	0.150	1.000	Pass
			3	Mid	23.86	-1.91	21.95	0.157	1.000	Pass
			3	High	23.65	-1.91	21.74	0.149	1.000	Pass
			6	Low	22.64	-1.91	20.73	0.118	1.000	Pass
		Q16	1	Low	22.99	-1.91	21.08	0.128	1.000	Pass
			1	Mid	22.81	-1.91	20.90	0.123	1.000	Pass
			1	High	23.02	-1.91	21.11	0.129	1.000	Pass
			3	Low	22.73	-1.91	20.82	0.121	1.000	Pass
			3	Mid	22.75	-1.91	20.84	0.121	1.000	Pass
			3	High	22.86	-1.91	20.95	0.124	1.000	Pass
			6	Low	21.96	-1.91	20.05	0.101	1.000	Pass
		Q64	1	Low	21.87	-1.91	19.96	0.099	1.000	Pass
			1	Mid	21.79	-1.91	19.88	0.097	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
3			1	High	22.16	-1.91	20.25	0.106	1.000	Pass
			3	Low	21.91	-1.91	20.00	0.100	1.000	Pass
			3	Mid	21.93	-1.91	20.02	0.100	1.000	Pass
			3	High	21.6	-1.91	19.69	0.093	1.000	Pass
			6	Low	20.72	-1.91	18.81	0.076	1.000	Pass
	LCH	QPSK	1	Low	22.23	-1.91	20.32	0.108	1.000	Pass
			1	Mid	22.2	-1.91	20.29	0.107	1.000	Pass
			1	High	22.04	-1.91	20.13	0.103	1.000	Pass
			8	Low	21.29	-1.91	19.38	0.087	1.000	Pass
			8	Mid	21.23	-1.91	19.32	0.086	1.000	Pass
			8	High	21.12	-1.91	19.21	0.083	1.000	Pass
			15	Low	21.35	-1.91	19.44	0.088	1.000	Pass
		Q16	1	Low	21.51	-1.91	19.60	0.091	1.000	Pass
			1	Mid	21.77	-1.91	19.86	0.097	1.000	Pass
			1	High	21.62	-1.91	19.71	0.094	1.000	Pass
			8	Low	20.3	-1.91	18.39	0.069	1.000	Pass
			8	Mid	20.55	-1.91	18.64	0.073	1.000	Pass
			8	High	20.19	-1.91	18.28	0.067	1.000	Pass
			15	Low	20.14	-1.91	18.23	0.067	1.000	Pass
		Q64	1	Low	20.3	-1.91	18.39	0.069	1.000	Pass
			1	Mid	20.54	-1.91	18.63	0.073	1.000	Pass
			1	High	20.02	-1.91	18.11	0.065	1.000	Pass
			8	Low	19.2	-1.91	17.29	0.054	1.000	Pass
			8	Mid	19.14	-1.91	17.23	0.053	1.000	Pass
			8	High	19.31	-1.91	17.40	0.055	1.000	Pass
			15	Low	19.25	-1.91	17.34	0.054	1.000	Pass
	MCH	QPSK	1	Low	23.14	-1.91	21.23	0.133	1.000	Pass
			1	Mid	23.41	-1.91	21.50	0.141	1.000	Pass
			1	High	23.12	-1.91	21.21	0.132	1.000	Pass
			8	Low	22.19	-1.91	20.28	0.107	1.000	Pass
			8	Mid	22.02	-1.91	20.11	0.103	1.000	Pass
			8	High	22.1	-1.91	20.19	0.104	1.000	Pass
			15	Low	22.05	-1.91	20.14	0.103	1.000	Pass
		Q16	1	Low	22.39	-1.91	20.48	0.112	1.000	Pass
			1	Mid	22.78	-1.91	20.87	0.122	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	22.97	-1.91	21.06	0.128	1.000	Pass
			8	Low	21.33	-1.91	19.42	0.087	1.000	Pass
			8	Mid	21.31	-1.91	19.40	0.087	1.000	Pass
			8	High	21.43	-1.91	19.52	0.090	1.000	Pass
			15	Low	21.21	-1.91	19.30	0.085	1.000	Pass
		Q64	1	Low	21.61	-1.91	19.70	0.093	1.000	Pass
			1	Mid	21.76	-1.91	19.85	0.097	1.000	Pass
			1	High	21.66	-1.91	19.75	0.094	1.000	Pass
			8	Low	20.51	-1.91	18.60	0.072	1.000	Pass
			8	Mid	20.36	-1.91	18.45	0.070	1.000	Pass
			8	High	20.51	-1.91	18.60	0.072	1.000	Pass
			15	Low	20.49	-1.91	18.58	0.072	1.000	Pass
	HCH	QPSK	1	Low	23.68	-1.91	21.77	0.150	1.000	Pass
			1	Mid	23.59	-1.91	21.68	0.147	1.000	Pass
			1	High	23.75	-1.91	21.84	0.153	1.000	Pass
			8	Low	22.79	-1.91	20.88	0.122	1.000	Pass
			8	Mid	22.84	-1.91	20.93	0.124	1.000	Pass
			8	High	22.84	-1.91	20.93	0.124	1.000	Pass
			15	Low	22.83	-1.91	20.92	0.124	1.000	Pass
		Q16	1	Low	23.21	-1.91	21.30	0.135	1.000	Pass
			1	Mid	23.15	-1.91	21.24	0.133	1.000	Pass
			1	High	23.04	-1.91	21.13	0.130	1.000	Pass
			8	Low	21.94	-1.91	20.03	0.101	1.000	Pass
			8	Mid	21.66	-1.91	19.75	0.094	1.000	Pass
			8	High	21.81	-1.91	19.90	0.098	1.000	Pass
			15	Low	21.68	-1.91	19.77	0.095	1.000	Pass
		Q64	1	Low	22.17	-1.91	20.26	0.106	1.000	Pass
			1	Mid	22.5	-1.91	20.59	0.115	1.000	Pass
			1	High	22.06	-1.91	20.15	0.104	1.000	Pass
			8	Low	20.78	-1.91	18.87	0.077	1.000	Pass
			8	Mid	20.94	-1.91	19.03	0.080	1.000	Pass
			8	High	20.75	-1.91	18.84	0.077	1.000	Pass
			15	Low	21.03	-1.91	19.12	0.082	1.000	Pass
5	LCH	QPSK	1	Low	22.32	-1.91	20.41	0.110	1.000	Pass
			1	Mid	22.29	-1.91	20.38	0.109	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	22.35	-1.91	20.44	0.111	1.000	Pass
			12	Low	20.94	-1.91	19.03	0.080	1.000	Pass
			12	Mid	21.42	-1.91	19.51	0.089	1.000	Pass
			12	High	21.43	-1.91	19.52	0.090	1.000	Pass
			25	Low	21.11	-1.91	19.20	0.083	1.000	Pass
		Q16	1	Low	21.5	-1.91	19.59	0.091	1.000	Pass
			1	Mid	21.66	-1.91	19.75	0.094	1.000	Pass
			1	High	22.13	-1.91	20.22	0.105	1.000	Pass
			12	Low	20.27	-1.91	18.36	0.069	1.000	Pass
			12	Mid	20.47	-1.91	18.56	0.072	1.000	Pass
			12	High	20.48	-1.91	18.57	0.072	1.000	Pass
			25	Low	20.2	-1.91	18.29	0.067	1.000	Pass
		Q64	1	Low	20.69	-1.91	18.78	0.076	1.000	Pass
			1	Mid	20.49	-1.91	18.58	0.072	1.000	Pass
			1	High	21.06	-1.91	19.15	0.082	1.000	Pass
			12	Low	19.22	-1.91	17.31	0.054	1.000	Pass
			12	Mid	19.22	-1.91	17.31	0.054	1.000	Pass
			12	High	19.29	-1.91	17.38	0.055	1.000	Pass
			25	Low	19.47	-1.91	17.56	0.057	1.000	Pass
	MCH	QPSK	1	Low	23.28	-1.91	21.37	0.137	1.000	Pass
			1	Mid	22.7	-1.91	20.79	0.120	1.000	Pass
			1	High	23.56	-1.91	21.65	0.146	1.000	Pass
			12	Low	21.98	-1.91	20.07	0.102	1.000	Pass
			12	Mid	22.16	-1.91	20.25	0.106	1.000	Pass
			12	High	22.17	-1.91	20.26	0.106	1.000	Pass
			25	Low	22.16	-1.91	20.25	0.106	1.000	Pass
		Q16	1	Low	23.01	-1.91	21.10	0.129	1.000	Pass
			1	Mid	22.83	-1.91	20.92	0.124	1.000	Pass
			1	High	23.13	-1.91	21.22	0.132	1.000	Pass
			12	Low	21.27	-1.91	19.36	0.086	1.000	Pass
			12	Mid	21.17	-1.91	19.26	0.084	1.000	Pass
			12	High	21.46	-1.91	19.55	0.090	1.000	Pass
			25	Low	21.07	-1.91	19.16	0.082	1.000	Pass
		Q64	1	Low	21.12	-1.91	19.21	0.083	1.000	Pass
			1	Mid	21.46	-1.91	19.55	0.090	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	21.79	-1.91	19.88	0.097	1.000	Pass
			12	Low	20.23	-1.91	18.32	0.068	1.000	Pass
			12	Mid	20.33	-1.91	18.42	0.070	1.000	Pass
			12	High	20.42	-1.91	18.51	0.071	1.000	Pass
			25	Low	20.37	-1.91	18.46	0.070	1.000	Pass
	HCH	QPSK	1	Low	24.37	-1.91	22.46	0.176	1.000	Pass
			1	Mid	23.76	-1.91	21.85	0.153	1.000	Pass
			1	High	23.72	-1.91	21.81	0.152	1.000	Pass
			12	Low	22.85	-1.91	20.94	0.124	1.000	Pass
			12	Mid	22.72	-1.91	20.81	0.121	1.000	Pass
			12	High	22.72	-1.91	20.81	0.121	1.000	Pass
			25	Low	22.98	-1.91	21.07	0.128	1.000	Pass
		Q16	1	Low	23.48	-1.91	21.57	0.144	1.000	Pass
			1	Mid	23.33	-1.91	21.42	0.139	1.000	Pass
			1	High	23.17	-1.91	21.26	0.134	1.000	Pass
			12	Low	21.79	-1.91	19.88	0.097	1.000	Pass
			12	Mid	22.09	-1.91	20.18	0.104	1.000	Pass
			12	High	21.63	-1.91	19.72	0.094	1.000	Pass
			25	Low	21.94	-1.91	20.03	0.101	1.000	Pass
		Q64	1	Low	21.97	-1.91	20.06	0.101	1.000	Pass
			1	Mid	22.16	-1.91	20.25	0.106	1.000	Pass
			1	High	21.84	-1.91	19.93	0.098	1.000	Pass
			12	Low	21.04	-1.91	19.13	0.082	1.000	Pass
			12	Mid	21.16	-1.91	19.25	0.084	1.000	Pass
			12	High	20.86	-1.91	18.95	0.079	1.000	Pass
			25	Low	20.76	-1.91	18.85	0.077	1.000	Pass
10	LCH	QPSK	1	Low	22.36	-1.91	20.45	0.111	1.000	Pass
			1	Mid	22.08	-1.91	20.17	0.104	1.000	Pass
			1	High	22.34	-1.91	20.43	0.110	1.000	Pass
			25	Low	21.13	-1.91	19.22	0.084	1.000	Pass
			25	Mid	21.26	-1.91	19.35	0.086	1.000	Pass
			25	High	21.47	-1.91	19.56	0.090	1.000	Pass
			50	Low	21.19	-1.91	19.28	0.085	1.000	Pass
		Q16	1	Low	21.45	-1.91	19.54	0.090	1.000	Pass
			1	Mid	21.6	-1.91	19.69	0.093	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	21.53	-1.91	19.62	0.092	1.000	Pass
			25	Low	20.21	-1.91	18.30	0.068	1.000	Pass
			25	Mid	20.38	-1.91	18.47	0.070	1.000	Pass
			25	High	20.2	-1.91	18.29	0.067	1.000	Pass
			50	Low	20.51	-1.91	18.60	0.072	1.000	Pass
		Q64	1	Low	20.26	-1.91	18.35	0.068	1.000	Pass
			1	Mid	20.69	-1.91	18.78	0.076	1.000	Pass
			1	High	20.61	-1.91	18.70	0.074	1.000	Pass
			25	Low	19.19	-1.91	17.28	0.053	1.000	Pass
			25	Mid	19.48	-1.91	17.57	0.057	1.000	Pass
			25	High	19.36	-1.91	17.45	0.056	1.000	Pass
			50	Low	19.49	-1.91	17.58	0.057	1.000	Pass
	MCH	QPSK	1	Low	22.74	-1.91	20.83	0.121	1.000	Pass
			1	Mid	23.52	-1.91	21.61	0.145	1.000	Pass
			1	High	23.32	-1.91	21.41	0.138	1.000	Pass
			25	Low	22.15	-1.91	20.24	0.106	1.000	Pass
			25	Mid	22.36	-1.91	20.45	0.111	1.000	Pass
			25	High	22.44	-1.91	20.53	0.113	1.000	Pass
			50	Low	22.07	-1.91	20.16	0.104	1.000	Pass
		Q16	1	Low	22.19	-1.91	20.28	0.107	1.000	Pass
			1	Mid	22.54	-1.91	20.63	0.116	1.000	Pass
			1	High	22.82	-1.91	20.91	0.123	1.000	Pass
			25	Low	21.02	-1.91	19.11	0.081	1.000	Pass
			25	Mid	21.45	-1.91	19.54	0.090	1.000	Pass
			25	High	21.41	-1.91	19.50	0.089	1.000	Pass
			50	Low	21.08	-1.91	19.17	0.083	1.000	Pass
		Q64	1	Low	21.15	-1.91	19.24	0.084	1.000	Pass
			1	Mid	21.51	-1.91	19.60	0.091	1.000	Pass
			1	High	21.83	-1.91	19.92	0.098	1.000	Pass
			25	Low	20.04	-1.91	18.13	0.065	1.000	Pass
			25	Mid	20.34	-1.91	18.43	0.070	1.000	Pass
			25	High	20.28	-1.91	18.37	0.069	1.000	Pass
			50	Low	20.36	-1.91	18.45	0.070	1.000	Pass
	HCH	QPSK	1	Low	23.82	-1.91	21.91	0.155	1.000	Pass
			1	Mid	24.11	-1.91	22.20	0.166	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	23.45	-1.91	21.54	0.143	1.000	Pass
			25	Low	22.61	-1.91	20.70	0.117	1.000	Pass
			25	Mid	23.18	-1.91	21.27	0.134	1.000	Pass
			25	High	22.94	-1.91	21.03	0.127	1.000	Pass
			50	Low	23.01	-1.91	21.10	0.129	1.000	Pass
		Q16	1	Low	22.73	-1.91	20.82	0.121	1.000	Pass
			1	Mid	23.08	-1.91	21.17	0.131	1.000	Pass
			1	High	22.7	-1.91	20.79	0.120	1.000	Pass
			25	Low	21.86	-1.91	19.95	0.099	1.000	Pass
			25	Mid	22.03	-1.91	20.12	0.103	1.000	Pass
			25	High	21.83	-1.91	19.92	0.098	1.000	Pass
			50	Low	21.74	-1.91	19.83	0.096	1.000	Pass
		Q64	1	Low	21.85	-1.91	19.94	0.099	1.000	Pass
			1	Mid	22.11	-1.91	20.20	0.105	1.000	Pass
			1	High	21.62	-1.91	19.71	0.094	1.000	Pass
			25	Low	20.82	-1.91	18.91	0.078	1.000	Pass
			25	Mid	20.96	-1.91	19.05	0.080	1.000	Pass
			25	High	20.92	-1.91	19.01	0.080	1.000	Pass
			50	Low	21.04	-1.91	19.13	0.082	1.000	Pass
15	LCH	QPSK	1	Low	22.08	-1.91	20.17	0.104	1.000	Pass
			1	Mid	22.42	-1.91	20.51	0.112	1.000	Pass
			1	High	22.8	-1.91	20.89	0.123	1.000	Pass
			36	Low	21.25	-1.91	19.34	0.086	1.000	Pass
			36	Mid	21.43	-1.91	19.52	0.090	1.000	Pass
			36	High	21.3	-1.91	19.39	0.087	1.000	Pass
			75	Low	21.55	-1.91	19.64	0.092	1.000	Pass
		Q16	1	Low	21.29	-1.91	19.38	0.087	1.000	Pass
			1	Mid	21.57	-1.91	19.66	0.092	1.000	Pass
			1	High	21.82	-1.91	19.91	0.098	1.000	Pass
			36	Low	20.3	-1.91	18.39	0.069	1.000	Pass
			36	Mid	20.42	-1.91	18.51	0.071	1.000	Pass
			36	High	20.53	-1.91	18.62	0.073	1.000	Pass
			75	Low	20.47	-1.91	18.56	0.072	1.000	Pass
		Q64	1	Low	20.31	-1.91	18.40	0.069	1.000	Pass
			1	Mid	20.62	-1.91	18.71	0.074	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	21.01	-1.91	19.10	0.081	1.000	Pass
			36	Low	19.41	-1.91	17.50	0.056	1.000	Pass
			36	Mid	19.45	-1.91	17.54	0.057	1.000	Pass
			36	High	19.68	-1.91	17.77	0.060	1.000	Pass
			75	Low	19.55	-1.91	17.64	0.058	1.000	Pass
		QPSK	1	Low	23.23	-1.91	21.32	0.136	1.000	Pass
			1	Mid	23.63	-1.91	21.72	0.149	1.000	Pass
			1	High	23.39	-1.91	21.48	0.141	1.000	Pass
			36	Low	22.19	-1.91	20.28	0.107	1.000	Pass
			36	Mid	22.08	-1.91	20.17	0.104	1.000	Pass
			36	High	22.34	-1.91	20.43	0.110	1.000	Pass
			75	Low	22.35	-1.91	20.44	0.111	1.000	Pass
		Q16	1	Low	22.59	-1.91	20.68	0.117	1.000	Pass
			1	Mid	22.51	-1.91	20.60	0.115	1.000	Pass
			1	High	22.93	-1.91	21.02	0.126	1.000	Pass
			36	Low	21.01	-1.91	19.10	0.081	1.000	Pass
			36	Mid	21.46	-1.91	19.55	0.090	1.000	Pass
			36	High	21.31	-1.91	19.40	0.087	1.000	Pass
			75	Low	21.24	-1.91	19.33	0.086	1.000	Pass
		Q64	1	Low	20.7	-1.91	18.79	0.076	1.000	Pass
			1	Mid	21.48	-1.91	19.57	0.091	1.000	Pass
			1	High	21.36	-1.91	19.45	0.088	1.000	Pass
			36	Low	20.2	-1.91	18.29	0.067	1.000	Pass
			36	Mid	20.29	-1.91	18.38	0.069	1.000	Pass
			36	High	20.29	-1.91	18.38	0.069	1.000	Pass
			75	Low	20.41	-1.91	18.50	0.071	1.000	Pass
	HCH	QPSK	1	Low	23.36	-1.91	21.45	0.140	1.000	Pass
			1	Mid	23.37	-1.91	21.46	0.140	1.000	Pass
			1	High	23.99	-1.91	22.08	0.161	1.000	Pass
			36	Low	22.93	-1.91	21.02	0.126	1.000	Pass
			36	Mid	22.78	-1.91	20.87	0.122	1.000	Pass
			36	High	22.81	-1.91	20.90	0.123	1.000	Pass
			75	Low	22.65	-1.91	20.74	0.119	1.000	Pass
		Q16	1	Low	22.9	-1.91	20.99	0.126	1.000	Pass
			1	Mid	23.03	-1.91	21.12	0.129	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	22.89	-1.91	20.98	0.125	1.000	Pass
			36	Low	21.44	-1.91	19.53	0.090	1.000	Pass
			36	Mid	21.58	-1.91	19.67	0.093	1.000	Pass
			36	High	21.72	-1.91	19.81	0.096	1.000	Pass
			75	Low	21.7	-1.91	19.79	0.095	1.000	Pass
		Q64	1	Low	21.68	-1.91	19.77	0.095	1.000	Pass
			1	Mid	21.86	-1.91	19.95	0.099	1.000	Pass
			1	High	21.52	-1.91	19.61	0.091	1.000	Pass
			36	Low	20.54	-1.91	18.63	0.073	1.000	Pass
			36	Mid	20.88	-1.91	18.97	0.079	1.000	Pass
			36	High	20.67	-1.91	18.76	0.075	1.000	Pass
			75	Low	20.44	-1.91	18.53	0.071	1.000	Pass
		QPSK	1	Low	21.84	-1.91	19.93	0.098	1.000	Pass
			1	Mid	23.03	-1.91	21.12	0.129	1.000	Pass
			1	High	23.19	-1.91	21.28	0.134	1.000	Pass
			50	Low	21.36	-1.91	19.45	0.088	1.000	Pass
			50	Mid	21.55	-1.91	19.64	0.092	1.000	Pass
			50	High	21.72	-1.91	19.81	0.096	1.000	Pass
			100	Low	21.42	-1.91	19.51	0.089	1.000	Pass
20	LCH	Q16	1	Low	21.05	-1.91	19.14	0.082	1.000	Pass
			1	Mid	21.92	-1.91	20.01	0.100	1.000	Pass
			1	High	21.88	-1.91	19.97	0.099	1.000	Pass
			50	Low	20.38	-1.91	18.47	0.070	1.000	Pass
			50	Mid	20.75	-1.91	18.84	0.077	1.000	Pass
			50	High	20.76	-1.91	18.85	0.077	1.000	Pass
			100	Low	20.7	-1.91	18.79	0.076	1.000	Pass
		Q64	1	Low	20.28	-1.91	18.37	0.069	1.000	Pass
			1	Mid	20.91	-1.91	19.00	0.079	1.000	Pass
			1	High	20.91	-1.91	19.00	0.079	1.000	Pass
			50	Low	19.24	-1.91	17.33	0.054	1.000	Pass
			50	Mid	19.49	-1.91	17.58	0.057	1.000	Pass
			50	High	19.49	-1.91	17.58	0.057	1.000	Pass
			100	Low	19.53	-1.91	17.62	0.058	1.000	Pass
	MCH	QPSK	1	Low	22.88	-1.91	20.97	0.125	1.000	Pass
			1	Mid	23.82	-1.91	21.91	0.155	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	23.72	-1.91	21.81	0.152	1.000	Pass
			50	Low	21.9	-1.91	19.99	0.100	1.000	Pass
			50	Mid	22.09	-1.91	20.18	0.104	1.000	Pass
			50	High	22.25	-1.91	20.34	0.108	1.000	Pass
			100	Low	22.05	-1.91	20.14	0.103	1.000	Pass
		Q16	1	Low	22.26	-1.91	20.35	0.108	1.000	Pass
			1	Mid	22.47	-1.91	20.56	0.114	1.000	Pass
			1	High	22.46	-1.91	20.55	0.114	1.000	Pass
			50	Low	21.03	-1.91	19.12	0.082	1.000	Pass
			50	Mid	21.29	-1.91	19.38	0.087	1.000	Pass
			50	High	21.33	-1.91	19.42	0.087	1.000	Pass
			100	Low	21.28	-1.91	19.37	0.086	1.000	Pass
		Q64	1	Low	21.13	-1.91	19.22	0.084	1.000	Pass
			1	Mid	21.13	-1.91	19.22	0.084	1.000	Pass
			1	High	21.68	-1.91	19.77	0.095	1.000	Pass
			50	Low	20.04	-1.91	18.13	0.065	1.000	Pass
			50	Mid	20.3	-1.91	18.39	0.069	1.000	Pass
			50	High	20.42	-1.91	18.51	0.071	1.000	Pass
			100	Low	20.15	-1.91	18.24	0.067	1.000	Pass
	HCH	QPSK	1	Low	23.54	-1.91	21.63	0.146	1.000	Pass
			1	Mid	23.42	-1.91	21.51	0.142	1.000	Pass
			1	High	24.04	-1.91	22.13	0.163	1.000	Pass
			50	Low	22.51	-1.91	20.60	0.115	1.000	Pass
			50	Mid	22.78	-1.91	20.87	0.122	1.000	Pass
			50	High	22.62	-1.91	20.71	0.118	1.000	Pass
			100	Low	22.68	-1.91	20.77	0.119	1.000	Pass
		Q16	1	Low	22.97	-1.91	21.06	0.128	1.000	Pass
			1	Mid	22.96	-1.91	21.05	0.127	1.000	Pass
			1	High	22.64	-1.91	20.73	0.118	1.000	Pass
			50	Low	21.54	-1.91	19.63	0.092	1.000	Pass
			50	Mid	21.51	-1.91	19.60	0.091	1.000	Pass
			50	High	21.64	-1.91	19.73	0.094	1.000	Pass
			100	Low	21.76	-1.91	19.85	0.097	1.000	Pass
		Q64	1	Low	21.74	-1.91	19.83	0.096	1.000	Pass
			1	Mid	21.73	-1.91	19.82	0.096	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	21.67	-1.91	19.76	0.095	1.000	Pass
			50	Low	20.76	-1.91	18.85	0.077	1.000	Pass
			50	Mid	20.46	-1.91	18.55	0.072	1.000	Pass
			50	High	20.65	-1.91	18.74	0.075	1.000	Pass
			100	Low	20.66	-1.91	18.75	0.075	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
5	LCH	QPSK	1	Low	24.43	-1.06	-3.21	21.22	0.132	2.000	Pass
			1	Mid	24.35	-1.06	-3.21	21.14	0.130	2.000	Pass
			1	High	24.07	-1.06	-3.21	20.86	0.122	2.000	Pass
			12	Low	23.32	-1.06	-3.21	20.11	0.103	2.000	Pass
			12	Mid	23.13	-1.06	-3.21	19.92	0.098	2.000	Pass
			12	High	23.06	-1.06	-3.21	19.85	0.097	2.000	Pass
			25	Low	23.09	-1.06	-3.21	19.88	0.097	2.000	Pass
		Q16	1	Low	24	-1.06	-3.21	20.79	0.120	2.000	Pass
			1	Mid	23.39	-1.06	-3.21	20.18	0.104	2.000	Pass
			1	High	23.46	-1.06	-3.21	20.25	0.106	2.000	Pass
			12	Low	22.18	-1.06	-3.21	18.97	0.079	2.000	Pass
			12	Mid	22.46	-1.06	-3.21	19.25	0.084	2.000	Pass
			12	High	22.24	-1.06	-3.21	19.03	0.080	2.000	Pass
			25	Low	21.98	-1.06	-3.21	18.77	0.075	2.000	Pass
		Q64	1	Low	22.27	-1.06	-3.21	19.06	0.081	2.000	Pass
			1	Mid	22.73	-1.06	-3.21	19.52	0.090	2.000	Pass
			1	High	22.13	-1.06	-3.21	18.92	0.078	2.000	Pass
			12	Low	21.22	-1.06	-3.21	18.01	0.063	2.000	Pass
			12	Mid	21.4	-1.06	-3.21	18.19	0.066	2.000	Pass
			12	High	21.23	-1.06	-3.21	18.02	0.063	2.000	Pass
			25	Low	21.28	-1.06	-3.21	18.07	0.064	2.000	Pass
	MCH	QPSK	1	Low	24.09	-1.06	-3.21	20.88	0.122	2.000	Pass
			1	Mid	24.11	-1.06	-3.21	20.90	0.123	2.000	Pass
			1	High	24.09	-1.06	-3.21	20.88	0.122	2.000	Pass
			12	Low	23.03	-1.06	-3.21	19.82	0.096	2.000	Pass
			12	Mid	22.83	-1.06	-3.21	19.62	0.092	2.000	Pass
			12	High	23.04	-1.06	-3.21	19.83	0.096	2.000	Pass
			25	Low	23.08	-1.06	-3.21	19.87	0.097	2.000	Pass
		Q16	1	Low	23.53	-1.06	-3.21	20.32	0.108	2.000	Pass
			1	Mid	23.5	-1.06	-3.21	20.29	0.107	2.000	Pass
			1	High	23.32	-1.06	-3.21	20.11	0.103	2.000	Pass
			12	Low	22.3	-1.06	-3.21	19.09	0.081	2.000	Pass
			12	Mid	21.89	-1.06	-3.21	18.68	0.074	2.000	Pass
			12	High	22.13	-1.06	-3.21	18.92	0.078	2.000	Pass
			25	Low	22.2	-1.06	-3.21	18.99	0.079	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q64	1	Low	22.44	-1.06	-3.21	19.23	0.084	2.000	Pass
			1	Mid	22.38	-1.06	-3.21	19.17	0.083	2.000	Pass
			1	High	22.2	-1.06	-3.21	18.99	0.079	2.000	Pass
			12	Low	21.14	-1.06	-3.21	17.93	0.062	2.000	Pass
			12	Mid	20.98	-1.06	-3.21	17.77	0.060	2.000	Pass
			12	High	21.34	-1.06	-3.21	18.13	0.065	2.000	Pass
			25	Low	21.28	-1.06	-3.21	18.07	0.064	2.000	Pass
	HCH	QPSK	1	Low	24.08	-1.06	-3.21	20.87	0.122	2.000	Pass
			1	Mid	24.18	-1.06	-3.21	20.97	0.125	2.000	Pass
			1	High	24.31	-1.06	-3.21	21.10	0.129	2.000	Pass
			12	Low	23.14	-1.06	-3.21	19.93	0.098	2.000	Pass
			12	Mid	23.32	-1.06	-3.21	20.11	0.103	2.000	Pass
			12	High	23.45	-1.06	-3.21	20.24	0.106	2.000	Pass
			25	Low	23.51	-1.06	-3.21	20.30	0.107	2.000	Pass
		Q16	1	Low	23.86	-1.06	-3.21	20.65	0.116	2.000	Pass
			1	Mid	23.85	-1.06	-3.21	20.64	0.116	2.000	Pass
			1	High	23.95	-1.06	-3.21	20.74	0.119	2.000	Pass
			12	Low	22.13	-1.06	-3.21	18.92	0.078	2.000	Pass
			12	Mid	22.28	-1.06	-3.21	19.07	0.081	2.000	Pass
			12	High	22.41	-1.06	-3.21	19.20	0.083	2.000	Pass
			25	Low	22.38	-1.06	-3.21	19.17	0.083	2.000	Pass
		Q64	1	Low	22.55	-1.06	-3.21	19.34	0.086	2.000	Pass
			1	Mid	22.37	-1.06	-3.21	19.16	0.082	2.000	Pass
			1	High	22.28	-1.06	-3.21	19.07	0.081	2.000	Pass
			12	Low	21.29	-1.06	-3.21	18.08	0.064	2.000	Pass
			12	Mid	21.38	-1.06	-3.21	18.17	0.066	2.000	Pass
			12	High	21.24	-1.06	-3.21	18.03	0.064	2.000	Pass
			25	Low	21.19	-1.06	-3.21	17.98	0.063	2.000	Pass
10	LCH	QPSK	1	Low	24.14	-1.06	-3.21	20.93	0.124	2.000	Pass
			1	Mid	23.59	-1.06	-3.21	20.38	0.109	2.000	Pass
			1	High	23.93	-1.06	-3.21	20.72	0.118	2.000	Pass
			25	Low	23.28	-1.06	-3.21	20.07	0.102	2.000	Pass
			25	Mid	22.83	-1.06	-3.21	19.62	0.092	2.000	Pass
			25	High	22.81	-1.06	-3.21	19.60	0.091	2.000	Pass
			50	Low	22.9	-1.06	-3.21	19.69	0.093	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q16	1	Low	23.69	-1.06	-3.21	20.48	0.112	2.000	Pass
			1	Mid	23.01	-1.06	-3.21	19.80	0.095	2.000	Pass
			1	High	23.02	-1.06	-3.21	19.81	0.096	2.000	Pass
			25	Low	21.83	-1.06	-3.21	18.62	0.073	2.000	Pass
			25	Mid	21.9	-1.06	-3.21	18.69	0.074	2.000	Pass
			25	High	21.94	-1.06	-3.21	18.73	0.075	2.000	Pass
			50	Low	22.21	-1.06	-3.21	19.00	0.079	2.000	Pass
		Q64	1	Low	22.39	-1.06	-3.21	19.18	0.083	2.000	Pass
			1	Mid	22.32	-1.06	-3.21	19.11	0.081	2.000	Pass
			1	High	21.98	-1.06	-3.21	18.77	0.075	2.000	Pass
			25	Low	20.99	-1.06	-3.21	17.78	0.060	2.000	Pass
			25	Mid	21.21	-1.06	-3.21	18.00	0.063	2.000	Pass
			25	High	21.02	-1.06	-3.21	17.81	0.060	2.000	Pass
			50	Low	21	-1.06	-3.21	17.79	0.060	2.000	Pass
	MCH	QPSK	1	Low	23.98	-1.06	-3.21	20.77	0.119	2.000	Pass
			1	Mid	24.06	-1.06	-3.21	20.85	0.122	2.000	Pass
			1	High	23.84	-1.06	-3.21	20.63	0.116	2.000	Pass
			25	Low	23.05	-1.06	-3.21	19.84	0.096	2.000	Pass
			25	Mid	22.91	-1.06	-3.21	19.70	0.093	2.000	Pass
			25	High	23.02	-1.06	-3.21	19.81	0.096	2.000	Pass
			50	Low	22.86	-1.06	-3.21	19.65	0.092	2.000	Pass
		Q16	1	Low	23.46	-1.06	-3.21	20.25	0.106	2.000	Pass
			1	Mid	23.58	-1.06	-3.21	20.37	0.109	2.000	Pass
			1	High	23.25	-1.06	-3.21	20.04	0.101	2.000	Pass
			25	Low	22.17	-1.06	-3.21	18.96	0.079	2.000	Pass
			25	Mid	21.85	-1.06	-3.21	18.64	0.073	2.000	Pass
			25	High	22.03	-1.06	-3.21	18.82	0.076	2.000	Pass
			50	Low	22.16	-1.06	-3.21	18.95	0.079	2.000	Pass
		Q64	1	Low	22.16	-1.06	-3.21	18.95	0.079	2.000	Pass
			1	Mid	22.51	-1.06	-3.21	19.30	0.085	2.000	Pass
			1	High	21.8	-1.06	-3.21	18.59	0.072	2.000	Pass
			25	Low	21.27	-1.06	-3.21	18.06	0.064	2.000	Pass
			25	Mid	21.05	-1.06	-3.21	17.84	0.061	2.000	Pass
			25	High	21.29	-1.06	-3.21	18.08	0.064	2.000	Pass
			50	Low	21.19	-1.06	-3.21	17.98	0.063	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
	HCH	QPSK	1	Low	24.05	-1.06	-3.21	20.84	0.121	2.000	Pass
			1	Mid	24.22	-1.06	-3.21	21.01	0.126	2.000	Pass
			1	High	24.38	-1.06	-3.21	21.17	0.131	2.000	Pass
			25	Low	22.98	-1.06	-3.21	19.77	0.095	2.000	Pass
			25	Mid	23.25	-1.06	-3.21	20.04	0.101	2.000	Pass
			25	High	23.14	-1.06	-3.21	19.93	0.098	2.000	Pass
			50	Low	23.12	-1.06	-3.21	19.91	0.098	2.000	Pass
		Q16	1	Low	23.17	-1.06	-3.21	19.96	0.099	2.000	Pass
			1	Mid	23.23	-1.06	-3.21	20.02	0.100	2.000	Pass
			1	High	23.59	-1.06	-3.21	20.38	0.109	2.000	Pass
			25	Low	22.24	-1.06	-3.21	19.03	0.080	2.000	Pass
			25	Mid	22.11	-1.06	-3.21	18.90	0.078	2.000	Pass
			25	High	22.4	-1.06	-3.21	19.19	0.083	2.000	Pass
			50	Low	22.19	-1.06	-3.21	18.98	0.079	2.000	Pass
		Q64	1	Low	22.25	-1.06	-3.21	19.04	0.080	2.000	Pass
			1	Mid	22.37	-1.06	-3.21	19.16	0.082	2.000	Pass
			1	High	22.65	-1.06	-3.21	19.44	0.088	2.000	Pass
			25	Low	21.19	-1.06	-3.21	17.98	0.063	2.000	Pass
			25	Mid	21.53	-1.06	-3.21	18.32	0.068	2.000	Pass
			25	High	21.19	-1.06	-3.21	17.98	0.063	2.000	Pass
			50	Low	21.42	-1.06	-3.21	18.21	0.066	2.000	Pass
15	LCH	QPSK	1	Low	24.3	-1.06	-3.21	21.09	0.129	2.000	Pass
			1	Mid	24.11	-1.06	-3.21	20.90	0.123	2.000	Pass
			1	High	23.75	-1.06	-3.21	20.54	0.113	2.000	Pass
			36	Low	23.04	-1.06	-3.21	19.83	0.096	2.000	Pass
			36	Mid	22.7	-1.06	-3.21	19.49	0.089	2.000	Pass
			36	High	22.77	-1.06	-3.21	19.56	0.090	2.000	Pass
			75	Low	22.78	-1.06	-3.21	19.57	0.091	2.000	Pass
		Q16	1	Low	23.55	-1.06	-3.21	20.34	0.108	2.000	Pass
			1	Mid	23.29	-1.06	-3.21	20.08	0.102	2.000	Pass
			1	High	22.99	-1.06	-3.21	19.78	0.095	2.000	Pass
			36	Low	22.14	-1.06	-3.21	18.93	0.078	2.000	Pass
			36	Mid	22.05	-1.06	-3.21	18.84	0.077	2.000	Pass
			36	High	21.95	-1.06	-3.21	18.74	0.075	2.000	Pass
			75	Low	21.8	-1.06	-3.21	18.59	0.072	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q64	1	Low	22.18	-1.06	-3.21	18.97	0.079	2.000	Pass
			1	Mid	22.13	-1.06	-3.21	18.92	0.078	2.000	Pass
			1	High	21.93	-1.06	-3.21	18.72	0.074	2.000	Pass
			36	Low	21.28	-1.06	-3.21	18.07	0.064	2.000	Pass
			36	Mid	20.81	-1.06	-3.21	17.60	0.058	2.000	Pass
			36	High	20.72	-1.06	-3.21	17.51	0.056	2.000	Pass
			75	Low	20.85	-1.06	-3.21	17.64	0.058	2.000	Pass
	MCH	QPSK	1	Low	23.89	-1.06	-3.21	20.68	0.117	2.000	Pass
			1	Mid	24.14	-1.06	-3.21	20.93	0.124	2.000	Pass
			1	High	23.78	-1.06	-3.21	20.57	0.114	2.000	Pass
			36	Low	23.05	-1.06	-3.21	19.84	0.096	2.000	Pass
			36	Mid	22.63	-1.06	-3.21	19.42	0.087	2.000	Pass
			36	High	23.11	-1.06	-3.21	19.90	0.098	2.000	Pass
			75	Low	22.76	-1.06	-3.21	19.55	0.090	2.000	Pass
		Q16	1	Low	24.01	-1.06	-3.21	20.80	0.120	2.000	Pass
			1	Mid	23.4	-1.06	-3.21	20.19	0.104	2.000	Pass
			1	High	23.17	-1.06	-3.21	19.96	0.099	2.000	Pass
			36	Low	21.91	-1.06	-3.21	18.70	0.074	2.000	Pass
			36	Mid	22.11	-1.06	-3.21	18.90	0.078	2.000	Pass
			36	High	21.8	-1.06	-3.21	18.59	0.072	2.000	Pass
			75	Low	22.04	-1.06	-3.21	18.83	0.076	2.000	Pass
		Q64	1	Low	22.03	-1.06	-3.21	18.82	0.076	2.000	Pass
			1	Mid	22.38	-1.06	-3.21	19.17	0.083	2.000	Pass
			1	High	22.31	-1.06	-3.21	19.10	0.081	2.000	Pass
			36	Low	20.94	-1.06	-3.21	17.73	0.059	2.000	Pass
			36	Mid	21.12	-1.06	-3.21	17.91	0.062	2.000	Pass
			36	High	21.19	-1.06	-3.21	17.98	0.063	2.000	Pass
			75	Low	20.97	-1.06	-3.21	17.76	0.060	2.000	Pass
	HCH	QPSK	1	Low	24.48	-1.06	-3.21	21.27	0.134	2.000	Pass
			1	Mid	24.61	-1.06	-3.21	21.40	0.138	2.000	Pass
			1	High	24.12	-1.06	-3.21	20.91	0.123	2.000	Pass
			36	Low	22.98	-1.06	-3.21	19.77	0.095	2.000	Pass
			36	Mid	23.21	-1.06	-3.21	20.00	0.100	2.000	Pass
			36	High	23.21	-1.06	-3.21	20.00	0.100	2.000	Pass
			75	Low	23.19	-1.06	-3.21	19.98	0.100	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q16	1	Low	23.14	-1.06	-3.21	19.93	0.098	2.000	Pass
			1	Mid	23.27	-1.06	-3.21	20.06	0.101	2.000	Pass
			1	High	23.47	-1.06	-3.21	20.26	0.106	2.000	Pass
			36	Low	21.9	-1.06	-3.21	18.69	0.074	2.000	Pass
			36	Mid	22.2	-1.06	-3.21	18.99	0.079	2.000	Pass
			36	High	22.29	-1.06	-3.21	19.08	0.081	2.000	Pass
			75	Low	22.23	-1.06	-3.21	19.02	0.080	2.000	Pass
		Q64	1	Low	22.37	-1.06	-3.21	19.16	0.082	2.000	Pass
			1	Mid	22.19	-1.06	-3.21	18.98	0.079	2.000	Pass
			1	High	22.27	-1.06	-3.21	19.06	0.081	2.000	Pass
			36	Low	20.85	-1.06	-3.21	17.64	0.058	2.000	Pass
			36	Mid	20.78	-1.06	-3.21	17.57	0.057	2.000	Pass
			36	High	21.42	-1.06	-3.21	18.21	0.066	2.000	Pass
			75	Low	21.36	-1.06	-3.21	18.15	0.065	2.000	Pass
20	LCH	QPSK	1	Low	24.75	-1.06	-3.21	21.54	0.143	2.000	Pass
			1	Mid	24.24	-1.06	-3.21	21.03	0.127	2.000	Pass
			1	High	23.99	-1.06	-3.21	20.78	0.120	2.000	Pass
			50	Low	23.03	-1.06	-3.21	19.82	0.096	2.000	Pass
			50	Mid	23.13	-1.06	-3.21	19.92	0.098	2.000	Pass
			50	High	23	-1.06	-3.21	19.79	0.095	2.000	Pass
			100	Low	22.99	-1.06	-3.21	19.78	0.095	2.000	Pass
		Q16	1	Low	23.76	-1.06	-3.21	20.55	0.114	2.000	Pass
			1	Mid	23.02	-1.06	-3.21	19.81	0.096	2.000	Pass
			1	High	23.15	-1.06	-3.21	19.94	0.099	2.000	Pass
			50	Low	21.94	-1.06	-3.21	18.73	0.075	2.000	Pass
			50	Mid	21.92	-1.06	-3.21	18.71	0.074	2.000	Pass
			50	High	22.11	-1.06	-3.21	18.90	0.078	2.000	Pass
			100	Low	21.82	-1.06	-3.21	18.61	0.073	2.000	Pass
		Q64	1	Low	22.47	-1.06	-3.21	19.26	0.084	2.000	Pass
			1	Mid	21.86	-1.06	-3.21	18.65	0.073	2.000	Pass
			1	High	22.44	-1.06	-3.21	19.23	0.084	2.000	Pass
			50	Low	20.96	-1.06	-3.21	17.75	0.060	2.000	Pass
			50	Mid	20.85	-1.06	-3.21	17.64	0.058	2.000	Pass
			50	High	20.98	-1.06	-3.21	17.77	0.060	2.000	Pass
			100	Low	21.05	-1.06	-3.21	17.84	0.061	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
	MCH	QPSK	1	Low	23.71	-1.06	-3.21	20.50	0.112	2.000	Pass
			1	Mid	24.03	-1.06	-3.21	20.82	0.121	2.000	Pass
			1	High	24.07	-1.06	-3.21	20.86	0.122	2.000	Pass
			50	Low	22.75	-1.06	-3.21	19.54	0.090	2.000	Pass
			50	Mid	22.86	-1.06	-3.21	19.65	0.092	2.000	Pass
			50	High	22.94	-1.06	-3.21	19.73	0.094	2.000	Pass
			100	Low	23.14	-1.06	-3.21	19.93	0.098	2.000	Pass
		Q16	1	Low	23.41	-1.06	-3.21	20.20	0.105	2.000	Pass
			1	Mid	23.18	-1.06	-3.21	19.97	0.099	2.000	Pass
			1	High	23.02	-1.06	-3.21	19.81	0.096	2.000	Pass
			50	Low	22.06	-1.06	-3.21	18.85	0.077	2.000	Pass
			50	Mid	22	-1.06	-3.21	18.79	0.076	2.000	Pass
			50	High	22.09	-1.06	-3.21	18.88	0.077	2.000	Pass
			100	Low	22.19	-1.06	-3.21	18.98	0.079	2.000	Pass
		Q64	1	Low	22.48	-1.06	-3.21	19.27	0.085	2.000	Pass
			1	Mid	22.09	-1.06	-3.21	18.88	0.077	2.000	Pass
			1	High	22.05	-1.06	-3.21	18.84	0.077	2.000	Pass
			50	Low	21.12	-1.06	-3.21	17.91	0.062	2.000	Pass
			50	Mid	20.89	-1.06	-3.21	17.68	0.059	2.000	Pass
			50	High	21.18	-1.06	-3.21	17.97	0.063	2.000	Pass
			100	Low	20.87	-1.06	-3.21	17.66	0.058	2.000	Pass
	HCH	QPSK	1	Low	23.99	-1.06	-3.21	20.78	0.120	2.000	Pass
			1	Mid	24.61	-1.06	-3.21	21.40	0.138	2.000	Pass
			1	High	24.35	-1.06	-3.21	21.14	0.130	2.000	Pass
			50	Low	22.97	-1.06	-3.21	19.76	0.095	2.000	Pass
			50	Mid	22.97	-1.06	-3.21	19.76	0.095	2.000	Pass
			50	High	22.94	-1.06	-3.21	19.73	0.094	2.000	Pass
			100	Low	23.05	-1.06	-3.21	19.84	0.096	2.000	Pass
		Q16	1	Low	23.24	-1.06	-3.21	20.03	0.101	2.000	Pass
			1	Mid	23.17	-1.06	-3.21	19.96	0.099	2.000	Pass
			1	High	23.17	-1.06	-3.21	19.96	0.099	2.000	Pass
			50	Low	22.06	-1.06	-3.21	18.85	0.077	2.000	Pass
			50	Mid	22.06	-1.06	-3.21	18.85	0.077	2.000	Pass
			50	High	22.14	-1.06	-3.21	18.93	0.078	2.000	Pass
			100	Low	21.95	-1.06	-3.21	18.74	0.075	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q64	1	Low	22.39	-1.06	-3.21	19.18	0.083	2.000	Pass
			1	Mid	22.27	-1.06	-3.21	19.06	0.081	2.000	Pass
			1	High	22.35	-1.06	-3.21	19.14	0.082	2.000	Pass
			50	Low	20.96	-1.06	-3.21	17.75	0.060	2.000	Pass
			50	Mid	20.94	-1.06	-3.21	17.73	0.059	2.000	Pass
			50	High	21.06	-1.06	-3.21	17.85	0.061	2.000	Pass
			100	Low	21.06	-1.06	-3.21	17.85	0.061	2.000	Pass

CA_41C Test Data

Mode	PCC RB No.	PCC RB offset	SCC RB No.	SCC RB offset	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
					Low	Mid	High		LCH	MCH	HCH	(W)	
CA_41C													
20MHz+5MHz													
QPSK	1	0	0	0	23.54	24.44	23.61	-0.72	0.191	0.236	0.195	2.000	Pass
	50	0	0	0	21.52	22.29	21.6	-0.72	0.120	0.144	0.122	2.000	Pass
	100	0	0	0	21.5	22.59	21.92	-0.72	0.120	0.154	0.132	2.000	Pass
	1	99	1	0	27.31	27.66	27.32	-0.72	0.456	0.494	0.457	2.000	Pass
	100	0	25	0	24.39	24.94	24.35	-0.72	0.233	0.264	0.231	2.000	Pass
16QAM	1	0	0	0	22.17	22.77	22.52	-0.72	0.140	0.160	0.151	2.000	Pass
	50	0	0	0	20.71	21.27	20.75	-0.72	0.100	0.114	0.101	2.000	Pass
	100	0	0	0	20.59	21.32	20.79	-0.72	0.097	0.115	0.102	2.000	Pass
	1	99	1	0	25.85	26.31	25.79	-0.72	0.326	0.362	0.321	2.000	Pass
	100	0	25	0	23.28	24.31	23.41	-0.72	0.180	0.229	0.186	2.000	Pass
20MHz+20MHz													
QPSK	1	0	0	0	23.7	24.29	23.76	-0.72	0.199	0.228	0.201	2.000	Pass
	50	0	0	0	22.87	23.35	22.9	-0.72	0.164	0.183	0.165	2.000	Pass
	100	0	0	0	22.87	23.34	22.87	-0.72	0.164	0.183	0.164	2.000	Pass
	1	99	1	0	27.25	27.76	27.26	-0.72	0.450	0.506	0.451	2.000	Pass
	100	0	100	0	24.38	24.84	24.45	-0.72	0.232	0.258	0.236	2.000	Pass
16QAM	1	0	0	0	21.87	22.92	22.65	-0.72	0.130	0.166	0.156	2.000	Pass
	50	0	0	0	21.85	22.53	21.9	-0.72	0.130	0.152	0.131	2.000	Pass
	100	0	0	0	21.56	22.49	21.84	-0.72	0.121	0.150	0.129	2.000	Pass
	1	99	1	0	25.86	26.24	25.82	-0.72	0.327	0.356	0.324	2.000	Pass
	100	0	100	0	23.31	23.77	23.29	-0.72	0.182	0.202	0.181	2.000	Pass

NR Mode Test Data

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
5	LCH	PI/2 BPSK	12	6	21.98	-1.36	20.62	0.115	3.000	Pass
			1	1	22.1	-1.36	20.74	0.119	3.000	Pass
			1	23	21.94	-1.36	20.58	0.114	3.000	Pass
		QPSK	12	6	22.13	-1.36	20.77	0.119	3.000	Pass
			1	1	22.14	-1.36	20.78	0.120	3.000	Pass
			1	23	21.96	-1.36	20.60	0.115	3.000	Pass
		16QAM	12	6	21.09	-1.36	19.73	0.094	3.000	Pass
			1	1	21.23	-1.36	19.87	0.097	3.000	Pass
			1	23	21.19	-1.36	19.83	0.096	3.000	Pass
		64QAM	12	6	19.72	-1.36	18.36	0.069	3.000	Pass
			1	1	19.58	-1.36	18.22	0.066	3.000	Pass
			1	23	19.85	-1.36	18.49	0.071	3.000	Pass
		256QAM	12	6	17.24	-1.36	15.88	0.039	3.000	Pass
			1	1	17.08	-1.36	15.72	0.037	3.000	Pass
			1	23	17.18	-1.36	15.82	0.038	3.000	Pass
	MCH	PI/2 BPSK	12	6	22.44	-1.36	21.08	0.128	3.000	Pass
			1	1	22.44	-1.36	21.08	0.128	3.000	Pass
			1	23	22.32	-1.36	20.96	0.125	3.000	Pass
		QPSK	12	6	22.45	-1.36	21.09	0.129	3.000	Pass
			1	1	22.3	-1.36	20.94	0.124	3.000	Pass
			1	23	22.59	-1.36	21.23	0.133	3.000	Pass
		16QAM	12	6	21.04	-1.36	19.68	0.093	3.000	Pass
			1	1	21.41	-1.36	20.05	0.101	3.000	Pass
			1	23	21.41	-1.36	20.05	0.101	3.000	Pass
		64QAM	12	6	19.81	-1.36	18.45	0.070	3.000	Pass
			1	1	19.87	-1.36	18.51	0.071	3.000	Pass
			1	23	19.9	-1.36	18.54	0.071	3.000	Pass
		256QAM	12	6	17.26	-1.36	15.90	0.039	3.000	Pass
			1	1	17.37	-1.36	16.01	0.040	3.000	Pass
			1	23	17.27	-1.36	15.91	0.039	3.000	Pass
	HCH	PI/2 BPSK	12	6	22.37	-1.36	21.01	0.126	3.000	Pass
			1	1	22.73	-1.36	21.37	0.137	3.000	Pass
			1	23	22.53	-1.36	21.17	0.131	3.000	Pass
		QPSK	12	6	22.34	-1.36	20.98	0.125	3.000	Pass
			1	1	22.58	-1.36	21.22	0.132	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		16QAM	1	23	22.25	-1.36	20.89	0.123	3.000	Pass
			12	6	21.28	-1.36	19.92	0.098	3.000	Pass
			1	1	21.42	-1.36	20.06	0.101	3.000	Pass
			1	23	21.42	-1.36	20.06	0.101	3.000	Pass
		64QAM	12	6	19.64	-1.36	18.28	0.067	3.000	Pass
			1	1	19.86	-1.36	18.50	0.071	3.000	Pass
			1	23	19.84	-1.36	18.48	0.070	3.000	Pass
		256QAM	12	6	17.4	-1.36	16.04	0.040	3.000	Pass
			1	1	17.18	-1.36	15.82	0.038	3.000	Pass
			1	23	17.51	-1.36	16.15	0.041	3.000	Pass
10	LCH	PI/2 BPSK	25	12	21.61	-1.36	20.25	0.106	3.000	Pass
			1	1	21.82	-1.36	20.46	0.111	3.000	Pass
			1	50	22.02	-1.36	20.66	0.116	3.000	Pass
		QPSK	25	12	22.72	-1.36	21.36	0.137	3.000	Pass
			1	1	21.9	-1.36	20.54	0.113	3.000	Pass
			1	50	21.89	-1.36	20.53	0.113	3.000	Pass
		16QAM	25	12	21.59	-1.36	20.23	0.105	3.000	Pass
			1	1	21.94	-1.36	20.58	0.114	3.000	Pass
			1	50	21.72	-1.36	20.36	0.109	3.000	Pass
		64QAM	25	12	20.29	-1.36	18.93	0.078	3.000	Pass
			1	1	20.28	-1.36	18.92	0.078	3.000	Pass
			1	50	20.2	-1.36	18.84	0.077	3.000	Pass
		256QAM	25	12	17.84	-1.36	16.48	0.044	3.000	Pass
			1	1	17.91	-1.36	16.55	0.045	3.000	Pass
			1	50	17.89	-1.36	16.53	0.045	3.000	Pass
	MCH	PI/2 BPSK	25	12	21.97	-1.36	20.61	0.115	3.000	Pass
			1	1	21.67	-1.36	20.31	0.107	3.000	Pass
			1	50	21.99	-1.36	20.63	0.116	3.000	Pass
		QPSK	25	12	21.73	-1.36	20.37	0.109	3.000	Pass
			1	1	21.99	-1.36	20.63	0.116	3.000	Pass
			1	50	21.95	-1.36	20.59	0.115	3.000	Pass
		16QAM	25	12	21.56	-1.36	20.20	0.105	3.000	Pass
			1	1	21.62	-1.36	20.26	0.106	3.000	Pass
			1	50	21.81	-1.36	20.45	0.111	3.000	Pass
		64QAM	25	12	20.33	-1.36	18.97	0.079	3.000	Pass
			1	1	20.23	-1.36	18.87	0.077	3.000	Pass
			1	50	20.25	-1.36	18.89	0.077	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
15	HCH	256QAM	25	12	17.81	-1.36	16.45	0.044	3.000	Pass
			1	1	17.74	-1.36	16.38	0.043	3.000	Pass
			1	50	17.62	-1.36	16.26	0.042	3.000	Pass
		PI/2 BPSK	25	12	22.67	-1.36	21.31	0.135	3.000	Pass
			1	1	21.99	-1.36	20.63	0.116	3.000	Pass
			1	50	21.84	-1.36	20.48	0.112	3.000	Pass
		QPSK	25	12	22.56	-1.36	21.20	0.132	3.000	Pass
			1	1	21.65	-1.36	20.29	0.107	3.000	Pass
			1	50	21.76	-1.36	20.40	0.110	3.000	Pass
		16QAM	25	12	21.45	-1.36	20.09	0.102	3.000	Pass
			1	1	21.77	-1.36	20.41	0.110	3.000	Pass
			1	50	21.82	-1.36	20.46	0.111	3.000	Pass
		64QAM	25	12	20.26	-1.36	18.90	0.078	3.000	Pass
			1	1	20.18	-1.36	18.82	0.076	3.000	Pass
			1	50	19.99	-1.36	18.63	0.073	3.000	Pass
		256QAM	25	12	17.55	-1.36	16.19	0.042	3.000	Pass
			1	1	17.86	-1.36	16.50	0.045	3.000	Pass
			1	50	17.83	-1.36	16.47	0.044	3.000	Pass
	LCH	PI/2 BPSK	36	18	21.8	-1.36	20.44	0.111	3.000	Pass
			1	1	22.71	-1.36	21.35	0.136	3.000	Pass
			1	77	22.45	-1.36	21.09	0.129	3.000	Pass
		QPSK	36	18	22.68	-1.36	21.32	0.136	3.000	Pass
			1	1	22.51	-1.36	21.15	0.130	3.000	Pass
			1	77	22.37	-1.36	21.01	0.126	3.000	Pass
		16QAM	36	18	21.81	-1.36	20.45	0.111	3.000	Pass
			1	1	21.52	-1.36	20.16	0.104	3.000	Pass
			1	77	21.48	-1.36	20.12	0.103	3.000	Pass
		64QAM	36	18	19.99	-1.36	18.63	0.073	3.000	Pass
			1	1	19.83	-1.36	18.47	0.070	3.000	Pass
			1	77	20.06	-1.36	18.70	0.074	3.000	Pass
		256QAM	36	18	17.64	-1.36	16.28	0.042	3.000	Pass
			1	1	17.55	-1.36	16.19	0.042	3.000	Pass
			1	77	17.83	-1.36	16.47	0.044	3.000	Pass
	MCH	PI/2 BPSK	36	18	21.84	-1.36	20.48	0.112	3.000	Pass
			1	1	21.83	-1.36	20.47	0.111	3.000	Pass
			1	77	22.61	-1.36	21.25	0.133	3.000	Pass
		QPSK	36	18	22.82	-1.36	21.46	0.140	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		16QAM	1	1	22.49	-1.36	21.13	0.130	3.000	Pass
			1	77	22.57	-1.36	21.21	0.132	3.000	Pass
			36	18	21.73	-1.36	20.37	0.109	3.000	Pass
			1	1	21.63	-1.36	20.27	0.106	3.000	Pass
			1	77	21.46	-1.36	20.10	0.102	3.000	Pass
		64QAM	36	18	20.28	-1.36	18.92	0.078	3.000	Pass
			1	1	20.07	-1.36	18.71	0.074	3.000	Pass
			1	77	19.94	-1.36	18.58	0.072	3.000	Pass
		256QAM	36	18	17.71	-1.36	16.35	0.043	3.000	Pass
			1	1	17.57	-1.36	16.21	0.042	3.000	Pass
			1	77	17.75	-1.36	16.39	0.044	3.000	Pass
	HCH	PI/2 BPSK	36	18	22.86	-1.36	21.50	0.141	3.000	Pass
			1	1	22.82	-1.36	21.46	0.140	3.000	Pass
			1	77	22.69	-1.36	21.33	0.136	3.000	Pass
		QPSK	36	18	22.79	-1.36	21.43	0.139	3.000	Pass
			1	1	22.63	-1.36	21.27	0.134	3.000	Pass
			1	77	22.78	-1.36	21.42	0.139	3.000	Pass
		16QAM	36	18	21.62	-1.36	20.26	0.106	3.000	Pass
			1	1	21.69	-1.36	20.33	0.108	3.000	Pass
			1	77	21.89	-1.36	20.53	0.113	3.000	Pass
		64QAM	36	18	20.21	-1.36	18.85	0.077	3.000	Pass
			1	1	20.01	-1.36	18.65	0.073	3.000	Pass
			1	77	20.12	-1.36	18.76	0.075	3.000	Pass
		256QAM	36	18	17.77	-1.36	16.41	0.044	3.000	Pass
			1	1	17.48	-1.36	16.12	0.041	3.000	Pass
			1	77	17.65	-1.36	16.29	0.043	3.000	Pass
20	LCH	PI/2 BPSK	50	25	22.52	-1.36	21.16	0.131	3.000	Pass
			1	1	22.37	-1.36	21.01	0.126	3.000	Pass
			1	104	22.71	-1.36	21.35	0.136	3.000	Pass
		QPSK	50	25	22.39	-1.36	21.03	0.127	3.000	Pass
			1	1	22.7	-1.36	21.34	0.136	3.000	Pass
			1	104	22.36	-1.36	21.00	0.126	3.000	Pass
		16QAM	50	25	21.11	-1.36	19.75	0.094	3.000	Pass
			1	1	21.31	-1.36	19.95	0.099	3.000	Pass
			1	104	21.81	-1.36	20.45	0.111	3.000	Pass
		64QAM	50	25	19.84	-1.36	18.48	0.070	3.000	Pass
			1	1	20.08	-1.36	18.72	0.074	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		256QAM	1	104	19.98	-1.36	18.62	0.073	3.000	Pass
			50	25	17.48	-1.36	16.12	0.041	3.000	Pass
			1	1	17.13	-1.36	15.77	0.038	3.000	Pass
			1	104	17.37	-1.36	16.01	0.040	3.000	Pass
	MCH	PI/2 BPSK	50	25	22.43	-1.36	21.07	0.128	3.000	Pass
			1	1	22.55	-1.36	21.19	0.132	3.000	Pass
			1	104	22.7	-1.36	21.34	0.136	3.000	Pass
		QPSK	50	25	22.49	-1.36	21.13	0.130	3.000	Pass
			1	1	22.42	-1.36	21.06	0.128	3.000	Pass
			1	104	22.5	-1.36	21.14	0.130	3.000	Pass
		16QAM	50	25	21.63	-1.36	20.27	0.106	3.000	Pass
			1	1	21.52	-1.36	20.16	0.104	3.000	Pass
			1	104	21.35	-1.36	19.99	0.100	3.000	Pass
		64QAM	50	25	19.75	-1.36	18.39	0.069	3.000	Pass
			1	1	19.9	-1.36	18.54	0.071	3.000	Pass
			1	104	19.78	-1.36	18.42	0.070	3.000	Pass
		256QAM	50	25	17.3	-1.36	15.94	0.039	3.000	Pass
			1	1	17.23	-1.36	15.87	0.039	3.000	Pass
			1	104	17.47	-1.36	16.11	0.041	3.000	Pass
	HCH	PI/2 BPSK	50	25	22.67	-1.36	21.31	0.135	3.000	Pass
			1	1	22.51	-1.36	21.15	0.130	3.000	Pass
			1	104	22.89	-1.36	21.53	0.142	3.000	Pass
		QPSK	50	25	22.46	-1.36	21.10	0.129	3.000	Pass
			1	1	22.69	-1.36	21.33	0.136	3.000	Pass
			1	104	22.55	-1.36	21.19	0.132	3.000	Pass
		16QAM	50	25	21.75	-1.36	20.39	0.109	3.000	Pass
			1	1	21.67	-1.36	20.31	0.107	3.000	Pass
			1	104	21.79	-1.36	20.43	0.110	3.000	Pass
		64QAM	50	25	20.13	-1.36	18.77	0.075	3.000	Pass
			1	1	19.84	-1.36	18.48	0.070	3.000	Pass
			1	104	19.87	-1.36	18.51	0.071	3.000	Pass
		256QAM	50	25	17.62	-1.36	16.26	0.042	3.000	Pass
			1	1	17.42	-1.36	16.06	0.040	3.000	Pass
			1	104	17.23	-1.36	15.87	0.039	3.000	Pass
25	LCH	PI/2 BPSK	64	32	21.84	-1.36	20.48	0.112	3.000	Pass
			1	1	21.93	-1.36	20.57	0.114	3.000	Pass
			1	131	22.09	-1.36	20.73	0.118	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		QPSK	64	32	21.82	-1.36	20.46	0.111	3.000	Pass
			1	1	21.73	-1.36	20.37	0.109	3.000	Pass
			1	131	21.73	-1.36	20.37	0.109	3.000	Pass
		16QAM	64	32	21.95	-1.36	20.59	0.115	3.000	Pass
			1	1	21.99	-1.36	20.63	0.116	3.000	Pass
			1	131	21.92	-1.36	20.56	0.114	3.000	Pass
		64QAM	64	32	20.45	-1.36	19.09	0.081	3.000	Pass
			1	1	20.56	-1.36	19.20	0.083	3.000	Pass
			1	131	20.41	-1.36	19.05	0.080	3.000	Pass
		256QAM	64	32	17.75	-1.36	16.39	0.044	3.000	Pass
			1	1	17.65	-1.36	16.29	0.043	3.000	Pass
			1	131	17.95	-1.36	16.59	0.046	3.000	Pass
	MCH	PI/2 BPSK	64	32	21.7	-1.36	20.34	0.108	3.000	Pass
			1	1	21.84	-1.36	20.48	0.112	3.000	Pass
			1	131	21.99	-1.36	20.63	0.116	3.000	Pass
		QPSK	64	32	22.81	-1.36	21.45	0.140	3.000	Pass
			1	1	21.83	-1.36	20.47	0.111	3.000	Pass
			1	131	22.72	-1.36	21.36	0.137	3.000	Pass
		16QAM	64	32	21.85	-1.36	20.49	0.112	3.000	Pass
			1	1	21.91	-1.36	20.55	0.114	3.000	Pass
			1	131	21.72	-1.36	20.36	0.109	3.000	Pass
		64QAM	64	32	20.04	-1.36	18.68	0.074	3.000	Pass
			1	1	20.07	-1.36	18.71	0.074	3.000	Pass
			1	131	20.38	-1.36	19.02	0.080	3.000	Pass
		256QAM	64	32	17.75	-1.36	16.39	0.044	3.000	Pass
			1	1	17.77	-1.36	16.41	0.044	3.000	Pass
			1	131	17.74	-1.36	16.38	0.043	3.000	Pass
	HCH	PI/2 BPSK	64	32	22.01	-1.36	20.65	0.116	3.000	Pass
			1	1	21.87	-1.36	20.51	0.112	3.000	Pass
			1	131	22	-1.36	20.64	0.116	3.000	Pass
		QPSK	64	32	22.6	-1.36	21.24	0.133	3.000	Pass
			1	1	22.03	-1.36	20.67	0.117	3.000	Pass
			1	131	22.61	-1.36	21.25	0.133	3.000	Pass
		16QAM	64	32	21.65	-1.36	20.29	0.107	3.000	Pass
			1	1	21.66	-1.36	20.30	0.107	3.000	Pass
			1	131	21.89	-1.36	20.53	0.113	3.000	Pass
		64QAM	64	32	20.29	-1.36	18.93	0.078	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		256QAM	1	1	20.25	-1.36	18.89	0.077	3.000	Pass
			1	131	20.26	-1.36	18.90	0.078	3.000	Pass
			64	32	17.66	-1.36	16.30	0.043	3.000	Pass
			1	1	17.67	-1.36	16.31	0.043	3.000	Pass
			1	131	17.77	-1.36	16.41	0.044	3.000	Pass
30	LCH	PI/2 BPSK	80	40	21.87	-1.36	20.51	0.112	3.000	Pass
			1	1	22.07	-1.36	20.71	0.118	3.000	Pass
			1	158	22.03	-1.36	20.67	0.117	3.000	Pass
		QPSK	80	40	21.93	-1.36	20.57	0.114	3.000	Pass
			1	1	21.81	-1.36	20.45	0.111	3.000	Pass
			1	158	21.71	-1.36	20.35	0.108	3.000	Pass
		16QAM	80	40	21.77	-1.36	20.41	0.110	3.000	Pass
			1	1	21.99	-1.36	20.63	0.116	3.000	Pass
			1	158	21.78	-1.36	20.42	0.110	3.000	Pass
		64QAM	80	40	20.35	-1.36	18.99	0.079	3.000	Pass
			1	1	20.25	-1.36	18.89	0.077	3.000	Pass
			1	158	20.37	-1.36	19.01	0.080	3.000	Pass
		256QAM	80	40	17.74	-1.36	16.38	0.043	3.000	Pass
			1	1	17.47	-1.36	16.11	0.041	3.000	Pass
			1	158	17.82	-1.36	16.46	0.044	3.000	Pass
	MCH	PI/2 BPSK	80	40	21.8	-1.36	20.44	0.111	3.000	Pass
			1	1	21.82	-1.36	20.46	0.111	3.000	Pass
			1	158	21.93	-1.36	20.57	0.114	3.000	Pass
		QPSK	80	40	21.62	-1.36	20.26	0.106	3.000	Pass
			1	1	22.59	-1.36	21.23	0.133	3.000	Pass
			1	158	22.68	-1.36	21.32	0.136	3.000	Pass
		16QAM	80	40	21.7	-1.36	20.34	0.108	3.000	Pass
			1	1	21.53	-1.36	20.17	0.104	3.000	Pass
			1	158	21.89	-1.36	20.53	0.113	3.000	Pass
		64QAM	80	40	20.33	-1.36	18.97	0.079	3.000	Pass
			1	1	20.17	-1.36	18.81	0.076	3.000	Pass
			1	158	20.15	-1.36	18.79	0.076	3.000	Pass
		256QAM	80	40	17.72	-1.36	16.36	0.043	3.000	Pass
			1	1	17.48	-1.36	16.12	0.041	3.000	Pass
			1	158	17.92	-1.36	16.56	0.045	3.000	Pass
	HCH	PI/2 BPSK	80	40	21.89	-1.36	20.53	0.113	3.000	Pass
			1	1	21.86	-1.36	20.50	0.112	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		QPSK	1	158	21.7	-1.36	20.34	0.108	3.000	Pass
			80	40	21.99	-1.36	20.63	0.116	3.000	Pass
			1	1	22.9	-1.36	21.54	0.143	3.000	Pass
			1	158	21.95	-1.36	20.59	0.115	3.000	Pass
		16QAM	80	40	21.86	-1.36	20.50	0.112	3.000	Pass
			1	1	21.65	-1.36	20.29	0.107	3.000	Pass
			1	158	21.71	-1.36	20.35	0.108	3.000	Pass
		64QAM	80	40	20.25	-1.36	18.89	0.077	3.000	Pass
			1	1	20.36	-1.36	19.00	0.079	3.000	Pass
			1	158	20.38	-1.36	19.02	0.080	3.000	Pass
		256QAM	80	40	17.84	-1.36	16.48	0.044	3.000	Pass
			1	1	17.73	-1.36	16.37	0.043	3.000	Pass
			1	158	17.73	-1.36	16.37	0.043	3.000	Pass
40	LCH	PI/2 BPSK	108	54	22.5	-1.36	21.14	0.130	3.000	Pass
			1	1	22.59	-1.36	21.23	0.133	3.000	Pass
			1	214	22.68	-1.36	21.32	0.136	3.000	Pass
		QPSK	108	54	22.37	-1.36	21.01	0.126	3.000	Pass
			1	1	22.18	-1.36	20.82	0.121	3.000	Pass
			1	214	22.6	-1.36	21.24	0.133	3.000	Pass
		16QAM	108	54	21.61	-1.36	20.25	0.106	3.000	Pass
			1	1	21.34	-1.36	19.98	0.100	3.000	Pass
			1	214	21.59	-1.36	20.23	0.105	3.000	Pass
		64QAM	108	54	20.03	-1.36	18.67	0.074	3.000	Pass
			1	1	19.69	-1.36	18.33	0.068	3.000	Pass
			1	214	19.8	-1.36	18.44	0.070	3.000	Pass
		256QAM	108	54	17.46	-1.36	16.10	0.041	3.000	Pass
			1	1	17.13	-1.36	15.77	0.038	3.000	Pass
			1	214	17.51	-1.36	16.15	0.041	3.000	Pass
	MCH	PI/2 BPSK	108	54	22.54	-1.36	21.18	0.131	3.000	Pass
			1	1	22.38	-1.36	21.02	0.126	3.000	Pass
			1	214	22.79	-1.36	21.43	0.139	3.000	Pass
		QPSK	108	54	22.3	-1.36	20.94	0.124	3.000	Pass
			1	1	22.32	-1.36	20.96	0.125	3.000	Pass
			1	214	22.41	-1.36	21.05	0.127	3.000	Pass
		16QAM	108	54	21.43	-1.36	20.07	0.102	3.000	Pass
			1	1	21.37	-1.36	20.01	0.100	3.000	Pass
			1	214	21.87	-1.36	20.51	0.112	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		64QAM	108	54	20.14	-1.36	18.78	0.076	3.000	Pass
			1	1	19.74	-1.36	18.38	0.069	3.000	Pass
			1	214	19.97	-1.36	18.61	0.073	3.000	Pass
		256QAM	108	54	17.69	-1.36	16.33	0.043	3.000	Pass
			1	1	17.18	-1.36	15.82	0.038	3.000	Pass
			1	214	17.52	-1.36	16.16	0.041	3.000	Pass
	HCH	PI/2 BPSK	108	54	22.66	-1.36	21.30	0.135	3.000	Pass
			1	1	22.48	-1.36	21.12	0.129	3.000	Pass
			1	214	22.47	-1.36	21.11	0.129	3.000	Pass
		QPSK	108	54	22.67	-1.36	21.31	0.135	3.000	Pass
			1	1	22.68	-1.36	21.32	0.136	3.000	Pass
			1	214	22.65	-1.36	21.29	0.135	3.000	Pass
		16QAM	108	54	21.73	-1.36	20.37	0.109	3.000	Pass
			1	1	21.8	-1.36	20.44	0.111	3.000	Pass
			1	214	21.55	-1.36	20.19	0.104	3.000	Pass
		64QAM	108	54	20.05	-1.36	18.69	0.074	3.000	Pass
			1	1	20.21	-1.36	18.85	0.077	3.000	Pass
			1	214	20.22	-1.36	18.86	0.077	3.000	Pass
		256QAM	108	54	17.71	-1.36	16.35	0.043	3.000	Pass
			1	1	17.25	-1.36	15.89	0.039	3.000	Pass
			1	214	17.58	-1.36	16.22	0.042	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
10	LCH	PI/2 BPSK	12	6	26.09	1.83	27.92	0.619	2.000	Pass
			1	1	26.19	1.83	28.02	0.634	2.000	Pass
			1	22	25.94	1.83	27.77	0.598	2.000	Pass
		QPSK	12	6	25.78	1.83	27.61	0.577	2.000	Pass
			1	1	26.03	1.83	27.86	0.611	2.000	Pass
			1	22	25.86	1.83	27.69	0.587	2.000	Pass
		16QAM	12	6	25	1.83	26.83	0.482	2.000	Pass
			1	1	24.93	1.83	26.76	0.474	2.000	Pass
			1	22	25.07	1.83	26.90	0.490	2.000	Pass
		64QAM	12	6	23.16	1.83	24.99	0.316	2.000	Pass
			1	1	22.89	1.83	24.72	0.296	2.000	Pass
			1	22	23	1.83	24.83	0.304	2.000	Pass
		256QAM	12	6	20.41	1.83	22.24	0.167	2.000	Pass
			1	1	20.46	1.83	22.29	0.169	2.000	Pass
			1	22	20.46	1.83	22.29	0.169	2.000	Pass
	MCH	PI/2 BPSK	12	6	26.53	1.83	28.36	0.685	2.000	Pass
			1	1	26.63	1.83	28.46	0.701	2.000	Pass
			1	22	27.03	1.83	28.86	0.769	2.000	Pass
		QPSK	12	6	26.77	1.83	28.60	0.724	2.000	Pass
			1	1	26.6	1.83	28.43	0.697	2.000	Pass
			1	22	26.87	1.83	28.70	0.741	2.000	Pass
		16QAM	12	6	25.6	1.83	27.43	0.553	2.000	Pass
			1	1	25.72	1.83	27.55	0.569	2.000	Pass
			1	22	25.6	1.83	27.43	0.553	2.000	Pass
		64QAM	12	6	23.68	1.83	25.51	0.356	2.000	Pass
			1	1	23.55	1.83	25.38	0.345	2.000	Pass
			1	22	23.34	1.83	25.17	0.329	2.000	Pass
		256QAM	12	6	21.02	1.83	22.85	0.193	2.000	Pass
			1	1	21.08	1.83	22.91	0.195	2.000	Pass
			1	22	21.11	1.83	22.94	0.197	2.000	Pass
	HCH	PI/2 BPSK	12	6	26.16	1.83	27.99	0.630	2.000	Pass
			1	1	26.14	1.83	27.97	0.627	2.000	Pass
			1	22	26.2	1.83	28.03	0.635	2.000	Pass
		QPSK	12	6	26.14	1.83	27.97	0.627	2.000	Pass
			1	1	26.1	1.83	27.93	0.621	2.000	Pass
			1	22	26.33	1.83	28.16	0.655	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	12	6	26.03	1.83	27.86	0.611	2.000	Pass
			1	1	26.27	1.83	28.10	0.646	2.000	Pass
			1	22	26.12	1.83	27.95	0.624	2.000	Pass
		64QAM	12	6	23.97	1.83	25.80	0.380	2.000	Pass
			1	1	23.97	1.83	25.80	0.380	2.000	Pass
			1	22	23.86	1.83	25.69	0.371	2.000	Pass
		256QAM	12	6	21.77	1.83	23.60	0.229	2.000	Pass
			1	1	21.4	1.83	23.23	0.210	2.000	Pass
			1	22	21.4	1.83	23.23	0.210	2.000	Pass
15	LCH	PI/2 BPSK	18	9	26.03	1.83	27.86	0.611	2.000	Pass
			1	1	25.64	1.83	27.47	0.558	2.000	Pass
			1	36	26.01	1.83	27.84	0.608	2.000	Pass
		QPSK	18	9	25.79	1.83	27.62	0.578	2.000	Pass
			1	1	25.71	1.83	27.54	0.568	2.000	Pass
			1	36	25.99	1.83	27.82	0.605	2.000	Pass
		16QAM	18	9	24.73	1.83	26.56	0.453	2.000	Pass
			1	1	24.87	1.83	26.70	0.468	2.000	Pass
			1	36	24.84	1.83	26.67	0.465	2.000	Pass
		64QAM	18	9	22.97	1.83	24.80	0.302	2.000	Pass
			1	1	22.82	1.83	24.65	0.292	2.000	Pass
			1	36	23.02	1.83	24.85	0.305	2.000	Pass
		256QAM	18	9	20.49	1.83	22.32	0.171	2.000	Pass
			1	1	20.03	1.83	21.86	0.153	2.000	Pass
			1	36	20.38	1.83	22.21	0.166	2.000	Pass
	MCH	PI/2 BPSK	18	9	26.4	1.83	28.23	0.665	2.000	Pass
			1	1	26.5	1.83	28.33	0.681	2.000	Pass
			1	36	26.75	1.83	28.58	0.721	2.000	Pass
		QPSK	18	9	26.65	1.83	28.48	0.705	2.000	Pass
			1	1	26.61	1.83	28.44	0.698	2.000	Pass
			1	36	26.36	1.83	28.19	0.659	2.000	Pass
		16QAM	18	9	25.42	1.83	27.25	0.531	2.000	Pass
			1	1	25.51	1.83	27.34	0.542	2.000	Pass
			1	36	25.54	1.83	27.37	0.546	2.000	Pass
		64QAM	18	9	23.77	1.83	25.60	0.363	2.000	Pass
			1	1	23.43	1.83	25.26	0.336	2.000	Pass
			1	36	23.09	1.83	24.92	0.310	2.000	Pass
		256QAM	18	9	20.99	1.83	22.82	0.191	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
	HCH		1	1	21.13	1.83	22.96	0.198	2.000	Pass
			1	36	21.22	1.83	23.05	0.202	2.000	Pass
			18	9	25.93	1.83	27.76	0.597	2.000	Pass
		PI/2 BPSK	1	1	26.13	1.83	27.96	0.625	2.000	Pass
			1	36	26.14	1.83	27.97	0.627	2.000	Pass
			18	9	26.22	1.83	28.05	0.638	2.000	Pass
		QPSK	1	1	27.09	1.83	28.92	0.780	2.000	Pass
			1	36	26.84	1.83	28.67	0.736	2.000	Pass
			18	9	25.84	1.83	27.67	0.585	2.000	Pass
		16QAM	1	1	26.12	1.83	27.95	0.624	2.000	Pass
			1	36	26.08	1.83	27.91	0.618	2.000	Pass
			18	9	24.29	1.83	26.12	0.409	2.000	Pass
		64QAM	1	1	23.93	1.83	25.76	0.377	2.000	Pass
			1	36	23.86	1.83	25.69	0.371	2.000	Pass
			18	9	21.46	1.83	23.29	0.213	2.000	Pass
		256QAM	1	1	21.11	1.83	22.94	0.197	2.000	Pass
			1	36	21.25	1.83	23.08	0.203	2.000	Pass
			25	12	26.15	1.83	27.98	0.628	2.000	Pass
20	LCH	PI/2 BPSK	1	1	25.87	1.83	27.70	0.589	2.000	Pass
			1	49	25.9	1.83	27.73	0.593	2.000	Pass
			25	12	25.68	1.83	27.51	0.564	2.000	Pass
		QPSK	1	1	26.1	1.83	27.93	0.621	2.000	Pass
			1	49	25.94	1.83	27.77	0.598	2.000	Pass
			25	12	25.12	1.83	26.95	0.495	2.000	Pass
		16QAM	1	1	24.99	1.83	26.82	0.481	2.000	Pass
			1	49	25.24	1.83	27.07	0.509	2.000	Pass
			25	12	23.05	1.83	24.88	0.308	2.000	Pass
		64QAM	1	1	22.71	1.83	24.54	0.284	2.000	Pass
			1	49	22.76	1.83	24.59	0.288	2.000	Pass
			25	12	20.57	1.83	22.40	0.174	2.000	Pass
		256QAM	1	1	20.6	1.83	22.43	0.175	2.000	Pass
			1	49	20.37	1.83	22.20	0.166	2.000	Pass
			25	12	26.71	1.83	28.54	0.714	2.000	Pass
	MCH	PI/2 BPSK	1	1	26.73	1.83	28.56	0.718	2.000	Pass
			1	49	26.63	1.83	28.46	0.701	2.000	Pass
			25	12	26.5	1.83	28.33	0.681	2.000	Pass
		QPSK	1	1	26.84	1.83	28.67	0.736	2.000	Pass
			25	12	26.84	1.83	28.67	0.736	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	1	49	26.77	1.83	28.60	0.724	2.000	Pass
			25	12	25.32	1.83	27.15	0.519	2.000	Pass
			1	1	25.65	1.83	27.48	0.560	2.000	Pass
			1	49	25.61	1.83	27.44	0.555	2.000	Pass
		64QAM	25	12	23.45	1.83	25.28	0.337	2.000	Pass
			1	1	23.26	1.83	25.09	0.323	2.000	Pass
			1	49	23.32	1.83	25.15	0.327	2.000	Pass
		256QAM	25	12	20.88	1.83	22.71	0.187	2.000	Pass
			1	1	21	1.83	22.83	0.192	2.000	Pass
			1	49	21.03	1.83	22.86	0.193	2.000	Pass
	HCH	PI/2 BPSK	25	12	26.75	1.83	28.58	0.721	2.000	Pass
			1	1	27	1.83	28.83	0.764	2.000	Pass
			1	49	26.71	1.83	28.54	0.714	2.000	Pass
		QPSK	25	12	26.72	1.83	28.55	0.716	2.000	Pass
			1	1	26.78	1.83	28.61	0.726	2.000	Pass
			1	49	26.55	1.83	28.38	0.689	2.000	Pass
		16QAM	25	12	25.72	1.83	27.55	0.569	2.000	Pass
			1	1	25.91	1.83	27.74	0.594	2.000	Pass
			1	49	25.69	1.83	27.52	0.565	2.000	Pass
		64QAM	25	12	23.7	1.83	25.53	0.357	2.000	Pass
			1	1	23.75	1.83	25.58	0.361	2.000	Pass
			1	49	23.7	1.83	25.53	0.357	2.000	Pass
		256QAM	25	12	20.99	1.83	22.82	0.191	2.000	Pass
			1	1	21.04	1.83	22.87	0.194	2.000	Pass
			1	49	21.09	1.83	22.92	0.196	2.000	Pass
30	LCH	PI/2 BPSK	36	18	26.22	1.83	28.05	0.638	2.000	Pass
			1	1	26.29	1.83	28.12	0.649	2.000	Pass
			1	76	26.36	1.83	28.19	0.659	2.000	Pass
		QPSK	36	18	26.15	1.83	27.98	0.628	2.000	Pass
			1	1	26.16	1.83	27.99	0.630	2.000	Pass
			1	76	26.13	1.83	27.96	0.625	2.000	Pass
		16QAM	36	18	25.26	1.83	27.09	0.512	2.000	Pass
			1	1	25.14	1.83	26.97	0.498	2.000	Pass
			1	76	25.21	1.83	27.04	0.506	2.000	Pass
		64QAM	36	18	22.87	1.83	24.70	0.295	2.000	Pass
			1	1	22.86	1.83	24.69	0.294	2.000	Pass
			1	76	23.06	1.83	24.89	0.308	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		256QAM	36	18	20.47	1.83	22.30	0.170	2.000	Pass
			1	1	20.61	1.83	22.44	0.175	2.000	Pass
			1	76	20.51	1.83	22.34	0.171	2.000	Pass
	MCH	PI/2 BPSK	36	18	26.63	1.83	28.46	0.701	2.000	Pass
			1	1	26.84	1.83	28.67	0.736	2.000	Pass
			1	76	26.83	1.83	28.66	0.735	2.000	Pass
		QPSK	36	18	26.61	1.83	28.44	0.698	2.000	Pass
			1	1	20.24	1.83	22.07	0.161	2.000	Pass
			1	76	26.68	1.83	28.51	0.710	2.000	Pass
		16QAM	36	18	25.84	1.83	27.67	0.585	2.000	Pass
			1	1	25.79	1.83	27.62	0.578	2.000	Pass
			1	76	25.67	1.83	27.50	0.562	2.000	Pass
		64QAM	36	18	23.71	1.83	25.54	0.358	2.000	Pass
			1	1	23.54	1.83	25.37	0.344	2.000	Pass
			1	76	23.87	1.83	25.70	0.372	2.000	Pass
		256QAM	36	18	21.11	1.83	22.94	0.197	2.000	Pass
			1	1	21.25	1.83	23.08	0.203	2.000	Pass
			1	76	21.16	1.83	22.99	0.199	2.000	Pass
	HCH	PI/2 BPSK	36	18	25.98	1.83	27.81	0.604	2.000	Pass
			1	1	26.03	1.83	27.86	0.611	2.000	Pass
			1	76	26.23	1.83	28.06	0.640	2.000	Pass
		QPSK	36	18	26.04	1.83	27.87	0.612	2.000	Pass
			1	1	26.35	1.83	28.18	0.658	2.000	Pass
			1	76	25.94	1.83	27.77	0.598	2.000	Pass
		16QAM	36	18	26.21	1.83	28.04	0.637	2.000	Pass
			1	1	26.22	1.83	28.05	0.638	2.000	Pass
			1	76	26.31	1.83	28.14	0.652	2.000	Pass
		64QAM	36	18	24.25	1.83	26.08	0.406	2.000	Pass
			1	1	23.81	1.83	25.64	0.366	2.000	Pass
			1	76	23.77	1.83	25.60	0.363	2.000	Pass
		256QAM	36	18	21.81	1.83	23.64	0.231	2.000	Pass
			1	1	21.46	1.83	23.29	0.213	2.000	Pass
			1	76	21.48	1.83	23.31	0.214	2.000	Pass
40	LCH	PI/2 BPSK	50	25	26.26	1.83	28.09	0.644	2.000	Pass
			1	1	25.8	1.83	27.63	0.579	2.000	Pass
			1	104	26.38	1.83	28.21	0.662	2.000	Pass
		QPSK	50	25	26.13	1.83	27.96	0.625	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	1	1	25.95	1.83	27.78	0.600	2.000	Pass
			1	104	26.27	1.83	28.10	0.646	2.000	Pass
			50	25	25.19	1.83	27.02	0.504	2.000	Pass
			1	1	24.81	1.83	26.64	0.461	2.000	Pass
			1	104	25.45	1.83	27.28	0.535	2.000	Pass
		64QAM	50	25	23.02	1.83	24.85	0.305	2.000	Pass
			1	1	22.83	1.83	24.66	0.292	2.000	Pass
			1	104	22.98	1.83	24.81	0.303	2.000	Pass
		256QAM	50	25	20.92	1.83	22.75	0.188	2.000	Pass
			1	1	20.48	1.83	22.31	0.170	2.000	Pass
			1	104	20.46	1.83	22.29	0.169	2.000	Pass
	MCH	PI/2 BPSK	50	25	26.74	1.83	28.57	0.719	2.000	Pass
			1	1	26.45	1.83	28.28	0.673	2.000	Pass
			1	104	26.7	1.83	28.53	0.713	2.000	Pass
		QPSK	50	25	26.63	1.83	28.46	0.701	2.000	Pass
			1	1	26.52	1.83	28.35	0.684	2.000	Pass
			1	104	26.61	1.83	28.44	0.698	2.000	Pass
		16QAM	50	25	25.47	1.83	27.30	0.537	2.000	Pass
			1	1	25.56	1.83	27.39	0.548	2.000	Pass
			1	104	25.89	1.83	27.72	0.592	2.000	Pass
		64QAM	50	25	23.94	1.83	25.77	0.378	2.000	Pass
			1	1	23.61	1.83	25.44	0.350	2.000	Pass
			1	104	23.66	1.83	25.49	0.354	2.000	Pass
		256QAM	50	25	21.34	1.83	23.17	0.207	2.000	Pass
			1	1	20.99	1.83	22.82	0.191	2.000	Pass
			1	104	21.02	1.83	22.85	0.193	2.000	Pass
	HCH	PI/2 BPSK	50	25	26.1	1.83	27.93	0.621	2.000	Pass
			1	1	26	1.83	27.83	0.607	2.000	Pass
			1	104	26.14	1.83	27.97	0.627	2.000	Pass
		QPSK	50	25	26.25	1.83	28.08	0.643	2.000	Pass
			1	1	26.11	1.83	27.94	0.622	2.000	Pass
			1	104	25.91	1.83	27.74	0.594	2.000	Pass
		16QAM	50	25	26.25	1.83	28.08	0.643	2.000	Pass
			1	1	26.1	1.83	27.93	0.621	2.000	Pass
			1	104	26.13	1.83	27.96	0.625	2.000	Pass
		64QAM	50	25	24.37	1.83	26.20	0.417	2.000	Pass
			1	1	24.01	1.83	25.84	0.384	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		256QAM	1	104	24.22	1.83	26.05	0.403	2.000	Pass
			50	25	21.52	1.83	23.35	0.216	2.000	Pass
			1	1	21.53	1.83	23.36	0.217	2.000	Pass
			1	104	21.23	1.83	23.06	0.202	2.000	Pass
50	LCH	PI/2 BPSK	64	32	26.3	1.83	28.13	0.650	2.000	Pass
			1	1	26.19	1.83	28.02	0.634	2.000	Pass
			1	131	26.28	1.83	28.11	0.647	2.000	Pass
		QPSK	64	32	26.35	1.83	28.18	0.658	2.000	Pass
			1	1	25.93	1.83	27.76	0.597	2.000	Pass
			1	131	26.39	1.83	28.22	0.664	2.000	Pass
		16QAM	64	32	25.14	1.83	26.97	0.498	2.000	Pass
			1	1	25.28	1.83	27.11	0.514	2.000	Pass
			1	131	25.43	1.83	27.26	0.532	2.000	Pass
		64QAM	64	32	23.14	1.83	24.97	0.314	2.000	Pass
			1	1	23.23	1.83	25.06	0.321	2.000	Pass
			1	131	23.27	1.83	25.10	0.324	2.000	Pass
		256QAM	64	32	20.7	1.83	22.53	0.179	2.000	Pass
			1	1	20.44	1.83	22.27	0.169	2.000	Pass
			1	131	20.6	1.83	22.43	0.175	2.000	Pass
	MCH	PI/2 BPSK	64	32	26.88	1.83	28.71	0.743	2.000	Pass
			1	1	26.56	1.83	28.39	0.690	2.000	Pass
			1	131	26.57	1.83	28.40	0.692	2.000	Pass
		QPSK	64	32	26.81	1.83	28.64	0.731	2.000	Pass
			1	1	26.44	1.83	28.27	0.671	2.000	Pass
			1	131	26.55	1.83	28.38	0.689	2.000	Pass
		16QAM	64	32	25.57	1.83	27.40	0.550	2.000	Pass
			1	1	25.46	1.83	27.29	0.536	2.000	Pass
			1	131	25.42	1.83	27.25	0.531	2.000	Pass
		64QAM	64	32	23.5	1.83	25.33	0.341	2.000	Pass
			1	1	23.39	1.83	25.22	0.333	2.000	Pass
			1	131	23.27	1.83	25.10	0.324	2.000	Pass
		256QAM	64	32	21.27	1.83	23.10	0.204	2.000	Pass
			1	1	21.17	1.83	23.00	0.200	2.000	Pass
			1	131	20.92	1.83	22.75	0.188	2.000	Pass
	HCH	PI/2 BPSK	64	32	26.88	1.83	28.71	0.743	2.000	Pass
			1	1	26.63	1.83	28.46	0.701	2.000	Pass
			1	131	26.59	1.83	28.42	0.695	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		QPSK	64	32	26.88	1.83	28.71	0.743	2.000	Pass
			1	1	26.69	1.83	28.52	0.711	2.000	Pass
			1	131	26.5	1.83	28.33	0.681	2.000	Pass
		16QAM	64	32	25.98	1.83	27.81	0.604	2.000	Pass
			1	1	25.7	1.83	27.53	0.566	2.000	Pass
			1	131	25.82	1.83	27.65	0.582	2.000	Pass
		64QAM	64	32	23.95	1.83	25.78	0.378	2.000	Pass
			1	1	23.64	1.83	25.47	0.352	2.000	Pass
			1	131	23.52	1.83	25.35	0.343	2.000	Pass
		256QAM	64	32	21.64	1.83	23.47	0.222	2.000	Pass
			1	1	21.04	1.83	22.87	0.194	2.000	Pass
			1	131	20.88	1.83	22.71	0.187	2.000	Pass
60	LCH	PI/2 BPSK	81	40	26.2	1.83	28.03	0.635	2.000	Pass
			1	1	26.01	1.83	27.84	0.608	2.000	Pass
			1	160	26.59	1.83	28.42	0.695	2.000	Pass
		QPSK	81	40	26.36	1.83	28.19	0.659	2.000	Pass
			1	1	26.06	1.83	27.89	0.615	2.000	Pass
			1	160	26.36	1.83	28.19	0.659	2.000	Pass
		16QAM	81	40	24.97	1.83	26.80	0.479	2.000	Pass
			1	1	25.19	1.83	27.02	0.504	2.000	Pass
			1	160	25.66	1.83	27.49	0.561	2.000	Pass
		64QAM	81	40	23.31	1.83	25.14	0.327	2.000	Pass
			1	1	22.95	1.83	24.78	0.301	2.000	Pass
			1	160	23.76	1.83	25.59	0.362	2.000	Pass
		256QAM	81	40	20.84	1.83	22.67	0.185	2.000	Pass
			1	1	20.31	1.83	22.14	0.164	2.000	Pass
			1	160	20.63	1.83	22.46	0.176	2.000	Pass
	MCH	PI/2 BPSK	81	40	26.62	1.83	28.45	0.700	2.000	Pass
			1	1	26.63	1.83	28.46	0.701	2.000	Pass
			1	160	26.87	1.83	28.70	0.741	2.000	Pass
		QPSK	81	40	26.7	1.83	28.53	0.713	2.000	Pass
			1	1	26.53	1.83	28.36	0.685	2.000	Pass
			1	160	26.7	1.83	28.53	0.713	2.000	Pass
		16QAM	81	40	25.47	1.83	27.30	0.537	2.000	Pass
			1	1	25.58	1.83	27.41	0.551	2.000	Pass
			1	160	25.76	1.83	27.59	0.574	2.000	Pass
		64QAM	81	40	23.75	1.83	25.58	0.361	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		256QAM	1	1	23.13	1.83	24.96	0.313	2.000	Pass
			1	160	23.4	1.83	25.23	0.333	2.000	Pass
			81	40	21.39	1.83	23.22	0.210	2.000	Pass
			1	1	20.84	1.83	22.67	0.185	2.000	Pass
			1	160	21.06	1.83	22.89	0.195	2.000	Pass
	HCH	PI/2 BPSK	81	40	26.83	1.83	28.66	0.735	2.000	Pass
			1	1	26.13	1.83	27.96	0.625	2.000	Pass
			1	160	26.75	1.83	28.58	0.721	2.000	Pass
		QPSK	81	40	26.46	1.83	28.29	0.675	2.000	Pass
			1	1	26.21	1.83	28.04	0.637	2.000	Pass
			1	160	26.01	1.83	27.84	0.608	2.000	Pass
		16QAM	81	40	24.92	1.83	26.75	0.473	2.000	Pass
			1	1	19.41	1.83	21.24	0.133	2.000	Pass
			1	160	25.99	1.83	27.82	0.605	2.000	Pass
		64QAM	81	40	24.13	1.83	25.96	0.394	2.000	Pass
			1	1	23.59	1.83	25.42	0.348	2.000	Pass
			1	160	23.71	1.83	25.54	0.358	2.000	Pass
		256QAM	81	40	21.57	1.83	23.40	0.219	2.000	Pass
			1	1	21.23	1.83	23.06	0.202	2.000	Pass
			1	160	21.61	1.83	23.44	0.221	2.000	Pass
70	LCH	PI/2 BPSK	90	45	26.43	1.83	28.26	0.670	2.000	Pass
			1	1	26.07	1.83	27.90	0.617	2.000	Pass
			1	187	26.59	1.83	28.42	0.695	2.000	Pass
		QPSK	90	45	26.24	1.83	28.07	0.641	2.000	Pass
			1	1	26.3	1.83	28.13	0.650	2.000	Pass
			1	187	26.71	1.83	28.54	0.714	2.000	Pass
		16QAM	90	45	25.14	1.83	26.97	0.498	2.000	Pass
			1	1	25.34	1.83	27.17	0.521	2.000	Pass
			1	187	25.88	1.83	27.71	0.590	2.000	Pass
		64QAM	90	45	23.28	1.83	25.11	0.324	2.000	Pass
			1	1	23.08	1.83	24.91	0.310	2.000	Pass
			1	187	23.76	1.83	25.59	0.362	2.000	Pass
		256QAM	90	45	20.72	1.83	22.55	0.180	2.000	Pass
			1	1	20.64	1.83	22.47	0.177	2.000	Pass
			1	187	21.17	1.83	23.00	0.200	2.000	Pass
	MCH	PI/2 BPSK	90	45	26.69	1.83	28.52	0.711	2.000	Pass
			1	1	26.97	1.83	28.80	0.759	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		QPSK	1	187	26.92	1.83	28.75	0.750	2.000	Pass
			90	45	26.75	1.83	28.58	0.721	2.000	Pass
			1	1	26.47	1.83	28.30	0.676	2.000	Pass
			1	187	26.58	1.83	28.41	0.693	2.000	Pass
		16QAM	90	45	25.85	1.83	27.68	0.586	2.000	Pass
			1	1	25.63	1.83	27.46	0.557	2.000	Pass
			1	187	26.02	1.83	27.85	0.610	2.000	Pass
		64QAM	90	45	23.8	1.83	25.63	0.366	2.000	Pass
			1	1	23.35	1.83	25.18	0.330	2.000	Pass
			1	187	23.57	1.83	25.40	0.347	2.000	Pass
		256QAM	90	45	21.45	1.83	23.28	0.213	2.000	Pass
			1	1	21.18	1.83	23.01	0.200	2.000	Pass
			1	187	21.2	1.83	23.03	0.201	2.000	Pass
	HCH	PI/2 BPSK	90	45	26.39	1.83	28.22	0.664	2.000	Pass
			1	1	26.15	1.83	27.98	0.628	2.000	Pass
			1	187	26	1.83	27.83	0.607	2.000	Pass
		QPSK	90	45	26.13	1.83	27.96	0.625	2.000	Pass
			1	1	26.23	1.83	28.06	0.640	2.000	Pass
			1	187	26.1	1.83	27.93	0.621	2.000	Pass
		16QAM	90	45	25.96	1.83	27.79	0.601	2.000	Pass
			1	1	26.12	1.83	27.95	0.624	2.000	Pass
			1	187	26.24	1.83	28.07	0.641	2.000	Pass
		64QAM	90	45	24.15	1.83	25.98	0.396	2.000	Pass
			1	1	24.3	1.83	26.13	0.410	2.000	Pass
			1	187	24.34	1.83	26.17	0.414	2.000	Pass
		256QAM	90	45	21.83	1.83	23.66	0.232	2.000	Pass
			1	1	21.29	1.83	23.12	0.205	2.000	Pass
			1	187	21.29	1.83	23.12	0.205	2.000	Pass
80	LCH	PI/2 BPSK	108	54	26.28	1.83	28.11	0.647	2.000	Pass
			1	1	26.26	1.83	28.09	0.644	2.000	Pass
			1	215	26.68	1.83	28.51	0.710	2.000	Pass
		QPSK	108	54	26.53	1.83	28.36	0.685	2.000	Pass
			1	1	26.17	1.83	28.00	0.631	2.000	Pass
			1	215	26.71	1.83	28.54	0.714	2.000	Pass
		16QAM	108	54	25.58	1.83	27.41	0.551	2.000	Pass
			1	1	25.21	1.83	27.04	0.506	2.000	Pass
			1	215	25.6	1.83	27.43	0.553	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
	MCH	64QAM	108	54	23.61	1.83	25.44	0.350	2.000	Pass
			1	1	22.98	1.83	24.81	0.303	2.000	Pass
			1	215	23.77	1.83	25.60	0.363	2.000	Pass
		256QAM	108	54	20.91	1.83	22.74	0.188	2.000	Pass
			1	1	20.7	1.83	22.53	0.179	2.000	Pass
			1	215	20.97	1.83	22.80	0.191	2.000	Pass
		PI/2 BPSK	108	54	26.69	1.83	28.52	0.711	2.000	Pass
			1	1	26.56	1.83	28.39	0.690	2.000	Pass
			1	215	27.02	1.83	28.85	0.767	2.000	Pass
		QPSK	108	54	26.56	1.83	28.39	0.690	2.000	Pass
			1	1	26.57	1.83	28.40	0.692	2.000	Pass
			1	215	26.62	1.83	28.45	0.700	2.000	Pass
		16QAM	108	54	25.88	1.83	27.71	0.590	2.000	Pass
			1	1	25.66	1.83	27.49	0.561	2.000	Pass
			1	215	25.9	1.83	27.73	0.593	2.000	Pass
		64QAM	108	54	23.72	1.83	25.55	0.359	2.000	Pass
			1	1	23.94	1.83	25.77	0.378	2.000	Pass
			1	215	23.91	1.83	25.74	0.375	2.000	Pass
		256QAM	108	54	21.43	1.83	23.26	0.212	2.000	Pass
			1	1	21	1.83	22.83	0.192	2.000	Pass
			1	215	21.39	1.83	23.22	0.210	2.000	Pass
	HCH	PI/2 BPSK	108	54	26.24	1.83	28.07	0.641	2.000	Pass
			1	1	26.14	1.83	27.97	0.627	2.000	Pass
			1	215	25.95	1.83	27.78	0.600	2.000	Pass
		QPSK	108	54	26.13	1.83	27.96	0.625	2.000	Pass
			1	1	26.85	1.83	28.68	0.738	2.000	Pass
			1	215	26.12	1.83	27.95	0.624	2.000	Pass
		16QAM	108	54	26.21	1.83	28.04	0.637	2.000	Pass
			1	1	26.35	1.83	28.18	0.658	2.000	Pass
			1	215	26.47	1.83	28.30	0.676	2.000	Pass
		64QAM	108	54	24.41	1.83	26.24	0.421	2.000	Pass
			1	1	24.06	1.83	25.89	0.388	2.000	Pass
			1	215	24.01	1.83	25.84	0.384	2.000	Pass
		256QAM	108	54	21.67	1.83	23.50	0.224	2.000	Pass
			1	1	21.59	1.83	23.42	0.220	2.000	Pass
			1	215	21.65	1.83	23.48	0.223	2.000	Pass
90	LCH	PI/2	120	60	26.52	1.83	28.35	0.684	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		BPSK	1	1	26.19	1.83	28.02	0.634	2.000	Pass
			1	243	26.79	1.83	28.62	0.728	2.000	Pass
		QPSK	120	60	26.38	1.83	28.21	0.662	2.000	Pass
			1	1	26.15	1.83	27.98	0.628	2.000	Pass
			1	243	26.77	1.83	28.60	0.724	2.000	Pass
		16QAM	120	60	25.49	1.83	27.32	0.540	2.000	Pass
			1	1	25.27	1.83	27.10	0.513	2.000	Pass
			1	243	26.05	1.83	27.88	0.614	2.000	Pass
		64QAM	120	60	23.56	1.83	25.39	0.346	2.000	Pass
			1	1	22.85	1.83	24.68	0.294	2.000	Pass
			1	243	23.48	1.83	25.31	0.340	2.000	Pass
		256QAM	120	60	20.94	1.83	22.77	0.189	2.000	Pass
			1	1	20.83	1.83	22.66	0.185	2.000	Pass
			1	243	21.3	1.83	23.13	0.206	2.000	Pass
	MCH	PI/2 BPSK	120	60	26.74	1.83	28.57	0.719	2.000	Pass
			1	1	26.91	1.83	28.74	0.748	2.000	Pass
			1	243	26.82	1.83	28.65	0.733	2.000	Pass
		QPSK	120	60	26.88	1.83	28.71	0.743	2.000	Pass
			1	1	26.69	1.83	28.52	0.711	2.000	Pass
			1	243	26.69	1.83	28.52	0.711	2.000	Pass
		16QAM	120	60	25.67	1.83	27.50	0.562	2.000	Pass
			1	1	25.81	1.83	27.64	0.581	2.000	Pass
			1	243	26.28	1.83	28.11	0.647	2.000	Pass
		64QAM	120	60	23.88	1.83	25.71	0.372	2.000	Pass
			1	1	23.45	1.83	25.28	0.337	2.000	Pass
			1	243	23.64	1.83	25.47	0.352	2.000	Pass
		256QAM	120	60	21.43	1.83	23.26	0.212	2.000	Pass
			1	1	21.31	1.83	23.14	0.206	2.000	Pass
			1	243	21.29	1.83	23.12	0.205	2.000	Pass
	HCH	PI/2 BPSK	120	60	25.15	1.83	26.98	0.499	2.000	Pass
			1	1	15.28	1.83	17.11	0.051	2.000	Pass
			1	243	9.27	1.83	11.10	0.013	2.000	Pass
		QPSK	120	60	25.64	1.83	27.47	0.558	2.000	Pass
			1	1	25.01	1.83	26.84	0.483	2.000	Pass
			1	243	14.73	1.83	16.56	0.045	2.000	Pass
		16QAM	120	60	25.06	1.83	26.89	0.489	2.000	Pass
			1	1	14.71	1.83	16.54	0.045	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		64QAM	1	243	14.74	1.83	16.57	0.045	2.000	Pass
			120	60	17.99	1.83	19.82	0.096	2.000	Pass
			1	1	22.98	1.83	24.81	0.303	2.000	Pass
			1	243	7.28	1.83	9.11	0.008	2.000	Pass
		256QAM	120	60	21.83	1.83	23.66	0.232	2.000	Pass
			1	1	21.53	1.83	23.36	0.217	2.000	Pass
			1	243	21.44	1.83	23.27	0.212	2.000	Pass
100	LCH	PI/2 BPSK	135	67	26.31	1.83	28.14	0.652	2.000	Pass
			1	1	26.37	1.83	28.20	0.661	2.000	Pass
			1	271	26.51	1.83	28.34	0.682	2.000	Pass
		QPSK	135	67	26.27	1.83	28.10	0.646	2.000	Pass
			1	1	26.05	1.83	27.88	0.614	2.000	Pass
			1	271	26.81	1.83	28.64	0.731	2.000	Pass
		16QAM	135	67	25.29	1.83	27.12	0.515	2.000	Pass
			1	1	25.16	1.83	26.99	0.500	2.000	Pass
			1	271	25.57	1.83	27.40	0.550	2.000	Pass
		64QAM	135	67	23.58	1.83	25.41	0.348	2.000	Pass
			1	1	23.33	1.83	25.16	0.328	2.000	Pass
			1	271	23.86	1.83	25.69	0.371	2.000	Pass
		256QAM	135	67	21.03	1.83	22.86	0.193	2.000	Pass
			1	1	20.79	1.83	22.62	0.183	2.000	Pass
			1	271	20.98	1.83	22.81	0.191	2.000	Pass
	MCH	PI/2 BPSK	135	67	26.4	1.83	28.23	0.665	2.000	Pass
			1	1	26.55	1.83	28.38	0.689	2.000	Pass
			1	271	26.58	1.83	28.41	0.693	2.000	Pass
		QPSK	135	67	26.45	1.83	28.28	0.673	2.000	Pass
			1	1	26.7	1.83	28.53	0.713	2.000	Pass
			1	271	26.48	1.83	28.31	0.678	2.000	Pass
		16QAM	135	67	25.48	1.83	27.31	0.538	2.000	Pass
			1	1	25.92	1.83	27.75	0.596	2.000	Pass
			1	271	25.75	1.83	27.58	0.573	2.000	Pass
		64QAM	135	67	23.72	1.83	25.55	0.359	2.000	Pass
			1	1	23.87	1.83	25.70	0.372	2.000	Pass
			1	271	23.81	1.83	25.64	0.366	2.000	Pass
		256QAM	135	67	21.21	1.83	23.04	0.201	2.000	Pass
			1	1	21.28	1.83	23.11	0.205	2.000	Pass
			1	271	20.85	1.83	22.68	0.185	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
	HCH	PI/2 BPSK	135	67	26.91	1.83	28.74	0.748	2.000	Pass
			1	1	27.05	1.83	28.88	0.773	2.000	Pass
			1	271	26.78	1.83	28.61	0.726	2.000	Pass
		QPSK	135	67	26.78	1.83	28.61	0.726	2.000	Pass
			1	1	26.91	1.83	28.74	0.748	2.000	Pass
			1	271	26.78	1.83	28.61	0.726	2.000	Pass
		16QAM	135	67	25.95	1.83	27.78	0.600	2.000	Pass
			1	1	26.32	1.83	28.15	0.653	2.000	Pass
			1	271	25.78	1.83	27.61	0.577	2.000	Pass
		64QAM	135	67	23.86	1.83	25.69	0.371	2.000	Pass
			1	1	23.93	1.83	25.76	0.377	2.000	Pass
			1	271	23.87	1.83	25.70	0.372	2.000	Pass
		256QAM	135	67	21.47	1.83	23.30	0.214	2.000	Pass
			1	1	21.56	1.83	23.39	0.218	2.000	Pass
			1	271	21.09	1.83	22.92	0.196	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
5	LCH	PI/2 BPSK	12	6	22.78	-0.82	21.96	0.157	1.000	Pass
			1	1	22.85	-0.82	22.03	0.160	1.000	Pass
			1	23	22.8	-0.82	21.98	0.158	1.000	Pass
		QPSK	12	6	22.8	-0.82	21.98	0.158	1.000	Pass
			1	1	22.98	-0.82	22.16	0.164	1.000	Pass
			1	23	22.68	-0.82	21.86	0.153	1.000	Pass
		16QAM	12	6	21.59	-0.82	20.77	0.119	1.000	Pass
			1	1	21.92	-0.82	21.10	0.129	1.000	Pass
			1	23	21.78	-0.82	20.96	0.125	1.000	Pass
		64QAM	12	6	20.21	-0.82	19.39	0.087	1.000	Pass
			1	1	20.49	-0.82	19.67	0.093	1.000	Pass
			1	23	20.44	-0.82	19.62	0.092	1.000	Pass
		256QAM	12	6	18.29	-0.82	17.47	0.056	1.000	Pass
			1	1	18.27	-0.82	17.45	0.056	1.000	Pass
			1	23	18.33	-0.82	17.51	0.056	1.000	Pass
	MCH	PI/2 BPSK	12	6	23.42	-0.82	22.60	0.182	1.000	Pass
			1	1	23.08	-0.82	22.26	0.168	1.000	Pass
			1	23	23.33	-0.82	22.51	0.178	1.000	Pass
		QPSK	12	6	23.31	-0.82	22.49	0.177	1.000	Pass
			1	1	23.06	-0.82	22.24	0.167	1.000	Pass
			1	23	23.09	-0.82	22.27	0.169	1.000	Pass
		16QAM	12	6	22.27	-0.82	21.45	0.140	1.000	Pass
			1	1	22.21	-0.82	21.39	0.138	1.000	Pass
			1	23	22.12	-0.82	21.30	0.135	1.000	Pass
		64QAM	12	6	20.47	-0.82	19.65	0.092	1.000	Pass
			1	1	20.78	-0.82	19.96	0.099	1.000	Pass
			1	23	20.81	-0.82	19.99	0.100	1.000	Pass
		256QAM	12	6	18.74	-0.82	17.92	0.062	1.000	Pass
			1	1	18.58	-0.82	17.76	0.060	1.000	Pass
			1	23	18.57	-0.82	17.75	0.060	1.000	Pass
	HCH	PI/2 BPSK	12	6	23.4	-0.82	22.58	0.181	1.000	Pass
			1	1	23.63	-0.82	22.81	0.191	1.000	Pass
			1	23	23.67	-0.82	22.85	0.193	1.000	Pass
		QPSK	12	6	23.66	-0.82	22.84	0.192	1.000	Pass
			1	1	23.59	-0.82	22.77	0.189	1.000	Pass
			1	23	23.52	-0.82	22.70	0.186	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	12	6	22.36	-0.82	21.54	0.143	1.000	Pass
			1	1	22.75	-0.82	21.93	0.156	1.000	Pass
			1	23	22.87	-0.82	22.05	0.160	1.000	Pass
		64QAM	12	6	20.74	-0.82	19.92	0.098	1.000	Pass
			1	1	20.8	-0.82	19.98	0.100	1.000	Pass
			1	23	21.3	-0.82	20.48	0.112	1.000	Pass
		256QAM	12	6	18.82	-0.82	18.00	0.063	1.000	Pass
			1	1	18.85	-0.82	18.03	0.064	1.000	Pass
			1	23	18.74	-0.82	17.92	0.062	1.000	Pass
10	LCH	PI/2 BPSK	25	12	23.12	-0.82	22.30	0.170	1.000	Pass
			1	1	23.05	-0.82	22.23	0.167	1.000	Pass
			1	50	23.22	-0.82	22.40	0.174	1.000	Pass
		QPSK	25	12	23.03	-0.82	22.21	0.166	1.000	Pass
			1	1	23.17	-0.82	22.35	0.172	1.000	Pass
			1	50	23	-0.82	22.18	0.165	1.000	Pass
		16QAM	25	12	21.75	-0.82	20.93	0.124	1.000	Pass
			1	1	22.24	-0.82	21.42	0.139	1.000	Pass
			1	50	22.22	-0.82	21.40	0.138	1.000	Pass
		64QAM	25	12	20.25	-0.82	19.43	0.088	1.000	Pass
			1	1	20.36	-0.82	19.54	0.090	1.000	Pass
			1	50	20.44	-0.82	19.62	0.092	1.000	Pass
	MCH	PI/2 BPSK	25	12	18.39	-0.82	17.57	0.057	1.000	Pass
			1	1	18.3	-0.82	17.48	0.056	1.000	Pass
			1	50	18.45	-0.82	17.63	0.058	1.000	Pass
		QPSK	25	12	23.36	-0.82	22.54	0.179	1.000	Pass
			1	1	23.48	-0.82	22.66	0.185	1.000	Pass
			1	50	23.62	-0.82	22.80	0.191	1.000	Pass
		16QAM	25	12	23.37	-0.82	22.55	0.180	1.000	Pass
			1	1	23.34	-0.82	22.52	0.179	1.000	Pass
			1	50	23.5	-0.82	22.68	0.185	1.000	Pass
		64QAM	25	12	22.38	-0.82	21.56	0.143	1.000	Pass
			1	1	22.6	-0.82	21.78	0.151	1.000	Pass
			1	50	22.76	-0.82	21.94	0.156	1.000	Pass
		256QAM	25	12	20.74	-0.82	19.92	0.098	1.000	Pass
			1	1	20.92	-0.82	20.10	0.102	1.000	Pass
			1	50	21.16	-0.82	20.34	0.108	1.000	Pass
		256QAM	25	12	19.01	-0.82	18.19	0.066	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
	HCH		1	1	18.88	-0.82	18.06	0.064	1.000	Pass
			1	50	19.2	-0.82	18.38	0.069	1.000	Pass
			25	12	23.37	-0.82	22.55	0.180	1.000	Pass
		PI/2 BPSK	1	1	23.4	-0.82	22.58	0.181	1.000	Pass
			1	50	23.22	-0.82	22.40	0.174	1.000	Pass
			25	12	23.7	-0.82	22.88	0.194	1.000	Pass
		QPSK	1	1	23.67	-0.82	22.85	0.193	1.000	Pass
			1	50	23.52	-0.82	22.70	0.186	1.000	Pass
			25	12	22.9	-0.82	22.08	0.161	1.000	Pass
		16QAM	1	1	22.91	-0.82	22.09	0.162	1.000	Pass
			1	50	23.12	-0.82	22.30	0.170	1.000	Pass
			25	12	21.43	-0.82	20.61	0.115	1.000	Pass
		64QAM	1	1	21.08	-0.82	20.26	0.106	1.000	Pass
			1	50	21.66	-0.82	20.84	0.121	1.000	Pass
			25	12	19.36	-0.82	18.54	0.071	1.000	Pass
		256QAM	1	1	19.04	-0.82	18.22	0.066	1.000	Pass
			1	50	19.5	-0.82	18.68	0.074	1.000	Pass
			36	18	23.12	-0.82	22.30	0.170	1.000	Pass
15	LCH	PI/2 BPSK	1	1	23.03	-0.82	22.21	0.166	1.000	Pass
			1	77	22.89	-0.82	22.07	0.161	1.000	Pass
			36	18	22.78	-0.82	21.96	0.157	1.000	Pass
		QPSK	1	1	22.53	-0.82	21.71	0.148	1.000	Pass
			1	77	23.08	-0.82	22.26	0.168	1.000	Pass
			36	18	22.07	-0.82	21.25	0.133	1.000	Pass
		16QAM	1	1	22.18	-0.82	21.36	0.137	1.000	Pass
			1	77	22.08	-0.82	21.26	0.134	1.000	Pass
			36	18	20.38	-0.82	19.56	0.090	1.000	Pass
		64QAM	1	1	20.39	-0.82	19.57	0.091	1.000	Pass
			1	77	20.41	-0.82	19.59	0.091	1.000	Pass
			36	18	18.44	-0.82	17.62	0.058	1.000	Pass
		256QAM	1	1	18.05	-0.82	17.23	0.053	1.000	Pass
			1	77	18.39	-0.82	17.57	0.057	1.000	Pass
			36	18	23.29	-0.82	22.47	0.177	1.000	Pass
	MCH	PI/2 BPSK	1	1	23.37	-0.82	22.55	0.180	1.000	Pass
			1	77	23.74	-0.82	22.92	0.196	1.000	Pass
			36	18	23.49	-0.82	22.67	0.185	1.000	Pass
		QPSK	1	1	23.13	-0.82	22.31	0.170	1.000	Pass
			36	18	23.13	-0.82	22.31	0.170	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	1	77	23.38	-0.82	22.56	0.180	1.000	Pass
			36	18	22.34	-0.82	21.52	0.142	1.000	Pass
			1	1	22.33	-0.82	21.51	0.142	1.000	Pass
			1	77	22.51	-0.82	21.69	0.148	1.000	Pass
		64QAM	36	18	20.74	-0.82	19.92	0.098	1.000	Pass
			1	1	20.96	-0.82	20.14	0.103	1.000	Pass
			1	77	21.11	-0.82	20.29	0.107	1.000	Pass
		256QAM	36	18	19.04	-0.82	18.22	0.066	1.000	Pass
			1	1	18.74	-0.82	17.92	0.062	1.000	Pass
			1	77	19	-0.82	18.18	0.066	1.000	Pass
	HCH	PI/2 BPSK	36	18	23.53	-0.82	22.71	0.187	1.000	Pass
			1	1	23.37	-0.82	22.55	0.180	1.000	Pass
			1	77	19.63	-0.82	18.81	0.076	1.000	Pass
		QPSK	36	18	23.46	-0.82	22.64	0.184	1.000	Pass
			1	1	23.46	-0.82	22.64	0.184	1.000	Pass
			1	77	23.73	-0.82	22.91	0.195	1.000	Pass
		16QAM	36	18	22.78	-0.82	21.96	0.157	1.000	Pass
			1	1	23.05	-0.82	22.23	0.167	1.000	Pass
			1	77	22.95	-0.82	22.13	0.163	1.000	Pass
		64QAM	36	18	21.28	-0.82	20.46	0.111	1.000	Pass
			1	1	21.42	-0.82	20.60	0.115	1.000	Pass
			1	77	21.31	-0.82	20.49	0.112	1.000	Pass
		256QAM	36	18	18.99	-0.82	18.17	0.066	1.000	Pass
			1	1	19.01	-0.82	18.19	0.066	1.000	Pass
			1	77	19.2	-0.82	18.38	0.069	1.000	Pass
20	LCH	PI/2 BPSK	50	25	22.85	-0.82	22.03	0.160	1.000	Pass
			1	1	22.8	-0.82	21.98	0.158	1.000	Pass
			1	104	23.04	-0.82	22.22	0.167	1.000	Pass
		QPSK	50	25	22.88	-0.82	22.06	0.161	1.000	Pass
			1	1	22.81	-0.82	21.99	0.158	1.000	Pass
			1	104	23.06	-0.82	22.24	0.167	1.000	Pass
		16QAM	50	25	21.74	-0.82	20.92	0.124	1.000	Pass
			1	1	22.14	-0.82	21.32	0.136	1.000	Pass
			1	104	22	-0.82	21.18	0.131	1.000	Pass
		64QAM	50	25	20.52	-0.82	19.70	0.093	1.000	Pass
			1	1	20.31	-0.82	19.49	0.089	1.000	Pass
			1	104	20.53	-0.82	19.71	0.094	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
	MCH	256QAM	50	25	18.53	-0.82	17.71	0.059	1.000	Pass
			1	1	18.05	-0.82	17.23	0.053	1.000	Pass
			1	104	18.4	-0.82	17.58	0.057	1.000	Pass
		PI/2 BPSK	50	25	23.51	-0.82	22.69	0.186	1.000	Pass
			1	1	23.15	-0.82	22.33	0.171	1.000	Pass
			1	104	23.24	-0.82	22.42	0.175	1.000	Pass
		QPSK	50	25	23.13	-0.82	22.31	0.170	1.000	Pass
			1	1	23.24	-0.82	22.42	0.175	1.000	Pass
			1	104	23.2	-0.82	22.38	0.173	1.000	Pass
		16QAM	50	25	22.24	-0.82	21.42	0.139	1.000	Pass
			1	1	22.38	-0.82	21.56	0.143	1.000	Pass
			1	104	22.26	-0.82	21.44	0.139	1.000	Pass
		64QAM	50	25	20.82	-0.82	20.00	0.100	1.000	Pass
			1	1	20.57	-0.82	19.75	0.094	1.000	Pass
			1	104	20.99	-0.82	20.17	0.104	1.000	Pass
		256QAM	50	25	18.7	-0.82	17.88	0.061	1.000	Pass
			1	1	18.45	-0.82	17.63	0.058	1.000	Pass
			1	104	18.55	-0.82	17.73	0.059	1.000	Pass
		PI/2 BPSK	50	25	23.64	-0.82	22.82	0.191	1.000	Pass
			1	1	23.3	-0.82	22.48	0.177	1.000	Pass
			1	104	23.51	-0.82	22.69	0.186	1.000	Pass
		QPSK	50	25	23.44	-0.82	22.62	0.183	1.000	Pass
			1	1	23.55	-0.82	22.73	0.187	1.000	Pass
			1	104	23.33	-0.82	22.51	0.178	1.000	Pass
		16QAM	50	25	22.59	-0.82	21.77	0.150	1.000	Pass
			1	1	22.28	-0.82	21.46	0.140	1.000	Pass
			1	104	22.36	-0.82	21.54	0.143	1.000	Pass
		64QAM	50	25	21.15	-0.82	20.33	0.108	1.000	Pass
			1	1	20.9	-0.82	20.08	0.102	1.000	Pass
			1	104	20.99	-0.82	20.17	0.104	1.000	Pass
		256QAM	50	25	19.06	-0.82	18.24	0.067	1.000	Pass
			1	1	18.7	-0.82	17.88	0.061	1.000	Pass
			1	104	18.84	-0.82	18.02	0.063	1.000	Pass
25	LCH	PI/2 BPSK	64	32	23.27	-0.82	22.45	0.176	1.000	Pass
			1	1	22.7	-0.82	21.88	0.154	1.000	Pass
			1	131	23.3	-0.82	22.48	0.177	1.000	Pass
		QPSK	64	32	23.07	-0.82	22.25	0.168	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	1	1	22.75	-0.82	21.93	0.156	1.000	Pass
			1	131	23.38	-0.82	22.56	0.180	1.000	Pass
			64	32	22	-0.82	21.18	0.131	1.000	Pass
			1	1	21.91	-0.82	21.09	0.129	1.000	Pass
			1	131	22.31	-0.82	21.49	0.141	1.000	Pass
		64QAM	64	32	20.46	-0.82	19.64	0.092	1.000	Pass
			1	1	20.69	-0.82	19.87	0.097	1.000	Pass
			1	131	20.6	-0.82	19.78	0.095	1.000	Pass
		256QAM	64	32	18.67	-0.82	17.85	0.061	1.000	Pass
			1	1	18.15	-0.82	17.33	0.054	1.000	Pass
			1	131	18.58	-0.82	17.76	0.060	1.000	Pass
	MCH	PI/2 BPSK	64	32	23.36	-0.82	22.54	0.179	1.000	Pass
			1	1	23.56	-0.82	22.74	0.188	1.000	Pass
			1	131	23.6	-0.82	22.78	0.190	1.000	Pass
		QPSK	64	32	23.54	-0.82	22.72	0.187	1.000	Pass
			1	1	23.14	-0.82	22.32	0.171	1.000	Pass
			1	131	23.55	-0.82	22.73	0.187	1.000	Pass
		16QAM	64	32	22.36	-0.82	21.54	0.143	1.000	Pass
			1	1	22.55	-0.82	21.73	0.149	1.000	Pass
			1	131	22.95	-0.82	22.13	0.163	1.000	Pass
		64QAM	64	32	20.99	-0.82	20.17	0.104	1.000	Pass
			1	1	20.73	-0.82	19.91	0.098	1.000	Pass
			1	131	21.33	-0.82	20.51	0.112	1.000	Pass
		256QAM	64	32	18.88	-0.82	18.06	0.064	1.000	Pass
			1	1	18.56	-0.82	17.74	0.059	1.000	Pass
			1	131	18.98	-0.82	18.16	0.065	1.000	Pass
	HCH	PI/2 BPSK	64	32	23.68	-0.82	22.86	0.193	1.000	Pass
			1	1	23.72	-0.82	22.90	0.195	1.000	Pass
			1	131	23.13	-0.82	22.31	0.170	1.000	Pass
		QPSK	64	32	23.64	-0.82	22.82	0.191	1.000	Pass
			1	1	23.38	-0.82	22.56	0.180	1.000	Pass
			1	131	23.59	-0.82	22.77	0.189	1.000	Pass
		16QAM	64	32	22.81	-0.82	21.99	0.158	1.000	Pass
			1	1	22.81	-0.82	21.99	0.158	1.000	Pass
			1	131	23.31	-0.82	22.49	0.177	1.000	Pass
		64QAM	64	32	21.3	-0.82	20.48	0.112	1.000	Pass
			1	1	21.29	-0.82	20.47	0.111	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		256QAM	1	131	21.35	-0.82	20.53	0.113	1.000	Pass
			64	32	19.52	-0.82	18.70	0.074	1.000	Pass
			1	1	19.16	-0.82	18.34	0.068	1.000	Pass
			1	131	19.19	-0.82	18.37	0.069	1.000	Pass
30	LCH	PI/2 BPSK	80	40	22.99	-0.82	22.17	0.165	1.000	Pass
			1	1	23.11	-0.82	22.29	0.169	1.000	Pass
			1	158	23.2	-0.82	22.38	0.173	1.000	Pass
		QPSK	80	40	23.11	-0.82	22.29	0.169	1.000	Pass
			1	1	22.96	-0.82	22.14	0.164	1.000	Pass
			1	158	23.23	-0.82	22.41	0.174	1.000	Pass
		16QAM	80	40	22.09	-0.82	21.27	0.134	1.000	Pass
			1	1	21.93	-0.82	21.11	0.129	1.000	Pass
			1	158	22.27	-0.82	21.45	0.140	1.000	Pass
		64QAM	80	40	20.63	-0.82	19.81	0.096	1.000	Pass
			1	1	20.35	-0.82	19.53	0.090	1.000	Pass
			1	158	20.61	-0.82	19.79	0.095	1.000	Pass
		256QAM	80	40	18.75	-0.82	17.93	0.062	1.000	Pass
			1	1	18.42	-0.82	17.60	0.058	1.000	Pass
			1	158	18.7	-0.82	17.88	0.061	1.000	Pass
	MCH	PI/2 BPSK	80	40	23.7	-0.82	22.88	0.194	1.000	Pass
			1	1	23.25	-0.82	22.43	0.175	1.000	Pass
			1	158	23.5	-0.82	22.68	0.185	1.000	Pass
		QPSK	80	40	23.47	-0.82	22.65	0.184	1.000	Pass
			1	1	23.38	-0.82	22.56	0.180	1.000	Pass
			1	158	23.47	-0.82	22.65	0.184	1.000	Pass
		16QAM	80	40	22.29	-0.82	21.47	0.140	1.000	Pass
			1	1	21.98	-0.82	21.16	0.131	1.000	Pass
			1	158	22.43	-0.82	21.61	0.145	1.000	Pass
		64QAM	80	40	20.78	-0.82	19.96	0.099	1.000	Pass
			1	1	20.37	-0.82	19.55	0.090	1.000	Pass
			1	158	21.14	-0.82	20.32	0.108	1.000	Pass
		256QAM	80	40	19.1	-0.82	18.28	0.067	1.000	Pass
			1	1	18.4	-0.82	17.58	0.057	1.000	Pass
			1	158	19.17	-0.82	18.35	0.068	1.000	Pass
	HCH	PI/2 BPSK	80	40	23.64	-0.82	22.82	0.191	1.000	Pass
			1	1	23.7	-0.82	22.88	0.194	1.000	Pass
			1	158	22.86	-0.82	22.04	0.160	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		QPSK	80	40	23.52	-0.82	22.70	0.186	1.000	Pass
			1	1	23.25	-0.82	22.43	0.175	1.000	Pass
			1	158	23.72	-0.82	22.90	0.195	1.000	Pass
		16QAM	80	40	22.81	-0.82	21.99	0.158	1.000	Pass
			1	1	22.43	-0.82	21.61	0.145	1.000	Pass
			1	158	22.7	-0.82	21.88	0.154	1.000	Pass
		64QAM	80	40	21.13	-0.82	20.31	0.107	1.000	Pass
			1	1	20.96	-0.82	20.14	0.103	1.000	Pass
			1	158	21.18	-0.82	20.36	0.109	1.000	Pass
		256QAM	80	40	19.47	-0.82	18.65	0.073	1.000	Pass
			1	1	19.03	-0.82	18.21	0.066	1.000	Pass
			1	158	19.47	-0.82	18.65	0.073	1.000	Pass
40	LCH	PI/2 BPSK	108	54	23.19	-0.82	22.37	0.173	1.000	Pass
			1	1	23.01	-0.82	22.19	0.166	1.000	Pass
			1	214	23.19	-0.82	22.37	0.173	1.000	Pass
		QPSK	108	54	23.06	-0.82	22.24	0.167	1.000	Pass
			1	1	22.84	-0.82	22.02	0.159	1.000	Pass
			1	214	23.09	-0.82	22.27	0.169	1.000	Pass
		16QAM	108	54	22.19	-0.82	21.37	0.137	1.000	Pass
			1	1	22.12	-0.82	21.30	0.135	1.000	Pass
			1	214	22.51	-0.82	21.69	0.148	1.000	Pass
		64QAM	108	54	20.64	-0.82	19.82	0.096	1.000	Pass
			1	1	20.56	-0.82	19.74	0.094	1.000	Pass
			1	214	20.7	-0.82	19.88	0.097	1.000	Pass
		256QAM	108	54	18.76	-0.82	17.94	0.062	1.000	Pass
			1	1	18.5	-0.82	17.68	0.059	1.000	Pass
			1	214	18.46	-0.82	17.64	0.058	1.000	Pass
	MCH	PI/2 BPSK	108	54	23.51	-0.82	22.69	0.186	1.000	Pass
			1	1	23.02	-0.82	22.20	0.166	1.000	Pass
			1	214	23.55	-0.82	22.73	0.187	1.000	Pass
		QPSK	108	54	23.25	-0.82	22.43	0.175	1.000	Pass
			1	1	23	-0.82	22.18	0.165	1.000	Pass
			1	214	23.36	-0.82	22.54	0.179	1.000	Pass
		16QAM	108	54	22.34	-0.82	21.52	0.142	1.000	Pass
			1	1	22.11	-0.82	21.29	0.135	1.000	Pass
			1	214	22.76	-0.82	21.94	0.156	1.000	Pass
		64QAM	108	54	20.69	-0.82	19.87	0.097	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		256QAM	1	1	20.49	-0.82	19.67	0.093	1.000	Pass
			1	214	21.22	-0.82	20.40	0.110	1.000	Pass
			108	54	18.65	-0.82	17.83	0.061	1.000	Pass
			1	1	18.36	-0.82	17.54	0.057	1.000	Pass
			1	214	18.89	-0.82	18.07	0.064	1.000	Pass
	HCH	PI/2 BPSK	108	54	23.36	-0.82	22.54	0.179	1.000	Pass
			1	1	23.32	-0.82	22.50	0.178	1.000	Pass
			1	214	23.69	-0.82	22.87	0.194	1.000	Pass
		QPSK	108	54	23.56	-0.82	22.74	0.188	1.000	Pass
			1	1	22.98	-0.82	22.16	0.164	1.000	Pass
			1	214	23.59	-0.82	22.77	0.189	1.000	Pass
		16QAM	108	54	22.43	-0.82	21.61	0.145	1.000	Pass
			1	1	22.31	-0.82	21.49	0.141	1.000	Pass
			1	214	22.82	-0.82	22.00	0.158	1.000	Pass
		64QAM	108	54	20.88	-0.82	20.06	0.101	1.000	Pass
			1	1	20.67	-0.82	19.85	0.097	1.000	Pass
			1	214	21.23	-0.82	20.41	0.110	1.000	Pass
		256QAM	108	54	18.87	-0.82	18.05	0.064	1.000	Pass
			1	1	18.57	-0.82	17.75	0.060	1.000	Pass
			1	214	18.78	-0.82	17.96	0.063	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
5	LCH	PI/2 BPSK	12	6	22.26	-1.06	-3.21	19.05	0.080	3.000	Pass
			1	1	22.26	-1.06	-3.21	19.05	0.080	3.000	Pass
			1	23	22.07	-1.06	-3.21	18.86	0.077	3.000	Pass
		QPSK	12	6	22.2	-1.06	-3.21	18.99	0.079	3.000	Pass
			1	1	22.07	-1.06	-3.21	18.86	0.077	3.000	Pass
			1	23	22.18	-1.06	-3.21	18.97	0.079	3.000	Pass
		16QAM	12	6	21.19	-1.06	-3.21	17.98	0.063	3.000	Pass
			1	1	21.18	-1.06	-3.21	17.97	0.063	3.000	Pass
			1	23	21.49	-1.06	-3.21	18.28	0.067	3.000	Pass
		64QAM	12	6	19.73	-1.06	-3.21	16.52	0.045	3.000	Pass
			1	1	19.93	-1.06	-3.21	16.72	0.047	3.000	Pass
			1	23	19.84	-1.06	-3.21	16.63	0.046	3.000	Pass
		256QAM	12	6	17.91	-1.06	-3.21	14.70	0.030	3.000	Pass
			1	1	17.83	-1.06	-3.21	14.62	0.029	3.000	Pass
			1	23	17.76	-1.06	-3.21	14.55	0.029	3.000	Pass
	MCH	PI/2 BPSK	12	6	22.25	-1.06	-3.21	19.04	0.080	3.000	Pass
			1	1	22.39	-1.06	-3.21	19.18	0.083	3.000	Pass
			1	23	22.26	-1.06	-3.21	19.05	0.080	3.000	Pass
		QPSK	12	6	22.23	-1.06	-3.21	19.02	0.080	3.000	Pass
			1	1	22.52	-1.06	-3.21	19.31	0.085	3.000	Pass
			1	23	22.34	-1.06	-3.21	19.13	0.082	3.000	Pass
		16QAM	12	6	21.18	-1.06	-3.21	17.97	0.063	3.000	Pass
			1	1	21.38	-1.06	-3.21	18.17	0.066	3.000	Pass
			1	23	21.19	-1.06	-3.21	17.98	0.063	3.000	Pass
		64QAM	12	6	19.73	-1.06	-3.21	16.52	0.045	3.000	Pass
			1	1	19.87	-1.06	-3.21	16.66	0.046	3.000	Pass
			1	23	19.77	-1.06	-3.21	16.56	0.045	3.000	Pass
		256QAM	12	6	18.03	-1.06	-3.21	14.82	0.030	3.000	Pass
			1	1	17.75	-1.06	-3.21	14.54	0.028	3.000	Pass
			1	23	17.67	-1.06	-3.21	14.46	0.028	3.000	Pass
	HCH	PI/2 BPSK	12	6	22.64	-1.06	-3.21	19.43	0.088	3.000	Pass
			1	1	22.52	-1.06	-3.21	19.31	0.085	3.000	Pass
			1	23	22.25	-1.06	-3.21	19.04	0.080	3.000	Pass
		QPSK	12	6	22.47	-1.06	-3.21	19.26	0.084	3.000	Pass
			1	1	22.5	-1.06	-3.21	19.29	0.085	3.000	Pass
			1	23	22.36	-1.06	-3.21	19.15	0.082	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
		16QAM	12	6	21.39	-1.06	-3.21	18.18	0.066	3.000	Pass
			1	1	21.56	-1.06	-3.21	18.35	0.068	3.000	Pass
			1	23	21.46	-1.06	-3.21	18.25	0.067	3.000	Pass
		64QAM	12	6	20.05	-1.06	-3.21	16.84	0.048	3.000	Pass
			1	1	19.87	-1.06	-3.21	16.66	0.046	3.000	Pass
			1	23	19.83	-1.06	-3.21	16.62	0.046	3.000	Pass
		256QAM	12	6	18.16	-1.06	-3.21	14.95	0.031	3.000	Pass
			1	1	17.74	-1.06	-3.21	14.53	0.028	3.000	Pass
			1	23	17.98	-1.06	-3.21	14.77	0.030	3.000	Pass
15	LCH	PI/2 BPSK	36	18	22.21	-1.06	-3.21	19.00	0.079	3.000	Pass
			1	1	22.11	-1.06	-3.21	18.90	0.078	3.000	Pass
			1	77	22.47	-1.06	-3.21	19.26	0.084	3.000	Pass
		QPSK	36	18	21.99	-1.06	-3.21	18.78	0.076	3.000	Pass
			1	1	22.08	-1.06	-3.21	18.87	0.077	3.000	Pass
			1	77	22.28	-1.06	-3.21	19.07	0.081	3.000	Pass
		16QAM	36	18	20.91	-1.06	-3.21	17.70	0.059	3.000	Pass
			1	1	21.48	-1.06	-3.21	18.27	0.067	3.000	Pass
			1	77	21.24	-1.06	-3.21	18.03	0.064	3.000	Pass
		64QAM	36	18	19.56	-1.06	-3.21	16.35	0.043	3.000	Pass
			1	1	19.65	-1.06	-3.21	16.44	0.044	3.000	Pass
			1	77	20.01	-1.06	-3.21	16.80	0.048	3.000	Pass
		256QAM	36	18	17.81	-1.06	-3.21	14.60	0.029	3.000	Pass
			1	1	17.47	-1.06	-3.21	14.26	0.027	3.000	Pass
			1	77	17.81	-1.06	-3.21	14.60	0.029	3.000	Pass
	MCH	PI/2 BPSK	36	18	22.33	-1.06	-3.21	19.12	0.082	3.000	Pass
			1	1	22.23	-1.06	-3.21	19.02	0.080	3.000	Pass
			1	77	22.11	-1.06	-3.21	18.90	0.078	3.000	Pass
		QPSK	36	18	22.15	-1.06	-3.21	18.94	0.078	3.000	Pass
			1	1	22.2	-1.06	-3.21	18.99	0.079	3.000	Pass
			1	77	22.16	-1.06	-3.21	18.95	0.079	3.000	Pass
		16QAM	36	18	21.46	-1.06	-3.21	18.25	0.067	3.000	Pass
			1	1	21.28	-1.06	-3.21	18.07	0.064	3.000	Pass
			1	77	21.22	-1.06	-3.21	18.01	0.063	3.000	Pass
		64QAM	36	18	19.97	-1.06	-3.21	16.76	0.047	3.000	Pass
			1	1	19.88	-1.06	-3.21	16.67	0.046	3.000	Pass
			1	77	19.88	-1.06	-3.21	16.67	0.046	3.000	Pass
		256QAM	36	18	17.79	-1.06	-3.21	14.58	0.029	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
20	HCH	PI/2 BPSK	1	1	17.73	-1.06	-3.21	14.52	0.028	3.000	Pass
			1	77	17.86	-1.06	-3.21	14.65	0.029	3.000	Pass
			36	18	22.45	-1.06	-3.21	19.24	0.084	3.000	Pass
		QPSK	1	1	22.29	-1.06	-3.21	19.08	0.081	3.000	Pass
			1	77	22.45	-1.06	-3.21	19.24	0.084	3.000	Pass
			36	18	22.13	-1.06	-3.21	18.92	0.078	3.000	Pass
		16QAM	1	1	22.34	-1.06	-3.21	19.13	0.082	3.000	Pass
			1	77	22.22	-1.06	-3.21	19.01	0.080	3.000	Pass
			36	18	21.37	-1.06	-3.21	18.16	0.065	3.000	Pass
		64QAM	1	1	21.36	-1.06	-3.21	18.15	0.065	3.000	Pass
			1	77	21.47	-1.06	-3.21	18.26	0.067	3.000	Pass
			36	18	19.6	-1.06	-3.21	16.39	0.044	3.000	Pass
		256QAM	1	1	19.82	-1.06	-3.21	16.61	0.046	3.000	Pass
			1	77	19.81	-1.06	-3.21	16.60	0.046	3.000	Pass
			36	18	17.76	-1.06	-3.21	14.55	0.029	3.000	Pass
			1	1	17.8	-1.06	-3.21	14.59	0.029	3.000	Pass
			1	77	18.1	-1.06	-3.21	14.89	0.031	3.000	Pass
			50	25	22.17	-1.06	-3.21	18.96	0.079	3.000	Pass
20	LCH	PI/2 BPSK	1	1	22.21	-1.06	-3.21	19.00	0.079	3.000	Pass
			1	104	22.21	-1.06	-3.21	19.00	0.079	3.000	Pass
			50	25	22.38	-1.06	-3.21	19.17	0.083	3.000	Pass
		QPSK	1	1	22.36	-1.06	-3.21	19.15	0.082	3.000	Pass
			1	104	22.16	-1.06	-3.21	18.95	0.079	3.000	Pass
			50	25	21.34	-1.06	-3.21	18.13	0.065	3.000	Pass
		16QAM	1	1	21.3	-1.06	-3.21	18.09	0.064	3.000	Pass
			1	104	21.36	-1.06	-3.21	18.15	0.065	3.000	Pass
			50	25	19.58	-1.06	-3.21	16.37	0.043	3.000	Pass
		64QAM	1	1	19.51	-1.06	-3.21	16.30	0.043	3.000	Pass
			1	104	19.55	-1.06	-3.21	16.34	0.043	3.000	Pass
			50	25	17.6	-1.06	-3.21	14.39	0.027	3.000	Pass
		256QAM	1	1	17.47	-1.06	-3.21	14.26	0.027	3.000	Pass
			1	104	17.44	-1.06	-3.21	14.23	0.026	3.000	Pass
			50	25	22.31	-1.06	-3.21	19.10	0.081	3.000	Pass
20	MCH	PI/2 BPSK	1	1	22.31	-1.06	-3.21	19.10	0.081	3.000	Pass
			1	104	22.24	-1.06	-3.21	19.03	0.080	3.000	Pass
			50	25	22.54	-1.06	-3.21	19.33	0.086	3.000	Pass
		QPSK	1	1	22.49	-1.06	-3.21	19.28	0.085	3.000	Pass
			50	25	22.49	-1.06	-3.21	19.28	0.085	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
		16QAM	1	104	22.05	-1.06	-3.21	18.84	0.077	3.000	Pass
			50	25	21.51	-1.06	-3.21	18.30	0.068	3.000	Pass
			1	1	21.23	-1.06	-3.21	18.02	0.063	3.000	Pass
			1	104	21.26	-1.06	-3.21	18.05	0.064	3.000	Pass
		64QAM	50	25	19.76	-1.06	-3.21	16.55	0.045	3.000	Pass
			1	1	19.58	-1.06	-3.21	16.37	0.043	3.000	Pass
			1	104	19.64	-1.06	-3.21	16.43	0.044	3.000	Pass
		256QAM	50	25	18.14	-1.06	-3.21	14.93	0.031	3.000	Pass
			1	1	17.58	-1.06	-3.21	14.37	0.027	3.000	Pass
			1	104	17.64	-1.06	-3.21	14.43	0.028	3.000	Pass
	HCH	PI/2 BPSK	50	25	22.22	-1.06	-3.21	19.01	0.080	3.000	Pass
			1	1	22.69	-1.06	-3.21	19.48	0.089	3.000	Pass
			1	104	22.57	-1.06	-3.21	19.36	0.086	3.000	Pass
		QPSK	50	25	22.42	-1.06	-3.21	19.21	0.083	3.000	Pass
			1	1	22.5	-1.06	-3.21	19.29	0.085	3.000	Pass
			1	104	22.23	-1.06	-3.21	19.02	0.080	3.000	Pass
		16QAM	50	25	17.63	-1.06	-3.21	14.42	0.028	3.000	Pass
			1	1	21.54	-1.06	-3.21	18.33	0.068	3.000	Pass
			1	104	21.46	-1.06	-3.21	18.25	0.067	3.000	Pass
		64QAM	50	25	19.95	-1.06	-3.21	16.74	0.047	3.000	Pass
			1	1	20.07	-1.06	-3.21	16.86	0.049	3.000	Pass
			1	104	19.64	-1.06	-3.21	16.43	0.044	3.000	Pass
		256QAM	50	25	17.84	-1.06	-3.21	14.63	0.029	3.000	Pass
			1	1	17.82	-1.06	-3.21	14.61	0.029	3.000	Pass
			1	104	17.91	-1.06	-3.21	14.70	0.030	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	27.72	-0.18	27.54	0.568	1.000	Pass
			1	1	27.89	-0.18	27.71	0.590	1.000	Pass
			1	22	27.73	-0.18	27.55	0.569	1.000	Pass
		QPSK	12	6	27.8	-0.18	27.62	0.578	1.000	Pass
			1	1	27.74	-0.18	27.56	0.570	1.000	Pass
			1	22	27.62	-0.18	27.44	0.555	1.000	Pass
		16QAM	12	6	26.52	-0.18	26.34	0.431	1.000	Pass
			1	1	26.78	-0.18	26.60	0.457	1.000	Pass
			1	22	26.77	-0.18	26.59	0.456	1.000	Pass
		64QAM	12	6	24.63	-0.18	24.45	0.279	1.000	Pass
			1	1	24.44	-0.18	24.26	0.267	1.000	Pass
			1	22	24.43	-0.18	24.25	0.266	1.000	Pass
		256QAM	12	6	22.04	-0.18	21.86	0.153	1.000	Pass
			1	1	22.23	-0.18	22.05	0.160	1.000	Pass
			1	22	22.08	-0.18	21.90	0.155	1.000	Pass
	MCH	PI/2 BPSK	12	6	27.37	-0.18	27.19	0.524	1.000	Pass
			1	1	27.37	-0.18	27.19	0.524	1.000	Pass
			1	22	27.51	-0.18	27.33	0.541	1.000	Pass
		QPSK	12	6	27.08	-0.18	26.90	0.490	1.000	Pass
			1	1	27.31	-0.18	27.13	0.516	1.000	Pass
			1	22	27.19	-0.18	27.01	0.502	1.000	Pass
		16QAM	12	6	26.2	-0.18	26.02	0.400	1.000	Pass
			1	1	26.61	-0.18	26.43	0.440	1.000	Pass
			1	22	26.65	-0.18	26.47	0.444	1.000	Pass
		64QAM	12	6	24.4	-0.18	24.22	0.264	1.000	Pass
			1	1	24.45	-0.18	24.27	0.267	1.000	Pass
			1	22	24.47	-0.18	24.29	0.269	1.000	Pass
		256QAM	12	6	22	-0.18	21.82	0.152	1.000	Pass
			1	1	21.72	-0.18	21.54	0.143	1.000	Pass
			1	22	21.97	-0.18	21.79	0.151	1.000	Pass
	HCH	PI/2 BPSK	12	6	26.81	-0.18	26.63	0.460	1.000	Pass
			1	1	26.71	-0.18	26.53	0.450	1.000	Pass
			1	22	26.55	-0.18	26.37	0.434	1.000	Pass
		QPSK	12	6	26.83	-0.18	26.65	0.462	1.000	Pass
			1	1	26.25	-0.18	26.07	0.405	1.000	Pass
			1	22	25.98	-0.18	25.80	0.380	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		16QAM	12	6	25.72	-0.18	25.54	0.358	1.000	Pass
			1	1	25.42	-0.18	25.24	0.334	1.000	Pass
			1	22	25.25	-0.18	25.07	0.321	1.000	Pass
		64QAM	12	6	23.76	-0.18	23.58	0.228	1.000	Pass
			1	1	23.42	-0.18	23.24	0.211	1.000	Pass
			1	22	23.67	-0.18	23.49	0.223	1.000	Pass
		256QAM	12	6	21.08	-0.18	20.90	0.123	1.000	Pass
			1	1	21.25	-0.18	21.07	0.128	1.000	Pass
			1	22	21.31	-0.18	21.13	0.130	1.000	Pass
15	LCH	PI/2 BPSK	18	9	27.84	-0.18	27.66	0.583	1.000	Pass
			1	1	27.8	-0.18	27.62	0.578	1.000	Pass
			1	36	27.56	-0.18	27.38	0.547	1.000	Pass
		QPSK	18	9	27.6	-0.18	27.42	0.552	1.000	Pass
			1	1	27.99	-0.18	27.81	0.604	1.000	Pass
			1	36	27.59	-0.18	27.41	0.551	1.000	Pass
		16QAM	18	9	26.46	-0.18	26.28	0.425	1.000	Pass
			1	1	26.83	-0.18	26.65	0.462	1.000	Pass
			1	36	26.63	-0.18	26.45	0.442	1.000	Pass
		64QAM	18	9	24.76	-0.18	24.58	0.287	1.000	Pass
			1	1	24.48	-0.18	24.30	0.269	1.000	Pass
			1	36	24.16	-0.18	23.98	0.250	1.000	Pass
		256QAM	18	9	22.22	-0.18	22.04	0.160	1.000	Pass
			1	1	21.99	-0.18	21.81	0.152	1.000	Pass
			1	36	22.27	-0.18	22.09	0.162	1.000	Pass
	MCH	PI/2 BPSK	18	9	27.26	-0.18	27.08	0.511	1.000	Pass
			1	1	27.42	-0.18	27.24	0.530	1.000	Pass
			1	36	27.37	-0.18	27.19	0.524	1.000	Pass
		QPSK	18	9	27.09	-0.18	26.91	0.491	1.000	Pass
			1	1	27.37	-0.18	27.19	0.524	1.000	Pass
			1	36	27.28	-0.18	27.10	0.513	1.000	Pass
		16QAM	18	9	26.05	-0.18	25.87	0.386	1.000	Pass
			1	1	26.48	-0.18	26.30	0.427	1.000	Pass
			1	36	26.22	-0.18	26.04	0.402	1.000	Pass
		64QAM	18	9	24.49	-0.18	24.31	0.270	1.000	Pass
			1	1	24.14	-0.18	23.96	0.249	1.000	Pass
			1	36	24.12	-0.18	23.94	0.248	1.000	Pass
		256QAM	18	9	21.83	-0.18	21.65	0.146	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
	HCH		1	1	21.92	-0.18	21.74	0.149	1.000	Pass
			1	36	21.53	-0.18	21.35	0.136	1.000	Pass
			18	9	26.91	-0.18	26.73	0.471	1.000	Pass
		PI/2 BPSK	1	1	26.5	-0.18	26.32	0.429	1.000	Pass
			1	36	25.79	-0.18	25.61	0.364	1.000	Pass
			18	9	26.61	-0.18	26.43	0.440	1.000	Pass
		QPSK	1	1	25.7	-0.18	25.52	0.356	1.000	Pass
			1	36	26.01	-0.18	25.83	0.383	1.000	Pass
			18	9	25.84	-0.18	25.66	0.368	1.000	Pass
		16QAM	1	1	25.41	-0.18	25.23	0.333	1.000	Pass
			1	36	25.12	-0.18	24.94	0.312	1.000	Pass
			18	9	23.77	-0.18	23.59	0.229	1.000	Pass
		64QAM	1	1	23.83	-0.18	23.65	0.232	1.000	Pass
			1	36	23.55	-0.18	23.37	0.217	1.000	Pass
			18	9	21.35	-0.18	21.17	0.131	1.000	Pass
		256QAM	1	1	21.61	-0.18	21.43	0.139	1.000	Pass
			1	36	21.24	-0.18	21.06	0.128	1.000	Pass
			25	12	27.44	-0.18	27.26	0.532	1.000	Pass
20	LCH	PI/2 BPSK	1	1	27.55	-0.18	27.37	0.546	1.000	Pass
			1	49	27.32	-0.18	27.14	0.518	1.000	Pass
			25	12	27.51	-0.18	27.33	0.541	1.000	Pass
		QPSK	1	1	27.55	-0.18	27.37	0.546	1.000	Pass
			1	49	27.64	-0.18	27.46	0.557	1.000	Pass
			25	12	26.35	-0.18	26.17	0.414	1.000	Pass
		16QAM	1	1	27.26	-0.18	27.08	0.511	1.000	Pass
			1	49	27.02	-0.18	26.84	0.483	1.000	Pass
			25	12	24.35	-0.18	24.17	0.261	1.000	Pass
		64QAM	1	1	24.74	-0.18	24.56	0.286	1.000	Pass
			1	49	24.67	-0.18	24.49	0.281	1.000	Pass
			25	12	21.81	-0.18	21.63	0.146	1.000	Pass
		256QAM	1	1	22.09	-0.18	21.91	0.155	1.000	Pass
			1	49	21.94	-0.18	21.76	0.150	1.000	Pass
			25	12	27.19	-0.18	27.01	0.502	1.000	Pass
	MCH	PI/2 BPSK	1	1	27.1	-0.18	26.92	0.492	1.000	Pass
			1	49	27.12	-0.18	26.94	0.494	1.000	Pass
			25	12	27.13	-0.18	26.95	0.495	1.000	Pass
		QPSK	1	1	25.77	-0.18	25.59	0.362	1.000	Pass
			25	12	27.13	-0.18	26.95	0.495	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		16QAM	1	49	26.04	-0.18	25.86	0.385	1.000	Pass
			25	12	25.92	-0.18	25.74	0.375	1.000	Pass
			1	1	26.78	-0.18	26.60	0.457	1.000	Pass
			1	49	26.95	-0.18	26.77	0.475	1.000	Pass
		64QAM	25	12	24.3	-0.18	24.12	0.258	1.000	Pass
			1	1	24.06	-0.18	23.88	0.244	1.000	Pass
			1	49	24.14	-0.18	23.96	0.249	1.000	Pass
		256QAM	25	12	21.65	-0.18	21.47	0.140	1.000	Pass
			1	1	21.51	-0.18	21.33	0.136	1.000	Pass
			1	49	21.7	-0.18	21.52	0.142	1.000	Pass
	HCH	PI/2 BPSK	25	12	26.76	-0.18	26.58	0.455	1.000	Pass
			1	1	26.14	-0.18	25.96	0.394	1.000	Pass
			1	49	25.96	-0.18	25.78	0.378	1.000	Pass
		QPSK	25	12	27.19	-0.18	27.01	0.502	1.000	Pass
			1	1	25.94	-0.18	25.76	0.377	1.000	Pass
			1	49	25.53	-0.18	25.35	0.343	1.000	Pass
		16QAM	25	12	25.63	-0.18	25.45	0.351	1.000	Pass
			1	1	24.04	-0.18	23.86	0.243	1.000	Pass
			1	49	23.82	-0.18	23.64	0.231	1.000	Pass
		64QAM	25	12	23.7	-0.18	23.52	0.225	1.000	Pass
			1	1	23.94	-0.18	23.76	0.238	1.000	Pass
			1	49	23.6	-0.18	23.42	0.220	1.000	Pass
		256QAM	25	12	21.61	-0.18	21.43	0.139	1.000	Pass
			1	1	21.69	-0.18	21.51	0.142	1.000	Pass
			1	49	21.13	-0.18	20.95	0.124	1.000	Pass
25	LCH	PI/2 BPSK	32	16	27.89	-0.18	27.71	0.590	1.000	Pass
			1	1	27.58	-0.18	27.40	0.550	1.000	Pass
			1	63	27.77	-0.18	27.59	0.574	1.000	Pass
		QPSK	32	16	27.93	-0.18	27.75	0.596	1.000	Pass
			1	1	28.09	-0.18	27.91	0.618	1.000	Pass
			1	63	27.69	-0.18	27.51	0.564	1.000	Pass
		16QAM	32	16	26.83	-0.18	26.65	0.462	1.000	Pass
			1	1	26.83	-0.18	26.65	0.462	1.000	Pass
			1	63	26.74	-0.18	26.56	0.453	1.000	Pass
		64QAM	32	16	24.95	-0.18	24.77	0.300	1.000	Pass
			1	1	25.13	-0.18	24.95	0.313	1.000	Pass
			1	63	24.64	-0.18	24.46	0.279	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		256QAM	32	16	22.39	-0.18	22.21	0.166	1.000	Pass
			1	1	22.41	-0.18	22.23	0.167	1.000	Pass
			1	63	21.96	-0.18	21.78	0.151	1.000	Pass
	MCH	PI/2 BPSK	32	16	27.37	-0.18	27.19	0.524	1.000	Pass
			1	1	27.37	-0.18	27.19	0.524	1.000	Pass
			1	63	27.42	-0.18	27.24	0.530	1.000	Pass
		QPSK	32	16	27.45	-0.18	27.27	0.533	1.000	Pass
			1	1	26.9	-0.18	26.72	0.470	1.000	Pass
			1	63	26.66	-0.18	26.48	0.445	1.000	Pass
		16QAM	32	16	26.28	-0.18	26.10	0.407	1.000	Pass
			1	1	26.88	-0.18	26.70	0.468	1.000	Pass
			1	63	25.98	-0.18	25.80	0.380	1.000	Pass
		64QAM	32	16	24.58	-0.18	24.40	0.275	1.000	Pass
			1	1	24.22	-0.18	24.04	0.254	1.000	Pass
			1	63	23.88	-0.18	23.70	0.234	1.000	Pass
		256QAM	32	16	22.12	-0.18	21.94	0.156	1.000	Pass
			1	1	21.89	-0.18	21.71	0.148	1.000	Pass
			1	63	21.85	-0.18	21.67	0.147	1.000	Pass
	HCH	PI/2 BPSK	32	16	27.16	-0.18	26.98	0.499	1.000	Pass
			1	1	26.5	-0.18	26.32	0.429	1.000	Pass
			1	63	25.66	-0.18	25.48	0.353	1.000	Pass
		QPSK	32	16	26.96	-0.18	26.78	0.476	1.000	Pass
			1	1	26.4	-0.18	26.22	0.419	1.000	Pass
			1	63	26.03	-0.18	25.85	0.385	1.000	Pass
		16QAM	32	16	25.74	-0.18	25.56	0.360	1.000	Pass
			1	1	25.95	-0.18	25.77	0.378	1.000	Pass
			1	63	24.84	-0.18	24.66	0.292	1.000	Pass
		64QAM	32	16	24.07	-0.18	23.89	0.245	1.000	Pass
			1	1	24.01	-0.18	23.83	0.242	1.000	Pass
			1	63	23.82	-0.18	23.64	0.231	1.000	Pass
		256QAM	32	16	21.47	-0.18	21.29	0.135	1.000	Pass
			1	1	21.53	-0.18	21.35	0.136	1.000	Pass
			1	63	21.43	-0.18	21.25	0.133	1.000	Pass
30	LCH	PI/2 BPSK	36	18	27.97	-0.18	27.79	0.601	1.000	Pass
			1	1	26.97	-0.18	26.79	0.478	1.000	Pass
			1	76	27.72	-0.18	27.54	0.568	1.000	Pass
		QPSK	36	18	27.94	-0.18	27.76	0.597	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		16QAM	1	1	27.6	-0.18	27.42	0.552	1.000	Pass
			1	76	27.76	-0.18	27.58	0.573	1.000	Pass
			36	18	26.58	-0.18	26.40	0.437	1.000	Pass
			1	1	26.88	-0.18	26.70	0.468	1.000	Pass
			1	76	26.51	-0.18	26.33	0.430	1.000	Pass
		64QAM	36	18	24.62	-0.18	24.44	0.278	1.000	Pass
			1	1	25.19	-0.18	25.01	0.317	1.000	Pass
			1	76	24.67	-0.18	24.49	0.281	1.000	Pass
		256QAM	36	18	22.28	-0.18	22.10	0.162	1.000	Pass
			1	1	22.5	-0.18	22.32	0.171	1.000	Pass
			1	76	22.08	-0.18	21.90	0.155	1.000	Pass
	MCH	PI/2 BPSK	36	18	27.28	-0.18	27.10	0.513	1.000	Pass
			1	1	27.67	-0.18	27.49	0.561	1.000	Pass
			1	76	26.76	-0.18	26.58	0.455	1.000	Pass
		QPSK	36	18	27.31	-0.18	27.13	0.516	1.000	Pass
			1	1	27.08	-0.18	26.90	0.490	1.000	Pass
			1	76	27.43	-0.18	27.25	0.531	1.000	Pass
		16QAM	36	18	26.39	-0.18	26.21	0.418	1.000	Pass
			1	1	26.75	-0.18	26.57	0.454	1.000	Pass
			1	76	25.58	-0.18	25.40	0.347	1.000	Pass
		64QAM	36	18	24.42	-0.18	24.24	0.265	1.000	Pass
			1	1	24.67	-0.18	24.49	0.281	1.000	Pass
			1	76	24.36	-0.18	24.18	0.262	1.000	Pass
		256QAM	36	18	22.09	-0.18	21.91	0.155	1.000	Pass
			1	1	21.96	-0.18	21.78	0.151	1.000	Pass
			1	76	21.63	-0.18	21.45	0.140	1.000	Pass
	HCH	PI/2 BPSK	36	18	27.17	-0.18	26.99	0.500	1.000	Pass
			1	1	26.21	-0.18	26.03	0.401	1.000	Pass
			1	76	25.65	-0.18	25.47	0.352	1.000	Pass
		QPSK	36	18	27.1	-0.18	26.92	0.492	1.000	Pass
			1	1	26.22	-0.18	26.04	0.402	1.000	Pass
			1	76	25.6	-0.18	25.42	0.348	1.000	Pass
		16QAM	36	18	25.85	-0.18	25.67	0.369	1.000	Pass
			1	1	25.82	-0.18	25.64	0.366	1.000	Pass
			1	76	25.03	-0.18	24.85	0.305	1.000	Pass
		64QAM	36	18	23.77	-0.18	23.59	0.229	1.000	Pass
			1	1	23.77	-0.18	23.59	0.229	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		256QAM	1	76	23.49	-0.18	23.31	0.214	1.000	Pass
			36	18	21.52	-0.18	21.34	0.136	1.000	Pass
			1	1	21.59	-0.18	21.41	0.138	1.000	Pass
			1	76	21.19	-0.18	21.01	0.126	1.000	Pass
40	LCH	PI/2 BPSK	50	25	27.74	-0.18	27.56	0.570	1.000	Pass
			1	1	27.95	-0.18	27.77	0.598	1.000	Pass
			1	104	27.6	-0.18	27.42	0.552	1.000	Pass
		QPSK	50	25	27.65	-0.18	27.47	0.558	1.000	Pass
			1	1	27.81	-0.18	27.63	0.579	1.000	Pass
			1	104	27.3	-0.18	27.12	0.515	1.000	Pass
		16QAM	50	25	26.51	-0.18	26.33	0.430	1.000	Pass
			1	1	26.72	-0.18	26.54	0.451	1.000	Pass
			1	104	26.42	-0.18	26.24	0.421	1.000	Pass
		64QAM	50	25	24.52	-0.18	24.34	0.272	1.000	Pass
			1	1	24.74	-0.18	24.56	0.286	1.000	Pass
			1	104	24.12	-0.18	23.94	0.248	1.000	Pass
		256QAM	50	25	22.38	-0.18	22.20	0.166	1.000	Pass
			1	1	22.19	-0.18	22.01	0.159	1.000	Pass
			1	104	21.61	-0.18	21.43	0.139	1.000	Pass
	MCH	PI/2 BPSK	50	25	27.26	-0.18	27.08	0.511	1.000	Pass
			1	1	27.61	-0.18	27.43	0.553	1.000	Pass
			1	104	26.96	-0.18	26.78	0.476	1.000	Pass
		QPSK	50	25	27.38	-0.18	27.20	0.525	1.000	Pass
			1	1	27.55	-0.18	27.37	0.546	1.000	Pass
			1	104	25.96	-0.18	25.78	0.378	1.000	Pass
		16QAM	50	25	26.18	-0.18	26.00	0.398	1.000	Pass
			1	1	26.77	-0.18	26.59	0.456	1.000	Pass
			1	104	12.08	-0.18	11.90	0.015	1.000	Pass
		64QAM	50	25	24.55	-0.18	24.37	0.274	1.000	Pass
			1	1	24.41	-0.18	24.23	0.265	1.000	Pass
			1	104	23.95	-0.18	23.77	0.238	1.000	Pass
		256QAM	50	25	22.19	-0.18	22.01	0.159	1.000	Pass
			1	1	22.04	-0.18	21.86	0.153	1.000	Pass
			1	104	21.69	-0.18	21.51	0.142	1.000	Pass
	HCH	PI/2 BPSK	50	25	27.07	-0.18	26.89	0.489	1.000	Pass
			1	1	27.72	-0.18	27.54	0.568	1.000	Pass
			1	104	26.33	-0.18	26.15	0.412	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		QPSK	50	25	26.98	-0.18	26.80	0.479	1.000	Pass
			1	1	27.56	-0.18	27.38	0.547	1.000	Pass
			1	104	26.25	-0.18	26.07	0.405	1.000	Pass
		16QAM	50	25	25.78	-0.18	25.60	0.363	1.000	Pass
			1	1	26.59	-0.18	26.41	0.438	1.000	Pass
			1	104	26.69	-0.18	26.51	0.448	1.000	Pass
		64QAM	50	25	23.83	-0.18	23.65	0.232	1.000	Pass
			1	1	23.86	-0.18	23.68	0.233	1.000	Pass
			1	104	23.49	-0.18	23.31	0.214	1.000	Pass
		256QAM	50	25	21.84	-0.18	21.66	0.147	1.000	Pass
			1	1	21.87	-0.18	21.69	0.148	1.000	Pass
			1	104	20.99	-0.18	20.81	0.121	1.000	Pass
50	LCH	PI/2 BPSK	64	32	27.35	-0.18	27.17	0.521	1.000	Pass
			1	1	27.85	-0.18	27.67	0.585	1.000	Pass
			1	131	25.26	-0.18	25.08	0.322	1.000	Pass
		QPSK	64	32	27.58	-0.18	27.40	0.550	1.000	Pass
			1	1	27.73	-0.18	27.55	0.569	1.000	Pass
			1	131	25.45	-0.18	25.27	0.337	1.000	Pass
		16QAM	64	32	26.62	-0.18	26.44	0.441	1.000	Pass
			1	1	26.73	-0.18	26.55	0.452	1.000	Pass
			1	131	24.98	-0.18	24.80	0.302	1.000	Pass
		64QAM	64	32	24.48	-0.18	24.30	0.269	1.000	Pass
			1	1	24.62	-0.18	24.44	0.278	1.000	Pass
			1	131	24.07	-0.18	23.89	0.245	1.000	Pass
		256QAM	64	32	22.29	-0.18	22.11	0.163	1.000	Pass
			1	1	22.15	-0.18	21.97	0.157	1.000	Pass
			1	131	21.75	-0.18	21.57	0.144	1.000	Pass
	MCH	PI/2 BPSK	64	32	27.55	-0.18	27.37	0.546	1.000	Pass
			1	1	26.79	-0.18	26.61	0.458	1.000	Pass
			1	131	25.3	-0.18	25.12	0.325	1.000	Pass
		QPSK	64	32	27.43	-0.18	27.25	0.531	1.000	Pass
			1	1	26.66	-0.18	26.48	0.445	1.000	Pass
			1	131	25.68	-0.18	25.50	0.355	1.000	Pass
		16QAM	64	32	26.51	-0.18	26.33	0.430	1.000	Pass
			1	1	3.01	-0.18	2.83	0.002	1.000	Pass
			1	131	25.42	-0.18	25.24	0.334	1.000	Pass
		64QAM	64	32	24.61	-0.18	24.43	0.277	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		256QAM	1	1	24.21	-0.18	24.03	0.253	1.000	Pass
			1	131	23.93	-0.18	23.75	0.237	1.000	Pass
			64	32	22.19	-0.18	22.01	0.159	1.000	Pass
			1	1	22.11	-0.18	21.93	0.156	1.000	Pass
			1	131	21.36	-0.18	21.18	0.131	1.000	Pass
	HCH	PI/2 BPSK	64	32	27.23	-0.18	27.05	0.507	1.000	Pass
			1	1	28.08	-0.18	27.90	0.617	1.000	Pass
			1	131	26.97	-0.18	26.79	0.478	1.000	Pass
		QPSK	64	32	26.79	-0.18	26.61	0.458	1.000	Pass
			1	1	25.78	-0.18	25.60	0.363	1.000	Pass
			1	131	27.04	-0.18	26.86	0.485	1.000	Pass
		16QAM	64	32	26.08	-0.18	25.90	0.389	1.000	Pass
			1	1	20.01	-0.18	19.83	0.096	1.000	Pass
			1	131	26.5	-0.18	26.32	0.429	1.000	Pass
		64QAM	64	32	24.32	-0.18	24.14	0.259	1.000	Pass
			1	1	24.18	-0.18	24.00	0.251	1.000	Pass
			1	131	23.9	-0.18	23.72	0.236	1.000	Pass
		256QAM	64	32	22.05	-0.18	21.87	0.154	1.000	Pass
			1	1	21.8	-0.18	21.62	0.145	1.000	Pass
			1	131	21.58	-0.18	21.40	0.138	1.000	Pass
60	LCH	PI/2 BPSK	81	40	27.69	-0.18	27.51	0.564	1.000	Pass
			1	1	27.68	-0.18	27.50	0.562	1.000	Pass
			1	160	26.96	-0.18	26.78	0.476	1.000	Pass
		QPSK	81	40	27.37	-0.18	27.19	0.524	1.000	Pass
			1	1	28.01	-0.18	27.83	0.607	1.000	Pass
			1	160	26.38	-0.18	26.20	0.417	1.000	Pass
		16QAM	81	40	26.28	-0.18	26.10	0.407	1.000	Pass
			1	1	26.54	-0.18	26.36	0.433	1.000	Pass
			1	160	26.08	-0.18	25.90	0.389	1.000	Pass
		64QAM	81	40	24.42	-0.18	24.24	0.265	1.000	Pass
			1	1	24.64	-0.18	24.46	0.279	1.000	Pass
			1	160	23.87	-0.18	23.69	0.234	1.000	Pass
		256QAM	81	40	22.19	-0.18	22.01	0.159	1.000	Pass
			1	1	22.19	-0.18	22.01	0.159	1.000	Pass
			1	160	21.52	-0.18	21.34	0.136	1.000	Pass
	MCH	PI/2 BPSK	81	40	27.22	-0.18	27.04	0.506	1.000	Pass
			1	1	27.59	-0.18	27.41	0.551	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		QPSK	1	160	26.93	-0.18	26.75	0.473	1.000	Pass
			81	40	27.35	-0.18	27.17	0.521	1.000	Pass
			1	1	27.94	-0.18	27.76	0.597	1.000	Pass
			1	160	26.64	-0.18	26.46	0.443	1.000	Pass
		16QAM	81	40	26.23	-0.18	26.05	0.403	1.000	Pass
			1	1	26.82	-0.18	26.64	0.461	1.000	Pass
			1	160	25.71	-0.18	25.53	0.357	1.000	Pass
		64QAM	81	40	24.19	-0.18	24.01	0.252	1.000	Pass
			1	1	24.88	-0.18	24.70	0.295	1.000	Pass
			1	160	23.85	-0.18	23.67	0.233	1.000	Pass
		256QAM	81	40	21.74	-0.18	21.56	0.143	1.000	Pass
			1	1	22.15	-0.18	21.97	0.157	1.000	Pass
			1	160	21.53	-0.18	21.35	0.136	1.000	Pass
	HCH	PI/2 BPSK	81	40	26.95	-0.18	26.77	0.475	1.000	Pass
			1	1	27.41	-0.18	27.23	0.528	1.000	Pass
			1	160	26.02	-0.18	25.84	0.384	1.000	Pass
		QPSK	81	40	27.21	-0.18	27.03	0.505	1.000	Pass
			1	1	26.93	-0.18	26.75	0.473	1.000	Pass
			1	160	24.93	-0.18	24.75	0.299	1.000	Pass
		16QAM	81	40	25.8	-0.18	25.62	0.365	1.000	Pass
			1	1	26.69	-0.18	26.51	0.448	1.000	Pass
			1	160	24.91	-0.18	24.73	0.297	1.000	Pass
		64QAM	81	40	24.11	-0.18	23.93	0.247	1.000	Pass
			1	1	24.65	-0.18	24.47	0.280	1.000	Pass
			1	160	23.79	-0.18	23.61	0.230	1.000	Pass
		256QAM	81	40	21.44	-0.18	21.26	0.134	1.000	Pass
			1	1	21.76	-0.18	21.58	0.144	1.000	Pass
			1	160	21.06	-0.18	20.88	0.122	1.000	Pass
70	LCH	PI/2 BPSK	90	45	27.82	-0.18	27.64	0.581	1.000	Pass
			1	1	27.19	-0.18	27.01	0.502	1.000	Pass
			1	187	27.91	-0.18	27.73	0.593	1.000	Pass
		QPSK	90	45	27.64	-0.18	27.46	0.557	1.000	Pass
			1	1	27.93	-0.18	27.75	0.596	1.000	Pass
			1	187	26.3	-0.18	26.12	0.409	1.000	Pass
		16QAM	90	45	26.64	-0.18	26.46	0.443	1.000	Pass
			1	1	26.86	-0.18	26.68	0.466	1.000	Pass
			1	187	27.29	-0.18	27.11	0.514	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		64QAM	90	45	24.35	-0.18	24.17	0.261	1.000	Pass
			1	1	24.86	-0.18	24.68	0.294	1.000	Pass
			1	187	24.32	-0.18	24.14	0.259	1.000	Pass
		256QAM	90	45	22.06	-0.18	21.88	0.154	1.000	Pass
			1	1	22.33	-0.18	22.15	0.164	1.000	Pass
			1	187	21.83	-0.18	21.65	0.146	1.000	Pass
	MCH	PI/2 BPSK	90	45	27.5	-0.18	27.32	0.540	1.000	Pass
			1	1	27.93	-0.18	27.75	0.596	1.000	Pass
			1	187	26.95	-0.18	26.77	0.475	1.000	Pass
		QPSK	90	45	27.42	-0.18	27.24	0.530	1.000	Pass
			1	1	27.57	-0.18	27.39	0.548	1.000	Pass
			1	187	26.81	-0.18	26.63	0.460	1.000	Pass
		16QAM	90	45	26.54	-0.18	26.36	0.433	1.000	Pass
			1	1	26.77	-0.18	26.59	0.456	1.000	Pass
			1	187	25	-0.18	24.82	0.303	1.000	Pass
		64QAM	90	45	24.38	-0.18	24.20	0.263	1.000	Pass
			1	1	24.94	-0.18	24.76	0.299	1.000	Pass
			1	187	24.08	-0.18	23.90	0.245	1.000	Pass
		256QAM	90	45	21.81	-0.18	21.63	0.146	1.000	Pass
			1	1	22.39	-0.18	22.21	0.166	1.000	Pass
			1	187	21.74	-0.18	21.56	0.143	1.000	Pass
	HCH	PI/2 BPSK	90	45	27.23	-0.18	27.05	0.507	1.000	Pass
			1	1	27.88	-0.18	27.70	0.589	1.000	Pass
			1	187	25.81	-0.18	25.63	0.366	1.000	Pass
		QPSK	90	45	27.08	-0.18	26.90	0.490	1.000	Pass
			1	1	27.63	-0.18	27.45	0.556	1.000	Pass
			1	187	26.37	-0.18	26.19	0.416	1.000	Pass
		16QAM	90	45	25.99	-0.18	25.81	0.381	1.000	Pass
			1	1	26.47	-0.18	26.29	0.426	1.000	Pass
			1	187	25.46	-0.18	25.28	0.337	1.000	Pass
		64QAM	90	45	24.2	-0.18	24.02	0.252	1.000	Pass
			1	1	24.21	-0.18	24.03	0.253	1.000	Pass
			1	187	23.51	-0.18	23.33	0.215	1.000	Pass
		256QAM	90	45	21.96	-0.18	21.78	0.151	1.000	Pass
			1	1	21.92	-0.18	21.74	0.149	1.000	Pass
			1	187	21.4	-0.18	21.22	0.132	1.000	Pass
80	LCH	PI/2	108	54	27.35	-0.18	27.17	0.521	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		BPSK	1	1	26.96	-0.18	26.78	0.476	1.000	Pass
			1	215	26.06	-0.18	25.88	0.387	1.000	Pass
		QPSK	108	54	27.43	-0.18	27.25	0.531	1.000	Pass
			1	1	27.83	-0.18	27.65	0.582	1.000	Pass
			1	215	25.98	-0.18	25.80	0.380	1.000	Pass
		16QAM	108	54	26.64	-0.18	26.46	0.443	1.000	Pass
			1	1	27.06	-0.18	26.88	0.488	1.000	Pass
			1	215	25.15	-0.18	24.97	0.314	1.000	Pass
		64QAM	108	54	24.63	-0.18	24.45	0.279	1.000	Pass
			1	1	24.87	-0.18	24.69	0.294	1.000	Pass
			1	215	23.87	-0.18	23.69	0.234	1.000	Pass
		256QAM	108	54	22.04	-0.18	21.86	0.153	1.000	Pass
			1	1	22.55	-0.18	22.37	0.173	1.000	Pass
			1	215	21.71	-0.18	21.53	0.142	1.000	Pass
	MCH	PI/2 BPSK	108	54	27.32	-0.18	27.14	0.518	1.000	Pass
			1	1	27.78	-0.18	27.60	0.575	1.000	Pass
			1	215	26.33	-0.18	26.15	0.412	1.000	Pass
		QPSK	108	54	27.25	-0.18	27.07	0.509	1.000	Pass
			1	1	27.83	-0.18	27.65	0.582	1.000	Pass
			1	215	26.68	-0.18	26.50	0.447	1.000	Pass
		16QAM	108	54	26.51	-0.18	26.33	0.430	1.000	Pass
			1	1	26.97	-0.18	26.79	0.478	1.000	Pass
			1	215	25.32	-0.18	25.14	0.327	1.000	Pass
		64QAM	108	54	24.35	-0.18	24.17	0.261	1.000	Pass
			1	1	24.96	-0.18	24.78	0.301	1.000	Pass
			1	215	23.99	-0.18	23.81	0.240	1.000	Pass
		256QAM	108	54	22.13	-0.18	21.95	0.157	1.000	Pass
			1	1	22.53	-0.18	22.35	0.172	1.000	Pass
			1	215	21.61	-0.18	21.43	0.139	1.000	Pass
	HCH	PI/2 BPSK	108	54	27.21	-0.18	27.03	0.505	1.000	Pass
			1	1	27.89	-0.18	27.71	0.590	1.000	Pass
			1	215	25.34	-0.18	25.16	0.328	1.000	Pass
		QPSK	108	54	27.24	-0.18	27.06	0.508	1.000	Pass
			1	1	27.87	-0.18	27.69	0.587	1.000	Pass
			1	215	26.11	-0.18	25.93	0.392	1.000	Pass
		16QAM	108	54	26.23	-0.18	26.05	0.403	1.000	Pass
			1	1	26.84	-0.18	26.66	0.463	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		64QAM	1	215	24.52	-0.18	24.34	0.272	1.000	Pass
			108	54	24.11	-0.18	23.93	0.247	1.000	Pass
			1	1	24.62	-0.18	24.44	0.278	1.000	Pass
			1	215	23.55	-0.18	23.37	0.217	1.000	Pass
		256QAM	108	54	21.92	-0.18	21.74	0.149	1.000	Pass
			1	1	22.44	-0.18	22.26	0.168	1.000	Pass
			1	215	21.36	-0.18	21.18	0.131	1.000	Pass
90	LCH	PI/2 BPSK	120	60	27.27	-0.18	27.09	0.512	1.000	Pass
			1	1	27.01	-0.18	26.83	0.482	1.000	Pass
			1	243	26.48	-0.18	26.30	0.427	1.000	Pass
		QPSK	120	60	27.3	-0.18	27.12	0.515	1.000	Pass
			1	1	27.03	-0.18	26.85	0.484	1.000	Pass
			1	243	25.89	-0.18	25.71	0.372	1.000	Pass
		16QAM	120	60	26.38	-0.18	26.20	0.417	1.000	Pass
			1	1	27.18	-0.18	27.00	0.501	1.000	Pass
			1	243	24.85	-0.18	24.67	0.293	1.000	Pass
		64QAM	120	60	24.43	-0.18	24.25	0.266	1.000	Pass
			1	1	24.82	-0.18	24.64	0.291	1.000	Pass
			1	243	23.59	-0.18	23.41	0.219	1.000	Pass
		256QAM	120	60	21.83	-0.18	21.65	0.146	1.000	Pass
			1	1	22.35	-0.18	22.17	0.165	1.000	Pass
			1	243	21.42	-0.18	21.24	0.133	1.000	Pass
	MCH	PI/2 BPSK	120	60	27.37	-0.18	27.19	0.524	1.000	Pass
			1	1	27.21	-0.18	27.03	0.505	1.000	Pass
			1	243	25.59	-0.18	25.41	0.348	1.000	Pass
		QPSK	120	60	27.46	-0.18	27.28	0.535	1.000	Pass
			1	1	27.15	-0.18	26.97	0.498	1.000	Pass
			1	243	26.07	-0.18	25.89	0.388	1.000	Pass
		16QAM	120	60	26.17	-0.18	25.99	0.397	1.000	Pass
			1	1	27.05	-0.18	26.87	0.486	1.000	Pass
			1	243	26.51	-0.18	26.33	0.430	1.000	Pass
		64QAM	120	60	24.23	-0.18	24.05	0.254	1.000	Pass
			1	1	24.7	-0.18	24.52	0.283	1.000	Pass
			1	243	23.59	-0.18	23.41	0.219	1.000	Pass
		256QAM	120	60	22.18	-0.18	22.00	0.158	1.000	Pass
			1	1	22.5	-0.18	22.32	0.171	1.000	Pass
			1	243	21.41	-0.18	21.23	0.133	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	120	60	27.51	-0.18	27.33	0.541	1.000	Pass
			1	1	27.25	-0.18	27.07	0.509	1.000	Pass
			1	243	25.72	-0.18	25.54	0.358	1.000	Pass
		QPSK	120	60	27.17	-0.18	26.99	0.500	1.000	Pass
			1	1	27.81	-0.18	27.63	0.579	1.000	Pass
			1	243	26.33	-0.18	26.15	0.412	1.000	Pass
		16QAM	120	60	26.36	-0.18	26.18	0.415	1.000	Pass
			1	1	27	-0.18	26.82	0.481	1.000	Pass
			1	243	25.65	-0.18	25.47	0.352	1.000	Pass
		64QAM	120	60	24.33	-0.18	24.15	0.260	1.000	Pass
			1	1	25.22	-0.18	25.04	0.319	1.000	Pass
			1	243	23.9	-0.18	23.72	0.236	1.000	Pass
		256QAM	120	60	21.99	-0.18	21.81	0.152	1.000	Pass
			1	1	22.7	-0.18	22.52	0.179	1.000	Pass
			1	243	21.39	-0.18	21.21	0.132	1.000	Pass
100	MCH	PI/2 BPSK	135	67	27.31	-0.18	27.13	0.516	1.000	Pass
			1	1	27.84	-0.18	27.66	0.583	1.000	Pass
			1	271	26.46	-0.18	26.28	0.425	1.000	Pass
		QPSK	135	67	26.91	-0.18	26.73	0.471	1.000	Pass
			1	1	27.65	-0.18	27.47	0.558	1.000	Pass
			1	271	25.89	-0.18	25.71	0.372	1.000	Pass
		16QAM	135	67	26.03	-0.18	25.85	0.385	1.000	Pass
			1	1	26.04	-0.18	25.86	0.385	1.000	Pass
			1	271	20.88	-0.18	20.70	0.117	1.000	Pass
		64QAM	135	67	23.77	-0.18	23.59	0.229	1.000	Pass
			1	1	23.22	-0.18	23.04	0.201	1.000	Pass
			1	271	23.74	-0.18	23.56	0.227	1.000	Pass
		256QAM	135	67	21.78	-0.18	21.60	0.145	1.000	Pass
			1	1	22.32	-0.18	22.14	0.164	1.000	Pass
			1	271	21.5	-0.18	21.32	0.136	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
10	LCH	PI/2 BPSK	12	6	26.91	-0.03	26.88	0.488	1.000	Pass
			1	1	26.21	-0.03	26.18	0.415	1.000	Pass
			1	22	26.87	-0.03	26.84	0.483	1.000	Pass
		QPSK	12	6	26.75	-0.03	26.72	0.470	1.000	Pass
			1	1	26.75	-0.03	26.72	0.470	1.000	Pass
			1	22	25.62	-0.03	25.59	0.362	1.000	Pass
		16QAM	12	6	26.05	-0.03	26.02	0.400	1.000	Pass
			1	1	25.88	-0.03	25.85	0.385	1.000	Pass
			1	22	23.85	-0.03	23.82	0.241	1.000	Pass
		64QAM	12	6	23.8	-0.03	23.77	0.238	1.000	Pass
			1	1	23.67	-0.03	23.64	0.231	1.000	Pass
			1	22	21.25	-0.03	21.22	0.132	1.000	Pass
		256QAM	12	6	21.26	-0.03	21.23	0.133	1.000	Pass
			1	1	21.23	-0.03	21.20	0.132	1.000	Pass
			1	22	26.53	-0.03	26.50	0.447	1.000	Pass
	MCH	PI/2 BPSK	12	6	26.48	-0.03	26.45	0.442	1.000	Pass
			1	1	26.46	-0.03	26.43	0.440	1.000	Pass
			1	22	26.55	-0.03	26.52	0.449	1.000	Pass
		QPSK	12	6	26.59	-0.03	26.56	0.453	1.000	Pass
			1	1	25.87	-0.03	25.84	0.384	1.000	Pass
			1	22	26.34	-0.03	26.31	0.428	1.000	Pass
		16QAM	12	6	26.38	-0.03	26.35	0.432	1.000	Pass
			1	1	26.2	-0.03	26.17	0.414	1.000	Pass
			1	22	24.61	-0.03	24.58	0.287	1.000	Pass
		64QAM	12	6	24.31	-0.03	24.28	0.268	1.000	Pass
			1	1	24.44	-0.03	24.41	0.276	1.000	Pass
			1	22	21.97	-0.03	21.94	0.156	1.000	Pass
		256QAM	12	6	22.18	-0.03	22.15	0.164	1.000	Pass
			1	1	21.93	-0.03	21.90	0.155	1.000	Pass
			1	22	24.55	-0.03	24.52	0.283	1.000	Pass
	HCH	PI/2 BPSK	12	6	24.37	-0.03	24.34	0.272	1.000	Pass
			1	1	24.62	-0.03	24.59	0.288	1.000	Pass
			1	22	24.28	-0.03	24.25	0.266	1.000	Pass
		QPSK	12	6	24.53	-0.03	24.50	0.282	1.000	Pass
			1	1	24.12	-0.03	24.09	0.256	1.000	Pass
			1	22	23.39	-0.03	23.36	0.217	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	12	6	23.57	-0.03	23.54	0.226	1.000	Pass
			1	1	23.47	-0.03	23.44	0.221	1.000	Pass
			1	22	22.3	-0.03	22.27	0.169	1.000	Pass
		64QAM	12	6	22	-0.03	21.97	0.157	1.000	Pass
			1	1	22.17	-0.03	22.14	0.164	1.000	Pass
			1	22	21.37	-0.03	21.34	0.136	1.000	Pass
		256QAM	12	6	21.25	-0.03	21.22	0.132	1.000	Pass
			1	1	22.12	-0.03	22.09	0.162	1.000	Pass
			1	22	26.87	-0.03	26.84	0.483	1.000	Pass
15	LCH	PI/2 BPSK	18	9	26.88	-0.03	26.85	0.484	1.000	Pass
			1	1	27.07	-0.03	27.04	0.506	1.000	Pass
			1	36	26.69	-0.03	26.66	0.463	1.000	Pass
		QPSK	18	9	26.78	-0.03	26.75	0.473	1.000	Pass
			1	1	26.66	-0.03	26.63	0.460	1.000	Pass
			1	36	25.76	-0.03	25.73	0.374	1.000	Pass
		16QAM	18	9	25.79	-0.03	25.76	0.377	1.000	Pass
			1	1	25.82	-0.03	25.79	0.379	1.000	Pass
			1	36	23.67	-0.03	23.64	0.231	1.000	Pass
		64QAM	18	9	23.54	-0.03	23.51	0.224	1.000	Pass
			1	1	23.64	-0.03	23.61	0.230	1.000	Pass
			1	36	21.24	-0.03	21.21	0.132	1.000	Pass
		256QAM	18	9	21.24	-0.03	21.21	0.132	1.000	Pass
			1	1	21.14	-0.03	21.11	0.129	1.000	Pass
			1	36	26.44	-0.03	26.41	0.438	1.000	Pass
	MCH	PI/2 BPSK	18	9	26.36	-0.03	26.33	0.430	1.000	Pass
			1	1	26.26	-0.03	26.23	0.420	1.000	Pass
			1	36	26.54	-0.03	26.51	0.448	1.000	Pass
		QPSK	18	9	26.47	-0.03	26.44	0.441	1.000	Pass
			1	1	25.87	-0.03	25.84	0.384	1.000	Pass
			1	36	26.38	-0.03	26.35	0.432	1.000	Pass
		16QAM	18	9	26.39	-0.03	26.36	0.433	1.000	Pass
			1	1	25.38	-0.03	25.35	0.343	1.000	Pass
			1	36	24.35	-0.03	24.32	0.270	1.000	Pass
		64QAM	18	9	24.02	-0.03	23.99	0.251	1.000	Pass
			1	1	24.28	-0.03	24.25	0.266	1.000	Pass
			1	36	21.87	-0.03	21.84	0.153	1.000	Pass
		256QAM	18	9	21.81	-0.03	21.78	0.151	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
	HCH		1	1	21.69	-0.03	21.66	0.147	1.000	Pass
			1	36	24.48	-0.03	24.45	0.279	1.000	Pass
			18	9	24.76	-0.03	24.73	0.297	1.000	Pass
		PI/2 BPSK	1	1	24.53	-0.03	24.50	0.282	1.000	Pass
			1	36	24.4	-0.03	24.37	0.274	1.000	Pass
			18	9	24.35	-0.03	24.32	0.270	1.000	Pass
		QPSK	1	1	24.09	-0.03	24.06	0.255	1.000	Pass
			1	36	23.42	-0.03	23.39	0.218	1.000	Pass
			18	9	23.75	-0.03	23.72	0.236	1.000	Pass
		16QAM	1	1	23.41	-0.03	23.38	0.218	1.000	Pass
			1	36	22.15	-0.03	22.12	0.163	1.000	Pass
			18	9	22.34	-0.03	22.31	0.170	1.000	Pass
		64QAM	1	1	22.09	-0.03	22.06	0.161	1.000	Pass
			1	36	21.48	-0.03	21.45	0.140	1.000	Pass
			18	9	21.69	-0.03	21.66	0.147	1.000	Pass
		256QAM	1	1	20.05	-0.03	20.02	0.100	1.000	Pass
			1	36	26.89	-0.03	26.86	0.485	1.000	Pass
			25	12	26.87	-0.03	26.84	0.483	1.000	Pass
20	LCH	PI/2 BPSK	1	1	27.03	-0.03	27.00	0.501	1.000	Pass
			1	49	26.92	-0.03	26.89	0.489	1.000	Pass
			25	12	26.75	-0.03	26.72	0.470	1.000	Pass
		QPSK	1	1	26.45	-0.03	26.42	0.439	1.000	Pass
			1	49	25.42	-0.03	25.39	0.346	1.000	Pass
			25	12	25.55	-0.03	25.52	0.356	1.000	Pass
		16QAM	1	1	25.53	-0.03	25.50	0.355	1.000	Pass
			1	49	23.73	-0.03	23.70	0.234	1.000	Pass
			25	12	23.38	-0.03	23.35	0.216	1.000	Pass
		64QAM	1	1	23.66	-0.03	23.63	0.231	1.000	Pass
			1	49	21.24	-0.03	21.21	0.132	1.000	Pass
			25	12	21.21	-0.03	21.18	0.131	1.000	Pass
		256QAM	1	1	21.16	-0.03	21.13	0.130	1.000	Pass
			1	49	26.91	-0.03	26.88	0.488	1.000	Pass
			25	12	25.17	-0.03	25.14	0.327	1.000	Pass
	MCH	PI/2 BPSK	1	1	25.48	-0.03	25.45	0.351	1.000	Pass
			1	49	26.67	-0.03	26.64	0.461	1.000	Pass
			25	12	24.19	-0.03	24.16	0.261	1.000	Pass
		QPSK	1	1	24.44	-0.03	24.41	0.276	1.000	Pass
			25	12	24.44	-0.03	24.41	0.276	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
25		16QAM	1	49	25.52	-0.03	25.49	0.354	1.000	Pass
			25	12	23.63	-0.03	23.60	0.229	1.000	Pass
			1	1	23.63	-0.03	23.60	0.229	1.000	Pass
			1	49	23.96	-0.03	23.93	0.247	1.000	Pass
		64QAM	25	12	23.85	-0.03	23.82	0.241	1.000	Pass
			1	1	23.85	-0.03	23.82	0.241	1.000	Pass
			1	49	21.26	-0.03	21.23	0.133	1.000	Pass
		256QAM	25	12	21.22	-0.03	21.19	0.132	1.000	Pass
			1	1	21.39	-0.03	21.36	0.137	1.000	Pass
			1	49	24.37	-0.03	24.34	0.272	1.000	Pass
	HCH	PI/2 BPSK	25	12	24.7	-0.03	24.67	0.293	1.000	Pass
			1	1	24.69	-0.03	24.66	0.292	1.000	Pass
			1	49	24.27	-0.03	24.24	0.265	1.000	Pass
		QPSK	25	12	24.63	-0.03	24.60	0.288	1.000	Pass
			1	1	24.65	-0.03	24.62	0.290	1.000	Pass
			1	49	24.36	-0.03	24.33	0.271	1.000	Pass
		16QAM	25	12	24.91	-0.03	24.88	0.308	1.000	Pass
			1	1	24.8	-0.03	24.77	0.300	1.000	Pass
			1	49	25.03	-0.03	25.00	0.316	1.000	Pass
		64QAM	25	12	22.82	-0.03	22.79	0.190	1.000	Pass
			1	1	23.82	-0.03	23.79	0.239	1.000	Pass
			1	49	21.13	-0.03	21.10	0.129	1.000	Pass
		256QAM	25	12	20.73	-0.03	20.70	0.117	1.000	Pass
			1	1	21.32	-0.03	21.29	0.135	1.000	Pass
			1	49	26.94	-0.03	26.91	0.491	1.000	Pass
25	LCH	PI/2 BPSK	32	16	26.81	-0.03	26.78	0.476	1.000	Pass
			1	1	25.91	-0.03	25.88	0.387	1.000	Pass
			1	63	26.87	-0.03	26.84	0.483	1.000	Pass
		QPSK	32	16	26.83	-0.03	26.80	0.479	1.000	Pass
			1	1	26.98	-0.03	26.95	0.495	1.000	Pass
			1	63	25.89	-0.03	25.86	0.385	1.000	Pass
		16QAM	32	16	26.14	-0.03	26.11	0.408	1.000	Pass
			1	1	26.34	-0.03	26.31	0.428	1.000	Pass
			1	63	23.94	-0.03	23.91	0.246	1.000	Pass
		64QAM	32	16	23.84	-0.03	23.81	0.240	1.000	Pass
			1	1	23.86	-0.03	23.83	0.242	1.000	Pass
			1	63	21.71	-0.03	21.68	0.147	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
	MCH	256QAM	32	16	21.25	-0.03	21.22	0.132	1.000	Pass
			1	1	21.31	-0.03	21.28	0.134	1.000	Pass
			1	63	26.6	-0.03	26.57	0.454	1.000	Pass
		PI/2 BPSK	32	16	26.68	-0.03	26.65	0.462	1.000	Pass
			1	1	26.4	-0.03	26.37	0.434	1.000	Pass
			1	63	26.38	-0.03	26.35	0.432	1.000	Pass
		QPSK	32	16	26.51	-0.03	26.48	0.445	1.000	Pass
			1	1	26.01	-0.03	25.98	0.396	1.000	Pass
			1	63	26.28	-0.03	26.25	0.422	1.000	Pass
		16QAM	32	16	26.63	-0.03	26.60	0.457	1.000	Pass
			1	1	24.81	-0.03	24.78	0.301	1.000	Pass
			1	63	24.53	-0.03	24.50	0.282	1.000	Pass
		64QAM	32	16	24.85	-0.03	24.82	0.303	1.000	Pass
			1	1	24.74	-0.03	24.71	0.296	1.000	Pass
			1	63	22.28	-0.03	22.25	0.168	1.000	Pass
		256QAM	32	16	21.98	-0.03	21.95	0.157	1.000	Pass
			1	1	22.08	-0.03	22.05	0.160	1.000	Pass
			1	63	24.81	-0.03	24.78	0.301	1.000	Pass
		PI/2 BPSK	32	16	24.64	-0.03	24.61	0.289	1.000	Pass
			1	1	24.4	-0.03	24.37	0.274	1.000	Pass
			1	63	24.32	-0.03	24.29	0.269	1.000	Pass
		QPSK	32	16	24.75	-0.03	24.72	0.296	1.000	Pass
			1	1	24.04	-0.03	24.01	0.252	1.000	Pass
			1	63	23.44	-0.03	23.41	0.219	1.000	Pass
		16QAM	32	16	23.65	-0.03	23.62	0.230	1.000	Pass
			1	1	23.43	-0.03	23.40	0.219	1.000	Pass
			1	63	22.39	-0.03	22.36	0.172	1.000	Pass
		64QAM	32	16	22.78	-0.03	22.75	0.188	1.000	Pass
			1	1	22.2	-0.03	22.17	0.165	1.000	Pass
			1	63	22.46	-0.03	22.43	0.175	1.000	Pass
		256QAM	32	16	21.4	-0.03	21.37	0.137	1.000	Pass
			1	1	20.15	-0.03	20.12	0.103	1.000	Pass
			1	63	26.12	-0.03	26.09	0.406	1.000	Pass
30	LCH	PI/2 BPSK	36	18	26	-0.03	25.97	0.395	1.000	Pass
			1	1	25.92	-0.03	25.89	0.388	1.000	Pass
			1	76	26.08	-0.03	26.05	0.403	1.000	Pass
		QPSK	36	18	27.07	-0.03	27.04	0.506	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	1	1	25.84	-0.03	25.81	0.381	1.000	Pass
			1	76	26.23	-0.03	26.20	0.417	1.000	Pass
			36	18	26.07	-0.03	26.04	0.402	1.000	Pass
			1	1	26.07	-0.03	26.04	0.402	1.000	Pass
			1	76	24.13	-0.03	24.10	0.257	1.000	Pass
		64QAM	36	18	23.41	-0.03	23.38	0.218	1.000	Pass
			1	1	23.7	-0.03	23.67	0.233	1.000	Pass
			1	76	21.68	-0.03	21.65	0.146	1.000	Pass
		256QAM	36	18	21.35	-0.03	21.32	0.136	1.000	Pass
			1	1	21.26	-0.03	21.23	0.133	1.000	Pass
			1	76	26.52	-0.03	26.49	0.446	1.000	Pass
	MCH	PI/2 BPSK	36	18	26.91	-0.03	26.88	0.488	1.000	Pass
			1	1	27.09	-0.03	27.06	0.508	1.000	Pass
			1	76	26.56	-0.03	26.53	0.450	1.000	Pass
		QPSK	36	18	26.57	-0.03	26.54	0.451	1.000	Pass
			1	1	25.11	-0.03	25.08	0.322	1.000	Pass
			1	76	26.66	-0.03	26.63	0.460	1.000	Pass
		16QAM	36	18	26.69	-0.03	26.66	0.463	1.000	Pass
			1	1	24.97	-0.03	24.94	0.312	1.000	Pass
			1	76	24.54	-0.03	24.51	0.282	1.000	Pass
		64QAM	36	18	24.28	-0.03	24.25	0.266	1.000	Pass
			1	1	24.39	-0.03	24.36	0.273	1.000	Pass
			1	76	22.25	-0.03	22.22	0.167	1.000	Pass
		256QAM	36	18	22.23	-0.03	22.20	0.166	1.000	Pass
			1	1	21.67	-0.03	21.64	0.146	1.000	Pass
			1	76	24.72	-0.03	24.69	0.294	1.000	Pass
	HCH	PI/2 BPSK	36	18	24.84	-0.03	24.81	0.303	1.000	Pass
			1	1	24.24	-0.03	24.21	0.264	1.000	Pass
			1	76	24.32	-0.03	24.29	0.269	1.000	Pass
		QPSK	36	18	24.78	-0.03	24.75	0.299	1.000	Pass
			1	1	24.32	-0.03	24.29	0.269	1.000	Pass
			1	76	23.72	-0.03	23.69	0.234	1.000	Pass
		16QAM	36	18	23.99	-0.03	23.96	0.249	1.000	Pass
			1	1	23.6	-0.03	23.57	0.228	1.000	Pass
			1	76	22.41	-0.03	22.38	0.173	1.000	Pass
		64QAM	36	18	22.25	-0.03	22.22	0.167	1.000	Pass
			1	1	22.04	-0.03	22.01	0.159	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		256QAM	1	76	22.2	-0.03	22.17	0.165	1.000	Pass
			36	18	21.63	-0.03	21.60	0.145	1.000	Pass
			1	1	21.25	-0.03	21.22	0.132	1.000	Pass
			1	76	25.96	-0.03	25.93	0.392	1.000	Pass
40	LCH	PI/2 BPSK	50	25	26.71	-0.03	26.68	0.466	1.000	Pass
			1	1	26.17	-0.03	26.14	0.411	1.000	Pass
			1	104	26.8	-0.03	26.77	0.475	1.000	Pass
		QPSK	50	25	26.67	-0.03	26.64	0.461	1.000	Pass
			1	1	26.2	-0.03	26.17	0.414	1.000	Pass
			1	104	25.86	-0.03	25.83	0.383	1.000	Pass
		16QAM	50	25	26.16	-0.03	26.13	0.410	1.000	Pass
			1	1	26.22	-0.03	26.19	0.416	1.000	Pass
			1	104	23.88	-0.03	23.85	0.243	1.000	Pass
		64QAM	50	25	23.6	-0.03	23.57	0.228	1.000	Pass
			1	1	23.97	-0.03	23.94	0.248	1.000	Pass
			1	104	21.67	-0.03	21.64	0.146	1.000	Pass
		256QAM	50	25	20.99	-0.03	20.96	0.125	1.000	Pass
			1	1	21.49	-0.03	21.46	0.140	1.000	Pass
			1	104	26.64	-0.03	26.61	0.458	1.000	Pass
		PI/2 BPSK	50	25	26.29	-0.03	26.26	0.423	1.000	Pass
			1	1	26.91	-0.03	26.88	0.488	1.000	Pass
			1	104	26.54	-0.03	26.51	0.448	1.000	Pass
		QPSK	50	25	26.23	-0.03	26.20	0.417	1.000	Pass
			1	1	25.67	-0.03	25.64	0.366	1.000	Pass
			1	104	26.6	-0.03	26.57	0.454	1.000	Pass
		16QAM	50	25	26.74	-0.03	26.71	0.469	1.000	Pass
			1	1	13.7	-0.03	13.67	0.023	1.000	Pass
			1	104	24.19	-0.03	24.16	0.261	1.000	Pass
		64QAM	50	25	24.33	-0.03	24.30	0.269	1.000	Pass
			1	1	24.3	-0.03	24.27	0.267	1.000	Pass
			1	104	21.93	-0.03	21.90	0.155	1.000	Pass
		256QAM	50	25	21.91	-0.03	21.88	0.154	1.000	Pass
			1	1	21.9	-0.03	21.87	0.154	1.000	Pass
			1	104	25.35	-0.03	25.32	0.340	1.000	Pass
	HCH	PI/2 BPSK	50	25	25.55	-0.03	25.52	0.356	1.000	Pass
			1	1	24.88	-0.03	24.85	0.305	1.000	Pass
			1	104	24.77	-0.03	24.74	0.298	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		QPSK	50	25	25.34	-0.03	25.31	0.340	1.000	Pass
			1	1	24.65	-0.03	24.62	0.290	1.000	Pass
			1	104	24.23	-0.03	24.20	0.263	1.000	Pass
		16QAM	50	25	24.2	-0.03	24.17	0.261	1.000	Pass
			1	1	23.93	-0.03	23.90	0.245	1.000	Pass
			1	104	22.74	-0.03	22.71	0.187	1.000	Pass
		64QAM	50	25	23.35	-0.03	23.32	0.215	1.000	Pass
			1	1	22.84	-0.03	22.81	0.191	1.000	Pass
			1	104	21.38	-0.03	21.35	0.136	1.000	Pass
		256QAM	50	25	22.66	-0.03	22.63	0.183	1.000	Pass
			1	1	22.29	-0.03	22.26	0.168	1.000	Pass
			1	104	26.9	-0.03	26.87	0.486	1.000	Pass
50	LCH	PI/2 BPSK	64	32	26.97	-0.03	26.94	0.494	1.000	Pass
			1	1	26.62	-0.03	26.59	0.456	1.000	Pass
			1	131	27.09	-0.03	27.06	0.508	1.000	Pass
		QPSK	64	32	26.49	-0.03	26.46	0.443	1.000	Pass
			1	1	26.07	-0.03	26.04	0.402	1.000	Pass
			1	131	25.8	-0.03	25.77	0.378	1.000	Pass
		16QAM	64	32	24.69	-0.03	24.66	0.292	1.000	Pass
			1	1	25.77	-0.03	25.74	0.375	1.000	Pass
			1	131	23.88	-0.03	23.85	0.243	1.000	Pass
		64QAM	64	32	23.9	-0.03	23.87	0.244	1.000	Pass
			1	1	23.93	-0.03	23.90	0.245	1.000	Pass
			1	131	21.58	-0.03	21.55	0.143	1.000	Pass
		256QAM	64	32	21.27	-0.03	21.24	0.133	1.000	Pass
			1	1	20.94	-0.03	20.91	0.123	1.000	Pass
			1	131	26.95	-0.03	26.92	0.492	1.000	Pass
	MCH	PI/2 BPSK	64	32	24.89	-0.03	24.86	0.306	1.000	Pass
			1	1	24.87	-0.03	24.84	0.305	1.000	Pass
			1	131	26.81	-0.03	26.78	0.476	1.000	Pass
		QPSK	64	32	24.17	-0.03	24.14	0.259	1.000	Pass
			1	1	23.78	-0.03	23.75	0.237	1.000	Pass
			1	131	25.77	-0.03	25.74	0.375	1.000	Pass
		16QAM	64	32	24.99	-0.03	24.96	0.313	1.000	Pass
			1	1	24.99	-0.03	24.96	0.313	1.000	Pass
			1	131	23.87	-0.03	23.84	0.242	1.000	Pass
		64QAM	64	32	24.06	-0.03	24.03	0.253	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		256QAM	1	1	23.83	-0.03	23.80	0.240	1.000	Pass
			1	131	21.68	-0.03	21.65	0.146	1.000	Pass
			64	32	21.17	-0.03	21.14	0.130	1.000	Pass
			1	1	21.25	-0.03	21.22	0.132	1.000	Pass
			1	131	24.58	-0.03	24.55	0.285	1.000	Pass
	HCH	PI/2 BPSK	64	32	24.32	-0.03	24.29	0.269	1.000	Pass
			1	1	24.33	-0.03	24.30	0.269	1.000	Pass
			1	131	24.54	-0.03	24.51	0.282	1.000	Pass
		QPSK	64	32	24.32	-0.03	24.29	0.269	1.000	Pass
			1	1	23.85	-0.03	23.82	0.241	1.000	Pass
			1	131	23.65	-0.03	23.62	0.230	1.000	Pass
		16QAM	64	32	23.5	-0.03	23.47	0.222	1.000	Pass
			1	1	23.18	-0.03	23.15	0.207	1.000	Pass
			1	131	22.36	-0.03	22.33	0.171	1.000	Pass
		64QAM	64	32	22.12	-0.03	22.09	0.162	1.000	Pass
			1	1	22.09	-0.03	22.06	0.161	1.000	Pass
			1	131	21.27	-0.03	21.24	0.133	1.000	Pass
		256QAM	64	32	20.89	-0.03	20.86	0.122	1.000	Pass
			1	1	21.04	-0.03	21.01	0.126	1.000	Pass
			1	131	26.16	-0.03	26.13	0.410	1.000	Pass
60	LCH	PI/2 BPSK	81	40	26.74	-0.03	26.71	0.469	1.000	Pass
			1	1	26.16	-0.03	26.13	0.410	1.000	Pass
			1	160	27.08	-0.03	27.05	0.507	1.000	Pass
		QPSK	81	40	26.97	-0.03	26.94	0.494	1.000	Pass
			1	1	26.16	-0.03	26.13	0.410	1.000	Pass
			1	160	25.94	-0.03	25.91	0.390	1.000	Pass
		16QAM	81	40	25.79	-0.03	25.76	0.377	1.000	Pass
			1	1	26.18	-0.03	26.15	0.412	1.000	Pass
			1	160	24.13	-0.03	24.10	0.257	1.000	Pass
		64QAM	81	40	23.55	-0.03	23.52	0.225	1.000	Pass
			1	1	23.8	-0.03	23.77	0.238	1.000	Pass
			1	160	21.38	-0.03	21.35	0.136	1.000	Pass
		256QAM	81	40	21.06	-0.03	21.03	0.127	1.000	Pass
			1	1	21.44	-0.03	21.41	0.138	1.000	Pass
			1	160	26.35	-0.03	26.32	0.429	1.000	Pass
	MCH	PI/2 BPSK	81	40	26.61	-0.03	26.58	0.455	1.000	Pass
			1	1	26.21	-0.03	26.18	0.415	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		QPSK	1	160	26.26	-0.03	26.23	0.420	1.000	Pass
			81	40	26.4	-0.03	26.37	0.434	1.000	Pass
			1	1	25.7	-0.03	25.67	0.369	1.000	Pass
			1	160	26.15	-0.03	26.12	0.409	1.000	Pass
		16QAM	81	40	26.5	-0.03	26.47	0.444	1.000	Pass
			1	1	24.74	-0.03	24.71	0.296	1.000	Pass
			1	160	24.32	-0.03	24.29	0.269	1.000	Pass
		64QAM	81	40	24.32	-0.03	24.29	0.269	1.000	Pass
			1	1	24.04	-0.03	24.01	0.252	1.000	Pass
			1	160	21.84	-0.03	21.81	0.152	1.000	Pass
		256QAM	81	40	21.9	-0.03	21.87	0.154	1.000	Pass
			1	1	21.53	-0.03	21.50	0.141	1.000	Pass
			1	160	26.51	-0.03	26.48	0.445	1.000	Pass
	HCH	PI/2 BPSK	81	40	26.93	-0.03	26.90	0.490	1.000	Pass
			1	1	25.03	-0.03	25.00	0.316	1.000	Pass
			1	160	26.44	-0.03	26.41	0.438	1.000	Pass
		QPSK	81	40	26.68	-0.03	26.65	0.462	1.000	Pass
			1	1	25.2	-0.03	25.17	0.329	1.000	Pass
			1	160	25.6	-0.03	25.57	0.361	1.000	Pass
		16QAM	81	40	25.47	-0.03	25.44	0.350	1.000	Pass
			1	1	25.29	-0.03	25.26	0.336	1.000	Pass
			1	160	23.88	-0.03	23.85	0.243	1.000	Pass
		64QAM	81	40	23.9	-0.03	23.87	0.244	1.000	Pass
			1	1	23.16	-0.03	23.13	0.206	1.000	Pass
			1	160	21.19	-0.03	21.16	0.131	1.000	Pass
		256QAM	81	40	21.34	-0.03	21.31	0.135	1.000	Pass
			1	1	21.07	-0.03	21.04	0.127	1.000	Pass
			1	160	26.08	-0.03	26.05	0.403	1.000	Pass
70	LCH	PI/2 BPSK	90	45	26.19	-0.03	26.16	0.413	1.000	Pass
			1	1	26.18	-0.03	26.15	0.412	1.000	Pass
			1	187	25.93	-0.03	25.90	0.389	1.000	Pass
		QPSK	90	45	26.98	-0.03	26.95	0.495	1.000	Pass
			1	1	26.04	-0.03	26.01	0.399	1.000	Pass
			1	187	25.87	-0.03	25.84	0.384	1.000	Pass
		16QAM	90	45	26.24	-0.03	26.21	0.418	1.000	Pass
			1	1	26.59	-0.03	26.56	0.453	1.000	Pass
			1	187	24.06	-0.03	24.03	0.253	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		64QAM	90	45	23.78	-0.03	23.75	0.237	1.000	Pass
			1	1	23.98	-0.03	23.95	0.248	1.000	Pass
			1	187	21.54	-0.03	21.51	0.142	1.000	Pass
		256QAM	90	45	21.19	-0.03	21.16	0.131	1.000	Pass
			1	1	21.67	-0.03	21.64	0.146	1.000	Pass
			1	187	26.5	-0.03	26.47	0.444	1.000	Pass
		PI/2 BPSK	90	45	26.68	-0.03	26.65	0.462	1.000	Pass
			1	1	26.24	-0.03	26.21	0.418	1.000	Pass
			1	187	26.5	-0.03	26.47	0.444	1.000	Pass
		QPSK	90	45	26.54	-0.03	26.51	0.448	1.000	Pass
			1	1	25.81	-0.03	25.78	0.378	1.000	Pass
			1	187	26.46	-0.03	26.43	0.440	1.000	Pass
		16QAM	90	45	26.94	-0.03	26.91	0.491	1.000	Pass
			1	1	24.39	-0.03	24.36	0.273	1.000	Pass
			1	187	24.58	-0.03	24.55	0.285	1.000	Pass
		64QAM	90	45	24.74	-0.03	24.71	0.296	1.000	Pass
			1	1	24.7	-0.03	24.67	0.293	1.000	Pass
			1	187	22	-0.03	21.97	0.157	1.000	Pass
		256QAM	90	45	21.98	-0.03	21.95	0.157	1.000	Pass
			1	1	21.7	-0.03	21.67	0.147	1.000	Pass
			1	187	26.6	-0.03	26.57	0.454	1.000	Pass
	MCH	PI/2 BPSK	90	45	26.04	-0.03	26.01	0.399	1.000	Pass
			1	1	25.53	-0.03	25.50	0.355	1.000	Pass
			1	187	26.74	-0.03	26.71	0.469	1.000	Pass
		QPSK	90	45	26.67	-0.03	26.64	0.461	1.000	Pass
			1	1	25.54	-0.03	25.51	0.356	1.000	Pass
			1	187	25.62	-0.03	25.59	0.362	1.000	Pass
		16QAM	90	45	24.76	-0.03	24.73	0.297	1.000	Pass
			1	1	24.29	-0.03	24.26	0.267	1.000	Pass
			1	187	24.09	-0.03	24.06	0.255	1.000	Pass
		64QAM	90	45	16.44	-0.03	16.41	0.044	1.000	Pass
			1	1	21.27	-0.03	21.24	0.133	1.000	Pass
			1	187	21.55	-0.03	21.52	0.142	1.000	Pass
		256QAM	90	45	21.66	-0.03	21.63	0.146	1.000	Pass
			1	1	20.84	-0.03	20.81	0.121	1.000	Pass
			1	187	26.22	-0.03	26.19	0.416	1.000	Pass
	HCH	PI/2 BPSK	90	45	26.04	-0.03	26.01	0.399	1.000	Pass
			1	1	25.53	-0.03	25.50	0.355	1.000	Pass
			1	187	26.74	-0.03	26.71	0.469	1.000	Pass
		QPSK	90	45	26.67	-0.03	26.64	0.461	1.000	Pass
			1	1	25.54	-0.03	25.51	0.356	1.000	Pass
			1	187	25.62	-0.03	25.59	0.362	1.000	Pass
		16QAM	90	45	24.76	-0.03	24.73	0.297	1.000	Pass
			1	1	24.29	-0.03	24.26	0.267	1.000	Pass
			1	187	24.09	-0.03	24.06	0.255	1.000	Pass
		64QAM	90	45	16.44	-0.03	16.41	0.044	1.000	Pass
			1	1	21.27	-0.03	21.24	0.133	1.000	Pass
			1	187	21.55	-0.03	21.52	0.142	1.000	Pass
		256QAM	90	45	21.66	-0.03	21.63	0.146	1.000	Pass
			1	1	20.84	-0.03	20.81	0.121	1.000	Pass
			1	187	26.22	-0.03	26.19	0.416	1.000	Pass
80	LCH	PI/2	108	54	26.03	-0.03	26.00	0.398	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		BPSK	1	1	26.41	-0.03	26.38	0.435	1.000	Pass
			1	215	26.06	-0.03	26.03	0.401	1.000	Pass
		QPSK	108	54	26.94	-0.03	26.91	0.491	1.000	Pass
			1	1	26.13	-0.03	26.10	0.407	1.000	Pass
			1	215	25.88	-0.03	25.85	0.385	1.000	Pass
		16QAM	108	54	25.91	-0.03	25.88	0.387	1.000	Pass
			1	1	26.25	-0.03	26.22	0.419	1.000	Pass
			1	215	23.99	-0.03	23.96	0.249	1.000	Pass
		64QAM	108	54	23.82	-0.03	23.79	0.239	1.000	Pass
			1	1	24.11	-0.03	24.08	0.256	1.000	Pass
			1	215	21.77	-0.03	21.74	0.149	1.000	Pass
		256QAM	108	54	21.24	-0.03	21.21	0.132	1.000	Pass
			1	1	21.65	-0.03	21.62	0.145	1.000	Pass
			1	215	26.59	-0.03	26.56	0.453	1.000	Pass
	MCH	PI/2 BPSK	108	54	26.51	-0.03	26.48	0.445	1.000	Pass
			1	1	26.02	-0.03	25.99	0.397	1.000	Pass
			1	215	26.56	-0.03	26.53	0.450	1.000	Pass
		QPSK	108	54	26.38	-0.03	26.35	0.432	1.000	Pass
			1	1	25.88	-0.03	25.85	0.385	1.000	Pass
			1	215	26.49	-0.03	26.46	0.443	1.000	Pass
		16QAM	108	54	26.57	-0.03	26.54	0.451	1.000	Pass
			1	1	24.49	-0.03	24.46	0.279	1.000	Pass
			1	215	24.66	-0.03	24.63	0.290	1.000	Pass
		64QAM	108	54	24.17	-0.03	24.14	0.259	1.000	Pass
			1	1	23.95	-0.03	23.92	0.247	1.000	Pass
			1	215	21.89	-0.03	21.86	0.153	1.000	Pass
		256QAM	108	54	22.14	-0.03	22.11	0.163	1.000	Pass
			1	1	21.95	-0.03	21.92	0.156	1.000	Pass
			1	215	26.76	-0.03	26.73	0.471	1.000	Pass
	HCH	PI/2 BPSK	108	54	25.89	-0.03	25.86	0.385	1.000	Pass
			1	1	25.11	-0.03	25.08	0.322	1.000	Pass
			1	215	26.63	-0.03	26.60	0.457	1.000	Pass
		QPSK	108	54	26.58	-0.03	26.55	0.452	1.000	Pass
			1	1	25.2	-0.03	25.17	0.329	1.000	Pass
			1	215	25.42	-0.03	25.39	0.346	1.000	Pass
		16QAM	108	54	24.46	-0.03	24.43	0.277	1.000	Pass
			1	1	24.26	-0.03	24.23	0.265	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		64QAM	1	215	24.12	-0.03	24.09	0.256	1.000	Pass
			108	54	24.07	-0.03	24.04	0.254	1.000	Pass
			1	1	22.18	-0.03	22.15	0.164	1.000	Pass
			1	215	21.59	-0.03	21.56	0.143	1.000	Pass
		256QAM	108	54	21.58	-0.03	21.55	0.143	1.000	Pass
			1	1	20.68	-0.03	20.65	0.116	1.000	Pass
			1	215	26.27	-0.03	26.24	0.421	1.000	Pass
90	LCH	PI/2 BPSK	120	60	26.03	-0.03	26.00	0.398	1.000	Pass
			1	1	26.58	-0.03	26.55	0.452	1.000	Pass
			1	243	26.09	-0.03	26.06	0.404	1.000	Pass
		QPSK	120	60	25.85	-0.03	25.82	0.382	1.000	Pass
			1	1	26.29	-0.03	26.26	0.423	1.000	Pass
			1	243	26.01	-0.03	25.98	0.396	1.000	Pass
		16QAM	120	60	26.13	-0.03	26.10	0.407	1.000	Pass
			1	1	26.48	-0.03	26.45	0.442	1.000	Pass
			1	243	24.27	-0.03	24.24	0.265	1.000	Pass
		64QAM	120	60	23.74	-0.03	23.71	0.235	1.000	Pass
			1	1	24.05	-0.03	24.02	0.252	1.000	Pass
			1	243	21.62	-0.03	21.59	0.144	1.000	Pass
		256QAM	120	60	21.59	-0.03	21.56	0.143	1.000	Pass
			1	1	21.61	-0.03	21.58	0.144	1.000	Pass
			1	243	26.39	-0.03	26.36	0.433	1.000	Pass
	MCH	PI/2 BPSK	120	60	26.74	-0.03	26.71	0.469	1.000	Pass
			1	1	26.15	-0.03	26.12	0.409	1.000	Pass
			1	243	26.51	-0.03	26.48	0.445	1.000	Pass
		QPSK	120	60	26.8	-0.03	26.77	0.475	1.000	Pass
			1	1	26.22	-0.03	26.19	0.416	1.000	Pass
			1	243	26.31	-0.03	26.28	0.425	1.000	Pass
		16QAM	120	60	26.86	-0.03	26.83	0.482	1.000	Pass
			1	1	24.71	-0.03	24.68	0.294	1.000	Pass
			1	243	24.35	-0.03	24.32	0.270	1.000	Pass
		64QAM	120	60	24.66	-0.03	24.63	0.290	1.000	Pass
			1	1	24.33	-0.03	24.30	0.269	1.000	Pass
			1	243	22.08	-0.03	22.05	0.160	1.000	Pass
		256QAM	120	60	22.17	-0.03	22.14	0.164	1.000	Pass
			1	1	21.94	-0.03	21.91	0.155	1.000	Pass
			1	243	27.09	-0.03	27.06	0.508	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
	HCH	PI/2 BPSK	120	60	26.39	-0.03	26.36	0.433	1.000	Pass
			1	1	25.1	-0.03	25.07	0.321	1.000	Pass
			1	243	26.49	-0.03	26.46	0.443	1.000	Pass
		QPSK	120	60	26.59	-0.03	26.56	0.453	1.000	Pass
			1	1	25.49	-0.03	25.46	0.352	1.000	Pass
			1	243	25.72	-0.03	25.69	0.371	1.000	Pass
		16QAM	120	60	24.55	-0.03	24.52	0.283	1.000	Pass
			1	1	24.07	-0.03	24.04	0.254	1.000	Pass
			1	243	23.81	-0.03	23.78	0.239	1.000	Pass
		64QAM	120	60	24.61	-0.03	24.58	0.287	1.000	Pass
			1	1	22.36	-0.03	22.33	0.171	1.000	Pass
			1	243	21.75	-0.03	21.72	0.149	1.000	Pass
		256QAM	120	60	21.91	-0.03	21.88	0.154	1.000	Pass
			1	1	20.83	-0.03	20.80	0.120	1.000	Pass
			1	243	26.14	-0.03	26.11	0.408	1.000	Pass
100	LCH	PI/2 BPSK	135	67	26.33	-0.03	26.30	0.427	1.000	Pass
			1	1	25.49	-0.03	25.46	0.352	1.000	Pass
			1	271	26.41	-0.03	26.38	0.435	1.000	Pass
		QPSK	135	67	26.29	-0.03	26.26	0.423	1.000	Pass
			1	1	25.26	-0.03	25.23	0.333	1.000	Pass
			1	271	25.29	-0.03	25.26	0.336	1.000	Pass
		16QAM	135	67	25.04	-0.03	25.01	0.317	1.000	Pass
			1	1	24.51	-0.03	24.48	0.281	1.000	Pass
			1	271	23.44	-0.03	23.41	0.219	1.000	Pass
		64QAM	135	67	23.4	-0.03	23.37	0.217	1.000	Pass
			1	1	23.17	-0.03	23.14	0.206	1.000	Pass
			1	271	20.87	-0.03	20.84	0.121	1.000	Pass
		256QAM	135	67	21.32	-0.03	21.29	0.135	1.000	Pass
			1	1	20.98	-0.03	20.95	0.124	1.000	Pass
			1	271	26.82	-0.03	26.79	0.478	1.000	Pass
	MCH	PI/2 BPSK	135	67	26.09	-0.03	26.06	0.404	1.000	Pass
			1	1	25.53	-0.03	25.50	0.355	1.000	Pass
			1	271	26.63	-0.03	26.60	0.457	1.000	Pass
		QPSK	135	67	25.54	-0.03	25.51	0.356	1.000	Pass
			1	1	24.01	-0.03	23.98	0.250	1.000	Pass
			1	271	25.8	-0.03	25.77	0.378	1.000	Pass
		16QAM	135	67	25.68	-0.03	25.65	0.367	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		64QAM	1	1	22.91	-0.03	22.88	0.194	1.000	Pass
			1	271	24.75	-0.03	24.72	0.296	1.000	Pass
			135	67	24.37	-0.03	24.34	0.272	1.000	Pass
			1	1	22.8	-0.03	22.77	0.189	1.000	Pass
			1	271	21.54	-0.03	21.51	0.142	1.000	Pass
			135	67	21.62	-0.03	21.59	0.144	1.000	Pass
		256QAM	1	1	21.47	-0.03	21.44	0.139	1.000	Pass
			1	271	25.62	-0.03	25.59	0.362	1.000	Pass
			135	67	25.3	-0.03	25.27	0.337	1.000	Pass
			1	1	24.68	-0.03	24.65	0.292	1.000	Pass
			1	271	25.42	-0.03	25.39	0.346	1.000	Pass
			135	67	24.32	-0.03	24.29	0.269	1.000	Pass
HCH		PI/2 BPSK	1	1	24.98	-0.03	24.95	0.313	1.000	Pass
			1	271	25.1	-0.03	25.07	0.321	1.000	Pass
			135	67	23.02	-0.03	22.99	0.199	1.000	Pass
		QPSK	1	1	23.31	-0.03	23.28	0.213	1.000	Pass
			1	271	23.54	-0.03	23.51	0.224	1.000	Pass
			135	67	23.09	-0.03	23.06	0.202	1.000	Pass
		16QAM	1	1	23.37	-0.03	23.34	0.216	1.000	Pass
			1	271	21.46	-0.03	21.43	0.139	1.000	Pass
			135	67	21.36	-0.03	21.33	0.136	1.000	Pass
		256QAM	1	1	20.75	-0.03	20.72	0.118	1.000	Pass
			1	271	0.17	-0.03	0.14	0.001	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	24.99	-0.18	24.81	0.303	1.000	Pass
			1	1	25.07	-0.18	24.89	0.308	1.000	Pass
			1	22	24.84	-0.18	24.66	0.292	1.000	Pass
		QPSK	12	6	23.85	-0.18	23.67	0.233	1.000	Pass
			1	1	25.02	-0.18	24.84	0.305	1.000	Pass
			1	22	25.61	-0.18	25.43	0.349	1.000	Pass
		16QAM	12	6	24.22	-0.18	24.04	0.254	1.000	Pass
			1	1	24.91	-0.18	24.73	0.297	1.000	Pass
			1	22	24.46	-0.18	24.28	0.268	1.000	Pass
		64QAM	12	6	24.31	-0.18	24.13	0.259	1.000	Pass
			1	1	24.23	-0.18	24.05	0.254	1.000	Pass
			1	22	22.23	-0.18	22.05	0.160	1.000	Pass
		256QAM	12	6	22.39	-0.18	22.21	0.166	1.000	Pass
			1	1	22.4	-0.18	22.22	0.167	1.000	Pass
			1	22	25.6	-0.18	25.42	0.348	1.000	Pass
	MCH	PI/2 BPSK	12	6	25.88	-0.18	25.70	0.372	1.000	Pass
			1	1	25.75	-0.18	25.57	0.361	1.000	Pass
			1	22	25.28	-0.18	25.10	0.324	1.000	Pass
		QPSK	12	6	25.6	-0.18	25.42	0.348	1.000	Pass
			1	1	25.74	-0.18	25.56	0.360	1.000	Pass
			1	22	25.36	-0.18	25.18	0.330	1.000	Pass
		16QAM	12	6	25.72	-0.18	25.54	0.358	1.000	Pass
			1	1	25.52	-0.18	25.34	0.342	1.000	Pass
			1	22	24.05	-0.18	23.87	0.244	1.000	Pass
		64QAM	12	6	24.29	-0.18	24.11	0.258	1.000	Pass
			1	1	24.26	-0.18	24.08	0.256	1.000	Pass
			1	22	22.11	-0.18	21.93	0.156	1.000	Pass
		256QAM	12	6	22.11	-0.18	21.93	0.156	1.000	Pass
			1	1	21.76	-0.18	21.58	0.144	1.000	Pass
			1	22	24.9	-0.18	24.72	0.296	1.000	Pass
	HCH	PI/2 BPSK	12	6	25.03	-0.18	24.85	0.305	1.000	Pass
			1	1	25.04	-0.18	24.86	0.306	1.000	Pass
			1	22	24.9	-0.18	24.72	0.296	1.000	Pass
		QPSK	12	6	24.89	-0.18	24.71	0.296	1.000	Pass
			1	1	25.03	-0.18	24.85	0.305	1.000	Pass
			1	22	24.84	-0.18	24.66	0.292	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		16QAM	12	6	25.16	-0.18	24.98	0.315	1.000	Pass
			1	1	25.23	-0.18	25.05	0.320	1.000	Pass
			1	22	23.26	-0.18	23.08	0.203	1.000	Pass
		64QAM	12	6	23.84	-0.18	23.66	0.232	1.000	Pass
			1	1	23.62	-0.18	23.44	0.221	1.000	Pass
			1	22	21.48	-0.18	21.30	0.135	1.000	Pass
		256QAM	12	6	21.3	-0.18	21.12	0.129	1.000	Pass
			1	1	21.71	-0.18	21.53	0.142	1.000	Pass
			1	22	24.93	-0.18	24.75	0.299	1.000	Pass
15	LCH	PI/2 BPSK	18	9	25.98	-0.18	25.80	0.380	1.000	Pass
			1	1	25.69	-0.18	25.51	0.356	1.000	Pass
			1	36	25.96	-0.18	25.78	0.378	1.000	Pass
		QPSK	18	9	24.94	-0.18	24.76	0.299	1.000	Pass
			1	1	25.79	-0.18	25.61	0.364	1.000	Pass
			1	36	25.86	-0.18	25.68	0.370	1.000	Pass
		16QAM	18	9	24.93	-0.18	24.75	0.299	1.000	Pass
			1	1	25.95	-0.18	25.77	0.378	1.000	Pass
			1	36	24.23	-0.18	24.05	0.254	1.000	Pass
		64QAM	18	9	24.28	-0.18	24.10	0.257	1.000	Pass
			1	1	24.12	-0.18	23.94	0.248	1.000	Pass
			1	36	22.13	-0.18	21.95	0.157	1.000	Pass
		256QAM	18	9	22.4	-0.18	22.22	0.167	1.000	Pass
			1	1	22.08	-0.18	21.90	0.155	1.000	Pass
			1	36	25.26	-0.18	25.08	0.322	1.000	Pass
	MCH	PI/2 BPSK	18	9	25.33	-0.18	25.15	0.327	1.000	Pass
			1	1	25.39	-0.18	25.21	0.332	1.000	Pass
			1	36	25.52	-0.18	25.34	0.342	1.000	Pass
		QPSK	18	9	25.55	-0.18	25.37	0.344	1.000	Pass
			1	1	25.52	-0.18	25.34	0.342	1.000	Pass
			1	36	25.5	-0.18	25.32	0.340	1.000	Pass
		16QAM	18	9	25.57	-0.18	25.39	0.346	1.000	Pass
			1	1	25.32	-0.18	25.14	0.327	1.000	Pass
			1	36	23.81	-0.18	23.63	0.231	1.000	Pass
		64QAM	18	9	23.85	-0.18	23.67	0.233	1.000	Pass
			1	1	23.48	-0.18	23.30	0.214	1.000	Pass
			1	36	22.01	-0.18	21.83	0.152	1.000	Pass
		256QAM	18	9	21.97	-0.18	21.79	0.151	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	HCH		1	1	21.87	-0.18	21.69	0.148	1.000	Pass
			1	36	25.16	-0.18	24.98	0.315	1.000	Pass
		PI/2 BPSK	18	9	25.08	-0.18	24.90	0.309	1.000	Pass
			1	1	24.88	-0.18	24.70	0.295	1.000	Pass
			1	36	24.97	-0.18	24.79	0.301	1.000	Pass
		QPSK	18	9	25.14	-0.18	24.96	0.313	1.000	Pass
			1	1	25.02	-0.18	24.84	0.305	1.000	Pass
			1	36	24.85	-0.18	24.67	0.293	1.000	Pass
		16QAM	18	9	24.93	-0.18	24.75	0.299	1.000	Pass
			1	1	25.02	-0.18	24.84	0.305	1.000	Pass
			1	36	23.63	-0.18	23.45	0.221	1.000	Pass
		64QAM	18	9	23.56	-0.18	23.38	0.218	1.000	Pass
			1	1	23.48	-0.18	23.30	0.214	1.000	Pass
			1	36	21.44	-0.18	21.26	0.134	1.000	Pass
		256QAM	18	9	21.43	-0.18	21.25	0.133	1.000	Pass
			1	1	21.66	-0.18	21.48	0.141	1.000	Pass
			1	36	25.21	-0.18	25.03	0.318	1.000	Pass
20	LCH	PI/2 BPSK	25	12	25.58	-0.18	25.40	0.347	1.000	Pass
			1	1	25.3	-0.18	25.12	0.325	1.000	Pass
			1	49	25.26	-0.18	25.08	0.322	1.000	Pass
		QPSK	25	12	25.5	-0.18	25.32	0.340	1.000	Pass
			1	1	25.22	-0.18	25.04	0.319	1.000	Pass
			1	49	25.43	-0.18	25.25	0.335	1.000	Pass
		16QAM	25	12	25.57	-0.18	25.39	0.346	1.000	Pass
			1	1	25.27	-0.18	25.09	0.323	1.000	Pass
			1	49	24.21	-0.18	24.03	0.253	1.000	Pass
		64QAM	25	12	24.1	-0.18	23.92	0.247	1.000	Pass
			1	1	24.08	-0.18	23.90	0.245	1.000	Pass
			1	49	22.13	-0.18	21.95	0.157	1.000	Pass
		256QAM	25	12	22.4	-0.18	22.22	0.167	1.000	Pass
			1	1	22.1	-0.18	21.92	0.156	1.000	Pass
			1	49	25.26	-0.18	25.08	0.322	1.000	Pass
	MCH	PI/2 BPSK	25	12	25.34	-0.18	25.16	0.328	1.000	Pass
			1	1	25.14	-0.18	24.96	0.313	1.000	Pass
			1	49	25.03	-0.18	24.85	0.305	1.000	Pass
		QPSK	25	12	25.09	-0.18	24.91	0.310	1.000	Pass
			1	1	25.12	-0.18	24.94	0.312	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
25		16QAM	1	49	24.98	-0.18	24.80	0.302	1.000	Pass
			25	12	25.74	-0.18	25.56	0.360	1.000	Pass
			1	1	25.59	-0.18	25.41	0.348	1.000	Pass
			1	49	24.02	-0.18	23.84	0.242	1.000	Pass
		64QAM	25	12	23.81	-0.18	23.63	0.231	1.000	Pass
			1	1	23.97	-0.18	23.79	0.239	1.000	Pass
			1	49	22.09	-0.18	21.91	0.155	1.000	Pass
		256QAM	25	12	22.03	-0.18	21.85	0.153	1.000	Pass
			1	1	22.23	-0.18	22.05	0.160	1.000	Pass
			1	49	25.04	-0.18	24.86	0.306	1.000	Pass
	HCH	PI/2 BPSK	25	12	25.2	-0.18	25.02	0.318	1.000	Pass
			1	1	25.28	-0.18	25.10	0.324	1.000	Pass
			1	49	25.1	-0.18	24.92	0.310	1.000	Pass
		QPSK	25	12	25.02	-0.18	24.84	0.305	1.000	Pass
			1	1	24.93	-0.18	24.75	0.299	1.000	Pass
			1	49	24.93	-0.18	24.75	0.299	1.000	Pass
		16QAM	25	12	25.68	-0.18	25.50	0.355	1.000	Pass
			1	1	25.7	-0.18	25.52	0.356	1.000	Pass
			1	49	24	-0.18	23.82	0.241	1.000	Pass
		64QAM	25	12	23.58	-0.18	23.40	0.219	1.000	Pass
			1	1	23.54	-0.18	23.36	0.217	1.000	Pass
			1	49	21.74	-0.18	21.56	0.143	1.000	Pass
		256QAM	25	12	21.89	-0.18	21.71	0.148	1.000	Pass
			1	1	21.77	-0.18	21.59	0.144	1.000	Pass
			1	49	25.07	-0.18	24.89	0.308	1.000	Pass
	LCH	PI/2 BPSK	32	16	24.06	-0.18	23.88	0.244	1.000	Pass
			1	1	25.63	-0.18	25.45	0.351	1.000	Pass
			1	63	24.88	-0.18	24.70	0.295	1.000	Pass
		QPSK	32	16	24.12	-0.18	23.94	0.248	1.000	Pass
			1	1	25.54	-0.18	25.36	0.344	1.000	Pass
			1	63	24.78	-0.18	24.60	0.288	1.000	Pass
		16QAM	32	16	24.29	-0.18	24.11	0.258	1.000	Pass
			1	1	24.85	-0.18	24.67	0.293	1.000	Pass
			1	63	24.65	-0.18	24.47	0.280	1.000	Pass
		64QAM	32	16	24.63	-0.18	24.45	0.279	1.000	Pass
			1	1	24.19	-0.18	24.01	0.252	1.000	Pass
			1	63	22.36	-0.18	22.18	0.165	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	MCH	256QAM	32	16	22.62	-0.18	22.44	0.175	1.000	Pass
			1	1	22.3	-0.18	22.12	0.163	1.000	Pass
			1	63	25.8	-0.18	25.62	0.365	1.000	Pass
		PI/2 BPSK	32	16	25.81	-0.18	25.63	0.366	1.000	Pass
			1	1	25.25	-0.18	25.07	0.321	1.000	Pass
			1	63	25.67	-0.18	25.49	0.354	1.000	Pass
		QPSK	32	16	25.49	-0.18	25.31	0.340	1.000	Pass
			1	1	25.33	-0.18	25.15	0.327	1.000	Pass
			1	63	25.64	-0.18	25.46	0.352	1.000	Pass
		16QAM	32	16	25.78	-0.18	25.60	0.363	1.000	Pass
			1	1	25.61	-0.18	25.43	0.349	1.000	Pass
			1	63	23.86	-0.18	23.68	0.233	1.000	Pass
		64QAM	32	16	23.95	-0.18	23.77	0.238	1.000	Pass
			1	1	23.74	-0.18	23.56	0.227	1.000	Pass
			1	63	22.03	-0.18	21.85	0.153	1.000	Pass
		256QAM	32	16	22.31	-0.18	22.13	0.163	1.000	Pass
			1	1	22.12	-0.18	21.94	0.156	1.000	Pass
			1	63	25.33	-0.18	25.15	0.327	1.000	Pass
		PI/2 BPSK	32	16	25.29	-0.18	25.11	0.324	1.000	Pass
			1	1	25.04	-0.18	24.86	0.306	1.000	Pass
			1	63	25.13	-0.18	24.95	0.313	1.000	Pass
		QPSK	32	16	25.33	-0.18	25.15	0.327	1.000	Pass
			1	1	24.86	-0.18	24.68	0.294	1.000	Pass
			1	63	24.95	-0.18	24.77	0.300	1.000	Pass
		16QAM	32	16	25.51	-0.18	25.33	0.341	1.000	Pass
			1	1	25.03	-0.18	24.85	0.305	1.000	Pass
			1	63	23.6	-0.18	23.42	0.220	1.000	Pass
		64QAM	32	16	23.68	-0.18	23.50	0.224	1.000	Pass
			1	1	23.49	-0.18	23.31	0.214	1.000	Pass
			1	63	21.76	-0.18	21.58	0.144	1.000	Pass
		256QAM	32	16	21.78	-0.18	21.60	0.145	1.000	Pass
			1	1	21.49	-0.18	21.31	0.135	1.000	Pass
			1	63	25.11	-0.18	24.93	0.311	1.000	Pass
30	LCH	PI/2 BPSK	36	18	24.13	-0.18	23.95	0.248	1.000	Pass
			1	1	25.73	-0.18	25.55	0.359	1.000	Pass
			1	76	24.87	-0.18	24.69	0.294	1.000	Pass
		QPSK	36	18	24.21	-0.18	24.03	0.253	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		16QAM	1	1	25.98	-0.18	25.80	0.380	1.000	Pass
			1	76	24.89	-0.18	24.71	0.296	1.000	Pass
			36	18	23.94	-0.18	23.76	0.238	1.000	Pass
			1	1	25.91	-0.18	25.73	0.374	1.000	Pass
			1	76	24.2	-0.18	24.02	0.252	1.000	Pass
			36	18	24.43	-0.18	24.25	0.266	1.000	Pass
		64QAM	1	1	24.06	-0.18	23.88	0.244	1.000	Pass
			1	76	22.21	-0.18	22.03	0.160	1.000	Pass
			36	18	22.35	-0.18	22.17	0.165	1.000	Pass
		256QAM	1	1	21.93	-0.18	21.75	0.150	1.000	Pass
			1	76	25.69	-0.18	25.51	0.356	1.000	Pass
			36	18	25.94	-0.18	25.76	0.377	1.000	Pass
	MCH	PI/2 BPSK	1	1	25.35	-0.18	25.17	0.329	1.000	Pass
			1	76	25.77	-0.18	25.59	0.362	1.000	Pass
			36	18	25.76	-0.18	25.58	0.361	1.000	Pass
		QPSK	1	1	25.23	-0.18	25.05	0.320	1.000	Pass
			1	76	25.63	-0.18	25.45	0.351	1.000	Pass
			36	18	25.65	-0.18	25.47	0.352	1.000	Pass
		16QAM	1	1	25.26	-0.18	25.08	0.322	1.000	Pass
			1	76	24.16	-0.18	23.98	0.250	1.000	Pass
			36	18	23.65	-0.18	23.47	0.222	1.000	Pass
		64QAM	1	1	23.38	-0.18	23.20	0.209	1.000	Pass
			1	76	21.91	-0.18	21.73	0.149	1.000	Pass
			36	18	21.95	-0.18	21.77	0.150	1.000	Pass
		256QAM	1	1	21.8	-0.18	21.62	0.145	1.000	Pass
			1	76	25.09	-0.18	24.91	0.310	1.000	Pass
			36	18	25.51	-0.18	25.33	0.341	1.000	Pass
	HCH	PI/2 BPSK	1	1	24.9	-0.18	24.72	0.296	1.000	Pass
			1	76	25.31	-0.18	25.13	0.326	1.000	Pass
			36	18	25.33	-0.18	25.15	0.327	1.000	Pass
		QPSK	1	1	25	-0.18	24.82	0.303	1.000	Pass
			1	76	25.04	-0.18	24.86	0.306	1.000	Pass
			36	18	25.44	-0.18	25.26	0.336	1.000	Pass
		16QAM	1	1	24.99	-0.18	24.81	0.303	1.000	Pass
			1	76	23.77	-0.18	23.59	0.229	1.000	Pass
			36	18	23.31	-0.18	23.13	0.206	1.000	Pass
		64QAM	1	1	23.09	-0.18	22.91	0.195	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		256QAM	1	76	21.53	-0.18	21.35	0.136	1.000	Pass
			36	18	21.76	-0.18	21.58	0.144	1.000	Pass
			1	1	21.45	-0.18	21.27	0.134	1.000	Pass
			1	76	24.98	-0.18	24.80	0.302	1.000	Pass
40	LCH	PI/2 BPSK	50	25	24.71	-0.18	24.53	0.284	1.000	Pass
			1	1	25.7	-0.18	25.52	0.356	1.000	Pass
			1	104	25.68	-0.18	25.50	0.355	1.000	Pass
		QPSK	50	25	24.66	-0.18	24.48	0.281	1.000	Pass
			1	1	25.47	-0.18	25.29	0.338	1.000	Pass
			1	104	25.64	-0.18	25.46	0.352	1.000	Pass
		16QAM	50	25	24.81	-0.18	24.63	0.290	1.000	Pass
			1	1	25.5	-0.18	25.32	0.340	1.000	Pass
			1	104	24.45	-0.18	24.27	0.267	1.000	Pass
		64QAM	50	25	24.2	-0.18	24.02	0.252	1.000	Pass
			1	1	23.65	-0.18	23.47	0.222	1.000	Pass
			1	104	22.18	-0.18	22.00	0.158	1.000	Pass
		256QAM	50	25	22.21	-0.18	22.03	0.160	1.000	Pass
			1	1	22.11	-0.18	21.93	0.156	1.000	Pass
			1	104	9.88	-0.18	9.70	0.009	1.000	Pass
	MCH	PI/2 BPSK	50	25	25.63	-0.18	25.45	0.351	1.000	Pass
			1	1	25.28	-0.18	25.10	0.324	1.000	Pass
			1	104	25.64	-0.18	25.46	0.352	1.000	Pass
		QPSK	50	25	25.44	-0.18	25.26	0.336	1.000	Pass
			1	1	25	-0.18	24.82	0.303	1.000	Pass
			1	104	25.29	-0.18	25.11	0.324	1.000	Pass
		16QAM	50	25	25.66	-0.18	25.48	0.353	1.000	Pass
			1	1	25.02	-0.18	24.84	0.305	1.000	Pass
			1	104	24.6	-0.18	24.42	0.277	1.000	Pass
		64QAM	50	25	24.26	-0.18	24.08	0.256	1.000	Pass
			1	1	23.96	-0.18	23.78	0.239	1.000	Pass
			1	104	22.45	-0.18	22.27	0.169	1.000	Pass
		256QAM	50	25	22.51	-0.18	22.33	0.171	1.000	Pass
			1	1	22	-0.18	21.82	0.152	1.000	Pass
			1	104	25.44	-0.18	25.26	0.336	1.000	Pass
	HCH	PI/2 BPSK	50	25	25.51	-0.18	25.33	0.341	1.000	Pass
			1	1	24.64	-0.18	24.46	0.279	1.000	Pass
			1	104	25.13	-0.18	24.95	0.313	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		QPSK	50	25	25.44	-0.18	25.26	0.336	1.000	Pass
			1	1	25.01	-0.18	24.83	0.304	1.000	Pass
			1	104	25.21	-0.18	25.03	0.318	1.000	Pass
		16QAM	50	25	25.27	-0.18	25.09	0.323	1.000	Pass
			1	1	25.2	-0.18	25.02	0.318	1.000	Pass
			1	104	24.34	-0.18	24.16	0.261	1.000	Pass
		64QAM	50	25	24.07	-0.18	23.89	0.245	1.000	Pass
			1	1	23.14	-0.18	22.96	0.198	1.000	Pass
			1	104	22.17	-0.18	21.99	0.158	1.000	Pass
		256QAM	50	25	22.08	-0.18	21.90	0.155	1.000	Pass
			1	1	21.6	-0.18	21.42	0.139	1.000	Pass
			1	104	25.77	-0.18	25.59	0.362	1.000	Pass
50	LCH	PI/2 BPSK	64	32	25.5	-0.18	25.32	0.340	1.000	Pass
			1	1	25.29	-0.18	25.11	0.324	1.000	Pass
			1	131	25.67	-0.18	25.49	0.354	1.000	Pass
		QPSK	64	32	25.71	-0.18	25.53	0.357	1.000	Pass
			1	1	25.3	-0.18	25.12	0.325	1.000	Pass
			1	131	25.47	-0.18	25.29	0.338	1.000	Pass
		16QAM	64	32	25.54	-0.18	25.36	0.344	1.000	Pass
			1	1	24.94	-0.18	24.76	0.299	1.000	Pass
			1	131	24.68	-0.18	24.50	0.282	1.000	Pass
		64QAM	64	32	24.34	-0.18	24.16	0.261	1.000	Pass
			1	1	24.27	-0.18	24.09	0.256	1.000	Pass
			1	131	22.54	-0.18	22.36	0.172	1.000	Pass
	MCH	256QAM	64	32	22.49	-0.18	22.31	0.170	1.000	Pass
			1	1	22.06	-0.18	21.88	0.154	1.000	Pass
			1	131	25.36	-0.18	25.18	0.330	1.000	Pass
		PI/2 BPSK	64	32	25.29	-0.18	25.11	0.324	1.000	Pass
			1	1	25.25	-0.18	25.07	0.321	1.000	Pass
			1	131	25.57	-0.18	25.39	0.346	1.000	Pass
		QPSK	64	32	25.58	-0.18	25.40	0.347	1.000	Pass
			1	1	25.19	-0.18	25.01	0.317	1.000	Pass
			1	131	25.44	-0.18	25.26	0.336	1.000	Pass
		16QAM	64	32	25.69	-0.18	25.51	0.356	1.000	Pass
			1	1	24.66	-0.18	24.48	0.281	1.000	Pass
			1	131	24.43	-0.18	24.25	0.266	1.000	Pass
		64QAM	64	32	24.33	-0.18	24.15	0.260	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		256QAM	1	1	23.94	-0.18	23.76	0.238	1.000	Pass
			1	131	22.63	-0.18	22.45	0.176	1.000	Pass
			64	32	22.56	-0.18	22.38	0.173	1.000	Pass
			1	1	22.07	-0.18	21.89	0.155	1.000	Pass
			1	131	25.45	-0.18	25.27	0.337	1.000	Pass
	HCH	PI/2 BPSK	64	32	25.15	-0.18	24.97	0.314	1.000	Pass
			1	1	24.95	-0.18	24.77	0.300	1.000	Pass
			1	131	25.13	-0.18	24.95	0.313	1.000	Pass
		QPSK	64	32	25.51	-0.18	25.33	0.341	1.000	Pass
			1	1	25.03	-0.18	24.85	0.305	1.000	Pass
			1	131	25.41	-0.18	25.23	0.333	1.000	Pass
		16QAM	64	32	25.37	-0.18	25.19	0.330	1.000	Pass
			1	1	24.72	-0.18	24.54	0.284	1.000	Pass
			1	131	24.39	-0.18	24.21	0.264	1.000	Pass
		64QAM	64	32	24.36	-0.18	24.18	0.262	1.000	Pass
			1	1	24.11	-0.18	23.93	0.247	1.000	Pass
			1	131	22.49	-0.18	22.31	0.170	1.000	Pass
		256QAM	64	32	22.15	-0.18	21.97	0.157	1.000	Pass
			1	1	21.98	-0.18	21.80	0.151	1.000	Pass
			1	131	25.67	-0.18	25.49	0.354	1.000	Pass
60	LCH	PI/2 BPSK	81	40	24.92	-0.18	24.74	0.298	1.000	Pass
			1	1	25.13	-0.18	24.95	0.313	1.000	Pass
			1	160	25.45	-0.18	25.27	0.337	1.000	Pass
		QPSK	81	40	24.87	-0.18	24.69	0.294	1.000	Pass
			1	1	25.39	-0.18	25.21	0.332	1.000	Pass
			1	160	25.81	-0.18	25.63	0.366	1.000	Pass
		16QAM	81	40	25.02	-0.18	24.84	0.305	1.000	Pass
			1	1	25.21	-0.18	25.03	0.318	1.000	Pass
			1	160	24.07	-0.18	23.89	0.245	1.000	Pass
		64QAM	81	40	24.02	-0.18	23.84	0.242	1.000	Pass
			1	1	23.64	-0.18	23.46	0.222	1.000	Pass
			1	160	22.21	-0.18	22.03	0.160	1.000	Pass
		256QAM	81	40	22.1	-0.18	21.92	0.156	1.000	Pass
			1	1	21.71	-0.18	21.53	0.142	1.000	Pass
			1	160	25.49	-0.18	25.31	0.340	1.000	Pass
	MCH	PI/2 BPSK	81	40	25.77	-0.18	25.59	0.362	1.000	Pass
			1	1	25.21	-0.18	25.03	0.318	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		QPSK	1	160	25.47	-0.18	25.29	0.338	1.000	Pass
			81	40	25.68	-0.18	25.50	0.355	1.000	Pass
			1	1	25.05	-0.18	24.87	0.307	1.000	Pass
			1	160	25.21	-0.18	25.03	0.318	1.000	Pass
		16QAM	81	40	25.56	-0.18	25.38	0.345	1.000	Pass
			1	1	25.21	-0.18	25.03	0.318	1.000	Pass
			1	160	23.83	-0.18	23.65	0.232	1.000	Pass
		64QAM	81	40	23.82	-0.18	23.64	0.231	1.000	Pass
			1	1	23.15	-0.18	22.97	0.198	1.000	Pass
			1	160	21.8	-0.18	21.62	0.145	1.000	Pass
		256QAM	81	40	22.13	-0.18	21.95	0.157	1.000	Pass
			1	1	21.67	-0.18	21.49	0.141	1.000	Pass
			1	160	25.14	-0.18	24.96	0.313	1.000	Pass
	HCH	PI/2 BPSK	81	40	25.53	-0.18	25.35	0.343	1.000	Pass
			1	1	25.01	-0.18	24.83	0.304	1.000	Pass
			1	160	25.09	-0.18	24.91	0.310	1.000	Pass
		QPSK	81	40	25.68	-0.18	25.50	0.355	1.000	Pass
			1	1	24.97	-0.18	24.79	0.301	1.000	Pass
			1	160	25.24	-0.18	25.06	0.321	1.000	Pass
		16QAM	81	40	25.71	-0.18	25.53	0.357	1.000	Pass
			1	1	24.91	-0.18	24.73	0.297	1.000	Pass
			1	160	23.7	-0.18	23.52	0.225	1.000	Pass
		64QAM	81	40	23.63	-0.18	23.45	0.221	1.000	Pass
			1	1	23.16	-0.18	22.98	0.199	1.000	Pass
			1	160	21.55	-0.18	21.37	0.137	1.000	Pass
		256QAM	81	40	22.02	-0.18	21.84	0.153	1.000	Pass
			1	1	21.11	-0.18	20.93	0.124	1.000	Pass
			1	160	25.56	-0.18	25.38	0.345	1.000	Pass
70	LCH	PI/2 BPSK	90	45	25.02	-0.18	24.84	0.305	1.000	Pass
			1	1	25.26	-0.18	25.08	0.322	1.000	Pass
			1	187	25.66	-0.18	25.48	0.353	1.000	Pass
		QPSK	90	45	24.14	-0.18	23.96	0.249	1.000	Pass
			1	1	25.21	-0.18	25.03	0.318	1.000	Pass
			1	187	25.42	-0.18	25.24	0.334	1.000	Pass
		16QAM	90	45	24.1	-0.18	23.92	0.247	1.000	Pass
			1	1	25.21	-0.18	25.03	0.318	1.000	Pass
			1	187	24.24	-0.18	24.06	0.255	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	MCH	64QAM	90	45	24.15	-0.18	23.97	0.249	1.000	Pass
			1	1	23.3	-0.18	23.12	0.205	1.000	Pass
			1	187	22.14	-0.18	21.96	0.157	1.000	Pass
		256QAM	90	45	22.14	-0.18	21.96	0.157	1.000	Pass
			1	1	21.93	-0.18	21.75	0.150	1.000	Pass
			1	187	25.65	-0.18	25.47	0.352	1.000	Pass
		PI/2 BPSK	90	45	24.98	-0.18	24.80	0.302	1.000	Pass
			1	1	25.11	-0.18	24.93	0.311	1.000	Pass
			1	187	25.57	-0.18	25.39	0.346	1.000	Pass
		QPSK	90	45	24.96	-0.18	24.78	0.301	1.000	Pass
			1	1	25.23	-0.18	25.05	0.320	1.000	Pass
			1	187	25.34	-0.18	25.16	0.328	1.000	Pass
		16QAM	90	45	24.12	-0.18	23.94	0.248	1.000	Pass
			1	1	25	-0.18	24.82	0.303	1.000	Pass
			1	187	24.13	-0.18	23.95	0.248	1.000	Pass
		64QAM	90	45	24.44	-0.18	24.26	0.267	1.000	Pass
			1	1	23.4	-0.18	23.22	0.210	1.000	Pass
			1	187	21.83	-0.18	21.65	0.146	1.000	Pass
		256QAM	90	45	22.22	-0.18	22.04	0.160	1.000	Pass
			1	1	21.49	-0.18	21.31	0.135	1.000	Pass
			1	187	25.38	-0.18	25.20	0.331	1.000	Pass
	HCH	PI/2 BPSK	90	45	25.76	-0.18	25.58	0.361	1.000	Pass
			1	1	24.88	-0.18	24.70	0.295	1.000	Pass
			1	187	25.34	-0.18	25.16	0.328	1.000	Pass
		QPSK	90	45	25.86	-0.18	25.68	0.370	1.000	Pass
			1	1	25.07	-0.18	24.89	0.308	1.000	Pass
			1	187	25.18	-0.18	25.00	0.316	1.000	Pass
		16QAM	90	45	25.94	-0.18	25.76	0.377	1.000	Pass
			1	1	24.89	-0.18	24.71	0.296	1.000	Pass
			1	187	23.93	-0.18	23.75	0.237	1.000	Pass
		64QAM	90	45	24.07	-0.18	23.89	0.245	1.000	Pass
			1	1	23.48	-0.18	23.30	0.214	1.000	Pass
			1	187	21.74	-0.18	21.56	0.143	1.000	Pass
		256QAM	90	45	22.27	-0.18	22.09	0.162	1.000	Pass
			1	1	21.53	-0.18	21.35	0.136	1.000	Pass
			1	187	25.61	-0.18	25.43	0.349	1.000	Pass
80	LCH	PI/2	108	54	25.13	-0.18	24.95	0.313	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		BPSK	1	1	25.02	-0.18	24.84	0.305	1.000	Pass
			1	215	25.61	-0.18	25.43	0.349	1.000	Pass
		QPSK	108	54	24.87	-0.18	24.69	0.294	1.000	Pass
			1	1	25.15	-0.18	24.97	0.314	1.000	Pass
			1	215	25.42	-0.18	25.24	0.334	1.000	Pass
			108	54	24.22	-0.18	24.04	0.254	1.000	Pass
		16QAM	1	1	25.05	-0.18	24.87	0.307	1.000	Pass
			1	215	24.12	-0.18	23.94	0.248	1.000	Pass
			108	54	24.02	-0.18	23.84	0.242	1.000	Pass
			1	1	23.16	-0.18	22.98	0.199	1.000	Pass
			1	215	21.86	-0.18	21.68	0.147	1.000	Pass
			108	54	22.58	-0.18	22.40	0.174	1.000	Pass
		256QAM	1	1	21.83	-0.18	21.65	0.146	1.000	Pass
			1	215	25.45	-0.18	25.27	0.337	1.000	Pass
	MCH	PI/2 BPSK	108	54	25.14	-0.18	24.96	0.313	1.000	Pass
			1	1	24.97	-0.18	24.79	0.301	1.000	Pass
			1	215	25.56	-0.18	25.38	0.345	1.000	Pass
		QPSK	108	54	25.02	-0.18	24.84	0.305	1.000	Pass
			1	1	25.24	-0.18	25.06	0.321	1.000	Pass
			1	215	25.53	-0.18	25.35	0.343	1.000	Pass
		16QAM	108	54	23.94	-0.18	23.76	0.238	1.000	Pass
			1	1	25.11	-0.18	24.93	0.311	1.000	Pass
			1	215	23.97	-0.18	23.79	0.239	1.000	Pass
		64QAM	108	54	24.36	-0.18	24.18	0.262	1.000	Pass
			1	1	23.2	-0.18	23.02	0.200	1.000	Pass
			1	215	22.05	-0.18	21.87	0.154	1.000	Pass
		256QAM	108	54	22.59	-0.18	22.41	0.174	1.000	Pass
			1	1	21.41	-0.18	21.23	0.133	1.000	Pass
			1	215	25.66	-0.18	25.48	0.353	1.000	Pass
	HCH	PI/2 BPSK	108	54	25.7	-0.18	25.52	0.356	1.000	Pass
			1	1	24.85	-0.18	24.67	0.293	1.000	Pass
			1	215	25.5	-0.18	25.32	0.340	1.000	Pass
		QPSK	108	54	25.98	-0.18	25.80	0.380	1.000	Pass
			1	1	24.99	-0.18	24.81	0.303	1.000	Pass
			1	215	25.5	-0.18	25.32	0.340	1.000	Pass
		16QAM	108	54	24.82	-0.18	24.64	0.291	1.000	Pass
			1	1	25.01	-0.18	24.83	0.304	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		64QAM	1	215	23.71	-0.18	23.53	0.225	1.000	Pass
			108	54	24.09	-0.18	23.91	0.246	1.000	Pass
			1	1	23.23	-0.18	23.05	0.202	1.000	Pass
			1	215	21.67	-0.18	21.49	0.141	1.000	Pass
		256QAM	108	54	22.46	-0.18	22.28	0.169	1.000	Pass
			1	1	21.6	-0.18	21.42	0.139	1.000	Pass
			1	215	25.52	-0.18	25.34	0.342	1.000	Pass
90	LCH	PI/2 BPSK	120	60	24.03	-0.18	23.85	0.243	1.000	Pass
			1	1	25.01	-0.18	24.83	0.304	1.000	Pass
			1	243	25.38	-0.18	25.20	0.331	1.000	Pass
		QPSK	120	60	24.35	-0.18	24.17	0.261	1.000	Pass
			1	1	25.2	-0.18	25.02	0.318	1.000	Pass
			1	243	25.68	-0.18	25.50	0.355	1.000	Pass
		16QAM	120	60	24.34	-0.18	24.16	0.261	1.000	Pass
			1	1	25.08	-0.18	24.90	0.309	1.000	Pass
			1	243	23.97	-0.18	23.79	0.239	1.000	Pass
		64QAM	120	60	24.17	-0.18	23.99	0.251	1.000	Pass
			1	1	23.31	-0.18	23.13	0.206	1.000	Pass
			1	243	22.19	-0.18	22.01	0.159	1.000	Pass
		256QAM	120	60	22.63	-0.18	22.45	0.176	1.000	Pass
			1	1	21.4	-0.18	21.22	0.132	1.000	Pass
			1	243	25.53	-0.18	25.35	0.343	1.000	Pass
	MCH	PI/2 BPSK	120	60	24.36	-0.18	24.18	0.262	1.000	Pass
			1	1	25.14	-0.18	24.96	0.313	1.000	Pass
			1	243	25.56	-0.18	25.38	0.345	1.000	Pass
		QPSK	120	60	24.17	-0.18	23.99	0.251	1.000	Pass
			1	1	25.17	-0.18	24.99	0.316	1.000	Pass
			1	243	25.59	-0.18	25.41	0.348	1.000	Pass
		16QAM	120	60	24.26	-0.18	24.08	0.256	1.000	Pass
			1	1	24.94	-0.18	24.76	0.299	1.000	Pass
			1	243	23.94	-0.18	23.76	0.238	1.000	Pass
		64QAM	120	60	24.49	-0.18	24.31	0.270	1.000	Pass
			1	1	23.39	-0.18	23.21	0.209	1.000	Pass
			1	243	21.79	-0.18	21.61	0.145	1.000	Pass
		256QAM	120	60	22.78	-0.18	22.60	0.182	1.000	Pass
			1	1	21.36	-0.18	21.18	0.131	1.000	Pass
			1	243	25.42	-0.18	25.24	0.334	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	120	60	24.26	-0.18	24.08	0.256	1.000	Pass
			1	1	25.1	-0.18	24.92	0.310	1.000	Pass
			1	243	25.49	-0.18	25.31	0.340	1.000	Pass
		QPSK	120	60	24.13	-0.18	23.95	0.248	1.000	Pass
			1	1	24.87	-0.18	24.69	0.294	1.000	Pass
			1	243	25.23	-0.18	25.05	0.320	1.000	Pass
		16QAM	120	60	24.11	-0.18	23.93	0.247	1.000	Pass
			1	1	25.19	-0.18	25.01	0.317	1.000	Pass
			1	243	23.78	-0.18	23.60	0.229	1.000	Pass
		64QAM	120	60	24.23	-0.18	24.05	0.254	1.000	Pass
			1	1	23.28	-0.18	23.10	0.204	1.000	Pass
			1	243	22.09	-0.18	21.91	0.155	1.000	Pass
		256QAM	120	60	22.67	-0.18	22.49	0.177	1.000	Pass
			1	1	21.44	-0.18	21.26	0.134	1.000	Pass
			1	243	25.35	-0.18	25.17	0.329	1.000	Pass
100	MCH	PI/2 BPSK	135	67	25.96	-0.18	25.78	0.378	1.000	Pass
			1	1	25.2	-0.18	25.02	0.318	1.000	Pass
			1	271	25.23	-0.18	25.05	0.320	1.000	Pass
		QPSK	135	67	25.91	-0.18	25.73	0.374	1.000	Pass
			1	1	25.07	-0.18	24.89	0.308	1.000	Pass
			1	271	24.99	-0.18	24.81	0.303	1.000	Pass
		16QAM	135	67	26.04	-0.18	25.86	0.385	1.000	Pass
			1	1	20.26	-0.18	20.08	0.102	1.000	Pass
			1	271	24.19	-0.18	24.01	0.252	1.000	Pass
		64QAM	135	67	24.49	-0.18	24.31	0.270	1.000	Pass
			1	1	23.97	-0.18	23.79	0.239	1.000	Pass
			1	271	22.37	-0.18	22.19	0.166	1.000	Pass
		256QAM	135	67	22.63	-0.18	22.45	0.176	1.000	Pass
			1	1	22.13	-0.18	21.95	0.157	1.000	Pass
			1	271	22.12	-0.18	21.94	0.156	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
10	LCH	PI/2 BPSK	12	6	25.06	-0.03	25.03	0.318	1.000	Pass
			1	1	23.89	-0.03	23.86	0.243	1.000	Pass
			1	22	24.26	-0.03	24.23	0.265	1.000	Pass
		QPSK	12	6	24.99	-0.03	24.96	0.313	1.000	Pass
			1	1	23.92	-0.03	23.89	0.245	1.000	Pass
			1	22	24.21	-0.03	24.18	0.262	1.000	Pass
		16QAM	12	6	24.29	-0.03	24.26	0.267	1.000	Pass
			1	1	23.07	-0.03	23.04	0.201	1.000	Pass
			1	22	23.21	-0.03	23.18	0.208	1.000	Pass
		64QAM	12	6	21.44	-0.03	21.41	0.138	1.000	Pass
			1	1	21.57	-0.03	21.54	0.143	1.000	Pass
			1	22	21.52	-0.03	21.49	0.141	1.000	Pass
		256QAM	12	6	24.07	-0.03	24.04	0.254	1.000	Pass
			1	1	24.25	-0.03	24.22	0.264	1.000	Pass
			1	22	24.47	-0.03	24.44	0.278	1.000	Pass
	MCH	PI/2 BPSK	12	6	24.25	-0.03	24.22	0.264	1.000	Pass
			1	1	24.2	-0.03	24.17	0.261	1.000	Pass
			1	22	24.23	-0.03	24.20	0.263	1.000	Pass
		QPSK	12	6	24.25	-0.03	24.22	0.264	1.000	Pass
			1	1	24.33	-0.03	24.30	0.269	1.000	Pass
			1	22	24.16	-0.03	24.13	0.259	1.000	Pass
		16QAM	12	6	24.14	-0.03	24.11	0.258	1.000	Pass
			1	1	24.04	-0.03	24.01	0.252	1.000	Pass
			1	22	23.63	-0.03	23.60	0.229	1.000	Pass
		64QAM	12	6	21.84	-0.03	21.81	0.152	1.000	Pass
			1	1	22.11	-0.03	22.08	0.161	1.000	Pass
			1	22	21.9	-0.03	21.87	0.154	1.000	Pass
		256QAM	12	6	24.41	-0.03	24.38	0.274	1.000	Pass
			1	1	24.42	-0.03	24.39	0.275	1.000	Pass
			1	22	24.35	-0.03	24.32	0.270	1.000	Pass
	HCH	PI/2 BPSK	12	6	24.3	-0.03	24.27	0.267	1.000	Pass
			1	1	24.6	-0.03	24.57	0.286	1.000	Pass
			1	22	24.38	-0.03	24.35	0.272	1.000	Pass
		QPSK	12	6	24.05	-0.03	24.02	0.252	1.000	Pass
			1	1	24.44	-0.03	24.41	0.276	1.000	Pass
			1	22	24.5	-0.03	24.47	0.280	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		16QAM	12	6	23.99	-0.03	23.96	0.249	1.000	Pass
			1	1	24.21	-0.03	24.18	0.262	1.000	Pass
			1	22	23.66	-0.03	23.63	0.231	1.000	Pass
		64QAM	12	6	22.13	-0.03	22.10	0.162	1.000	Pass
			1	1	21.99	-0.03	21.96	0.157	1.000	Pass
			1	22	22.37	-0.03	22.34	0.171	1.000	Pass
		256QAM	12	6	24.91	-0.03	24.88	0.308	1.000	Pass
			1	1	24.66	-0.03	24.63	0.290	1.000	Pass
			1	22	24.8	-0.03	24.77	0.300	1.000	Pass
15	LCH	PI/2 BPSK	18	9	24.96	-0.03	24.93	0.311	1.000	Pass
			1	1	24.68	-0.03	24.65	0.292	1.000	Pass
			1	36	24.95	-0.03	24.92	0.310	1.000	Pass
		QPSK	18	9	24.77	-0.03	24.74	0.298	1.000	Pass
			1	1	24.73	-0.03	24.70	0.295	1.000	Pass
			1	36	24.9	-0.03	24.87	0.307	1.000	Pass
		16QAM	18	9	23.73	-0.03	23.70	0.234	1.000	Pass
			1	1	22.88	-0.03	22.85	0.193	1.000	Pass
			1	36	23.35	-0.03	23.32	0.215	1.000	Pass
		64QAM	18	9	21.69	-0.03	21.66	0.147	1.000	Pass
			1	1	21.51	-0.03	21.48	0.141	1.000	Pass
			1	36	21.46	-0.03	21.43	0.139	1.000	Pass
		256QAM	18	9	23.99	-0.03	23.96	0.249	1.000	Pass
			1	1	24.35	-0.03	24.32	0.270	1.000	Pass
			1	36	24.23	-0.03	24.20	0.263	1.000	Pass
	MCH	PI/2 BPSK	18	9	24.09	-0.03	24.06	0.255	1.000	Pass
			1	1	24.09	-0.03	24.06	0.255	1.000	Pass
			1	36	24	-0.03	23.97	0.249	1.000	Pass
		QPSK	18	9	23.97	-0.03	23.94	0.248	1.000	Pass
			1	1	24.1	-0.03	24.07	0.255	1.000	Pass
			1	36	24.28	-0.03	24.25	0.266	1.000	Pass
		16QAM	18	9	24.28	-0.03	24.25	0.266	1.000	Pass
			1	1	23.69	-0.03	23.66	0.232	1.000	Pass
			1	36	23.76	-0.03	23.73	0.236	1.000	Pass
		64QAM	18	9	22.26	-0.03	22.23	0.167	1.000	Pass
			1	1	21.77	-0.03	21.74	0.149	1.000	Pass
			1	36	21.97	-0.03	21.94	0.156	1.000	Pass
		256QAM	18	9	24.36	-0.03	24.33	0.271	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	HCH		1	1	24.11	-0.03	24.08	0.256	1.000	Pass
			1	36	24.31	-0.03	24.28	0.268	1.000	Pass
			18	9	24.34	-0.03	24.31	0.270	1.000	Pass
		PI/2 BPSK	1	1	24.31	-0.03	24.28	0.268	1.000	Pass
			1	36	24.02	-0.03	23.99	0.251	1.000	Pass
			18	9	24.21	-0.03	24.18	0.262	1.000	Pass
		QPSK	1	1	24.38	-0.03	24.35	0.272	1.000	Pass
			1	36	24.2	-0.03	24.17	0.261	1.000	Pass
			18	9	24.06	-0.03	24.03	0.253	1.000	Pass
		16QAM	1	1	24.05	-0.03	24.02	0.252	1.000	Pass
			1	36	23.99	-0.03	23.96	0.249	1.000	Pass
			18	9	22.08	-0.03	22.05	0.160	1.000	Pass
		64QAM	1	1	22.27	-0.03	22.24	0.167	1.000	Pass
			1	36	22.25	-0.03	22.22	0.167	1.000	Pass
			18	9	24.78	-0.03	24.75	0.299	1.000	Pass
		256QAM	1	1	24.91	-0.03	24.88	0.308	1.000	Pass
			1	36	25.09	-0.03	25.06	0.321	1.000	Pass
			25	12	24.59	-0.03	24.56	0.286	1.000	Pass
20	LCH	PI/2 BPSK	1	1	24.72	-0.03	24.69	0.294	1.000	Pass
			1	49	24.76	-0.03	24.73	0.297	1.000	Pass
			25	12	24.48	-0.03	24.45	0.279	1.000	Pass
		QPSK	1	1	24.69	-0.03	24.66	0.292	1.000	Pass
			1	49	25.06	-0.03	25.03	0.318	1.000	Pass
			25	12	23.66	-0.03	23.63	0.231	1.000	Pass
		16QAM	1	1	23.91	-0.03	23.88	0.244	1.000	Pass
			1	49	23.62	-0.03	23.59	0.229	1.000	Pass
			25	12	21.64	-0.03	21.61	0.145	1.000	Pass
		64QAM	1	1	21.62	-0.03	21.59	0.144	1.000	Pass
			1	49	21.71	-0.03	21.68	0.147	1.000	Pass
			25	12	24.41	-0.03	24.38	0.274	1.000	Pass
		256QAM	1	1	24.39	-0.03	24.36	0.273	1.000	Pass
			1	49	24.66	-0.03	24.63	0.290	1.000	Pass
			25	12	24.5	-0.03	24.47	0.280	1.000	Pass
	MCH	PI/2 BPSK	1	1	24.21	-0.03	24.18	0.262	1.000	Pass
			1	49	24.56	-0.03	24.53	0.284	1.000	Pass
			25	12	24.16	-0.03	24.13	0.259	1.000	Pass
		QPSK	1	1	24.64	-0.03	24.61	0.289	1.000	Pass
			1	49	24.66	-0.03	24.63	0.290	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		16QAM	1	49	24.69	-0.03	24.66	0.292	1.000	Pass
			25	12	23.28	-0.03	23.25	0.211	1.000	Pass
			1	1	23.23	-0.03	23.20	0.209	1.000	Pass
			1	49	23.25	-0.03	23.22	0.210	1.000	Pass
		64QAM	25	12	21.16	-0.03	21.13	0.130	1.000	Pass
			1	1	21.15	-0.03	21.12	0.129	1.000	Pass
			1	49	21.21	-0.03	21.18	0.131	1.000	Pass
		256QAM	25	12	24.11	-0.03	24.08	0.256	1.000	Pass
			1	1	24.2	-0.03	24.17	0.261	1.000	Pass
			1	49	24.32	-0.03	24.29	0.269	1.000	Pass
	HCH	PI/2 BPSK	25	12	24.28	-0.03	24.25	0.266	1.000	Pass
			1	1	24.32	-0.03	24.29	0.269	1.000	Pass
			1	49	24.32	-0.03	24.29	0.269	1.000	Pass
		QPSK	25	12	24.05	-0.03	24.02	0.252	1.000	Pass
			1	1	24.46	-0.03	24.43	0.277	1.000	Pass
			1	49	24.45	-0.03	24.42	0.277	1.000	Pass
		16QAM	25	12	23.07	-0.03	23.04	0.201	1.000	Pass
			1	1	23.15	-0.03	23.12	0.205	1.000	Pass
			1	49	23.27	-0.03	23.24	0.211	1.000	Pass
		64QAM	25	12	21.25	-0.03	21.22	0.132	1.000	Pass
			1	1	21.18	-0.03	21.15	0.130	1.000	Pass
			1	49	20.91	-0.03	20.88	0.122	1.000	Pass
		256QAM	25	12	23.87	-0.03	23.84	0.242	1.000	Pass
			1	1	24.81	-0.03	24.78	0.301	1.000	Pass
			1	49	23.86	-0.03	23.83	0.242	1.000	Pass
25	LCH	PI/2 BPSK	32	16	24.76	-0.03	24.73	0.297	1.000	Pass
			1	1	24.87	-0.03	24.84	0.305	1.000	Pass
			1	63	24.15	-0.03	24.12	0.258	1.000	Pass
		QPSK	32	16	23.77	-0.03	23.74	0.237	1.000	Pass
			1	1	24.21	-0.03	24.18	0.262	1.000	Pass
			1	63	24.24	-0.03	24.21	0.264	1.000	Pass
		16QAM	32	16	23.97	-0.03	23.94	0.248	1.000	Pass
			1	1	23.72	-0.03	23.69	0.234	1.000	Pass
			1	63	23.84	-0.03	23.81	0.240	1.000	Pass
		64QAM	32	16	22.05	-0.03	22.02	0.159	1.000	Pass
			1	1	21.83	-0.03	21.80	0.151	1.000	Pass
			1	63	21.95	-0.03	21.92	0.156	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	MCH	256QAM	32	16	24.23	-0.03	24.20	0.263	1.000	Pass
			1	1	24.01	-0.03	23.98	0.250	1.000	Pass
			1	63	24.36	-0.03	24.33	0.271	1.000	Pass
		PI/2 BPSK	32	16	24.03	-0.03	24.00	0.251	1.000	Pass
			1	1	24.1	-0.03	24.07	0.255	1.000	Pass
			1	63	24.24	-0.03	24.21	0.264	1.000	Pass
		QPSK	32	16	24.35	-0.03	24.32	0.270	1.000	Pass
			1	1	24.29	-0.03	24.26	0.267	1.000	Pass
			1	63	24.45	-0.03	24.42	0.277	1.000	Pass
		16QAM	32	16	24.03	-0.03	24.00	0.251	1.000	Pass
			1	1	23.79	-0.03	23.76	0.238	1.000	Pass
			1	63	23.97	-0.03	23.94	0.248	1.000	Pass
		64QAM	32	16	21.99	-0.03	21.96	0.157	1.000	Pass
			1	1	22.11	-0.03	22.08	0.161	1.000	Pass
			1	63	22.04	-0.03	22.01	0.159	1.000	Pass
		256QAM	32	16	24.45	-0.03	24.42	0.277	1.000	Pass
			1	1	24.38	-0.03	24.35	0.272	1.000	Pass
			1	63	24.2	-0.03	24.17	0.261	1.000	Pass
		PI/2 BPSK	32	16	24.25	-0.03	24.22	0.264	1.000	Pass
			1	1	24.35	-0.03	24.32	0.270	1.000	Pass
			1	63	24.23	-0.03	24.20	0.263	1.000	Pass
		QPSK	32	16	24.46	-0.03	24.43	0.277	1.000	Pass
			1	1	24.58	-0.03	24.55	0.285	1.000	Pass
			1	63	24.24	-0.03	24.21	0.264	1.000	Pass
		16QAM	32	16	24.17	-0.03	24.14	0.259	1.000	Pass
			1	1	24.25	-0.03	24.22	0.264	1.000	Pass
			1	63	24.37	-0.03	24.34	0.272	1.000	Pass
		64QAM	32	16	22.52	-0.03	22.49	0.177	1.000	Pass
			1	1	21.98	-0.03	21.95	0.157	1.000	Pass
			1	63	22.23	-0.03	22.20	0.166	1.000	Pass
		256QAM	32	16	24.04	-0.03	24.01	0.252	1.000	Pass
			1	1	24.01	-0.03	23.98	0.250	1.000	Pass
			1	63	23.95	-0.03	23.92	0.247	1.000	Pass
30	LCH	PI/2 BPSK	36	18	23.77	-0.03	23.74	0.237	1.000	Pass
			1	1	24.93	-0.03	24.90	0.309	1.000	Pass
			1	76	24.92	-0.03	24.89	0.308	1.000	Pass
		QPSK	36	18	24.11	-0.03	24.08	0.256	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		16QAM	1	1	25.01	-0.03	24.98	0.315	1.000	Pass
			1	76	23.97	-0.03	23.94	0.248	1.000	Pass
			36	18	23.83	-0.03	23.80	0.240	1.000	Pass
			1	1	23.73	-0.03	23.70	0.234	1.000	Pass
			1	76	23.83	-0.03	23.80	0.240	1.000	Pass
		64QAM	36	18	21.91	-0.03	21.88	0.154	1.000	Pass
			1	1	21.71	-0.03	21.68	0.147	1.000	Pass
			1	76	21.98	-0.03	21.95	0.157	1.000	Pass
		256QAM	36	18	24.18	-0.03	24.15	0.260	1.000	Pass
			1	1	24.18	-0.03	24.15	0.260	1.000	Pass
			1	76	24.04	-0.03	24.01	0.252	1.000	Pass
	MCH	PI/2 BPSK	36	18	24.29	-0.03	24.26	0.267	1.000	Pass
			1	1	24.17	-0.03	24.14	0.259	1.000	Pass
			1	76	24.3	-0.03	24.27	0.267	1.000	Pass
		QPSK	36	18	24.04	-0.03	24.01	0.252	1.000	Pass
			1	1	24.2	-0.03	24.17	0.261	1.000	Pass
			1	76	24.34	-0.03	24.31	0.270	1.000	Pass
		16QAM	36	18	24.05	-0.03	24.02	0.252	1.000	Pass
			1	1	23.7	-0.03	23.67	0.233	1.000	Pass
			1	76	23.98	-0.03	23.95	0.248	1.000	Pass
		64QAM	36	18	22.12	-0.03	22.09	0.162	1.000	Pass
			1	1	21.82	-0.03	21.79	0.151	1.000	Pass
			1	76	21.88	-0.03	21.85	0.153	1.000	Pass
		256QAM	36	18	24.61	-0.03	24.58	0.287	1.000	Pass
			1	1	24.49	-0.03	24.46	0.279	1.000	Pass
			1	76	24.5	-0.03	24.47	0.280	1.000	Pass
	HCH	PI/2 BPSK	36	18	24.55	-0.03	24.52	0.283	1.000	Pass
			1	1	24.44	-0.03	24.41	0.276	1.000	Pass
			1	76	24.31	-0.03	24.28	0.268	1.000	Pass
		QPSK	36	18	24.33	-0.03	24.30	0.269	1.000	Pass
			1	1	24.49	-0.03	24.46	0.279	1.000	Pass
			1	76	24.4	-0.03	24.37	0.274	1.000	Pass
		16QAM	36	18	24.29	-0.03	24.26	0.267	1.000	Pass
			1	1	24.22	-0.03	24.19	0.262	1.000	Pass
			1	76	24.13	-0.03	24.10	0.257	1.000	Pass
		64QAM	36	18	22.15	-0.03	22.12	0.163	1.000	Pass
			1	1	21.99	-0.03	21.96	0.157	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		256QAM	1	76	22.32	-0.03	22.29	0.169	1.000	Pass
			36	18	24.25	-0.03	24.22	0.264	1.000	Pass
			1	1	24.88	-0.03	24.85	0.305	1.000	Pass
			1	76	23.97	-0.03	23.94	0.248	1.000	Pass
40	LCH	PI/2 BPSK	50	25	23.81	-0.03	23.78	0.239	1.000	Pass
			1	1	24.96	-0.03	24.93	0.311	1.000	Pass
			1	104	24.05	-0.03	24.02	0.252	1.000	Pass
		QPSK	50	25	24.23	-0.03	24.20	0.263	1.000	Pass
			1	1	23.86	-0.03	23.83	0.242	1.000	Pass
			1	104	24.23	-0.03	24.20	0.263	1.000	Pass
		16QAM	50	25	24.18	-0.03	24.15	0.260	1.000	Pass
			1	1	23.58	-0.03	23.55	0.226	1.000	Pass
			1	104	23.58	-0.03	23.55	0.226	1.000	Pass
		64QAM	50	25	21.93	-0.03	21.90	0.155	1.000	Pass
			1	1	21.73	-0.03	21.70	0.148	1.000	Pass
			1	104	21.73	-0.03	21.70	0.148	1.000	Pass
		256QAM	50	25	24.33	-0.03	24.30	0.269	1.000	Pass
			1	1	23.86	-0.03	23.83	0.242	1.000	Pass
			1	104	23.97	-0.03	23.94	0.248	1.000	Pass
	MCH	PI/2 BPSK	50	25	23.98	-0.03	23.95	0.248	1.000	Pass
			1	1	24.16	-0.03	24.13	0.259	1.000	Pass
			1	104	24.13	-0.03	24.10	0.257	1.000	Pass
		QPSK	50	25	24.11	-0.03	24.08	0.256	1.000	Pass
			1	1	24.25	-0.03	24.22	0.264	1.000	Pass
			1	104	24.21	-0.03	24.18	0.262	1.000	Pass
		16QAM	50	25	24.2	-0.03	24.17	0.261	1.000	Pass
			1	1	23.97	-0.03	23.94	0.248	1.000	Pass
			1	104	24.05	-0.03	24.02	0.252	1.000	Pass
		64QAM	50	25	22.15	-0.03	22.12	0.163	1.000	Pass
			1	1	21.69	-0.03	21.66	0.147	1.000	Pass
			1	104	22.05	-0.03	22.02	0.159	1.000	Pass
		256QAM	50	25	24.4	-0.03	24.37	0.274	1.000	Pass
			1	1	24.4	-0.03	24.37	0.274	1.000	Pass
			1	104	24.43	-0.03	24.40	0.275	1.000	Pass
	HCH	PI/2 BPSK	50	25	24.55	-0.03	24.52	0.283	1.000	Pass
			1	1	24.43	-0.03	24.40	0.275	1.000	Pass
			1	104	24.33	-0.03	24.30	0.269	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		QPSK	50	25	24.15	-0.03	24.12	0.258	1.000	Pass
			1	1	24.46	-0.03	24.43	0.277	1.000	Pass
			1	104	24.24	-0.03	24.21	0.264	1.000	Pass
		16QAM	50	25	24.15	-0.03	24.12	0.258	1.000	Pass
			1	1	24.41	-0.03	24.38	0.274	1.000	Pass
			1	104	24.04	-0.03	24.01	0.252	1.000	Pass
		64QAM	50	25	22.2	-0.03	22.17	0.165	1.000	Pass
			1	1	22.06	-0.03	22.03	0.160	1.000	Pass
			1	104	22.1	-0.03	22.07	0.161	1.000	Pass
		256QAM	50	25	24.78	-0.03	24.75	0.299	1.000	Pass
			1	1	24.99	-0.03	24.96	0.313	1.000	Pass
			1	104	24.54	-0.03	24.51	0.282	1.000	Pass
50	LCH	PI/2 BPSK	64	32	24.99	-0.03	24.96	0.313	1.000	Pass
			1	1	24.56	-0.03	24.53	0.284	1.000	Pass
			1	131	24.7	-0.03	24.67	0.293	1.000	Pass
		QPSK	64	32	24.92	-0.03	24.89	0.308	1.000	Pass
			1	1	24.81	-0.03	24.78	0.301	1.000	Pass
			1	131	24.81	-0.03	24.78	0.301	1.000	Pass
		16QAM	64	32	23.98	-0.03	23.95	0.248	1.000	Pass
			1	1	23.79	-0.03	23.76	0.238	1.000	Pass
			1	131	23.61	-0.03	23.58	0.228	1.000	Pass
		64QAM	64	32	21.76	-0.03	21.73	0.149	1.000	Pass
			1	1	21.31	-0.03	21.28	0.134	1.000	Pass
			1	131	21.42	-0.03	21.39	0.138	1.000	Pass
	MCH	256QAM	64	32	24.43	-0.03	24.40	0.275	1.000	Pass
			1	1	24.75	-0.03	24.72	0.296	1.000	Pass
			1	131	23.88	-0.03	23.85	0.243	1.000	Pass
		PI/2 BPSK	64	32	24.45	-0.03	24.42	0.277	1.000	Pass
			1	1	24.7	-0.03	24.67	0.293	1.000	Pass
			1	131	24.1	-0.03	24.07	0.255	1.000	Pass
		QPSK	64	32	24.56	-0.03	24.53	0.284	1.000	Pass
			1	1	24.78	-0.03	24.75	0.299	1.000	Pass
			1	131	24.28	-0.03	24.25	0.266	1.000	Pass
		16QAM	64	32	23.47	-0.03	23.44	0.221	1.000	Pass
			1	1	23.65	-0.03	23.62	0.230	1.000	Pass
			1	131	22.91	-0.03	22.88	0.194	1.000	Pass
		64QAM	64	32	21.59	-0.03	21.56	0.143	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		256QAM	1	1	21.53	-0.03	21.50	0.141	1.000	Pass
			1	131	20.93	-0.03	20.90	0.123	1.000	Pass
			64	32	24.21	-0.03	24.18	0.262	1.000	Pass
			1	1	24.61	-0.03	24.58	0.287	1.000	Pass
			1	131	24.28	-0.03	24.25	0.266	1.000	Pass
	HCH	PI/2 BPSK	64	32	24.28	-0.03	24.25	0.266	1.000	Pass
			1	1	24.32	-0.03	24.29	0.269	1.000	Pass
			1	131	24.21	-0.03	24.18	0.262	1.000	Pass
		QPSK	64	32	24.29	-0.03	24.26	0.267	1.000	Pass
			1	1	24.67	-0.03	24.64	0.291	1.000	Pass
			1	131	24.5	-0.03	24.47	0.280	1.000	Pass
		16QAM	64	32	23.39	-0.03	23.36	0.217	1.000	Pass
			1	1	23.29	-0.03	23.26	0.212	1.000	Pass
			1	131	23.08	-0.03	23.05	0.202	1.000	Pass
		64QAM	64	32	21.32	-0.03	21.29	0.135	1.000	Pass
			1	1	21.31	-0.03	21.28	0.134	1.000	Pass
			1	131	20.87	-0.03	20.84	0.121	1.000	Pass
		256QAM	64	32	23.97	-0.03	23.94	0.248	1.000	Pass
			1	1	25.05	-0.03	25.02	0.318	1.000	Pass
			1	131	24.25	-0.03	24.22	0.264	1.000	Pass
60	LCH	PI/2 BPSK	81	40	24.12	-0.03	24.09	0.256	1.000	Pass
			1	1	24.78	-0.03	24.75	0.299	1.000	Pass
			1	160	24.03	-0.03	24.00	0.251	1.000	Pass
		QPSK	81	40	23.92	-0.03	23.89	0.245	1.000	Pass
			1	1	24.77	-0.03	24.74	0.298	1.000	Pass
			1	160	24.22	-0.03	24.19	0.262	1.000	Pass
		16QAM	81	40	23.29	-0.03	23.26	0.212	1.000	Pass
			1	1	22.95	-0.03	22.92	0.196	1.000	Pass
			1	160	23.39	-0.03	23.36	0.217	1.000	Pass
		64QAM	81	40	21.48	-0.03	21.45	0.140	1.000	Pass
			1	1	21.25	-0.03	21.22	0.132	1.000	Pass
			1	160	21.53	-0.03	21.50	0.141	1.000	Pass
		256QAM	81	40	24.3	-0.03	24.27	0.267	1.000	Pass
			1	1	23.98	-0.03	23.95	0.248	1.000	Pass
			1	160	24.01	-0.03	23.98	0.250	1.000	Pass
	MCH	PI/2 BPSK	81	40	24.21	-0.03	24.18	0.262	1.000	Pass
			1	1	23.92	-0.03	23.89	0.245	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		QPSK	1	160	24.17	-0.03	24.14	0.259	1.000	Pass
			81	40	24.1	-0.03	24.07	0.255	1.000	Pass
			1	1	23.81	-0.03	23.78	0.239	1.000	Pass
			1	160	23.95	-0.03	23.92	0.247	1.000	Pass
		16QAM	81	40	23.71	-0.03	23.68	0.233	1.000	Pass
			1	1	23.21	-0.03	23.18	0.208	1.000	Pass
			1	160	23.48	-0.03	23.45	0.221	1.000	Pass
		64QAM	81	40	21.86	-0.03	21.83	0.152	1.000	Pass
			1	1	21.7	-0.03	21.67	0.147	1.000	Pass
			1	160	21.82	-0.03	21.79	0.151	1.000	Pass
		256QAM	81	40	24.33	-0.03	24.30	0.269	1.000	Pass
			1	1	24.09	-0.03	24.06	0.255	1.000	Pass
			1	160	24.38	-0.03	24.35	0.272	1.000	Pass
	HCH	PI/2 BPSK	81	40	24.36	-0.03	24.33	0.271	1.000	Pass
			1	1	24.37	-0.03	24.34	0.272	1.000	Pass
			1	160	24.38	-0.03	24.35	0.272	1.000	Pass
		QPSK	81	40	24.19	-0.03	24.16	0.261	1.000	Pass
			1	1	24.23	-0.03	24.20	0.263	1.000	Pass
			1	160	24.09	-0.03	24.06	0.255	1.000	Pass
		16QAM	81	40	24.16	-0.03	24.13	0.259	1.000	Pass
			1	1	23.49	-0.03	23.46	0.222	1.000	Pass
			1	160	23.45	-0.03	23.42	0.220	1.000	Pass
		64QAM	81	40	21.47	-0.03	21.44	0.139	1.000	Pass
			1	1	21.96	-0.03	21.93	0.156	1.000	Pass
			1	160	21.89	-0.03	21.86	0.153	1.000	Pass
		256QAM	81	40	24.07	-0.03	24.04	0.254	1.000	Pass
			1	1	24.01	-0.03	23.98	0.250	1.000	Pass
			1	160	24.15	-0.03	24.12	0.258	1.000	Pass
70	LCH	PI/2 BPSK	90	45	23.91	-0.03	23.88	0.244	1.000	Pass
			1	1	23.95	-0.03	23.92	0.247	1.000	Pass
			1	187	24.18	-0.03	24.15	0.260	1.000	Pass
		QPSK	90	45	24	-0.03	23.97	0.249	1.000	Pass
			1	1	23.98	-0.03	23.95	0.248	1.000	Pass
			1	187	24.27	-0.03	24.24	0.265	1.000	Pass
		16QAM	90	45	23.7	-0.03	23.67	0.233	1.000	Pass
			1	1	23.44	-0.03	23.41	0.219	1.000	Pass
			1	187	23.61	-0.03	23.58	0.228	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	MCH	64QAM	90	45	21.72	-0.03	21.69	0.148	1.000	Pass
			1	1	21.18	-0.03	21.15	0.130	1.000	Pass
			1	187	21.62	-0.03	21.59	0.144	1.000	Pass
		256QAM	90	45	24.18	-0.03	24.15	0.260	1.000	Pass
			1	1	24.15	-0.03	24.12	0.258	1.000	Pass
			1	187	24.28	-0.03	24.25	0.266	1.000	Pass
		PI/2 BPSK	90	45	24.39	-0.03	24.36	0.273	1.000	Pass
			1	1	24.34	-0.03	24.31	0.270	1.000	Pass
			1	187	24.4	-0.03	24.37	0.274	1.000	Pass
		QPSK	90	45	24.23	-0.03	24.20	0.263	1.000	Pass
			1	1	24.09	-0.03	24.06	0.255	1.000	Pass
			1	187	24.38	-0.03	24.35	0.272	1.000	Pass
		16QAM	90	45	23.7	-0.03	23.67	0.233	1.000	Pass
			1	1	23.62	-0.03	23.59	0.229	1.000	Pass
			1	187	23.57	-0.03	23.54	0.226	1.000	Pass
		64QAM	90	45	21.84	-0.03	21.81	0.152	1.000	Pass
			1	1	21.77	-0.03	21.74	0.149	1.000	Pass
			1	187	21.46	-0.03	21.43	0.139	1.000	Pass
		256QAM	90	45	23.97	-0.03	23.94	0.248	1.000	Pass
			1	1	24.39	-0.03	24.36	0.273	1.000	Pass
			1	187	24.45	-0.03	24.42	0.277	1.000	Pass
	HCH	PI/2 BPSK	90	45	24.32	-0.03	24.29	0.269	1.000	Pass
			1	1	24.42	-0.03	24.39	0.275	1.000	Pass
			1	187	24.32	-0.03	24.29	0.269	1.000	Pass
		QPSK	90	45	24.09	-0.03	24.06	0.255	1.000	Pass
			1	1	24.29	-0.03	24.26	0.267	1.000	Pass
			1	187	24.45	-0.03	24.42	0.277	1.000	Pass
		16QAM	90	45	23.88	-0.03	23.85	0.243	1.000	Pass
			1	1	23.53	-0.03	23.50	0.224	1.000	Pass
			1	187	23.54	-0.03	23.51	0.224	1.000	Pass
		64QAM	90	45	21.88	-0.03	21.85	0.153	1.000	Pass
			1	1	21.8	-0.03	21.77	0.150	1.000	Pass
			1	187	21.72	-0.03	21.69	0.148	1.000	Pass
		256QAM	90	45	24.07	-0.03	24.04	0.254	1.000	Pass
			1	1	23.81	-0.03	23.78	0.239	1.000	Pass
			1	187	24.28	-0.03	24.25	0.266	1.000	Pass
80	LCH	PI/2	108	54	24.07	-0.03	24.04	0.254	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		BPSK	1	1	24.21	-0.03	24.18	0.262	1.000	Pass
			1	215	24.31	-0.03	24.28	0.268	1.000	Pass
		QPSK	108	54	24.29	-0.03	24.26	0.267	1.000	Pass
			1	1	24.09	-0.03	24.06	0.255	1.000	Pass
			1	215	24.25	-0.03	24.22	0.264	1.000	Pass
		16QAM	108	54	23.76	-0.03	23.73	0.236	1.000	Pass
			1	1	23.74	-0.03	23.71	0.235	1.000	Pass
			1	215	23.66	-0.03	23.63	0.231	1.000	Pass
		64QAM	108	54	21.78	-0.03	21.75	0.150	1.000	Pass
			1	1	21.53	-0.03	21.50	0.141	1.000	Pass
			1	215	21.48	-0.03	21.45	0.140	1.000	Pass
		256QAM	108	54	24.2	-0.03	24.17	0.261	1.000	Pass
			1	1	23.98	-0.03	23.95	0.248	1.000	Pass
			1	215	24.3	-0.03	24.27	0.267	1.000	Pass
	MCH	PI/2 BPSK	108	54	24.32	-0.03	24.29	0.269	1.000	Pass
			1	1	24.08	-0.03	24.05	0.254	1.000	Pass
			1	215	24.37	-0.03	24.34	0.272	1.000	Pass
		QPSK	108	54	24.18	-0.03	24.15	0.260	1.000	Pass
			1	1	24.17	-0.03	24.14	0.259	1.000	Pass
			1	215	24.34	-0.03	24.31	0.270	1.000	Pass
		16QAM	108	54	23.58	-0.03	23.55	0.226	1.000	Pass
			1	1	23.32	-0.03	23.29	0.213	1.000	Pass
			1	215	23.39	-0.03	23.36	0.217	1.000	Pass
		64QAM	108	54	22.2	-0.03	22.17	0.165	1.000	Pass
			1	1	22.02	-0.03	21.99	0.158	1.000	Pass
			1	215	21.95	-0.03	21.92	0.156	1.000	Pass
		256QAM	108	54	24	-0.03	23.97	0.249	1.000	Pass
			1	1	24.37	-0.03	24.34	0.272	1.000	Pass
			1	215	24.36	-0.03	24.33	0.271	1.000	Pass
	HCH	PI/2 BPSK	108	54	24.17	-0.03	24.14	0.259	1.000	Pass
			1	1	24.32	-0.03	24.29	0.269	1.000	Pass
			1	215	24.2	-0.03	24.17	0.261	1.000	Pass
		QPSK	108	54	23.94	-0.03	23.91	0.246	1.000	Pass
			1	1	24.32	-0.03	24.29	0.269	1.000	Pass
			1	215	24.09	-0.03	24.06	0.255	1.000	Pass
		16QAM	108	54	23.58	-0.03	23.55	0.226	1.000	Pass
			1	1	23.71	-0.03	23.68	0.233	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		64QAM	1	215	23.48	-0.03	23.45	0.221	1.000	Pass
			108	54	21.94	-0.03	21.91	0.155	1.000	Pass
			1	1	21.74	-0.03	21.71	0.148	1.000	Pass
			1	215	22.17	-0.03	22.14	0.164	1.000	Pass
		256QAM	108	54	24	-0.03	23.97	0.249	1.000	Pass
			1	1	24.16	-0.03	24.13	0.259	1.000	Pass
			1	215	24.32	-0.03	24.29	0.269	1.000	Pass
		PI/2 BPSK	120	60	24.04	-0.03	24.01	0.252	1.000	Pass
			1	1	24.23	-0.03	24.20	0.263	1.000	Pass
			1	243	24.49	-0.03	24.46	0.279	1.000	Pass
90	LCH	QPSK	120	60	23.97	-0.03	23.94	0.248	1.000	Pass
			1	1	24.11	-0.03	24.08	0.256	1.000	Pass
			1	243	24.4	-0.03	24.37	0.274	1.000	Pass
		16QAM	120	60	23.77	-0.03	23.74	0.237	1.000	Pass
			1	1	23.56	-0.03	23.53	0.225	1.000	Pass
			1	243	23.54	-0.03	23.51	0.224	1.000	Pass
		64QAM	120	60	21.46	-0.03	21.43	0.139	1.000	Pass
			1	1	21.29	-0.03	21.26	0.134	1.000	Pass
			1	243	21.86	-0.03	21.83	0.152	1.000	Pass
		256QAM	120	60	23.94	-0.03	23.91	0.246	1.000	Pass
			1	1	24.05	-0.03	24.02	0.252	1.000	Pass
			1	243	24.22	-0.03	24.19	0.262	1.000	Pass
	MCH	PI/2 BPSK	120	60	24.17	-0.03	24.14	0.259	1.000	Pass
			1	1	23.98	-0.03	23.95	0.248	1.000	Pass
			1	243	24.43	-0.03	24.40	0.275	1.000	Pass
		QPSK	120	60	24.25	-0.03	24.22	0.264	1.000	Pass
			1	1	24.15	-0.03	24.12	0.258	1.000	Pass
			1	243	24.29	-0.03	24.26	0.267	1.000	Pass
		16QAM	120	60	23.6	-0.03	23.57	0.228	1.000	Pass
			1	1	23.2	-0.03	23.17	0.207	1.000	Pass
			1	243	23.39	-0.03	23.36	0.217	1.000	Pass
		64QAM	120	60	21.65	-0.03	21.62	0.145	1.000	Pass
			1	1	21.58	-0.03	21.55	0.143	1.000	Pass
			1	243	21.7	-0.03	21.67	0.147	1.000	Pass
		256QAM	120	60	23.95	-0.03	23.92	0.247	1.000	Pass
			1	1	24.01	-0.03	23.98	0.250	1.000	Pass
			1	243	24.2	-0.03	24.17	0.261	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	HCH	PI/2 BPSK	120	60	24.06	-0.03	24.03	0.253	1.000	Pass
			1	1	24.03	-0.03	24.00	0.251	1.000	Pass
			1	243	24.52	-0.03	24.49	0.281	1.000	Pass
		QPSK	120	60	24.19	-0.03	24.16	0.261	1.000	Pass
			1	1	24.29	-0.03	24.26	0.267	1.000	Pass
			1	243	24.28	-0.03	24.25	0.266	1.000	Pass
		16QAM	120	60	23.71	-0.03	23.68	0.233	1.000	Pass
			1	1	23.44	-0.03	23.41	0.219	1.000	Pass
			1	243	23.68	-0.03	23.65	0.232	1.000	Pass
		64QAM	120	60	21.51	-0.03	21.48	0.141	1.000	Pass
			1	1	21.67	-0.03	21.64	0.146	1.000	Pass
			1	243	21.66	-0.03	21.63	0.146	1.000	Pass
		256QAM	120	60	24.38	-0.03	24.35	0.272	1.000	Pass
			1	1	24.6	-0.03	24.57	0.286	1.000	Pass
			1	243	24.18	-0.03	24.15	0.260	1.000	Pass
100	MCH	PI/2 BPSK	135	67	24.43	-0.03	24.40	0.275	1.000	Pass
			1	1	24.82	-0.03	24.79	0.301	1.000	Pass
			1	271	24.34	-0.03	24.31	0.270	1.000	Pass
		QPSK	135	67	24.33	-0.03	24.30	0.269	1.000	Pass
			1	1	24.85	-0.03	24.82	0.303	1.000	Pass
			1	271	24.49	-0.03	24.46	0.279	1.000	Pass
		16QAM	135	67	23.49	-0.03	23.46	0.222	1.000	Pass
			1	1	23.55	-0.03	23.52	0.225	1.000	Pass
			1	271	23.32	-0.03	23.29	0.213	1.000	Pass
		64QAM	135	67	21.14	-0.03	21.11	0.129	1.000	Pass
			1	1	21.66	-0.03	21.63	0.146	1.000	Pass
			1	271	21.27	-0.03	21.24	0.133	1.000	Pass
		256QAM	135	67	21.23	-0.03	21.20	0.132	1.000	Pass
			1	1	21.42	-0.03	21.39	0.138	1.000	Pass
			1	271	21.13	-0.03	21.10	0.129	1.000	Pass

ENDC Mode Test Data

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n41A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.98	21.42	24.2159	23.17	0.208	2.00	Pass
			12	6	8	0	20.83	21.46	24.1667	23.12	0.205	2.00	Pass
	MCH	BP	12	6	8	0	21.3	21.49	24.4063	23.37	0.217	2.00	Pass
			1	22	1	24	21.14	21.33	24.2463	23.21	0.209	2.00	Pass
	HCH	SK	12	6	8	0	20.99	21.53	24.2787	23.23	0.210	2.00	Pass
			1	1	1	0	21.31	21.4	24.3655	23.33	0.215	2.00	Pass
	LCH	QP	12	6	8	0	21.16	21.49	24.3384	23.30	0.214	2.00	Pass
			12	6	8	0	20.97	21.42	24.2111	23.17	0.207	2.00	Pass
	MCH	SK	1	22	1	24	21.45	21.48	24.4753	23.45	0.221	2.00	Pass
			12	6	8	0	21.24	21.62	24.4445	23.40	0.219	2.00	Pass
	LCH	16	1	1	1	0	21.43	21.41	24.4303	23.40	0.219	2.00	Pass
			12	6	8	0	21.07	21.4	24.2484	23.21	0.209	2.00	Pass
	MCH	QA	12	6	8	0	20.81	21.58	24.2223	23.17	0.207	2.00	Pass
			1	22	1	24	21.02	21.42	24.2349	23.19	0.209	2.00	Pass
	HCH	M	12	6	8	0	21.04	21.6	24.3393	23.29	0.213	2.00	Pass
			1	1	1	0	21.06	21.61	24.3540	23.31	0.214	2.00	Pass
	LCH	64	12	6	8	0	20.91	21.61	24.2844	23.23	0.210	2.00	Pass
			12	6	8	0	21.19	21.62	24.4206	23.38	0.218	2.00	Pass
	MCH	QA	1	22	1	24	21.2	21.45	24.3371	23.30	0.214	2.00	Pass
			12	6	8	0	20.98	21.58	24.3007	23.25	0.211	2.00	Pass
	LCH	256	1	1	1	0	21.05	21.51	24.2964	23.25	0.211	2.00	Pass
			12	6	8	0	21.03	21.48	24.2711	23.23	0.210	2.00	Pass
	MCH	QA	12	6	8	0	20.89	21.67	24.3078	23.25	0.211	2.00	Pass
			1	22	1	24	20.87	21.4	24.1534	23.11	0.204	2.00	Pass
	HCH	M	12	6	8	0	21.06	21.59	24.3434	23.30	0.214	2.00	Pass
			1	1	1	0	21.37	21.41	24.4003	23.37	0.217	2.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	18	0	20.88	21.84	24.3968	23.33	0.215	2.00	Pass
			135	67	18	0	21.07	21.51	24.3059	23.26	0.212	2.00	Pass
	MCH	BP	1	271	1	99	21.04	21.54	24.3075	23.26	0.212	2.00	Pass
			135	67	18	0	21.08	21.58	24.3475	23.30	0.214	2.00	Pass
	HCH	SK	1	1	1	0	21.32	21.75	24.5506	23.51	0.224	2.00	Pass
			135	67	18	0	21.21	21.46	24.3471	23.31	0.214	2.00	Pass
	LCH	QP	135	67	18	0	20.69	21.66	24.2123	23.15	0.206	2.00	Pass
			1	271	1	99	21.11	21.83	24.4952	23.44	0.221	2.00	Pass
	MCH	SK	1	1	1	0	21.37	21.41	24.4003	23.37	0.217	2.00	Pass
			135	67	18	0	20.88	21.84	24.3968	23.33	0.215	2.00	Pass

			135	67	18	0	21.2	21.45	24.3371	23.30	0.214	2.00	Pass
	LCH	16	1	1	1	0	21.23	21.26	24.2553	23.23	0.210	2.00	Pass
			135	67	18	0	20.93	21.37	24.1659	23.12	0.205	2.00	Pass
	MCH	QA	135	67	18	0	21.2	21.37	24.2961	23.26	0.212	2.00	Pass
	HCH		1	271	1	99	20.81	21.33	24.0881	23.04	0.201	2.00	Pass
		M	135	67	18	0	21.13	21.53	24.3449	23.30	0.214	2.00	Pass
	LCH	64	1	1	1	0	21.16	21.18	24.1803	23.15	0.207	2.00	Pass
			135	67	18	0	21.34	21.64	24.5029	23.46	0.222	2.00	Pass
	MCH	QA	135	67	18	0	20.98	21.51	24.2634	23.22	0.210	2.00	Pass
	HCH		1	271	1	99	21.14	21.74	24.4607	23.41	0.219	2.00	Pass
		M	135	67	18	0	21.15	21.25	24.2106	23.18	0.208	2.00	Pass
	LCH	256	1	1	1	0	21	21.2	24.1115	23.08	0.203	2.00	Pass
			135	67	18	0	21.11	21.47	24.3040	23.26	0.212	2.00	Pass
	MCH	QA	135	67	18	0	21.06	21.3	24.1920	23.15	0.207	2.00	Pass
	HCH		1	271	1	99	20.72	21.82	24.3150	23.25	0.211	2.00	Pass
		M	135	67	18	0	21.42	21.4	24.4203	23.39	0.218	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2	1	1	1	0	17.65	21.18	22.7745	21.25	0.133	1.00	Pass
			12	6	8	0	17.75	21.67	23.1483	21.64	0.146	1.00	Pass
	MCH	BP	12	6	8	0	17.74	21.41	22.9620	21.44	0.139	1.00	Pass
			1	23	1	24	17.8	21.48	23.0289	21.51	0.142	1.00	Pass
	HCH	SK	12	6	8	0	17.99	21.52	23.1145	21.59	0.144	1.00	Pass
			1	1	1	0	17.91	21.4	23.0068	21.48	0.141	1.00	Pass
	LCH	QP	12	6	8	0	18.07	21.55	23.1599	21.64	0.146	1.00	Pass
			12	6	8	0	18.07	21.36	23.0297	21.50	0.141	1.00	Pass
	MCH		1	23	1	24	17.78	21.62	23.1216	21.61	0.145	1.00	Pass
			12	6	8	0	17.8	21.35	22.9384	21.42	0.139	1.00	Pass
	LCH	16	1	1	1	0	18.04	21.27	22.9589	21.43	0.139	1.00	Pass
			12	6	8	0	18.05	21.43	23.0711	21.55	0.143	1.00	Pass
	MCH		12	6	8	0	17.97	21.32	22.9706	21.44	0.139	1.00	Pass
			1	23	1	24	18.45	21.35	23.1480	21.61	0.145	1.00	Pass
	HCH	M	12	6	8	0	17.74	21.54	23.0533	21.54	0.143	1.00	Pass
			1	1	1	0	18.09	21.03	22.8145	21.28	0.134	1.00	Pass
	LCH		12	6	8	0	18.08	21.42	23.0738	21.55	0.143	1.00	Pass
			12	6	8	0	17.81	21.2	22.8380	21.31	0.135	1.00	Pass
	MCH	64	1	23	1	24	18.14	21.52	23.1611	21.64	0.146	1.00	Pass
			12	6	8	0	17.92	21.23	22.8933	21.37	0.137	1.00	Pass
	HCH		1	1	1	0	17.87	21.05	22.7551	21.22	0.133	1.00	Pass
			12	6	8	0	17.77	21.3	22.8945	21.37	0.137	1.00	Pass
	LCH	256	12	6	8	0	18.11	21.34	23.0289	21.50	0.141	1.00	Pass
			1	23	1	24	17.83	21.38	22.9684	21.45	0.140	1.00	Pass
	MCH		12	6	8	0	18.13	21.43	23.0965	21.57	0.144	1.00	Pass
			1	1	1	0	17.69	21.42	22.9540	21.44	0.139	1.00	Pass
	LCH	PI/2	108	54	18	0	18.13	21.37	23.0557	21.53	0.142	1.00	Pass
			108	54	18	0	18.17	21.41	23.0957	21.57	0.143	1.00	Pass
	MCH	BP	108	54	18	0	18.17	21.41	23.0957	21.57	0.143	1.00	Pass
			1	214	1	99	18.19	21.45	23.1293	21.60	0.145	1.00	Pass
	HCH	SK	108	54	18	0	18.23	21.51	23.1829	21.65	0.146	1.00	Pass
			1	1	1	0	17.97	21.42	23.0392	21.52	0.142	1.00	Pass
	LCH	QP	108	54	18	0	17.98	21.53	23.1184	21.60	0.144	1.00	Pass
			108	54	18	0	18.08	21.55	23.1630	21.64	0.146	1.00	Pass
	MCH		108	54	18	0	18.08	21.55	23.1630	21.64	0.146	1.00	Pass
			1	214	1	99	18.22	21.37	23.0848	21.55	0.143	1.00	Pass
	HCH	SK	1	214	1	99	18.22	21.37	23.0848	21.55	0.143	1.00	Pass
			1	214	1	99	18.22	21.37	23.0848	21.55	0.143	1.00	Pass

			108	54	18	0	18.22	21.4	23.1051	21.57	0.144	1.00	Pass
	LCH	16	1	1	1	0	17.96	21.58	23.1470	21.63	0.145	1.00	Pass
			108	54	18	0	18.23	21.3	23.0411	21.51	0.141	1.00	Pass
	MCH		108	54	18	0	18.05	21.37	23.0301	21.50	0.141	1.00	Pass
	HCH	QA	1	214	1	99	18.48	21.54	23.2844	21.75	0.150	1.00	Pass
			108	54	18	0	18.13	21.62	23.2268	21.70	0.148	1.00	Pass
	LCH	64	1	1	1	0	17.74	20.98	22.6657	21.14	0.130	1.00	Pass
			108	54	18	0	17.85	21.4	22.9884	21.47	0.140	1.00	Pass
	MCH		108	54	18	0	18.11	21.46	23.1106	21.58	0.144	1.00	Pass
	HCH	QA	1	214	1	99	18.18	21.42	23.1057	21.58	0.144	1.00	Pass
			108	54	18	0	17.89	21.62	23.1540	21.64	0.146	1.00	Pass
	LCH	256	1	1	1	0	17.45	21.27	22.7774	21.26	0.134	1.00	Pass
			108	54	18	0	18.09	21.61	23.2076	21.69	0.147	1.00	Pass
	MCH		108	54	18	0	18.07	21.46	23.0980	21.57	0.144	1.00	Pass
	HCH	QA	1	214	1	99	18.16	21.5	23.1538	21.63	0.145	1.00	Pass
			108	54	18	0	18.14	21.76	23.3270	21.81	0.152	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n71A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2	1	1	1	0	12.95	21.15	21.7621	20.44	0.111	3.00	Pass
			12	6	8	0	12.7	21.46	22.0025	20.68	0.117	3.00	Pass
	MCH	BP	12	6	8	0	12.93	21.23	21.8291	20.51	0.112	3.00	Pass
			1	23	1	24	12.67	21.34	21.8931	20.57	0.114	3.00	Pass
	HCH	SK	12	6	8	0	12.77	21.47	22.0196	20.70	0.117	3.00	Pass
			1	1	1	0	12.8	21.18	21.7689	20.45	0.111	3.00	Pass
	LCH	QP	12	6	8	0	12.78	21.58	22.1178	20.79	0.120	3.00	Pass
			12	6	8	0	12.71	21.5	22.0390	20.72	0.118	3.00	Pass
	MCH	SK	1	23	1	24	12.54	21.55	22.0639	20.74	0.119	3.00	Pass
			12	6	8	0	12.82	21.46	22.0167	20.69	0.117	3.00	Pass
	HCH	M	1	1	1	0	13.34	21.56	22.1695	20.85	0.122	3.00	Pass
			12	6	8	0	12.86	21.43	21.9952	20.67	0.117	3.00	Pass
	LCH	QA	12	6	8	0	12.74	21.27	21.8401	20.52	0.113	3.00	Pass
			1	23	1	24	13.12	21.35	21.9582	20.64	0.116	3.00	Pass
	MCH	M	12	6	8	0	12.77	21.46	22.0108	20.69	0.117	3.00	Pass
			1	1	1	0	12.86	21.23	21.8201	20.50	0.112	3.00	Pass
	LCH	64	12	6	8	0	12.79	21.57	22.1101	20.79	0.120	3.00	Pass
			12	6	8	0	12.91	21.49	22.0540	20.73	0.118	3.00	Pass
	MCH	QA	1	23	1	24	12.92	21.55	22.1079	20.79	0.120	3.00	Pass
			12	6	8	0	12.61	21.54	22.0629	20.74	0.119	3.00	Pass
	HCH	M	1	1	1	0	12.5	21.29	21.8290	20.51	0.112	3.00	Pass
			12	6	8	0	12.9	21.31	21.8951	20.57	0.114	3.00	Pass
	LCH	256	12	6	8	0	12.97	21.42	22.0000	20.68	0.117	3.00	Pass
			1	23	1	24	12.68	21.51	22.0443	20.72	0.118	3.00	Pass
	MCH	QA	12	6	8	0	12.75	21.33	21.8940	20.57	0.114	3.00	Pass
			1	1	1	0	12.66	21.04	21.6289	20.31	0.107	3.00	Pass
20MHz(LTE) + 20MHz(NR)	LCH	PI/2	50	25	18	0	12.87	21.25	21.8389	20.52	0.113	3.00	Pass
			50	25	18	0	12.85	21.56	22.1084	20.79	0.120	3.00	Pass
	MCH	BP	1	104	1	99	12.7	21.55	22.0820	20.76	0.119	3.00	Pass
			50	25	18	0	12.79	21.15	21.7414	20.42	0.110	3.00	Pass
	HCH	SK	1	1	1	0	12.7	21.27	21.8352	20.51	0.113	3.00	Pass
			50	25	18	0	13	21.64	22.1967	20.87	0.122	3.00	Pass
	LCH	QP	50	25	18	0	12.87	21.53	22.0843	20.76	0.119	3.00	Pass
			1	104	1	99	12.65	21.6	22.1206	20.80	0.120	3.00	Pass
	MCH	SK											

			50	25	18	0	13	21.46	22.0388	20.72	0.118	3.00	Pass
	LCH	16	1	1	1	0	12.59	21.18	21.7428	20.42	0.110	3.00	Pass
			50	25	18	0	12.73	21.55	22.0855	20.76	0.119	3.00	Pass
	MCH	QA	50	25	18	0	12.8	21.35	21.9177	20.60	0.115	3.00	Pass
	HCH		1	104	1	99	12.61	21.2	21.7628	20.44	0.111	3.00	Pass
		M	50	25	18	0	12.7	21.36	21.9143	20.59	0.115	3.00	Pass
	LCH	64	1	1	1	0	12.36	21.16	21.6978	20.37	0.109	3.00	Pass
			50	25	18	0	13.08	21.54	22.1188	20.80	0.120	3.00	Pass
	MCH	QA	50	25	18	0	12.84	21.52	22.0719	20.75	0.119	3.00	Pass
	HCH		1	104	1	99	12.23	21.69	22.1559	20.83	0.121	3.00	Pass
		M	50	25	18	0	12.96	21.57	22.1304	20.81	0.120	3.00	Pass
	LCH	256	1	1	1	0	12.57	21.42	21.9520	20.63	0.116	3.00	Pass
			50	25	18	0	12.95	21.45	22.0238	20.70	0.118	3.00	Pass
	MCH	QA	50	25	18	0	12.77	21.47	22.0196	20.70	0.117	3.00	Pass
	HCH		1	104	1	99	12	21.37	21.8451	20.52	0.113	3.00	Pass
		M	50	25	18	0	12.73	21.63	22.1563	20.83	0.121	3.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_12A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2	1	1	1	0	20.43	20.96	23.7134	21.30	0.135	1.00	Pass
			12	6	8	0	20.47	21.29	23.9096	21.48	0.141	1.00	Pass
	MCH	BP	12	6	8	0	20.35	21.14	23.7732	21.35	0.136	1.00	Pass
			1	23	1	24	20.24	21.29	23.8070	21.37	0.137	1.00	Pass
	HCH	SK	12	6	8	0	20.51	21	23.7722	21.36	0.137	1.00	Pass
			1	1	1	0	20.42	21.05	23.7567	21.34	0.136	1.00	Pass
	LCH	QP	12	6	8	0	20.3	20.99	23.6690	21.25	0.133	1.00	Pass
			12	6	8	0	20.48	21.23	23.8815	21.46	0.140	1.00	Pass
	MCH		1	23	1	24	20.54	21.17	23.8767	21.46	0.140	1.00	Pass
			12	6	8	0	20.34	21.38	23.9014	21.46	0.140	1.00	Pass
	LCH	16	1	1	1	0	20.85	21.1	23.9871	21.59	0.144	1.00	Pass
			12	6	8	0	20.33	21.39	23.9026	21.46	0.140	1.00	Pass
	MCH		12	6	8	0	20.43	21.25	23.8696	21.44	0.139	1.00	Pass
			1	23	1	24	20.67	20.94	23.8174	21.42	0.139	1.00	Pass
	HCH	QA	12	6	8	0	20.27	21.36	23.8594	21.42	0.139	1.00	Pass
			1	1	1	0	20.35	20.89	23.6387	21.23	0.133	1.00	Pass
	LCH		12	6	8	0	20.37	21.35	23.8979	21.46	0.140	1.00	Pass
			12	6	8	0	20.23	21.19	23.7468	21.31	0.135	1.00	Pass
	MCH	64	1	23	1	24	20.31	20.94	23.6467	21.23	0.133	1.00	Pass
			12	6	8	0	20.35	21.34	23.8834	21.45	0.139	1.00	Pass
	LCH		1	1	1	0	19.79	21.01	23.4530	21.00	0.126	1.00	Pass
			12	6	8	0	19.97	21.16	23.6159	21.17	0.131	1.00	Pass
	MCH	256	12	6	8	0	19.91	21.05	23.5276	21.08	0.128	1.00	Pass
			1	23	1	24	19.94	21.58	23.8473	21.37	0.137	1.00	Pass
	LCH		12	6	8	0	20.01	21.09	23.5938	21.15	0.130	1.00	Pass
			1	1	1	0	20.1	21.25	23.7233	21.28	0.134	1.00	Pass
	LCH	PI/2	108	54	18	0	20.44	21.37	23.9401	21.51	0.141	1.00	Pass
			108	54	18	0	20.3	21.54	23.9744	21.52	0.142	1.00	Pass
	MCH	BP	108	54	18	0	20.3	21.54	23.9744	21.52	0.142	1.00	Pass
			1	214	1	99	20.45	21.31	23.9116	21.48	0.141	1.00	Pass
	HCH	SK	108	54	18	0	20.28	21.17	23.7581	21.33	0.136	1.00	Pass
			1	1	1	0	20.15	21.15	23.6890	21.25	0.133	1.00	Pass
	LCH	QP	108	54	18	0	20.35	21.35	23.8890	21.45	0.140	1.00	Pass
			108	54	18	0	20.27	21.44	23.9046	21.46	0.140	1.00	Pass
	MCH		108	54	18	0	20.27	21.44	23.9046	21.46	0.140	1.00	Pass
			1	214	1	99	20.68	21.15	23.9317	21.52	0.142	1.00	Pass
	HCH	SK	1	214	1	99	20.68	21.15	23.9317	21.52	0.142	1.00	Pass
			1	214	1	99	20.68	21.15	23.9317	21.52	0.142	1.00	Pass

			108	54	18	0	20.5	21.46	24.0168	21.58	0.144	1.00	Pass
	LCH	16	1	1	1	0	20.2	20.82	23.5314	21.11	0.129	1.00	Pass
			108	54	18	0	20.36	21.39	23.9158	21.48	0.140	1.00	Pass
	MCH	QA	108	54	18	0	20.53	21.33	23.9587	21.53	0.142	1.00	Pass
			1	214	1	99	20.99	21.69	24.3644	21.94	0.156	1.00	Pass
	HCH	M	108	54	18	0	20.43	21.33	23.9136	21.48	0.141	1.00	Pass
		64	1	1	1	0	20.11	21.21	23.7050	21.26	0.134	1.00	Pass
	LCH		108	54	18	0	20.46	21.31	23.9161	21.49	0.141	1.00	Pass
	MCH	QA	108	54	18	0	20.34	21.41	23.9182	21.48	0.140	1.00	Pass
			1	214	1	99	20.73	21.08	23.9188	21.52	0.142	1.00	Pass
	HCH	M	108	54	18	0	20.44	21.29	23.8961	21.47	0.140	1.00	Pass
		256	1	1	1	0	19.39	21.17	23.3809	20.90	0.123	1.00	Pass
	LCH		108	54	18	0	19.94	21.44	23.7647	21.30	0.135	1.00	Pass
	MCH	QA	108	54	18	0	19.87	21.32	23.6655	21.20	0.132	1.00	Pass
			1	214	1	99	19.94	21.56	23.8354	21.36	0.137	1.00	Pass
	HCH	M	108	54	18	0	19.75	21.21	23.5514	21.09	0.128	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n25A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2	1	1	1	0	15.9	21.58	22.6194	20.83	0.121	2.00	Pass
			12	6	8	0	15.9	21.91	22.8812	21.09	0.128	2.00	Pass
	MCH	BP	12	6	8	0	16.23	21.6	22.7073	20.93	0.124	2.00	Pass
			1	23	1	24	16.14	21.83	22.8673	21.08	0.128	2.00	Pass
	HCH	SK	12	6	8	0	16.11	21.57	22.6572	20.88	0.122	2.00	Pass
			1	1	1	0	15.98	21.79	22.8020	21.01	0.126	2.00	Pass
	LCH	QP	12	6	8	0	15.92	21.72	22.7341	20.94	0.124	2.00	Pass
			12	6	8	0	16.02	21.8	22.8183	21.03	0.127	2.00	Pass
	MCH		1	23	1	24	15.85	22.01	22.9516	21.15	0.130	2.00	Pass
			12	6	8	0	15.87	21.91	22.8752	21.08	0.128	2.00	Pass
	HCH	M	1	1	1	0	16.36	21.45	22.6219	20.85	0.122	2.00	Pass
			12	6	8	0	15.89	21.67	22.6883	20.90	0.123	2.00	Pass
	MCH		12	6	8	0	16.02	21.92	22.9135	21.12	0.129	2.00	Pass
			1	23	1	24	16.18	21.95	22.9704	21.18	0.131	2.00	Pass
	HCH	QA	12	6	8	0	15.82	21.97	22.9135	21.12	0.129	2.00	Pass
			1	1	1	0	15.83	21.69	22.6917	20.90	0.123	2.00	Pass
	LCH		12	6	8	0	16.08	21.97	22.9655	21.17	0.131	2.00	Pass
			12	6	8	0	15.93	21.59	22.6337	20.85	0.122	2.00	Pass
	MCH	M	1	23	1	24	15.87	21.77	22.7635	20.97	0.125	2.00	Pass
			12	6	8	0	15.85	21.81	22.7913	21.00	0.126	2.00	Pass
	HCH		1	1	1	0	15.78	21.76	22.7373	20.94	0.124	2.00	Pass
			12	6	8	0	16.09	21.53	22.6216	20.84	0.121	2.00	Pass
	LCH	QA	12	6	8	0	15.88	21.71	22.7179	20.93	0.124	2.00	Pass
			1	23	1	24	15.92	21.89	22.8693	21.08	0.128	2.00	Pass
	MCH		12	6	8	0	16.2	21.98	22.9983	21.21	0.132	2.00	Pass
			1	1	1	0	16.07	21.54	22.6249	20.84	0.121	2.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2	108	54	18	0	16.07	21.75	22.7894	21.00	0.126	2.00	Pass
			108	54	18	0	16.03	21.53	22.6083	20.83	0.121	2.00	Pass
	MCH	BP	1	214	1	99	16.41	21.97	23.0352	21.25	0.133	2.00	Pass
			108	54	18	0	16.39	21.83	22.9216	21.14	0.130	2.00	Pass
	HCH	SK	1	1	1	0	16.25	21.46	22.6038	20.83	0.121	2.00	Pass
			108	54	18	0	15.96	21.7	22.7267	20.94	0.124	2.00	Pass
	LCH	QP	108	54	18	0	16.15	21.65	22.7283	20.95	0.124	2.00	Pass
			1	214	1	99	16.25	21.88	22.9301	21.14	0.130	2.00	Pass
	MCH	SK	1	1	1	0	16.25	21.88	22.9301	21.14	0.130	2.00	Pass
			1	214	1	99	16.25	21.88	22.9301	21.14	0.130	2.00	Pass

			108	54	18	0	15.94	21.6	22.6437	20.86	0.122	2.00	Pass
	LCH	16	1	1	1	0	16.39	21.51	22.6748	20.90	0.123	2.00	Pass
			108	54	18	0	15.97	21.59	22.6422	20.86	0.122	2.00	Pass
	MCH	QA	108	54	18	0	15.94	21.52	22.5809	20.80	0.120	2.00	Pass
	HCH		1	214	1	99	16.62	22.06	23.1516	21.37	0.137	2.00	Pass
		M	108	54	18	0	16.08	21.77	22.8073	21.02	0.126	2.00	Pass
	LCH	64	1	1	1	0	15.98	21.42	22.5116	20.73	0.118	2.00	Pass
			108	54	18	0	15.9	21.65	22.6746	20.89	0.123	2.00	Pass
	MCH	QA	108	54	18	0	16.18	21.75	22.8130	21.03	0.127	2.00	Pass
	HCH		1	214	1	99	16.48	21.52	22.7037	20.93	0.124	2.00	Pass
		M	108	54	18	0	16.23	21.6	22.7073	20.93	0.124	2.00	Pass
	LCH	256	1	1	1	0	15.79	21.71	22.6994	20.91	0.123	2.00	Pass
			108	54	18	0	16.12	21.57	22.6594	20.88	0.122	2.00	Pass
	MCH	QA	108	54	18	0	15.91	21.52	22.5744	20.79	0.120	2.00	Pass
	HCH		1	214	1	99	16.02	22.08	23.0412	21.25	0.133	2.00	Pass
		M	108	54	18	0	15.92	21.5	22.5609	20.78	0.120	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n41A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	21.25	21.89	24.5921	23.27	0.213	1.00	Pass
			12	6	8	0	21.17	21.83	24.5228	23.20	0.209	1.00	Pass
	MCH	BP	12	6	8	0	21.31	21.81	24.5775	23.27	0.212	1.00	Pass
			1	22	1	24	21.31	21.85	24.5987	23.29	0.213	1.00	Pass
	HCH	SK	12	6	8	0	21.1	21.92	24.5396	23.21	0.209	1.00	Pass
			1	1	1	0	21.15	21.73	24.4600	23.15	0.206	1.00	Pass
	LCH		12	6	8	0	21.02	21.72	24.3944	23.07	0.203	1.00	Pass
			12	6	8	0	20.98	21.92	24.4857	23.15	0.206	1.00	Pass
	MCH	QP	1	22	1	24	21.24	21.78	24.5287	23.22	0.210	1.00	Pass
			12	6	8	0	20.85	21.99	24.4676	23.12	0.205	1.00	Pass
	HCH	SK	1	1	1	0	21.18	21.84	24.5328	23.21	0.210	1.00	Pass
			12	6	8	0	21.05	21.79	24.4460	23.12	0.205	1.00	Pass
	LCH		12	6	8	0	20.97	21.78	24.4042	23.07	0.203	1.00	Pass
			1	22	1	24	21.14	21.99	24.5961	23.26	0.212	1.00	Pass
	MCH	QA	12	6	8	0	20.91	22.05	24.5276	23.18	0.208	1.00	Pass
			1	1	1	0	20.98	21.34	24.1740	22.88	0.194	1.00	Pass
	HCH	M	12	6	8	0	20.94	21.8	24.4016	23.07	0.203	1.00	Pass
			1	22	1	24	21.06	22.13	24.6382	23.29	0.213	1.00	Pass
	LCH		12	6	8	0	20.82	21.73	24.3091	22.97	0.198	1.00	Pass
			1	1	1	0	20.92	21.69	24.3323	23.01	0.200	1.00	Pass
	MCH	256	12	6	8	0	21.09	21.79	24.4644	23.14	0.206	1.00	Pass
			12	6	8	0	20.76	21.7	24.2657	22.93	0.196	1.00	Pass
	HCH	QA	1	22	1	24	20.96	22.03	24.5382	23.19	0.208	1.00	Pass
			12	6	8	0	21.15	21.9	24.5515	23.23	0.210	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	21.24	21.38	24.3209	23.04	0.201	1.00	Pass
			135	67	18	0	21.28	21.79	24.5528	23.24	0.211	1.00	Pass
	MCH	BP	135	67	18	0	21.2	21.74	24.4887	23.18	0.208	1.00	Pass
			1	271	1	99	20.93	23.29	25.2787	23.84	0.242	1.00	Pass
	HCH	SK	135	67	18	0	21.12	21.68	24.4193	23.11	0.204	1.00	Pass
			1	1	1	0	21.23	21.43	24.3415	23.05	0.202	1.00	Pass
	LCH	QP	135	67	18	0	21.12	21.81	24.4890	23.17	0.207	1.00	Pass
			135	67	18	0	20.69	21.91	24.3530	23.00	0.199	1.00	Pass
	MCH	SK	1	271	1	99	21.11	21.98	24.5770	23.24	0.211	1.00	Pass
	HCH												

			135	67	18	0	21.18	21.84	24.5328	23.21	0.210	1.00	Pass
	LCH	16	1	1	1	0	21.37	21.49	24.4407	23.16	0.207	1.00	Pass
			135	67	18	0	21.16	21.53	24.3592	23.06	0.202	1.00	Pass
	MCH	QA	135	67	18	0	21.28	21.62	24.4636	23.17	0.207	1.00	Pass
			1	271	1	99	21.36	21.87	24.6328	23.32	0.215	1.00	Pass
	HCH	M	135	67	18	0	21.36	21.64	24.5126	23.22	0.210	1.00	Pass
	LCH	64	1	1	1	0	21.2	21.53	24.3784	23.08	0.203	1.00	Pass
			135	67	18	0	21.31	21.53	24.4317	23.14	0.206	1.00	Pass
	MCH	QA	135	67	18	0	21.33	21.71	24.5345	23.23	0.211	1.00	Pass
			1	271	1	99	21.29	22.07	24.7078	23.38	0.218	1.00	Pass
	HCH	M	135	67	18	0	21.16	21.62	24.4064	23.10	0.204	1.00	Pass
	LCH	256	1	1	1	0	21.17	21.15	24.1703	22.90	0.195	1.00	Pass
			135	67	18	0	21.04	21.73	24.4090	23.09	0.204	1.00	Pass
	MCH	QA	135	67	18	0	21.05	21.67	24.3814	23.06	0.203	1.00	Pass
			1	271	1	99	20.99	22	24.5346	23.19	0.209	1.00	Pass
	HCH	M	135	67	18	0	21.03	21.71	24.3936	23.07	0.203	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n71A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2	1	1	1	0	13.03	21.64	22.2004	20.40	0.110	1.00	Pass
			12	6	8	0	12.82	21.79	22.3083	20.50	0.112	1.00	Pass
	MCH	BP	12	6	8	0	12.93	21.81	22.3386	20.53	0.113	1.00	Pass
			1	23	1	24	12.55	22.02	22.4849	20.67	0.117	1.00	Pass
	HCH	SK	12	6	8	0	12.94	21.52	22.0840	20.29	0.107	1.00	Pass
			1	1	1	0	12.71	21.77	22.2783	20.47	0.111	1.00	Pass
	LCH		12	6	8	0	12.75	21.55	22.0878	20.29	0.107	1.00	Pass
			12	6	8	0	12.77	21.75	22.2672	20.46	0.111	1.00	Pass
	MCH	QP	1	23	1	24	12.85	22.02	22.5163	20.71	0.118	1.00	Pass
			12	6	8	0	12.85	21.86	22.3739	20.57	0.114	1.00	Pass
	HCH	SK	1	1	1	0	13.17	21.53	22.1214	20.33	0.108	1.00	Pass
			12	6	8	0	12.76	21.53	22.0713	20.27	0.106	1.00	Pass
	LCH		12	6	8	0	12.84	21.88	22.3905	20.58	0.114	1.00	Pass
			1	23	1	24	13.21	21.7	22.2751	20.48	0.112	1.00	Pass
	MCH	QA	12	6	8	0	12.8	21.83	22.3416	20.53	0.113	1.00	Pass
			1	1	1	0	12.87	21.5	22.0579	20.26	0.106	1.00	Pass
	LCH		12	6	8	0	12.59	21.68	22.1850	20.38	0.109	1.00	Pass
			12	6	8	0	12.85	21.7	22.2320	20.43	0.110	1.00	Pass
	MCH	QA	1	23	1	24	12.86	21.58	22.1272	20.33	0.108	1.00	Pass
			12	6	8	0	12.77	21.65	22.1786	20.37	0.109	1.00	Pass
	HCH	M	1	1	1	0	12.64	21.8	22.2974	20.49	0.112	1.00	Pass
			12	6	8	0	13.04	21.62	22.1840	20.39	0.109	1.00	Pass
	LCH		12	6	8	0	12.88	21.66	22.2001	20.40	0.110	1.00	Pass
			1	23	1	24	12.45	21.57	22.0717	20.26	0.106	1.00	Pass
	MCH	QA	12	6	8	0	13.05	21.58	22.1501	20.35	0.108	1.00	Pass
			1	1	1	0	12.61	21.77	22.2674	20.46	0.111	1.00	Pass
20MHz(LTE) + 20MHz(NR)	LCH	PI/2	50	25	18	0	12.84	21.6	22.1425	20.34	0.108	1.00	Pass
			1	104	1	99	12.42	21.78	22.2562	20.44	0.111	1.00	Pass
	MCH	BP	50	25	18	0	13	21.79	22.3290	20.53	0.113	1.00	Pass
			1	104	1	99	12.42	21.78	22.2562	20.44	0.111	1.00	Pass
	HCH	SK	50	25	18	0	13.13	21.72	22.2828	20.49	0.112	1.00	Pass
			1	1	1	0	12.54	21.56	22.0727	20.27	0.106	1.00	Pass
	LCH		50	25	18	0	13.03	21.88	22.4120	20.61	0.115	1.00	Pass
			1	104	1	99	12.66	21.65	22.1661	20.36	0.109	1.00	Pass
	MCH	QP	50	25	18	0	12.78	21.9	22.4017	20.59	0.115	1.00	Pass
			1	104	1	99	12.66	21.65	22.1661	20.36	0.109	1.00	Pass

			50	25	18	0	13.09	21.5	22.0851	20.29	0.107	1.00	Pass
	LCH	16	1	1	1	0	12.96	21.28	21.8765	20.09	0.102	1.00	Pass
			50	25	18	0	12.87	21.46	22.0228	20.23	0.105	1.00	Pass
	MCH	QA	50	25	18	0	12.64	21.75	22.2528	20.44	0.111	1.00	Pass
	HCH		1	104	1	99	12.58	21.88	22.3624	20.55	0.114	1.00	Pass
		M	50	25	18	0	12.81	21.64	22.1743	20.37	0.109	1.00	Pass
	LCH	64	1	1	1	0	12.5	21.5	22.0150	20.21	0.105	1.00	Pass
			50	25	18	0	12.87	21.56	22.1108	20.31	0.107	1.00	Pass
	MCH	QA	50	25	18	0	12.94	21.65	22.1984	20.40	0.110	1.00	Pass
	HCH		1	104	1	99	12.11	21.93	22.3606	20.54	0.113	1.00	Pass
		M	50	25	18	0	12.93	21.64	22.1884	20.39	0.109	1.00	Pass
	LCH	256	1	1	1	0	12.2	21.74	22.1978	20.38	0.109	1.00	Pass
			50	25	18	0	12.73	21.72	22.2361	20.43	0.110	1.00	Pass
	MCH	QA	50	25	18	0	12.99	21.74	22.2836	20.48	0.112	1.00	Pass
	HCH		1	104	1	99	12.33	21.91	22.3638	20.55	0.113	1.00	Pass
		M	50	25	18	0	12.86	21.63	22.1713	20.37	0.109	1.00	Pass

UL MIMO Test Mode Data

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
5	LCH	DFT	BPSK	12	6	22.89	22.47	25.6954	24.766	0.300	2.00	Pass
			BPSK	12	6	20	19.71	22.8677	21.945	0.156	2.00	Pass
			BPSK	1	1	22.38	22.5	25.4507	24.548	0.285	2.00	Pass
			BPSK	1	1	20.58	20.72	23.6609	22.759	0.189	2.00	Pass
			BPSK	1	23	20.56	20.15	23.3701	22.441	0.175	2.00	Pass
			BPSK	1	23	22.05	21.79	24.9322	24.011	0.252	2.00	Pass
	MCH		BPSK	12	6	21.4	21.61	24.5166	23.618	0.230	2.00	Pass
			BPSK	12	6	21.25	21.14	24.2056	23.291	0.213	2.00	Pass
			BPSK	1	1	21.41	21.48	24.4554	23.550	0.226	2.00	Pass
			BPSK	1	1	20.96	21.07	24.0256	23.122	0.205	2.00	Pass
			BPSK	1	23	21.29	21.19	24.2506	23.337	0.216	2.00	Pass
			BPSK	1	23	18.84	19.02	21.9412	21.041	0.127	2.00	Pass
	HCH		BPSK	12	6	22.38	22.33	25.3654	24.454	0.279	2.00	Pass
			BPSK	12	6	19.29	19.32	22.3153	21.408	0.138	2.00	Pass
			BPSK	1	1	23.15	23.28	26.2258	25.323	0.341	2.00	Pass
			BPSK	1	1	19.18	19.27	22.2355	21.331	0.136	2.00	Pass
			BPSK	1	23	21.09	21.17	24.1405	23.236	0.211	2.00	Pass
			BPSK	1	23	20.87	20.91	23.9003	22.994	0.199	2.00	Pass
25	LCH	BPSK	64	32	21.51	21.39	24.4607	23.546	0.226	2.00	Pass	
		BPSK	64	32	20.67	20.61	23.6504	22.739	0.188	2.00	Pass	
		BPSK	1	1	20.86	20.64	23.7617	22.842	0.192	2.00	Pass	
		BPSK	1	1	20.72	20.4	23.5732	22.649	0.184	2.00	Pass	
		BPSK	1	131	21.81	21.61	24.7215	23.803	0.240	2.00	Pass	
		BPSK	1	131	21.42	21.15	24.2974	23.375	0.218	2.00	Pass	
	MCH	BPSK	64	32	23.51	23.64	26.5858	25.683	0.370	2.00	Pass	
		BPSK	64	32	21.31	20.97	24.1536	23.228	0.210	2.00	Pass	
		BPSK	1	1	21.36	21.41	24.3954	23.489	0.223	2.00	Pass	
		BPSK	1	1	21.3	21.11	24.2163	23.298	0.214	2.00	Pass	
		BPSK	1	131	22.14	22.26	25.2107	24.308	0.270	2.00	Pass	
		BPSK	1	131	20.4	20.25	23.3359	22.420	0.175	2.00	Pass	
	HCH	BPSK	64	32	23.41	23.65	26.5420	25.645	0.367	2.00	Pass	
		BPSK	64	32	21.01	20.82	23.9263	23.008	0.200	2.00	Pass	
		BPSK	1	1	23.3	23.35	26.3354	25.429	0.349	2.00	Pass	
		BPSK	1	1	20.41	20.45	23.4403	22.534	0.179	2.00	Pass	
		BPSK	1	131	21.41	21.59	24.5112	23.611	0.230	2.00	Pass	
		BPSK	1	131	20.95	20.91	23.9403	23.030	0.201	2.00	Pass	
40	LCH	DFT	BPSK	108	54	21.34	21.33	24.3453	23.436	0.221	2.00	Pass

			BPSK	108	54	20.46	20.29	23.3861	22.469	0.177	2.00	Pass
			BPSK	1	1	21.97	21.63	24.8136	23.888	0.245	2.00	Pass
			BPSK	1	1	20.59	20.53	23.5704	22.659	0.184	2.00	Pass
			BPSK	1	214	22.79	23.05	25.9322	25.036	0.319	2.00	Pass
			BPSK	1	214	22.08	21.97	25.0356	24.121	0.258	2.00	Pass
	MCH		BPSK	108	54	22.16	21.91	25.0471	24.126	0.259	2.00	Pass
			BPSK	108	54	19.65	19.82	22.7461	21.846	0.153	2.00	Pass
			BPSK	1	1	23.53	23.57	26.5603	25.654	0.368	2.00	Pass
			BPSK	1	1	20.44	20.05	23.2597	22.332	0.171	2.00	Pass
			BPSK	1	214	20.87	20.85	23.8703	22.961	0.198	2.00	Pass
	HCH		BPSK	1	214	21.06	20.86	23.9715	23.053	0.202	2.00	Pass
			BPSK	108	54	22.22	22.53	25.3881	24.495	0.281	2.00	Pass
			BPSK	108	54	20.63	20.63	23.6403	22.732	0.188	2.00	Pass
			BPSK	1	1	23.51	23.71	26.6215	25.723	0.373	2.00	Pass
			BPSK	1	1	20.93	20.92	23.9353	23.026	0.201	2.00	Pass
			BPSK	1	214	22.69	22.72	25.7153	24.808	0.303	2.00	Pass
			BPSK	1	214	19.75	19.73	22.7503	21.841	0.153	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
10	LCH	DFT	BPSK	12	6	22.98	22.46	25.7381	26.403	0.437	2.00	Pass
			BPSK	12	6	20.66	20.44	23.5617	24.270	0.267	2.00	Pass
			BPSK	1	1	21.15	21.36	24.2666	25.036	0.319	2.00	Pass
			BPSK	1	1	20.36	20.48	23.4307	24.187	0.262	2.00	Pass
			BPSK	1	22	21.08	21.04	24.0703	24.804	0.302	2.00	Pass
			BPSK	1	22	20.69	20.65	23.6803	24.414	0.276	2.00	Pass
	MCH		BPSK	12	6	19.66	19.93	22.8074	23.585	0.228	2.00	Pass
			BPSK	12	6	21.86	21.57	24.7277	25.426	0.349	2.00	Pass
			BPSK	1	1	19.48	19.6	22.5507	23.307	0.214	2.00	Pass
			BPSK	1	1	19.27	19.1	22.1961	22.911	0.195	2.00	Pass
			BPSK	1	22	21.55	21.54	24.5553	25.293	0.338	2.00	Pass
			BPSK	1	22	19.72	19.69	22.7153	23.451	0.221	2.00	Pass
	HCH		BPSK	12	6	22.93	22.78	25.8659	26.584	0.455	2.00	Pass
			BPSK	12	6	22.26	22.3	25.2903	26.036	0.401	2.00	Pass
			BPSK	1	1	22.2	22.16	25.1903	25.924	0.391	2.00	Pass
			BPSK	1	1	20.43	20.38	23.4154	24.148	0.260	2.00	Pass
			BPSK	1	22	22.25	22.14	25.2056	25.929	0.392	2.00	Pass
			BPSK	1	22	21.28	21.18	24.2406	24.966	0.314	2.00	Pass
50	LCH	BPSK	64	32	20.03	20.13	23.0906	23.844	0.242	2.00	Pass	
		BPSK	64	32	20.99	20.63	23.8240	24.512	0.283	2.00	Pass	
		BPSK	1	1	21.45	21.26	24.3663	25.079	0.322	2.00	Pass	
		BPSK	1	1	19.97	19.94	22.9653	23.701	0.234	2.00	Pass	
		BPSK	1	131	21.51	21.41	24.4706	25.196	0.331	2.00	Pass	
		BPSK	1	131	20.73	20.78	23.7654	24.512	0.283	2.00	Pass	
	MCH	BPSK	64	32	20.46	20.47	23.4753	24.216	0.264	2.00	Pass	
		BPSK	64	32	20.53	20.33	23.4415	24.152	0.260	2.00	Pass	
		BPSK	1	1	21.06	21.14	24.1105	24.861	0.306	2.00	Pass	
		BPSK	1	1	21.05	20.76	23.9177	24.616	0.289	2.00	Pass	
		BPSK	1	131	21.76	21.86	24.8206	25.574	0.361	2.00	Pass	
		BPSK	1	131	20.3	20.33	23.3253	24.069	0.255	2.00	Pass	
	HCH	BPSK	64	32	21.12	21.25	24.1958	24.954	0.313	2.00	Pass	
		BPSK	64	32	20.22	20.14	23.1905	23.919	0.247	2.00	Pass	
		BPSK	1	1	22.06	22.11	25.0954	25.842	0.384	2.00	Pass	
		BPSK	1	1	21.78	22	24.9017	25.672	0.369	2.00	Pass	
		BPSK	1	131	20.09	19.76	22.9384	23.631	0.231	2.00	Pass	
		BPSK	1	131	22.07	21.9	24.9961	25.711	0.373	2.00	Pass	
100	LCH	DFT	BPSK	135	67	21.69	21.78	24.7455	25.498	0.355	2.00	Pass

			BPSK	135	67	20.06	20.31	23.1971	23.972	0.250	2.00	Pass
			BPSK	1	1	20.64	20.69	23.6754	24.422	0.277	2.00	Pass
			BPSK	1	1	18.66	18.7	21.6903	22.436	0.175	2.00	Pass
			BPSK	1	271	19.67	19.78	22.7356	23.491	0.223	2.00	Pass
			BPSK	1	271	20.06	20.06	23.0703	23.810	0.240	2.00	Pass
	MCH		BPSK	135	67	19.8	19.86	22.8404	23.588	0.228	2.00	Pass
			BPSK	135	67	20.12	20.16	23.1503	23.896	0.245	2.00	Pass
			BPSK	1	1	20.17	20.11	23.1504	23.881	0.244	2.00	Pass
			BPSK	1	1	20.03	19.87	22.9610	23.678	0.233	2.00	Pass
			BPSK	1	271	20.71	20.53	23.6312	24.345	0.272	2.00	Pass
	HCH		BPSK	1	271	20.44	20.35	23.4055	24.132	0.259	2.00	Pass
			BPSK	135	67	20.06	19.77	22.9277	23.626	0.230	2.00	Pass
			BPSK	135	67	22.14	22.19	25.1754	25.922	0.391	2.00	Pass
			BPSK	1	1	20.54	20.25	23.4077	24.106	0.257	2.00	Pass
			BPSK	1	1	20.05	19.73	22.9032	23.597	0.229	2.00	Pass
			BPSK	1	271	21.39	21.61	24.5117	25.282	0.337	2.00	Pass
			BPSK	1	271	22.15	21.8	24.9888	25.678	0.370	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
5	LCH	DFT	BPSK	12	6	22.87	22.51	25.7040	24.351	0.272	1.00	Pass
			BPSK	12	6	20.61	20.37	23.5020	22.156	0.164	1.00	Pass
			BPSK	1	1	21.07	21.2	24.1458	22.823	0.192	1.00	Pass
			BPSK	1	1	20.56	20.28	23.4326	22.084	0.162	1.00	Pass
			BPSK	1	23	21.26	21.12	24.2009	22.861	0.193	1.00	Pass
			BPSK	1	23	20.72	20.61	23.6756	22.338	0.171	1.00	Pass
	MCH		BPSK	12	6	19.83	19.74	22.7955	21.459	0.140	1.00	Pass
			BPSK	12	6	21.83	21.37	24.6164	23.257	0.212	1.00	Pass
			BPSK	1	1	19.61	19.6	22.6153	21.284	0.134	1.00	Pass
			BPSK	1	1	19.33	19.17	22.2610	20.920	0.124	1.00	Pass
			BPSK	1	23	21.68	21.46	24.5817	23.237	0.211	1.00	Pass
			BPSK	1	23	19.62	19.52	22.5806	21.243	0.133	1.00	Pass
	HCH		BPSK	12	6	22.76	22.59	25.6861	24.345	0.272	1.00	Pass
			BPSK	12	6	22.25	22.2	25.2354	23.901	0.246	1.00	Pass
			BPSK	1	1	22.2	22.07	25.1458	23.807	0.240	1.00	Pass
			BPSK	1	1	20.42	20.21	23.3266	21.983	0.158	1.00	Pass
			BPSK	1	23	22.2	22.15	25.1854	23.851	0.243	1.00	Pass
			BPSK	1	23	21.1	20.99	24.0556	22.718	0.187	1.00	Pass
20	LCH	DFT	BPSK	50	25	19.99	20.13	23.0709	21.749	0.150	1.00	Pass
			BPSK	50	25	20.83	20.83	23.8403	22.509	0.178	1.00	Pass
			BPSK	1	1	21.28	21.14	24.2209	22.881	0.194	1.00	Pass
			BPSK	1	1	20.11	19.79	22.9632	21.612	0.145	1.00	Pass
			BPSK	1	104	21.42	21.48	24.4604	23.133	0.206	1.00	Pass
			BPSK	1	104	20.69	20.92	23.8168	22.500	0.178	1.00	Pass
	MCH		BPSK	50	25	20.41	20.46	23.4454	22.118	0.163	1.00	Pass
			BPSK	50	25	20.51	20.31	23.4215	22.078	0.161	1.00	Pass
			BPSK	1	1	21.2	20.97	24.0968	22.752	0.188	1.00	Pass
			BPSK	1	1	21	20.62	23.8245	22.470	0.177	1.00	Pass
			BPSK	1	104	21.56	21.83	24.7074	23.393	0.218	1.00	Pass
			BPSK	1	104	20.36	20.37	23.3753	22.045	0.160	1.00	Pass
	HCH		BPSK	50	25	21.06	21.4	24.2436	22.934	0.197	1.00	Pass
			BPSK	50	25	20.34	20.02	23.1932	21.842	0.153	1.00	Pass
			BPSK	1	1	21.99	22.31	25.1632	23.852	0.243	1.00	Pass
			BPSK	1	1	21.74	22.15	24.9601	23.655	0.232	1.00	Pass
			BPSK	1	104	20.24	19.68	22.9793	21.613	0.145	1.00	Pass
			BPSK	1	104	22.1	22.01	25.0655	23.729	0.236	1.00	Pass
40	LCH	DFT	BPSK	108	54	21.63	21.89	24.7722	23.458	0.222	1.00	Pass

			BPSK	108	54	20.26	20.21	23.2454	21.911	0.155	1.00	Pass
			BPSK	1	1	20.79	20.59	23.7015	22.358	0.172	1.00	Pass
			BPSK	1	1	18.66	18.68	21.6803	20.351	0.108	1.00	Pass
			BPSK	1	214	19.62	19.88	22.7622	21.448	0.140	1.00	Pass
			BPSK	1	214	19.93	19.87	22.9104	21.576	0.144	1.00	Pass
	MCH		BPSK	108	54	19.74	19.69	22.7254	21.391	0.138	1.00	Pass
			BPSK	108	54	20.07	20.3	23.1968	21.880	0.154	1.00	Pass
			BPSK	1	1	20.23	20.17	23.2104	21.876	0.154	1.00	Pass
			BPSK	1	1	20.19	19.7	22.9622	21.601	0.145	1.00	Pass
			BPSK	1	214	20.74	20.34	23.5549	22.199	0.166	1.00	Pass
	HCH		BPSK	1	214	20.42	20.36	23.4004	22.066	0.161	1.00	Pass
			BPSK	108	54	20.2	19.97	23.0968	21.752	0.150	1.00	Pass
			BPSK	108	54	22.02	22.34	25.1932	23.882	0.244	1.00	Pass
			BPSK	1	1	20.62	20.23	23.4397	22.084	0.162	1.00	Pass
			BPSK	1	1	20.13	19.79	22.9736	21.621	0.145	1.00	Pass
			BPSK	1	214	21.35	21.61	24.4922	23.178	0.208	1.00	Pass
			BPSK	1	214	22.34	21.69	25.0374	23.666	0.233	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
10	LCH	DFT	BPSK	12	6	23.17	22.31	25.7716	24.685	0.294	1.00	Pass
			BPSK	12	6	20.57	20.26	23.4281	22.271	0.169	1.00	Pass
			BPSK	1	1	21.11	21.51	24.3249	23.074	0.203	1.00	Pass
			BPSK	1	1	20.21	20.56	23.3988	22.154	0.164	1.00	Pass
			BPSK	1	22	21.09	21.04	24.0754	22.884	0.194	1.00	Pass
			BPSK	1	22	20.88	20.76	23.8307	22.649	0.184	1.00	Pass
	MCH		BPSK	12	6	19.68	19.89	22.7966	21.571	0.144	1.00	Pass
			BPSK	12	6	21.98	21.75	24.8768	23.709	0.235	1.00	Pass
			BPSK	1	1	19.54	19.72	22.6412	21.419	0.139	1.00	Pass
			BPSK	1	1	19.08	19.17	22.1355	20.926	0.124	1.00	Pass
			BPSK	1	22	21.61	21.52	24.5755	23.389	0.218	1.00	Pass
			BPSK	1	22	19.84	19.75	22.8055	21.619	0.145	1.00	Pass
	HCH		BPSK	12	6	23.09	22.66	25.8906	24.749	0.298	1.00	Pass
			BPSK	12	6	22.1	22.43	25.2784	24.037	0.253	1.00	Pass
			BPSK	1	1	22.29	22.08	25.1966	24.026	0.253	1.00	Pass
			BPSK	1	1	20.4	20.49	23.4555	22.246	0.168	1.00	Pass
			BPSK	1	22	22.17	22.03	25.1109	23.931	0.247	1.00	Pass
			BPSK	1	22	21.48	21.08	24.2949	23.149	0.207	1.00	Pass
50	LCH	BPSK	64	32	19.94	20.26	23.1132	21.873	0.154	1.00	Pass	
		BPSK	64	32	20.99	20.83	23.9210	22.744	0.188	1.00	Pass	
		BPSK	1	1	21.43	21.42	24.4353	23.239	0.211	1.00	Pass	
		BPSK	1	1	20.08	20.13	23.1154	21.911	0.155	1.00	Pass	
		BPSK	1	131	21.41	21.31	24.3706	23.186	0.208	1.00	Pass	
		BPSK	1	131	20.64	20.7	23.6804	22.475	0.177	1.00	Pass	
	MCH	BPSK	64	32	20.42	20.27	23.3559	22.178	0.165	1.00	Pass	
		BPSK	64	32	20.67	20.5	23.5961	22.421	0.175	1.00	Pass	
		BPSK	1	1	21.05	21.04	24.0553	22.859	0.193	1.00	Pass	
		BPSK	1	1	20.9	20.69	23.8066	22.636	0.183	1.00	Pass	
		BPSK	1	131	21.85	22.02	24.9461	23.726	0.236	1.00	Pass	
		BPSK	1	131	20.39	20.34	23.3754	22.184	0.165	1.00	Pass	
	HCH	BPSK	64	32	20.99	21.45	24.2364	22.977	0.198	1.00	Pass	
		BPSK	64	32	20.28	20.09	23.1963	22.023	0.159	1.00	Pass	
		BPSK	1	1	21.89	22.07	24.9912	23.769	0.238	1.00	Pass	
		BPSK	1	1	21.87	22.14	25.0174	23.784	0.239	1.00	Pass	
		BPSK	1	131	19.91	19.77	22.8509	21.671	0.147	1.00	Pass	
		BPSK	1	131	21.96	21.91	24.9454	23.754	0.237	1.00	Pass	
100	MCH	DFT	BPSK	135	67	21.71	21.9	24.8163	23.593	0.229	1.00	Pass

			BPSK	135	67	19.93	20.46	23.2134	21.945	0.156	1.00	Pass
			BPSK	1	1	20.72	20.53	23.6363	22.463	0.176	1.00	Pass
			BPSK	1	1	18.63	18.55	21.6005	20.413	0.110	1.00	Pass
			BPSK	1	271	19.53	19.8	22.6774	21.444	0.139	1.00	Pass
			BPSK	1	271	20.11	20.14	23.1353	21.933	0.156	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
10	LCH	DFT	BPSK	12	6	24.25	24.41	27.3410	26.360	0.433	1.00	Pass
			BPSK	12	6	24.28	24	27.1526	26.224	0.419	1.00	Pass
			BPSK	1	1	23.07	22.57	25.8375	24.935	0.312	1.00	Pass
			BPSK	1	1	22.55	22.38	25.4761	24.535	0.284	1.00	Pass
			BPSK	1	22	24.51	24.57	27.5504	26.581	0.455	1.00	Pass
			BPSK	1	22	24.54	24.32	27.4417	26.506	0.447	1.00	Pass
	MCH		BPSK	12	6	22.13	21.89	25.0220	24.089	0.256	1.00	Pass
			BPSK	12	6	22.95	23.03	26.0005	25.029	0.318	1.00	Pass
			BPSK	1	1	22.62	22.21	25.4301	24.517	0.283	1.00	Pass
			BPSK	1	1	21.13	21.07	24.1104	23.156	0.207	1.00	Pass
			BPSK	1	22	22.43	22.35	25.4005	24.448	0.278	1.00	Pass
			BPSK	1	22	21.47	21.5	24.4953	23.530	0.225	1.00	Pass
	HCH		BPSK	12	6	23.68	23.73	26.7154	25.747	0.376	1.00	Pass
			BPSK	12	6	21.32	21.2	24.2707	23.323	0.215	1.00	Pass
			BPSK	1	1	21.97	22.02	25.0054	24.037	0.253	1.00	Pass
			BPSK	1	1	22.32	22.16	25.2510	24.308	0.270	1.00	Pass
			BPSK	1	22	22.25	22.23	25.2503	24.291	0.269	1.00	Pass
			BPSK	1	22	23.65	23.66	26.6653	25.702	0.372	1.00	Pass
50	LCH	DFT	BPSK	64	32	25.15	24.7	27.9411	27.033	0.505	1.00	Pass
			BPSK	64	32	24.7	24.44	27.5822	26.651	0.463	1.00	Pass
			BPSK	1	1	23.84	23.6	26.7320	25.799	0.380	1.00	Pass
			BPSK	1	1	24.68	24.42	27.5622	26.631	0.460	1.00	Pass
			BPSK	1	131	24.61	24.51	27.5706	26.621	0.459	1.00	Pass
			BPSK	1	131	22.65	22.78	25.7258	24.748	0.298	1.00	Pass
	MCH		BPSK	64	32	23.7	23.56	26.6409	25.696	0.371	1.00	Pass
			BPSK	64	32	23.09	22.91	26.0112	25.071	0.321	1.00	Pass
			BPSK	1	1	22.96	22.66	25.8229	24.897	0.309	1.00	Pass
			BPSK	1	1	21.52	21.53	24.5353	23.572	0.228	1.00	Pass
			BPSK	1	131	24.26	24.25	27.2653	26.305	0.427	1.00	Pass
			BPSK	1	131	23.58	23.53	26.5654	25.609	0.364	1.00	Pass
	HCH		BPSK	64	32	23.18	22.8	26.0045	25.088	0.323	1.00	Pass
			BPSK	64	32	22.17	21.8	24.9992	24.081	0.256	1.00	Pass
			BPSK	1	1	23.02	22.72	25.8829	24.957	0.313	1.00	Pass
			BPSK	1	1	24.21	24.01	27.1215	26.183	0.415	1.00	Pass
			BPSK	1	131	20.97	20.8	23.8961	22.955	0.197	1.00	Pass
			BPSK	1	131	21.3	21.03	24.1774	23.248	0.211	1.00	Pass
100	LCH	DFT	BPSK	135	67	24.08	23.77	26.9381	26.013	0.399	1.00	Pass

			BPSK	135	67	22.19	22.03	25.1210	24.178	0.262	1.00	Pass
			BPSK	1	1	24.66	24.48	27.5812	26.641	0.461	1.00	Pass
			BPSK	1	1	23.76	23.59	26.6861	25.745	0.375	1.00	Pass
			BPSK	1	271	23.5	23.25	26.3871	25.455	0.351	1.00	Pass
			BPSK	1	271	23.31	22.96	26.1488	25.229	0.333	1.00	Pass
	MCH		BPSK	135	67	23.67	23.22	26.4611	25.553	0.359	1.00	Pass
			BPSK	135	67	23.08	23.09	26.0953	25.132	0.326	1.00	Pass
			BPSK	1	1	24.91	24.26	27.6074	26.722	0.470	1.00	Pass
			BPSK	1	1	23.23	22.88	26.0688	25.149	0.327	1.00	Pass
			BPSK	1	271	24.27	24.11	27.2010	26.258	0.422	1.00	Pass
	HCH		BPSK	1	271	24.25	24.33	27.3005	26.329	0.429	1.00	Pass
			BPSK	135	67	21.57	21.31	24.4522	23.521	0.225	1.00	Pass
			BPSK	135	67	21.28	21.3	24.3003	23.336	0.216	1.00	Pass
			BPSK	1	1	23.58	23	26.3100	25.417	0.348	1.00	Pass
			BPSK	1	1	22.68	22.18	25.4475	24.545	0.285	1.00	Pass
			BPSK	1	271	22.85	22.77	25.8205	24.868	0.307	1.00	Pass
	BPSK		1	271	23.32	23.32	26.3303	25.368	0.344	1.00	Pass	