


Occupied Bandwidth


1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.49	70.5	70	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.46	70.32	70	Pass



1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




1.30. Occupied Bandwidth for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




1.31. Occupied Bandwidth for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.43	70.42	70	Pass




1.32. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.44	70.38	70	Pass




1.33. Occupied Bandwidth for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)




1.34. Occupied Bandwidth for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.44	70.41	70	Pass




1.35. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.43	70.42	70	Pass




1.36. Occupied Bandwidth for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.42	70.44	70	Pass




1.73. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.42	80.46	80	Pass




1.74. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.36	80.54	80	Pass




1.75. Occupied Bandwidth for SA_Part22-24-27(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.39	80.47	80	Pass




1.76. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)



1.77. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)




1.78. Occupied Bandwidth for SA_Part22-24-27(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)




1.79. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.49	80.61	80	Pass




1.80. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)




1.81. Occupied Bandwidth for SA_Part22-24-27(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)



1.82. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)




1.83. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)




1.84. Occupied Bandwidth for SA_Part22-24-27(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.35	80.52	80	Pass




1.85. Occupied Bandwidth for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.33	90.66	90	Pass




1.86. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	87.26	90.71	90	Pass




1.87. Occupied Bandwidth for SA_Part22-24-27(Channel:662332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3934.98	99	26	1	Peak	87.3	90.59	90	Pass




1.88. Occupied Bandwidth for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.37	90.58	90	Pass




1.89. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	87.31	90.55	90	Pass



1.90. Occupied Bandwidth for SA_Part22-24-27(Channel:662332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)




1.91. Occupied Bandwidth for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)




1.92. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	87.3	90.68	90	Pass




1.93. Occupied Bandwidth for SA_Part22-24-27(Channel:662332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)




1.94. Occupied Bandwidth for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.36	90.65	90	Pass




1.95. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	87.31	90.65	90	Pass




1.96. Occupied Bandwidth for SA_Part22-24-27(Channel:662332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)




2. n78(3450-3550)

2.2. Occupied Bandwidth for SA_Part22-24-27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)




2.3. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	13.55	14.17	15	Pass




2.4. Occupied Bandwidth for SA_Part22-24-27(Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3542.49	99	26	0.03	Peak	13.54	14.18	15	Pass




2.5. Occupied Bandwidth for SA_Part22-24-27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3457.5	99	26	0.03	Peak	13.56	14.2	15	Pass




2.6. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	13.57	14.25	15	Pass




2.7. Occupied Bandwidth for SA_Part22-24-27(Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3542.49	99	26	0.03	Peak	13.56	14.12	15	Pass




2.8. Occupied Bandwidth for SA_Part22-24-27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3457.5	99	26	0.03	Peak	13.56	14.12	15	Pass




2.9. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	13.57	14.22	15	Pass




2.10. Occupied Bandwidth for SA_Part22-24-27(Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3542.49	99	26	0.03	Peak	13.55	14.15	15	Pass




2.11. Occupied Bandwidth for SA_Part22-24-27(Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3457.5	99	26	0.03	Peak	13.57	14.14	15	Pass




2.12. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	13.56	14.18	15	Pass




2.13. Occupied Bandwidth for SA_Part22-24-27(Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3542.49	99	26	0.03	Peak	13.56	14.13	15	Pass




2.12. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




2.13. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.18	18.91	20	Pass




2.14. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




2.15. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.18	18.77	20	Pass




2.16. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.17	18.81	20	Pass




2.17. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.19	18.81	20	Pass




2.18. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.17	18.75	20	Pass




2.19. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.15	18.73	20	Pass




2.20. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.15	18.76	20	Pass




2.21. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)



2.22. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




2.23. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




2.26. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.1	30.55	30	Pass




2.27. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.12	30.5	30	Pass




2.28. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)




2.29. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.21	30.48	30	Pass




2.30. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.22	30.5	30	Pass




2.31. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.23	30.49	30	Pass




2.32. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)




2.33. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.11	30.45	30	Pass




2.34. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)




2.35. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.16	30.66	30	Pass



2.36. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)



2.37. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

