


Spurious Emission at Antenna Terminals


9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.68	-13	57.68	Pass	401
0.15	30	0.01	RMS	0.23	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	885.024	-62.98	-13	49.98	Pass	9701
1000	1700	1	RMS	1680	-51.08	-13	38.08	Pass	701
1700	1790	1	RMS	1740.5	18.14	60	41.86	Pass	401
1790	3000	1	RMS	2976	-47.34	-13	34.34	Pass	1211
3000	12000	1	RMS	11994	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19355	-27.91	-13	14.91	Pass	8001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	929.553	-62.79	-13	49.79	Pass	9701
1000	1700	1	RMS	1693	-51.05	-13	38.05	Pass	701
1700	1790	1	RMS	1770.425	19.43	60	40.57	Pass	401
1790	3000	1	RMS	2994	-47.32	-13	34.32	Pass	1211
3000	12000	1	RMS	11999	-36.17	-13	23.17	Pass	9002
12000	20000	1	RMS	19335	-27.96	-13	14.96	Pass	8001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-13	57.14	Pass	2986
30	1000	0.1	RMS	998.499	-62.87	-13	49.87	Pass	9701
1000	1700	1	RMS	1679	-51.08	-13	38.08	Pass	701
1700	1790	1	RMS	1770.425	18.79	60	41.21	Pass	401
1790	3000	1	RMS	2976	-47.34	-13	34.34	Pass	1211
3000	12000	1	RMS	11996	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19456	-27.91	-13	14.91	Pass	8001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-13	57.93	Pass	401
0.15	30	0.01	RMS	0.17	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	858.506	-62.82	-13	49.82	Pass	9701
1000	1700	1	RMS	1697	-50.9	-13	37.9	Pass	701
1700	1790	1	RMS	1710.575	18.06	60	41.94	Pass	401
1790	3000	1	RMS	3000	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	11998	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	17849	-27.94	-13	14.94	Pass	8001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	57.89	Pass	2986
30	1000	0.1	RMS	952.969	-62.81	-13	49.81	Pass	9701
1000	1700	1	RMS	1698	-50.95	-13	37.95	Pass	701
1700	1790	1	RMS	1710.8	17.09	60	42.91	Pass	401
1790	3000	1	RMS	2990	-47.24	-13	34.24	Pass	1211
3000	12000	1	RMS	11994	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19352	-27.95	-13	14.95	Pass	8001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.16	-70.95	-13	57.95	Pass	2986
30	1000	0.1	RMS	857.105	-62.87	-13	49.87	Pass	9701
1000	1700	1	RMS	1677	-51.09	-13	38.09	Pass	701
1700	1790	1	RMS	1738.25	18.99	60	41.01	Pass	401
1790	3000	1	RMS	2992	-47.32	-13	34.32	Pass	1211
3000	12000	1	RMS	11992	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19384	-27.94	-13	14.94	Pass	8001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.17	-70.79	-13	57.79	Pass	2986
30	1000	0.1	RMS	954.67	-62.79	-13	49.79	Pass	9701
1000	1700	1	RMS	1678	-51.01	-13	38.01	Pass	701
1700	1790	1	RMS	1738.25	18.02	60	41.98	Pass	401
1790	3000	1	RMS	2977	-47.37	-13	34.37	Pass	1211
3000	12000	1	RMS	11999	-36.17	-13	23.17	Pass	9002
12000	20000	1	RMS	19318	-27.9	-13	14.9	Pass	8001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	57.98	Pass	2986
30	1000	0.1	RMS	905.137	-62.89	-13	49.89	Pass	9701
1000	1700	1	RMS	1693	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1765.7	19.37	60	40.63	Pass	401
1790	3000	1	RMS	2985	-47.33	-13	34.33	Pass	1211
3000	12000	1	RMS	12000	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19382	-27.95	-13	14.95	Pass	8001




9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	950.267	-62.91	-13	49.91	Pass	9701
1000	1700	1	RMS	1680	-51.1	-13	38.1	Pass	701
1700	1790	1	RMS	1765.7	18.82	60	41.18	Pass	401
1790	3000	1	RMS	2998	-47.3	-13	34.3	Pass	1211
3000	12000	1	RMS	11997	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19321	-27.9	-13	14.9	Pass	8001




9.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	849.7	-62.83	-13	49.83	Pass	9701
1000	1700	1	RMS	1693	-50.98	-13	37.98	Pass	701
1700	1790	1	RMS	1711.025	18.31	60	41.69	Pass	401
1790	3000	1	RMS	2998	-47.32	-13	34.32	Pass	1211
3000	12000	1	RMS	11999	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19359	-27.98	-13	14.98	Pass	8001




9.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.62	-13	55.62	Pass	401
0.15	30	0.01	RMS	0.17	-70.92	-13	57.92	Pass	2986
30	1000	0.1	RMS	938.559	-62.92	-13	49.92	Pass	9701
1000	1700	1	RMS	1693	-51.03	-13	38.03	Pass	701
1700	1790	1	RMS	1711.025	17.08	60	42.92	Pass	401
1790	3000	1	RMS	2997	-47.35	-13	34.35	Pass	1211
3000	12000	1	RMS	11897	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19417	-27.96	-13	14.96	Pass	8001




9.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.18	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	930.854	-62.82	-13	49.82	Pass	9701
1000	1700	1	RMS	1689	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1736	18.77	60	41.23	Pass	401
1790	3000	1	RMS	2978	-47.35	-13	34.35	Pass	1211
3000	12000	1	RMS	11997	-36.08	-13	23.08	Pass	9002
12000	20000	1	RMS	19321	-27.95	-13	14.95	Pass	8001




9.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.34	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	936.658	-62.82	-13	49.82	Pass	9701
1000	1700	1	RMS	1681	-51.05	-13	38.05	Pass	701
1700	1790	1	RMS	1736	17.98	60	42.02	Pass	401
1790	3000	1	RMS	2997	-47.29	-13	34.29	Pass	1211
3000	12000	1	RMS	11999	-36.08	-13	23.08	Pass	9002
12000	20000	1	RMS	19387	-27.91	-13	14.91	Pass	8001




9.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	878.319	-62.99	-13	49.99	Pass	9701
1000	1700	1	RMS	1682	-51.05	-13	38.05	Pass	701
1700	1790	1	RMS	1760.975	19.29	60	40.71	Pass	401
1790	3000	1	RMS	2997	-47.33	-13	34.33	Pass	1211
3000	12000	1	RMS	11900	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19401	-27.93	-13	14.93	Pass	8001



9.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	847.2	-62.85	-13	49.85	Pass	9701
1000	1700	1	RMS	1688	-51.03	-13	38.03	Pass	701
1700	1790	1	RMS	1760.975	18.31	60	41.69	Pass	401
1790	3000	1	RMS	2993	-47.3	-13	34.3	Pass	1211
3000	12000	1	RMS	11892	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19330	-27.96	-13	14.96	Pass	8001



10. LTE_Band71


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-13	57.4	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	57.22	Pass	2986
30	653	0.1	RMS	620.5	-63.68	-13	50.68	Pass	6231
653	709	0.1	RMS	663.3	16.49	60	43.51	Pass	561
709	1000	0.1	RMS	930.9	-62.62	-13	49.62	Pass	2911
1000	3000	1	RMS	2994	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9704	-38.4	-13	25.4	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.16	-70.71	-13	57.71	Pass	2986
30	653	0.1	RMS	613.5	-63.95	-13	50.95	Pass	6231
653	709	0.1	RMS	663.3	15.5	60	44.5	Pass	561
709	1000	0.1	RMS	861	-62.49	-13	49.49	Pass	2911
1000	3000	1	RMS	2991	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9703	-38.5	-13	25.5	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.24	-71.82	-13	58.82	Pass	2986
30	653	0.1	RMS	634.9	-63.52	-13	50.52	Pass	6231
653	709	0.1	RMS	678.3	15.95	60	44.05	Pass	561
709	1000	0.1	RMS	969	-62.66	-13	49.66	Pass	2911
1000	3000	1	RMS	2999	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9702	-38.46	-13	25.46	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.2	-71.35	-13	58.35	Pass	2986
30	653	0.1	RMS	634.9	-63.6	-13	50.6	Pass	6231
653	709	0.1	RMS	678.3	14.94	60	45.06	Pass	561
709	1000	0.1	RMS	924.2	-62.68	-13	49.68	Pass	2911
1000	3000	1	RMS	2993	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9709	-38.52	-13	25.52	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.17	-71.13	-13	58.13	Pass	2986
30	653	0.1	RMS	651	-63.58	-13	50.58	Pass	6231
653	709	0.1	RMS	693.3	15.98	60	44.02	Pass	561
709	1000	0.1	RMS	992.4	-62.66	-13	49.66	Pass	2911
1000	3000	1	RMS	2989	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9700	-38.49	-13	25.49	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.17	-71.29	-13	58.29	Pass	2986
30	653	0.1	RMS	651.1	-63.62	-13	50.62	Pass	6231
653	709	0.1	RMS	693.3	15.58	60	44.42	Pass	561
709	1000	0.1	RMS	930.6	-62.67	-13	49.67	Pass	2911
1000	3000	1	RMS	2993	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9696	-38.5	-13	25.5	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.19	-70.65	-13	57.65	Pass	2986
30	653	0.1	RMS	624.9	-63.79	-13	50.79	Pass	6231
653	709	0.1	RMS	663.6	16.44	60	43.56	Pass	561
709	1000	0.1	RMS	975.3	-62.35	-13	49.35	Pass	2911
1000	3000	1	RMS	2994	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9702	-38.48	-13	25.48	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	653	0.1	RMS	626.4	-63.73	-13	50.73	Pass	6231
653	709	0.1	RMS	663.6	15.72	60	44.28	Pass	561
709	1000	0.1	RMS	944.3	-62.53	-13	49.53	Pass	2911
1000	3000	1	RMS	2972	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9698	-38.46	-13	25.46	Pass	7001




10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	58.65	Pass	2986
30	653	0.1	RMS	637.1	-63.56	-13	50.56	Pass	6231
653	709	0.1	RMS	676.1	16.3	60	43.7	Pass	561
709	1000	0.1	RMS	980.9	-62.6	-13	49.6	Pass	2911
1000	3000	1	RMS	2998	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9703	-38.49	-13	25.49	Pass	7001




10.10 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:133297, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.89	-13	57.89	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	58.77	Pass	2986
30	653	0.1	RMS	636.7	-63.58	-13	50.58	Pass	6231
653	709	0.1	RMS	676.1	15.12	60	44.88	Pass	561
709	1000	0.1	RMS	973.5	-62.7	-13	49.7	Pass	2911
1000	3000	1	RMS	2994	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9697	-38.5	-13	25.5	Pass	7001




10.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	58.51	Pass	2986
30	653	0.1	RMS	649.9	-63.59	-13	50.59	Pass	6231
653	709	0.1	RMS	688.6	16.39	60	43.61	Pass	561
709	1000	0.1	RMS	983	-62.57	-13	49.57	Pass	2911
1000	3000	1	RMS	2962	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9705	-38.43	-13	25.43	Pass	7001



10.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	0.17	-71.05	-13	58.05	Pass	2986
30	653	0.1	RMS	649.5	-63.52	-13	50.52	Pass	6231
653	709	0.1	RMS	688.6	15.48	60	44.52	Pass	561
709	1000	0.1	RMS	901.2	-62.65	-13	49.65	Pass	2911
1000	3000	1	RMS	2981	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	9702	-38.48	-13	25.48	Pass	7001



10.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.17	-71.31	-13	58.31	Pass	2986
30	653	0.1	RMS	625.5	-63.77	-13	50.77	Pass	6231
653	709	0.1	RMS	663.8	16.06	60	43.94	Pass	561
709	1000	0.1	RMS	956.9	-62.67	-13	49.67	Pass	2911
1000	3000	1	RMS	2998	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	9705	-38.51	-13	25.51	Pass	7001




10.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	57.88	Pass	2986
30	653	0.1	RMS	625	-63.7	-13	50.7	Pass	6231
653	709	0.1	RMS	663.8	15.35	60	44.65	Pass	561
709	1000	0.1	RMS	935.1	-62.47	-13	49.47	Pass	2911
1000	3000	1	RMS	2997	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9705	-38.5	-13	25.5	Pass	7001




10.15 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:133297, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	653	0.1	RMS	640.6	-63.58	-13	50.58	Pass	6231
653	709	0.1	RMS	673.8	15.68	60	44.32	Pass	561
709	1000	0.1	RMS	923.1	-62.66	-13	49.66	Pass	2911
1000	3000	1	RMS	2997	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9699	-38.49	-13	25.49	Pass	7001




10.16 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:133297, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	57.74	Pass	2986
30	653	0.1	RMS	639.7	-63.62	-13	50.62	Pass	6231
653	709	0.1	RMS	673.8	14.86	60	45.14	Pass	561
709	1000	0.1	RMS	959.2	-62.5	-13	49.5	Pass	2911
1000	3000	1	RMS	3000	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9710	-38.49	-13	25.49	Pass	7001




10.17 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:133397, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.16	-70.55	-13	57.55	Pass	2986
30	653	0.1	RMS	640.5	-63.7	-13	50.7	Pass	6231
653	709	0.1	RMS	683.8	15.79	60	44.21	Pass	561
709	1000	0.1	RMS	998.2	-62.62	-13	49.62	Pass	2911
1000	3000	1	RMS	2997	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9701	-38.52	-13	25.52	Pass	7001




10.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.18	-71.18	-13	58.18	Pass	2986
30	653	0.1	RMS	644.7	-63.59	-13	50.59	Pass	6231
653	709	0.1	RMS	683.8	14.98	60	45.02	Pass	561
709	1000	0.1	RMS	847.4	-62.67	-13	49.67	Pass	2911
1000	3000	1	RMS	3000	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9697	-38.45	-13	25.45	Pass	7001




10.19 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:133222, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-13	57.18	Pass	2986
30	653	0.1	RMS	634.6	-63.7	-13	50.7	Pass	6231
653	709	0.1	RMS	664.1	16.59	60	43.41	Pass	561
709	1000	0.1	RMS	958.8	-62.68	-13	49.68	Pass	2911
1000	3000	1	RMS	2988	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9704	-38.51	-13	25.51	Pass	7001




10.20 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:133222, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-13	57.21	Pass	2986
30	653	0.1	RMS	635.6	-63.52	-13	50.52	Pass	6231
653	709	0.1	RMS	664.1	15.71	60	44.29	Pass	561
709	1000	0.1	RMS	933	-62.66	-13	49.66	Pass	2911
1000	3000	1	RMS	3000	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9701	-38.42	-13	25.42	Pass	7001



10.21 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:133297, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	653	0.1	RMS	637	-63.47	-13	50.47	Pass	6231
653	709	0.1	RMS	671.6	16.27	60	43.73	Pass	561
709	1000	0.1	RMS	943	-62.64	-13	49.64	Pass	2911
1000	3000	1	RMS	3000	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9699	-38.43	-13	25.43	Pass	7001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:133297, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.18	-71.24	-13	58.24	Pass	2986
30	653	0.1	RMS	635.9	-63.49	-13	50.49	Pass	6231
653	709	0.1	RMS	671.6	15.04	60	44.96	Pass	561
709	1000	0.1	RMS	979.3	-62.57	-13	49.57	Pass	2911
1000	3000	1	RMS	2993	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9703	-38.44	-13	25.44	Pass	7001



10.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	653	0.1	RMS	649.1	-63.61	-13	50.61	Pass	6231
653	709	0.1	RMS	679.1	16.27	60	43.73	Pass	561
709	1000	0.1	RMS	962	-62.69	-13	49.69	Pass	2911
1000	3000	1	RMS	2994	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9711	-38.45	-13	25.45	Pass	7001



10.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.16	-70.91	-13	57.91	Pass	2986
30	653	0.1	RMS	641.6	-63.54	-13	50.54	Pass	6231
653	709	0.1	RMS	679.1	15.51	60	44.49	Pass	561
709	1000	0.1	RMS	973.8	-62.65	-13	49.65	Pass	2911
1000	3000	1	RMS	2989	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9699	-38.47	-13	25.47	Pass	7001



11. LTE_Band38


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-61.77	-25	36.77	Pass	401
0.15	30	0.01	RMS	0.16	-61.05	-25	36.05	Pass	2986
30	1000	0.1	RMS	846.1	-54.47	-25	29.47	Pass	9701
1000	2560	1	RMS	2558	-39.99	-25	14.99	Pass	1561
2560	2630	1	RMS	2570.325	23.07	60	36.93	Pass	401
2630	3000	1	RMS	2900.1	-39.32	-25	14.32	Pass	401
3000	12000	1	RMS	11963	-42.94	-25	17.94	Pass	9002
12000	26500	1	RMS	25496	-43.97	-25	18.97	Pass	14502




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.6	-25	36.6	Pass	401
0.15	30	0.01	RMS	0.15	-61.54	-25	36.54	Pass	2986
30	1000	0.1	RMS	884.624	-54.37	-25	29.37	Pass	9701
1000	2560	1	RMS	2555	-40.32	-25	15.32	Pass	1561
2560	2630	1	RMS	2570.325	22.58	60	37.42	Pass	401
2630	3000	1	RMS	2900.1	-39.3	-25	14.3	Pass	401
3000	12000	1	RMS	11960	-42.9	-25	17.9	Pass	9002
12000	26500	1	RMS	25508	-43.9	-25	18.9	Pass	14502




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.29	-25	36.29	Pass	401
0.15	30	0.01	RMS	0.15	-61	-25	36	Pass	2986
30	1000	0.1	RMS	927.452	-54.46	-25	29.46	Pass	9701
1000	2560	1	RMS	2536	-41.36	-25	16.36	Pass	1561
2560	2630	1	RMS	2592.725	23.62	60	36.38	Pass	401
2630	3000	1	RMS	2901.025	-39.3	-25	14.3	Pass	401
3000	12000	1	RMS	11961	-42.93	-25	17.93	Pass	9002
12000	26500	1	RMS	25501	-43.89	-25	18.89	Pass	14502




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.18	-25	36.18	Pass	401
0.15	30	0.01	RMS	0.23	-60.94	-25	35.94	Pass	2986
30	1000	0.1	RMS	890.527	-54.48	-25	29.48	Pass	9701
1000	2560	1	RMS	2535	-41.37	-25	16.37	Pass	1561
2560	2630	1	RMS	2592.725	22.83	60	37.17	Pass	401
2630	3000	1	RMS	2902.875	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11949	-42.92	-25	17.92	Pass	9002
12000	26500	1	RMS	25494	-43.95	-25	18.95	Pass	14502




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.89	-25	36.89	Pass	401
0.15	30	0.01	RMS	0.16	-60.96	-25	35.96	Pass	2986
30	1000	0.1	RMS	966.278	-54.4	-25	29.4	Pass	9701
1000	2560	1	RMS	2501	-41.33	-25	16.33	Pass	1561
2560	2630	1	RMS	2615.3	23.28	60	36.72	Pass	401
2630	3000	1	RMS	2900.1	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11980	-42.88	-25	17.88	Pass	9002
12000	26500	1	RMS	25519	-43.99	-25	18.99	Pass	14502




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.76	-25	36.76	Pass	401
0.15	30	0.01	RMS	0.15	-61.14	-25	36.14	Pass	2986
30	1000	0.1	RMS	951.668	-54.42	-25	29.42	Pass	9701
1000	2560	1	RMS	2533	-41.38	-25	16.38	Pass	1561
2560	2630	1	RMS	2615.125	22.62	60	37.38	Pass	401
2630	3000	1	RMS	2900.1	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11959	-42.95	-25	17.95	Pass	9002
12000	26500	1	RMS	25901	-43.99	-25	18.99	Pass	14502




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.8	-25	35.8	Pass	401
0.15	30	0.01	RMS	0.24	-61.08	-25	36.08	Pass	2986
30	1000	0.1	RMS	897.232	-54.39	-25	29.39	Pass	9701
1000	2560	1	RMS	2558	-39.86	-25	14.86	Pass	1561
2560	2630	1	RMS	2570.675	23.38	60	36.62	Pass	401
2630	3000	1	RMS	2901.025	-39.31	-25	14.31	Pass	401
3000	12000	1	RMS	11958	-42.91	-25	17.91	Pass	9002
12000	26500	1	RMS	25493	-43.83	-25	18.83	Pass	14502




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.81	-25	36.81	Pass	401
0.15	30	0.01	RMS	0.15	-60.01	-25	35.01	Pass	2986
30	1000	0.1	RMS	881.121	-54.38	-25	29.38	Pass	9701
1000	2560	1	RMS	2557	-39.8	-25	14.8	Pass	1561
2560	2630	1	RMS	2570.325	22.09	60	37.91	Pass	401
2630	3000	1	RMS	2899.175	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11952	-42.9	-25	17.9	Pass	9002
12000	26500	1	RMS	25501	-43.94	-25	18.94	Pass	14502




11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.48	-25	35.48	Pass	401
0.15	30	0.01	RMS	0.15	-61.5	-25	36.5	Pass	2986
30	1000	0.1	RMS	944.063	-54.25	-25	29.25	Pass	9701
1000	2560	1	RMS	2496	-41.37	-25	16.37	Pass	1561
2560	2630	1	RMS	2590.625	22.96	60	37.04	Pass	401
2630	3000	1	RMS	2900.1	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	12000	-42.9	-25	17.9	Pass	9002
12000	26500	1	RMS	25527	-43.95	-25	18.95	Pass	14502




11.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.46	-25	35.46	Pass	401
0.15	30	0.01	RMS	0.16	-60.52	-25	35.52	Pass	2986
30	1000	0.1	RMS	824.2	-54.49	-25	29.49	Pass	9701
1000	2560	1	RMS	2538	-41.34	-25	16.34	Pass	1561
2560	2630	1	RMS	2590.625	22.31	60	37.69	Pass	401
2630	3000	1	RMS	2901.025	-39.32	-25	14.32	Pass	401
3000	12000	1	RMS	11950	-42.92	-25	17.92	Pass	9002
12000	26500	1	RMS	25900	-43.94	-25	18.94	Pass	14502




11.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.12	-25	36.12	Pass	401
0.15	30	0.01	RMS	0.15	-61.68	-25	36.68	Pass	2986
30	1000	0.1	RMS	993.496	-54.45	-25	29.45	Pass	9701
1000	2560	1	RMS	2500	-41.34	-25	16.34	Pass	1561
2560	2630	1	RMS	2610.4	22.87	60	37.13	Pass	401
2630	3000	1	RMS	2896.4	-39.3	-25	14.3	Pass	401
3000	12000	1	RMS	11959	-42.95	-25	17.95	Pass	9002
12000	26500	1	RMS	25494	-43.99	-25	18.99	Pass	14502



11.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.68	-25	36.68	Pass	401
0.15	30	0.01	RMS	0.15	-59.69	-25	34.69	Pass	2986
30	1000	0.1	RMS	961.675	-54.5	-25	29.5	Pass	9701
1000	2560	1	RMS	2534	-41.38	-25	16.38	Pass	1561
2560	2630	1	RMS	2610.575	22.61	60	37.39	Pass	401
2630	3000	1	RMS	2899.175	-39.31	-25	14.31	Pass	401
3000	12000	1	RMS	11951	-42.87	-25	17.87	Pass	9002
12000	26500	1	RMS	25900	-43.96	-25	18.96	Pass	14502



11.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.43	-25	36.43	Pass	401
0.15	30	0.01	RMS	0.15	-61.56	-25	36.56	Pass	2986
30	1000	0.1	RMS	928.252	-54.38	-25	29.38	Pass	9701
1000	2560	1	RMS	2558	-39.76	-25	14.76	Pass	1561
2560	2630	1	RMS	2570.675	23.67	60	36.33	Pass	401
2630	3000	1	RMS	2897.325	-39.32	-25	14.32	Pass	401
3000	12000	1	RMS	11972	-42.78	-25	17.78	Pass	9002
12000	26500	1	RMS	25506	-43.96	-25	18.96	Pass	14502




11.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.51	-25	36.51	Pass	401
0.15	30	0.01	RMS	0.15	-61.88	-25	36.88	Pass	2986
30	1000	0.1	RMS	993.896	-54.45	-25	29.45	Pass	9701
1000	2560	1	RMS	2556	-39.89	-25	14.89	Pass	1561
2560	2630	1	RMS	2570.85	22.62	60	37.38	Pass	401
2630	3000	1	RMS	2905.65	-39.3	-25	14.3	Pass	401
3000	12000	1	RMS	11955	-42.88	-25	17.88	Pass	9002
12000	26500	1	RMS	25517	-43.93	-25	18.93	Pass	14502




11.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.61	-25	35.61	Pass	401
0.15	30	0.01	RMS	0.2	-61.37	-25	36.37	Pass	2986
30	1000	0.1	RMS	931.054	-54.43	-25	29.43	Pass	9701
1000	2560	1	RMS	2524	-41.36	-25	16.36	Pass	1561
2560	2630	1	RMS	2588.175	23.15	60	36.85	Pass	401
2630	3000	1	RMS	2900.1	-39.27	-25	14.27	Pass	401
3000	12000	1	RMS	11952	-42.9	-25	17.9	Pass	9002
12000	26500	1	RMS	25883	-43.98	-25	18.98	Pass	14502




11.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.44	-25	36.44	Pass	401
0.15	30	0.01	RMS	0.17	-61.71	-25	36.71	Pass	2986
30	1000	0.1	RMS	925.451	-54.48	-25	29.48	Pass	9701
1000	2560	1	RMS	2521	-41.39	-25	16.39	Pass	1561
2560	2630	1	RMS	2588.175	22.7	60	37.3	Pass	401
2630	3000	1	RMS	2903.8	-39.31	-25	14.31	Pass	401
3000	12000	1	RMS	11972	-42.85	-25	17.85	Pass	9002
12000	26500	1	RMS	25500	-43.96	-25	18.96	Pass	14502




11.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.89	-25	35.89	Pass	401
0.15	30	0.01	RMS	0.26	-61.1	-25	36.1	Pass	2986
30	1000	0.1	RMS	852.602	-54.48	-25	29.48	Pass	9701
1000	2560	1	RMS	2517	-41.36	-25	16.36	Pass	1561
2560	2630	1	RMS	2605.675	23.08	60	36.92	Pass	401
2630	3000	1	RMS	2901.95	-39.21	-25	14.21	Pass	401
3000	12000	1	RMS	11957	-42.88	-25	17.88	Pass	9002
12000	26500	1	RMS	25499	-43.87	-25	18.87	Pass	14502




11.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.25	-25	36.25	Pass	401
0.15	30	0.01	RMS	0.2	-61.09	-25	36.09	Pass	2986
30	1000	0.1	RMS	881.321	-54.54	-25	29.54	Pass	9701
1000	2560	1	RMS	2519	-41.35	-25	16.35	Pass	1561
2560	2630	1	RMS	2605.85	21.96	60	38.04	Pass	401
2630	3000	1	RMS	2901.025	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11994	-42.89	-25	17.89	Pass	9002
12000	26500	1	RMS	25500	-43.96	-25	18.96	Pass	14502




11.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.59	-25	36.59	Pass	401
0.15	30	0.01	RMS	0.15	-61.07	-25	36.07	Pass	2986
30	1000	0.1	RMS	966.378	-54.37	-25	29.37	Pass	9701
1000	2560	1	RMS	2558	-39.99	-25	14.99	Pass	1561
2560	2630	1	RMS	2571.025	22.88	60	37.12	Pass	401
2630	3000	1	RMS	2901.025	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11954	-42.87	-25	17.87	Pass	9002
12000	26500	1	RMS	25503	-43.98	-25	18.98	Pass	14502




11.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.42	-25	36.42	Pass	401
0.15	30	0.01	RMS	0.15	-59.77	-25	34.77	Pass	2986
30	1000	0.1	RMS	851.101	-54.29	-25	29.29	Pass	9701
1000	2560	1	RMS	2560	-39.62	-25	14.62	Pass	1561
2560	2630	1	RMS	2571.025	22.89	60	37.11	Pass	401
2630	3000	1	RMS	2898.25	-39.26	-25	14.26	Pass	401
3000	12000	1	RMS	11985	-42.9	-25	17.9	Pass	9002
12000	26500	1	RMS	25500	-43.95	-25	18.95	Pass	14502



11.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.85	-25	35.85	Pass	401
0.15	30	0.01	RMS	0.15	-61.55	-25	36.55	Pass	2986
30	1000	0.1	RMS	956.571	-54.44	-25	29.44	Pass	9701
1000	2560	1	RMS	2557	-41.35	-25	16.35	Pass	1561
2560	2630	1	RMS	2586.075	23.25	60	36.75	Pass	401
2630	3000	1	RMS	2901.95	-39.27	-25	14.27	Pass	401
3000	12000	1	RMS	11952	-42.91	-25	17.91	Pass	9002
12000	26500	1	RMS	25502	-43.96	-25	18.96	Pass	14502



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.44	-25	36.44	Pass	401
0.15	30	0.01	RMS	0.2	-61.42	-25	36.42	Pass	2986
30	1000	0.1	RMS	964.376	-54.43	-25	29.43	Pass	9701
1000	2560	1	RMS	2560	-41.32	-25	16.32	Pass	1561
2560	2630	1	RMS	2586.075	22.08	60	37.92	Pass	401
2630	3000	1	RMS	2901.025	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11959	-42.92	-25	17.92	Pass	9002
12000	26500	1	RMS	25501	-43.95	-25	18.95	Pass	14502



11.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.39	-25	36.39	Pass	401
0.15	30	0.01	RMS	0.15	-61.29	-25	36.29	Pass	2986
30	1000	0.1	RMS	987.692	-54.47	-25	29.47	Pass	9701
1000	2560	1	RMS	2539	-41.35	-25	16.35	Pass	1561
2560	2630	1	RMS	2601.125	22.89	60	37.11	Pass	401
2630	3000	1	RMS	2906.575	-39.32	-25	14.32	Pass	401
3000	12000	1	RMS	11950	-42.93	-25	17.93	Pass	9002
12000	26500	1	RMS	25904	-44	-25	19	Pass	14502



11.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.07	-25	36.07	Pass	401
0.15	30	0.01	RMS	0.15	-60.69	-25	35.69	Pass	2986
30	1000	0.1	RMS	860.608	-54.49	-25	29.49	Pass	9701
1000	2560	1	RMS	2499	-41.35	-25	16.35	Pass	1561
2560	2630	1	RMS	2601.125	22.34	60	37.66	Pass	401
2630	3000	1	RMS	2901.025	-39.27	-25	14.27	Pass	401
3000	12000	1	RMS	11998	-42.93	-25	17.93	Pass	9002
12000	26500	1	RMS	25496	-43.94	-25	18.94	Pass	14502



12. LTE_Band41 full


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.35	-25	36.35	Pass	401
0.15	30	0.01	RMS	0.17	-61.15	-25	36.15	Pass	2986
30	1000	0.1	RMS	854.203	-54.38	-25	29.38	Pass	9701
1000	2486	1	RMS	2484	-40.05	-25	15.05	Pass	1487
2486	2700	1	RMS	2496.165	21.97	60	38.03	Pass	401
2700	3000	1	RMS	2901	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11966	-53.08	-25	28.08	Pass	9002
12000	26500	1	RMS	25514	-43.24	-25	18.24	Pass	14502




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.58	-25	36.58	Pass	401
0.15	30	0.01	RMS	0.16	-61.1	-25	36.1	Pass	2986
30	1000	0.1	RMS	999.099	-54.43	-25	29.43	Pass	9701
1000	2486	1	RMS	2485	-39.09	-25	14.09	Pass	1487
2486	2700	1	RMS	2496.165	22.89	60	37.11	Pass	401
2700	3000	1	RMS	2899.5	-39.27	-25	14.27	Pass	401
3000	12000	1	RMS	11951	-53.08	-25	28.08	Pass	9002
12000	26500	1	RMS	25500	-43.22	-25	18.22	Pass	14502




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62	-25	37	Pass	401
0.15	30	0.01	RMS	0.15	-61.29	-25	36.29	Pass	2986
30	1000	0.1	RMS	970.881	-54.4	-25	29.4	Pass	9701
1000	2486	1	RMS	2475	-41.5	-25	16.5	Pass	1487
2486	2700	1	RMS	2590.325	23.49	60	36.51	Pass	401
2700	3000	1	RMS	2900.25	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11963	-53.08	-25	28.08	Pass	9002
12000	26500	1	RMS	25523	-43.22	-25	18.22	Pass	14502




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.61	-25	36.61	Pass	401
0.15	30	0.01	RMS	0.2	-61.01	-25	36.01	Pass	2986
30	1000	0.1	RMS	851.602	-54.48	-25	29.48	Pass	9701
1000	2486	1	RMS	2484	-41.53	-25	16.53	Pass	1487
2486	2700	1	RMS	2590.86	23.97	60	36.03	Pass	401
2700	3000	1	RMS	2900.25	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11963	-53.13	-25	28.13	Pass	9002
12000	26500	1	RMS	25509	-43.3	-25	18.3	Pass	14502




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.18	-25	36.18	Pass	401
0.15	30	0.01	RMS	0.18	-61.29	-25	36.29	Pass	2986
30	1000	0.1	RMS	860.007	-54.41	-25	29.41	Pass	9701
1000	2486	1	RMS	2485	-41.45	-25	16.45	Pass	1487
2486	2700	1	RMS	2685.02	23.96	60	36.04	Pass	401
2700	3000	1	RMS	2899.5	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11958	-53.07	-25	28.07	Pass	9002
12000	26500	1	RMS	25497	-43.37	-25	18.37	Pass	14502



12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.6	-25	36.6	Pass	401
0.15	30	0.01	RMS	0.15	-61.33	-25	36.33	Pass	2986
30	1000	0.1	RMS	975.984	-54.22	-25	29.22	Pass	9701
1000	2486	1	RMS	2486	-41.55	-25	16.55	Pass	1487
2486	2700	1	RMS	2685.02	23.35	60	36.65	Pass	401
2700	3000	1	RMS	2901	-39.27	-25	14.27	Pass	401
3000	12000	1	RMS	11961	-53.1	-25	28.1	Pass	9002
12000	26500	1	RMS	25494	-43.24	-25	18.24	Pass	14502



12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.35	-25	36.35	Pass	401
0.15	30	0.01	RMS	0.17	-60.55	-25	35.55	Pass	2986
30	1000	0.1	RMS	890.427	-54.45	-25	29.45	Pass	9701
1000	2486	1	RMS	2486	-40.26	-25	15.26	Pass	1487
2486	2700	1	RMS	2496.7	22.1	60	37.9	Pass	401
2700	3000	1	RMS	2899.5	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11957	-53	-25	28	Pass	9002
12000	26500	1	RMS	25510	-43.32	-25	18.32	Pass	14502

