


Spurious Emission at Antenna Terminals


12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.13	-25	36.13	Pass	401
0.15	30	0.01	RMS	0.15	-59.9	-25	34.9	Pass	2986
30	1000	0.1	RMS	920.848	-54.44	-25	29.44	Pass	9701
1000	2486	1	RMS	2485	-39.45	-25	14.45	Pass	1487
2486	2700	1	RMS	2496.165	23	60	37	Pass	401
2700	3000	1	RMS	2901.75	-39.27	-25	14.27	Pass	401
3000	12000	1	RMS	11990	-53.07	-25	28.07	Pass	9002
12000	26500	1	RMS	25502	-43.25	-25	18.25	Pass	14502



12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.09	-25	36.09	Pass	401
0.15	30	0.01	RMS	0.16	-60.57	-25	35.57	Pass	2986
30	1000	0.1	RMS	891.728	-54.48	-25	29.48	Pass	9701
1000	2486	1	RMS	2485	-41.49	-25	16.49	Pass	1487
2486	2700	1	RMS	2588.185	23.73	60	36.27	Pass	401
2700	3000	1	RMS	2900.25	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11953	-53.13	-25	28.13	Pass	9002
12000	26500	1	RMS	25495	-43.21	-25	18.21	Pass	14502



12.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.97	-25	35.97	Pass	401
0.15	30	0.01	RMS	0.18	-60.88	-25	35.88	Pass	2986
30	1000	0.1	RMS	848	-54.47	-25	29.47	Pass	9701
1000	2486	1	RMS	2480	-41.45	-25	16.45	Pass	1487
2486	2700	1	RMS	2588.185	23.45	60	36.55	Pass	401
2700	3000	1	RMS	2901	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11960	-53.1	-25	28.1	Pass	9002
12000	26500	1	RMS	25479	-43.25	-25	18.25	Pass	14502



12.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.1	-25	36.1	Pass	401
0.15	30	0.01	RMS	0.15	-60.96	-25	35.96	Pass	2986
30	1000	0.1	RMS	845.6	-54.45	-25	29.45	Pass	9701
1000	2486	1	RMS	2473	-41.6	-25	16.6	Pass	1487
2486	2700	1	RMS	2680.205	23.65	60	36.35	Pass	401
2700	3000	1	RMS	2900.25	-39.25	-25	14.25	Pass	401
3000	12000	1	RMS	11950	-53.03	-25	28.03	Pass	9002
12000	26500	1	RMS	25497	-43.21	-25	18.21	Pass	14502



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.08	-25	37.08	Pass	401
0.15	30	0.01	RMS	0.4	-61.92	-25	36.92	Pass	2986
30	1000	0.1	RMS	874.917	-54.44	-25	29.44	Pass	9701
1000	2486	1	RMS	2480	-41.56	-25	16.56	Pass	1487
2486	2700	1	RMS	2680.205	23.76	60	36.24	Pass	401
2700	3000	1	RMS	2900.25	-39.23	-25	14.23	Pass	401
3000	12000	1	RMS	11956	-53.08	-25	28.08	Pass	9002
12000	26500	1	RMS	25523	-43.25	-25	18.25	Pass	14502



12.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.41	-25	36.41	Pass	401
0.15	30	0.01	RMS	0.16	-61.31	-25	36.31	Pass	2986
30	1000	0.1	RMS	841.4	-54.48	-25	29.48	Pass	9701
1000	2486	1	RMS	2486	-39.48	-25	14.48	Pass	1487
2486	2700	1	RMS	2496.7	22.91	60	37.09	Pass	401
2700	3000	1	RMS	2901.75	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11960	-53.09	-25	28.09	Pass	9002
12000	26500	1	RMS	25501	-43.22	-25	18.22	Pass	14502



12.14 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.3	-25	36.3	Pass	401
0.15	30	0.01	RMS	0.15	-60.43	-25	35.43	Pass	2986
30	1000	0.1	RMS	968.479	-54.44	-25	29.44	Pass	9701
1000	2486	1	RMS	2486	-39.79	-25	14.79	Pass	1487
2486	2700	1	RMS	2496.7	22.23	60	37.77	Pass	401
2700	3000	1	RMS	2898.75	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11959	-53.02	-25	28.02	Pass	9002
12000	26500	1	RMS	25516	-43.24	-25	18.24	Pass	14502




12.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.7	-25	36.7	Pass	401
0.15	30	0.01	RMS	0.15	-60.93	-25	35.93	Pass	2986
30	1000	0.1	RMS	854.604	-54.3	-25	29.3	Pass	9701
1000	2486	1	RMS	2483	-41.52	-25	16.52	Pass	1487
2486	2700	1	RMS	2586.045	23.9	60	36.1	Pass	401
2700	3000	1	RMS	2904.75	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11946	-53.13	-25	28.13	Pass	9002
12000	26500	1	RMS	25501	-43.28	-25	18.28	Pass	14502




12.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.22	-25	36.22	Pass	401
0.15	30	0.01	RMS	0.18	-60.92	-25	35.92	Pass	2986
30	1000	0.1	RMS	925.551	-54.46	-25	29.46	Pass	9701
1000	2486	1	RMS	2482	-41.52	-25	16.52	Pass	1487
2486	2700	1	RMS	2586.045	24.09	60	35.91	Pass	401
2700	3000	1	RMS	2900.25	-39.25	-25	14.25	Pass	401
3000	12000	1	RMS	11966	-53.06	-25	28.06	Pass	9002
12000	26500	1	RMS	25501	-43.32	-25	18.32	Pass	14502




12.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.09	-25	37.09	Pass	401
0.15	30	0.01	RMS	0.15	-61.21	-25	36.21	Pass	2986
30	1000	0.1	RMS	957.972	-54.5	-25	29.5	Pass	9701
1000	2486	1	RMS	2485	-41.49	-25	16.49	Pass	1487
2486	2700	1	RMS	2675.925	22.94	60	37.06	Pass	401
2700	3000	1	RMS	2900.25	-39.26	-25	14.26	Pass	401
3000	12000	1	RMS	11955	-53.07	-25	28.07	Pass	9002
12000	26500	1	RMS	25500	-43.24	-25	18.24	Pass	14502



12.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.01	-25	36.01	Pass	401
0.15	30	0.01	RMS	0.19	-61	-25	36	Pass	2986
30	1000	0.1	RMS	953.769	-54.44	-25	29.44	Pass	9701
1000	2486	1	RMS	2482	-41.46	-25	16.46	Pass	1487
2486	2700	1	RMS	2675.925	22.88	60	37.12	Pass	401
2700	3000	1	RMS	2898.75	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11954	-53.11	-25	28.11	Pass	9002
12000	26500	1	RMS	25503	-43.28	-25	18.28	Pass	14502



12.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.98	-25	36.98	Pass	401
0.15	30	0.01	RMS	0.15	-61.13	-25	36.13	Pass	2986
30	1000	0.1	RMS	971.581	-54.36	-25	29.36	Pass	9701
1000	2486	1	RMS	2485	-40.21	-25	15.21	Pass	1487
2486	2700	1	RMS	2496.7	22.14	60	37.86	Pass	401
2700	3000	1	RMS	2900.25	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11948	-53.09	-25	28.09	Pass	9002
12000	26500	1	RMS	25491	-43.22	-25	18.22	Pass	14502



12.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.18	-25	36.18	Pass	401
0.15	30	0.01	RMS	0.15	-61.09	-25	36.09	Pass	2986
30	1000	0.1	RMS	893.329	-54.43	-25	29.43	Pass	9701
1000	2486	1	RMS	2485	-39.82	-25	14.82	Pass	1487
2486	2700	1	RMS	2496.7	23.21	60	36.79	Pass	401
2700	3000	1	RMS	2899.5	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11956	-53.1	-25	28.1	Pass	9002
12000	26500	1	RMS	25500	-43.27	-25	18.27	Pass	14502



12.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.97	-25	36.97	Pass	401
0.15	30	0.01	RMS	0.16	-60.92	-25	35.92	Pass	2986
30	1000	0.1	RMS	983.589	-54.3	-25	29.3	Pass	9701
1000	2486	1	RMS	2480	-41.54	-25	16.54	Pass	1487
2486	2700	1	RMS	2583.905	23.04	60	36.96	Pass	401
2700	3000	1	RMS	2903.25	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11979	-53.1	-25	28.1	Pass	9002
12000	26500	1	RMS	25510	-43.23	-25	18.23	Pass	14502



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-62.26	-25	37.26	Pass	401
0.15	30	0.01	RMS	0.15	-60.8	-25	35.8	Pass	2986
30	1000	0.1	RMS	922.949	-54.43	-25	29.43	Pass	9701
1000	2486	1	RMS	2483	-41.54	-25	16.54	Pass	1487
2486	2700	1	RMS	2583.905	23.3	60	36.7	Pass	401
2700	3000	1	RMS	2905.5	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11959	-53.13	-25	28.13	Pass	9002
12000	26500	1	RMS	25506	-43.29	-25	18.29	Pass	14502



12.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.37	-25	36.37	Pass	401
0.15	30	0.01	RMS	0.15	-61.92	-25	36.92	Pass	2986
30	1000	0.1	RMS	986.491	-54.41	-25	29.41	Pass	9701
1000	2486	1	RMS	2485	-41.51	-25	16.51	Pass	1487
2486	2700	1	RMS	2670.575	22.88	60	37.12	Pass	401
2700	3000	1	RMS	2902.5	-39.28	-25	14.28	Pass	401
3000	12000	1	RMS	11961	-53.09	-25	28.09	Pass	9002
12000	26500	1	RMS	25498	-43.31	-25	18.31	Pass	14502



12.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.57	-25	36.57	Pass	401
0.15	30	0.01	RMS	0.18	-61.7	-25	36.7	Pass	2986
30	1000	0.1	RMS	965.477	-54.38	-25	29.38	Pass	9701
1000	2486	1	RMS	2486	-41.51	-25	16.51	Pass	1487
2486	2700	1	RMS	2670.575	23.06	60	36.94	Pass	401
2700	3000	1	RMS	2901.75	-39.29	-25	14.29	Pass	401
3000	12000	1	RMS	11946	-53.15	-25	28.15	Pass	9002
12000	26500	1	RMS	25498	-43.26	-25	18.26	Pass	14502



1. LTE_Band40(2305-2315)_Part27


1.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.36	-40	28.36	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-40	28.18	Pass	2986
30	1000	0.1	RMS	344.7	-57.4	-40	17.4	Pass	9701
1000	2200	1	RMS	2180	-49.05	-40	9.05	Pass	1201
2200	2395	1	RMS	2305.3	23.04	60	36.96	Pass	401
2395	3000	1	RMS	2902	-46.29	-40	6.29	Pass	606
3000	12000	1	RMS	11955	-60.12	-40	20.12	Pass	9002
12000	26500	1	RMS	25497	-50.95	-40	10.95	Pass	14502




1.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.2	-40	28.2	Pass	401
0.15	30	0.01	RMS	0.15	-67.78	-40	27.78	Pass	2986
30	1000	0.1	RMS	344.8	-59.71	-40	19.71	Pass	9701
1000	2200	1	RMS	2191	-49.06	-40	9.06	Pass	1201
2200	2395	1	RMS	2305.3	22.22	60	37.78	Pass	401
2395	3000	1	RMS	2899	-46.25	-40	6.25	Pass	606
3000	12000	1	RMS	11958	-60.05	-40	20.05	Pass	9002
12000	26500	1	RMS	25501	-50.78	-40	10.78	Pass	14502




1.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:38750, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.42	-40	28.42	Pass	401
0.15	30	0.01	RMS	0.15	-67.9	-40	27.9	Pass	2986
30	1000	0.1	RMS	347.3	-58.94	-40	18.94	Pass	9701
1000	2200	1	RMS	2193	-49.04	-40	9.04	Pass	1201
2200	2395	1	RMS	2307.738	22.46	60	37.54	Pass	401
2395	3000	1	RMS	2900	-46.27	-40	6.27	Pass	606
3000	12000	1	RMS	11957	-60.12	-40	20.12	Pass	9002
12000	26500	1	RMS	25501	-60.89	-40	20.89	Pass	14502




1.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:38750, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.84	-40	27.84	Pass	401
0.15	30	0.01	RMS	0.17	-68.22	-40	28.22	Pass	2986
30	1000	0.1	RMS	347.3	-60.67	-40	20.67	Pass	9701
1000	2200	1	RMS	2180	-49.04	-40	9.04	Pass	1201
2200	2395	1	RMS	2307.738	21.94	60	38.06	Pass	401
2395	3000	1	RMS	2900	-46.26	-40	6.26	Pass	606
3000	12000	1	RMS	11959	-60.07	-40	20.07	Pass	9002
12000	26500	1	RMS	25509	-60.99	-40	20.99	Pass	14502




1.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.95	-40	27.95	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-40	27.53	Pass	2986
30	1000	0.1	RMS	349.7	-58.8	-40	18.8	Pass	9701
1000	2200	1	RMS	2188	-49.05	-40	9.05	Pass	1201
2200	2395	1	RMS	2310.175	22.99	60	37.01	Pass	401
2395	3000	1	RMS	2903	-46.21	-40	6.21	Pass	606
3000	12000	1	RMS	11967	-60.05	-40	20.05	Pass	9002
12000	26500	1	RMS	25495	-50.99	-40	10.99	Pass	14502




1.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:38775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.97	-40	27.97	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-40	28.33	Pass	2986
30	1000	0.1	RMS	349.7	-57.49	-40	17.49	Pass	9701
1000	2200	1	RMS	2181	-49.06	-40	9.06	Pass	1201
2200	2395	1	RMS	2310.175	21.55	60	38.45	Pass	401
2395	3000	1	RMS	2900	-46.23	-40	6.23	Pass	606
3000	12000	1	RMS	11984	-60.1	-40	20.1	Pass	9002
12000	26500	1	RMS	25507	-50.96	-40	10.96	Pass	14502




1.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.46	-40	28.46	Pass	401
0.15	30	0.01	RMS	0.16	-67.97	-40	27.97	Pass	2986
30	1000	0.1	RMS	344.9	-59.82	-40	19.82	Pass	9701
1000	2200	1	RMS	2176	-49	-40	9	Pass	1201
2200	2395	1	RMS	2305.3	23.06	60	36.94	Pass	401
2395	3000	1	RMS	2903	-46.28	-40	6.28	Pass	606
3000	12000	1	RMS	11957	-60.08	-40	20.08	Pass	9002
12000	26500	1	RMS	25511	-50.91	-40	10.91	Pass	14502



1.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.33	-40	28.33	Pass	401
0.15	30	0.01	RMS	0.15	-67.47	-40	27.47	Pass	2986
30	1000	0.1	RMS	344.9	-58.8	-40	18.8	Pass	9701
1000	2200	1	RMS	2189	-49.03	-40	9.03	Pass	1201
2200	2395	1	RMS	2305.3	21.13	60	38.87	Pass	401
2395	3000	1	RMS	2899	-46.24	-40	6.24	Pass	606
3000	12000	1	RMS	11976	-60.11	-40	20.11	Pass	9002
12000	26500	1	RMS	25502	-50.89	-40	10.89	Pass	14502



2. LTE_Band40(2350-2360)_Part27


2.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.62	-40	28.62	Pass	401
0.15	30	0.01	RMS	0.15	-67.97	-40	27.97	Pass	2986
30	1000	0.1	RMS	970.38	-61.4	-40	21.4	Pass	9701
1000	2200	1	RMS	2179	-49.01	-40	9.01	Pass	1201
2200	2395	1	RMS	2350.15	13.32	60	46.68	Pass	401
2395	3000	1	RMS	2899	-46.28	-40	6.28	Pass	606
3000	12000	1	RMS	11958	-60.09	-40	20.09	Pass	9002
12000	26500	1	RMS	25500	-50.93	-40	10.93	Pass	14502




2.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:39175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.5	-40	28.5	Pass	401
0.15	30	0.01	RMS	0.15	-67.55	-40	27.55	Pass	2986
30	1000	0.1	RMS	910.941	-61.4	-40	21.4	Pass	9701
1000	2200	1	RMS	2174	-49.04	-40	9.04	Pass	1201
2200	2395	1	RMS	2350.15	11.54	60	48.46	Pass	401
2395	3000	1	RMS	2898	-46.28	-40	6.28	Pass	606
3000	12000	1	RMS	11949	-60.07	-40	20.07	Pass	9002
12000	26500	1	RMS	25499	-50.95	-40	10.95	Pass	14502




2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:39200, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.19	-40	28.19	Pass	401
0.15	30	0.01	RMS	0.18	-67.58	-40	27.58	Pass	2986
30	1000	0.1	RMS	977.985	-61.34	-40	21.34	Pass	9701
1000	2200	1	RMS	2185	-48.99	-40	8.99	Pass	1201
2200	2395	1	RMS	2352.588	12.55	60	47.45	Pass	401
2395	3000	1	RMS	2905	-46.31	-40	6.31	Pass	606
3000	12000	1	RMS	11962	-60.1	-40	20.1	Pass	9002
12000	26500	1	RMS	25499	-61.04	-40	21.04	Pass	14502




2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:39200, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.01	-40	29.01	Pass	401
0.15	30	0.01	RMS	0.34	-68.34	-40	28.34	Pass	2986
30	1000	0.1	RMS	931.355	-61.4	-40	21.4	Pass	9701
1000	2200	1	RMS	2178	-49.03	-40	9.03	Pass	1201
2200	2395	1	RMS	2352.588	11.43	60	48.57	Pass	401
2395	3000	1	RMS	2904	-46.28	-40	6.28	Pass	606
3000	12000	1	RMS	11956	-60.01	-40	20.01	Pass	9002
12000	26500	1	RMS	25502	-60.94	-40	20.94	Pass	14502




2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69	-40	29	Pass	401
0.15	30	0.01	RMS	0.16	-68.35	-40	28.35	Pass	2986
30	1000	0.1	RMS	984.39	-61.44	-40	21.44	Pass	9701
1000	2200	1	RMS	2187	-48.99	-40	8.99	Pass	1201
2200	2395	1	RMS	2355.025	12.52	60	47.48	Pass	401
2395	3000	1	RMS	2901	-46.24	-40	6.24	Pass	606
3000	12000	1	RMS	11949	-60.07	-40	20.07	Pass	9002
12000	26500	1	RMS	25501	-50.91	-40	10.91	Pass	14502




2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.06	-40	28.06	Pass	401
0.15	30	0.01	RMS	0.18	-68.33	-40	28.33	Pass	2986
30	1000	0.1	RMS	869.514	-61.28	-40	21.28	Pass	9701
1000	2200	1	RMS	2181	-48.99	-40	8.99	Pass	1201
2200	2395	1	RMS	2355.025	12.41	60	47.59	Pass	401
2395	3000	1	RMS	2900	-46.26	-40	6.26	Pass	606
3000	12000	1	RMS	11966	-60.02	-40	20.02	Pass	9002
12000	26500	1	RMS	25502	-50.93	-40	10.93	Pass	14502




2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.58	-40	27.58	Pass	401
0.15	30	0.01	RMS	0.25	-68.74	-40	28.74	Pass	2986
30	1000	0.1	RMS	859.207	-61.38	-40	21.38	Pass	9701
1000	2200	1	RMS	2181	-49.06	-40	9.06	Pass	1201
2200	2395	1	RMS	2350.638	12.27	60	47.73	Pass	401
2395	3000	1	RMS	2898	-46.3	-40	6.3	Pass	606
3000	12000	1	RMS	11961	-60.08	-40	20.08	Pass	9002
12000	26500	1	RMS	25492	-50.97	-40	10.97	Pass	14502



2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68	-40	28	Pass	401
0.15	30	0.01	RMS	0.16	-68.03	-40	28.03	Pass	2986
30	1000	0.1	RMS	988.092	-61.44	-40	21.44	Pass	9701
1000	2200	1	RMS	2186	-49.05	-40	9.05	Pass	1201
2200	2395	1	RMS	2350.15	11.81	60	48.19	Pass	401
2395	3000	1	RMS	2902	-46.26	-40	6.26	Pass	606
3000	12000	1	RMS	11966	-60.02	-40	20.02	Pass	9002
12000	26500	1	RMS	25502	-50.98	-40	10.98	Pass	14502



1. n25


1.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.15	-13	64.15	Pass	401
0.15	30	0.01	RMS	0.22	-78.01	-13	65.01	Pass	2986
30	1000	0.1	RMS	842.6	-69.99	-13	56.99	Pass	9701
1000	1840	1	RMS	1840	-55.84	-13	42.84	Pass	841
1840	1925	1	RMS	1851.263	8.89	60	51.11	Pass	401
1925	3000	1	RMS	2997	-54.27	-13	41.27	Pass	1076
3000	7000	1	RMS	6969	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19849	-52.18	-13	39.18	Pass	13002




1.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.83	-13	64.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.6	-13	64.6	Pass	2986
30	1000	0.1	RMS	935.557	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1840	-57.45	-13	44.45	Pass	841
1840	1925	1	RMS	1850.2	14.22	60	45.78	Pass	401
1925	3000	1	RMS	2982	-54.27	-13	41.27	Pass	1076
3000	7000	1	RMS	5551	-65.51	-13	52.51	Pass	4001
7000	20000	1	RMS	19848	-52.25	-13	39.25	Pass	13002




1.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.96	-13	64.96	Pass	401
0.15	30	0.01	RMS	0.16	-78.65	-13	65.65	Pass	2986
30	1000	0.1	RMS	958.573	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1838	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1854.663	14.26	60	45.74	Pass	401
1925	3000	1	RMS	2986	-54.31	-13	41.31	Pass	1076
3000	7000	1	RMS	6980	-66.49	-13	53.49	Pass	4001
7000	20000	1	RMS	19854	-52.24	-13	39.24	Pass	13002




1.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.15	-77.85	-13	64.85	Pass	2986
30	1000	0.1	RMS	924.55	-69.98	-13	56.98	Pass	9701
1000	1840	1	RMS	1840	-57.69	-13	44.69	Pass	841
1840	1925	1	RMS	1881.225	8.68	60	51.32	Pass	401
1925	3000	1	RMS	2998	-54.26	-13	41.26	Pass	1076
3000	7000	1	RMS	6975	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19850	-52.3	-13	39.3	Pass	13002




1.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.19	-78.47	-13	65.47	Pass	2986
30	1000	0.1	RMS	937.358	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1838	-57.68	-13	44.68	Pass	841
1840	1925	1	RMS	1880.375	14.19	60	45.81	Pass	401
1925	3000	1	RMS	2959	-54.27	-13	41.27	Pass	1076
3000	7000	1	RMS	6978	-66.63	-13	53.63	Pass	4001
7000	20000	1	RMS	19849	-52.17	-13	39.17	Pass	13002




1.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.75	-13	64.75	Pass	401
0.15	30	0.01	RMS	0.15	-78.33	-13	65.33	Pass	2986
30	1000	0.1	RMS	952.268	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1839	-57.7	-13	44.7	Pass	841
1840	1925	1	RMS	1884.625	14.3	60	45.7	Pass	401
1925	3000	1	RMS	2997	-54.26	-13	41.26	Pass	1076
3000	7000	1	RMS	6978	-66.64	-13	53.64	Pass	4001
7000	20000	1	RMS	19857	-52.26	-13	39.26	Pass	13002




1.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.82	-13	64.82	Pass	401
0.15	30	0.01	RMS	0.16	-78.09	-13	65.09	Pass	2986
30	1000	0.1	RMS	865.511	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1840	-57.73	-13	44.73	Pass	841
1840	1925	1	RMS	1913.525	9.04	60	50.96	Pass	401
1925	3000	1	RMS	2999	-54.27	-13	41.27	Pass	1076
3000	7000	1	RMS	6979	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19851	-52.3	-13	39.3	Pass	13002




1.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78	-13	65	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-13	64.93	Pass	2986
30	1000	0.1	RMS	953.269	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1840	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1910.338	14.38	60	45.62	Pass	401
1925	3000	1	RMS	2997	-54.27	-13	41.27	Pass	1076
3000	7000	1	RMS	6979	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19852	-52.24	-13	39.24	Pass	13002




1.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.17	-78.16	-13	65.16	Pass	2986
30	1000	0.1	RMS	936.158	-70.02	-13	57.02	Pass	9701
1000	1840	1	RMS	1840	-57.72	-13	44.72	Pass	841
1840	1925	1	RMS	1914.588	14.54	60	45.46	Pass	401
1925	3000	1	RMS	2999	-54.27	-13	41.27	Pass	1076
3000	7000	1	RMS	6967	-66.63	-13	53.63	Pass	4001
7000	20000	1	RMS	19851	-52.25	-13	39.25	Pass	13002




1.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.56	-13	64.56	Pass	401
0.15	30	0.01	RMS	0.17	-78.64	-13	65.64	Pass	2986
30	1000	0.1	RMS	965.577	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1840	-43.5	-13	30.5	Pass	841
1840	1925	1	RMS	1874.638	0.36	60	59.64	Pass	401
1925	3000	1	RMS	2967	-54.28	-13	41.28	Pass	1076
3000	7000	1	RMS	6970	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19851	-52.29	-13	39.29	Pass	13002




1.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.53	-13	64.53	Pass	401
0.15	30	0.01	RMS	0.17	-78.43	-13	65.43	Pass	2986
30	1000	0.1	RMS	934.557	-70.09	-13	57.09	Pass	9701
1000	1840	1	RMS	1840	-57.08	-13	44.08	Pass	841
1840	1925	1	RMS	1850.625	14.41	60	45.59	Pass	401
1925	3000	1	RMS	2999	-54.25	-13	41.25	Pass	1076
3000	7000	1	RMS	6971	-66.6	-13	53.6	Pass	4001
7000	20000	1	RMS	19843	-52.26	-13	39.26	Pass	13002




1.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.06	-13	64.06	Pass	401
0.15	30	0.01	RMS	0.15	-78.07	-13	65.07	Pass	2986
30	1000	0.1	RMS	923.249	-70.14	-13	57.14	Pass	9701
1000	1840	1	RMS	1840	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1889.3	14.44	60	45.56	Pass	401
1925	3000	1	RMS	2989	-54.27	-13	41.27	Pass	1076
3000	7000	1	RMS	5668	-66.04	-13	53.04	Pass	4001
7000	20000	1	RMS	19850	-52.27	-13	39.27	Pass	13002




1.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.18	-77.9	-13	64.9	Pass	2986
30	1000	0.1	RMS	978.486	-70.11	-13	57.11	Pass	9701
1000	1840	1	RMS	1840	-45.4	-13	32.4	Pass	841
1840	1925	1	RMS	1899.5	0.07	60	59.93	Pass	401
1925	3000	1	RMS	2980	-54.28	-13	41.28	Pass	1076
3000	7000	1	RMS	6973	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19849	-52.26	-13	39.26	Pass	13002




1.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.15	-78.04	-13	65.04	Pass	2986
30	1000	0.1	RMS	945.164	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1840	-57.47	-13	44.47	Pass	841
1840	1925	1	RMS	1863.16 3	14.31	60	45.69	Pass	401
1925	3000	1	RMS	2999	-54.28	-13	41.28	Pass	1076
3000	7000	1	RMS	6972	-66.63	-13	53.63	Pass	4001
7000	20000	1	RMS	19845	-52.18	-13	39.18	Pass	13002




1.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.47	-13	64.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-13	64.67	Pass	2986
30	1000	0.1	RMS	954.27	-70.03	-13	57.03	Pass	9701
1000	1840	1	RMS	1840	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1901.838	14.56	60	45.44	Pass	401
1925	3000	1	RMS	2976	-54.23	-13	41.23	Pass	1076
3000	7000	1	RMS	6973	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19850	-52.3	-13	39.3	Pass	13002




1.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.39	-13	64.39	Pass	401
0.15	30	0.01	RMS	0.18	-77.36	-13	64.36	Pass	2986
30	1000	0.1	RMS	865.511	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1840	-47.83	-13	34.83	Pass	841
1840	1925	1	RMS	1899.925	0.34	60	59.66	Pass	401
1925	3000	1	RMS	3000	-54.26	-13	41.26	Pass	1076
3000	7000	1	RMS	6970	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19846	-52.16	-13	39.16	Pass	13002




1.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.63	-13	65.63	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	1000	0.1	RMS	862.009	-70.07	-13	57.07	Pass	9701
1000	1840	1	RMS	1840	-57.65	-13	44.65	Pass	841
1840	1925	1	RMS	1875.7	14.2	60	45.8	Pass	401
1925	3000	1	RMS	2997	-54.27	-13	41.27	Pass	1076
3000	7000	1	RMS	6978	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19849	-52.23	-13	39.23	Pass	13002



1.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.17	-77.87	-13	64.87	Pass	2986
30	1000	0.1	RMS	996.798	-70.09	-13	57.09	Pass	9701
1000	1840	1	RMS	1832	-57.67	-13	44.67	Pass	841
1840	1925	1	RMS	1914.375	14.57	60	45.43	Pass	401
1925	3000	1	RMS	3000	-54.24	-13	41.24	Pass	1076
3000	7000	1	RMS	6980	-66.6	-13	53.6	Pass	4001
7000	20000	1	RMS	19853	-52.17	-13	39.17	Pass	13002



2. n66


2.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-78.45	-13	65.45	Pass	2986
30	1000	0.1	RMS	979.987	-69.99	-13	56.99	Pass	9701
1000	1700	1	RMS	1700	-56.26	-13	43.26	Pass	701
1700	1790	1	RMS	1713.5	9.59	60	50.41	Pass	401
1790	3000	1	RMS	2993	-54.29	-13	41.29	Pass	1211
3000	7000	1	RMS	6976	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19849	-52.13	-13	39.13	Pass	13002




2.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.07	-13	64.07	Pass	401
0.15	30	0.01	RMS	0.15	-77.14	-13	64.14	Pass	2986
30	1000	0.1	RMS	919.847	-70.02	-13	57.02	Pass	9701
1000	1700	1	RMS	1700	-57.89	-13	44.89	Pass	701
1700	1790	1	RMS	1710.35	15.35	60	44.65	Pass	401
1790	3000	1	RMS	2965	-54.24	-13	41.24	Pass	1211
3000	7000	1	RMS	6971	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19852	-52.23	-13	39.23	Pass	13002




2.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.23	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	865.311	-69.98	-13	56.98	Pass	9701
1000	1700	1	RMS	1700	-58.01	-13	45.01	Pass	701
1700	1790	1	RMS	1714.625	15.62	60	44.38	Pass	401
1790	3000	1	RMS	2973	-54.27	-13	41.27	Pass	1211
3000	7000	1	RMS	6979	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19846	-52.3	-13	39.3	Pass	13002




2.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77	-13	64	Pass	401
0.15	30	0.01	RMS	0.15	-78.28	-13	65.28	Pass	2986
30	1000	0.1	RMS	943.863	-70	-13	57	Pass	9701
1000	1700	1	RMS	1698	-58.18	-13	45.18	Pass	701
1700	1790	1	RMS	1746.125	9.86	60	50.14	Pass	401
1790	3000	1	RMS	2996	-54.23	-13	41.23	Pass	1211
3000	7000	1	RMS	6976	-66.6	-13	53.6	Pass	4001
7000	20000	1	RMS	19850	-52.23	-13	39.23	Pass	13002




2.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.52	-13	64.52	Pass	401
0.15	30	0.01	RMS	0.15	-77.15	-13	64.15	Pass	2986
30	1000	0.1	RMS	942.062	-70.05	-13	57.05	Pass	9701
1000	1700	1	RMS	1700	-58.17	-13	45.17	Pass	701
1700	1790	1	RMS	1742.75	15.79	60	44.21	Pass	401
1790	3000	1	RMS	2968	-54.29	-13	41.29	Pass	1211
3000	7000	1	RMS	6971	-66.63	-13	53.63	Pass	4001
7000	20000	1	RMS	19851	-52.27	-13	39.27	Pass	13002




2.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.49	-13	64.49	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-13	65.05	Pass	2986
30	1000	0.1	RMS	938.859	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1681	-58.18	-13	45.18	Pass	701
1700	1790	1	RMS	1747.025	15.9	60	44.1	Pass	401
1790	3000	1	RMS	2993	-54.23	-13	41.23	Pass	1211
3000	7000	1	RMS	6970	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19847	-52.19	-13	39.19	Pass	13002




2.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	1000	0.1	RMS	939.46	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1690	-58.18	-13	45.18	Pass	701
1700	1790	1	RMS	1776.275	10.15	60	49.85	Pass	401
1790	3000	1	RMS	2970	-54.25	-13	41.25	Pass	1211
3000	7000	1	RMS	6972	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19855	-52.29	-13	39.29	Pass	13002




2.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.16	-77.84	-13	64.84	Pass	2986
30	1000	0.1	RMS	954.67	-70.01	-13	57.01	Pass	9701
1000	1700	1	RMS	1695	-58.19	-13	45.19	Pass	701
1700	1790	1	RMS	1775.375	16.04	60	43.96	Pass	401
1790	3000	1	RMS	2981	-54.24	-13	41.24	Pass	1211
3000	7000	1	RMS	6971	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19849	-52.22	-13	39.22	Pass	13002




2.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.18	-77.94	-13	64.94	Pass	2986
30	1000	0.1	RMS	954.57	-70.01	-13	57.01	Pass	9701
1000	1700	1	RMS	1695	-58.17	-13	45.17	Pass	701
1700	1790	1	RMS	1779.65	16.24	60	43.76	Pass	401
1790	3000	1	RMS	2997	-54.16	-13	41.16	Pass	1211
3000	7000	1	RMS	6976	-66.6	-13	53.6	Pass	4001
7000	20000	1	RMS	19849	-52.22	-13	39.22	Pass	13002




2.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.24	-78.23	-13	65.23	Pass	2986
30	1000	0.1	RMS	931.254	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1700	-41.85	-13	28.85	Pass	701
1700	1790	1	RMS	1727.45	3.21	60	56.79	Pass	401
1790	3000	1	RMS	2962	-54.25	-13	41.25	Pass	1211
3000	7000	1	RMS	6975	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19851	-52.23	-13	39.23	Pass	13002




2.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.29	-13	64.29	Pass	401
0.15	30	0.01	RMS	0.15	-78.49	-13	65.49	Pass	2986
30	1000	0.1	RMS	995.897	-70	-13	57	Pass	9701
1000	1700	1	RMS	1700	-57.81	-13	44.81	Pass	701
1700	1790	1	RMS	1710.575	15.19	60	44.81	Pass	401
1790	3000	1	RMS	2994	-54.21	-13	41.21	Pass	1211
3000	7000	1	RMS	6971	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19846	-52.25	-13	39.25	Pass	13002




2.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.76	-13	64.76	Pass	401
0.15	30	0.01	RMS	0.21	-78	-13	65	Pass	2986
30	1000	0.1	RMS	938.859	-70	-13	57	Pass	9701
1000	1700	1	RMS	1699	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1729.475	15.52	60	44.48	Pass	401
1790	3000	1	RMS	2988	-54.23	-13	41.23	Pass	1211
3000	7000	1	RMS	6976	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19847	-52.21	-13	39.21	Pass	13002




2.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.83	-13	64.83	Pass	401
0.15	30	0.01	RMS	0.15	-78.47	-13	65.47	Pass	2986
30	1000	0.1	RMS	903.636	-70.01	-13	57.01	Pass	9701
1000	1700	1	RMS	1700	-56.87	-13	43.87	Pass	701
1700	1790	1	RMS	1748.375	3.75	60	56.25	Pass	401
1790	3000	1	RMS	2996	-54.26	-13	41.26	Pass	1211
3000	7000	1	RMS	6974	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19845	-52.28	-13	39.28	Pass	13002




2.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.69	-13	64.69	Pass	401
0.15	30	0.01	RMS	0.15	-78	-13	65	Pass	2986
30	1000	0.1	RMS	997.398	-69.97	-13	56.97	Pass	9701
1000	1700	1	RMS	1691	-58.13	-13	45.13	Pass	701
1700	1790	1	RMS	1735.55	15.62	60	44.38	Pass	401
1790	3000	1	RMS	2973	-54.24	-13	41.24	Pass	1211
3000	7000	1	RMS	6970	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19852	-52.3	-13	39.3	Pass	13002




2.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.15	-77.5	-13	64.5	Pass	2986
30	1000	0.1	RMS	930.454	-70	-13	57	Pass	9701
1000	1700	1	RMS	1690	-58.19	-13	45.19	Pass	701
1700	1790	1	RMS	1754.45	15.87	60	44.13	Pass	401
1790	3000	1	RMS	3000	-54.24	-13	41.24	Pass	1211
3000	7000	1	RMS	6974	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19848	-52.26	-13	39.26	Pass	13002




2.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.16	-78.63	-13	65.63	Pass	2986
30	1000	0.1	RMS	943.963	-70.08	-13	57.08	Pass	9701
1000	1700	1	RMS	1696	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1775.375	4.07	60	55.93	Pass	401
1790	3000	1	RMS	1790	-36.21	-13	23.21	Pass	1211
3000	7000	1	RMS	6977	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19850	-52.27	-13	39.27	Pass	13002




2.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.27	-13	65.27	Pass	401
0.15	30	0.01	RMS	0.16	-78.05	-13	65.05	Pass	2986
30	1000	0.1	RMS	862.209	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1684	-58.17	-13	45.17	Pass	701
1700	1790	1	RMS	1760.525	15.97	60	44.03	Pass	401
1790	3000	1	RMS	2987	-54.22	-13	41.22	Pass	1211
3000	7000	1	RMS	6978	-66.5	-13	53.5	Pass	4001
7000	20000	1	RMS	19854	-52.24	-13	39.24	Pass	13002



2.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.52	-13	64.52	Pass	401
0.15	30	0.01	RMS	0.15	-77.77	-13	64.77	Pass	2986
30	1000	0.1	RMS	995.097	-70.03	-13	57.03	Pass	9701
1000	1700	1	RMS	1690	-58.14	-13	45.14	Pass	701
1700	1790	1	RMS	1779.425	16.17	60	43.83	Pass	401
1790	3000	1	RMS	2997	-54.25	-13	41.25	Pass	1211
3000	7000	1	RMS	6975	-66.6	-13	53.6	Pass	4001
7000	20000	1	RMS	19850	-52.15	-13	39.15	Pass	13002



3. n41

3.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.22	-25	53.22	Pass	401
0.15	30	0.01	RMS	0.19	-77.74	-25	52.74	Pass	2986
30	1000	0.1	RMS	958.873	-69.91	-25	44.91	Pass	9701
1000	2486	1	RMS	2486	-42.72	-25	17.72	Pass	1487
2486	2700	1	RMS	2498.84	8.95	60	51.05	Pass	401
2700	3000	1	RMS	2997	-54.3	-25	29.3	Pass	401
3000	7000	1	RMS	6973	-66.55	-25	41.55	Pass	4001
7000	26500	1	RMS	25498	-50.88	-25	25.88	Pass	19503

