


Spurious Emission at Antenna Terminals

5.18 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.48	-13	63.48	Pass	401
0.15	30	0.01	RMS	0.16	-77.21	-13	64.21	Pass	2986
30	1000	0.1	RMS	947.765	-67.28	-13	54.28	Pass	9701
1000	3000	1	RMS	2983	-54.03	-13	41.03	Pass	2001
3000	3440	1	RMS	3162	-50.2	-13	37.2	Pass	441
3440	3560	1	RMS	3548.9	17.61	60	42.39	Pass	401
3560	7000	1	RMS	3560	-36.83	-13	23.83	Pass	3441
7000	26500	1	RMS	26496	-20.69	-13	7.69	Pass	19503




5.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.49	-13	63.49	Pass	401
0.15	30	0.01	RMS	0.19	-75.57	-13	62.57	Pass	2986
30	1000	0.1	RMS	829.1	-67.71	-13	54.71	Pass	9701
1000	3000	1	RMS	2894	-54.1	-13	41.1	Pass	2001
3000	3440	1	RMS	3427	-30.47	-13	17.47	Pass	441
3440	3560	1	RMS	3454.1	1.34	60	58.66	Pass	401
3560	7000	1	RMS	3563	-35.18	-13	22.18	Pass	3441
7000	26500	1	RMS	26494	-20.39	-13	7.39	Pass	19503




**5.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.36	-13	64.36	Pass	401
0.15	30	0.01	RMS	2	-75.91	-13	62.91	Pass	2986
30	1000	0.1	RMS	862.409	-67.25	-13	54.25	Pass	9701
1000	3000	1	RMS	2983	-53.9	-13	40.9	Pass	2001
3000	3440	1	RMS	3402	-48.78	-13	35.78	Pass	441
3440	3560	1	RMS	3451.1	17.56	60	42.44	Pass	401
3560	7000	1	RMS	3598	-57.01	-13	44.01	Pass	3441
7000	26500	1	RMS	26487	-20.93	-13	7.93	Pass	19503



5.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.08	-13	63.08	Pass	401
0.15	30	0.01	RMS	0.52	-76.45	-13	63.45	Pass	2986
30	1000	0.1	RMS	976.885	-67.49	-13	54.49	Pass	9701
1000	3000	1	RMS	2989	-54.03	-13	41.03	Pass	2001
3000	3440	1	RMS	3402	-49.66	-13	36.66	Pass	441
3440	3560	1	RMS	3548.9	17.2	60	42.8	Pass	401
3560	7000	1	RMS	3560	-38.36	-13	25.36	Pass	3441
7000	26500	1	RMS	26449	-20.81	-13	7.81	Pass	19503



6. n78 (3450-3550)


6.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-77.61	-13	64.61	Pass	401
0.15	30	0.01	RMS	0.19	-74.97	-13	61.97	Pass	2986
30	1000	0.1	RMS	852.602	-67.82	-13	54.82	Pass	9701
1000	3000	1	RMS	2975	-54.12	-13	41.12	Pass	2001
3000	3440	1	RMS	3440	-32.31	-13	19.31	Pass	441
3440	3560	1	RMS	3455.3	11.68	60	48.32	Pass	401
3560	7000	1	RMS	3605	-62.84	-13	49.84	Pass	3441
7000	26500	1	RMS	26493	-20.74	-13	7.74	Pass	19503




6.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.52	-13	63.52	Pass	401
0.15	30	0.01	RMS	1.49	-77.47	-13	64.47	Pass	2986
30	1000	0.1	RMS	981.988	-66.98	-13	53.98	Pass	9701
1000	3000	1	RMS	2997	-54.03	-13	41.03	Pass	2001
3000	3440	1	RMS	3434	-49.44	-13	36.44	Pass	441
3440	3560	1	RMS	3451.1	20.33	60	39.67	Pass	401
3560	7000	1	RMS	3605	-56.04	-13	43.04	Pass	3441
7000	26500	1	RMS	26458	-20.95	-13	7.95	Pass	19503




6.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.58	-13	63.58	Pass	401
0.15	30	0.01	RMS	0.83	-77.16	-13	64.16	Pass	2986
30	1000	0.1	RMS	868.513	-67.64	-13	54.64	Pass	9701
1000	3000	1	RMS	2985	-54.22	-13	41.22	Pass	2001
3000	3440	1	RMS	3440	-49.74	-13	36.74	Pass	441
3440	3560	1	RMS	3459.2	20.54	60	39.46	Pass	401
3560	7000	1	RMS	3613	-57.76	-13	44.76	Pass	3441
7000	26500	1	RMS	26492	-20.67	-13	7.67	Pass	19503




6.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.04	-13	62.04	Pass	401
0.15	30	0.01	RMS	0.16	-76.93	-13	63.93	Pass	2986
30	1000	0.1	RMS	758	-67.19	-13	54.19	Pass	9701
1000	3000	1	RMS	2965	-54.24	-13	41.24	Pass	2001
3000	3440	1	RMS	3163	-50.35	-13	37.35	Pass	441
3440	3560	1	RMS	3501.2	11.58	60	48.42	Pass	401
3560	7000	1	RMS	3650	-62.9	-13	49.9	Pass	3441
7000	26500	1	RMS	26493	-20.89	-13	7.89	Pass	19503




6.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.08	-13	64.08	Pass	401
0.15	30	0.01	RMS	0.16	-76.09	-13	63.09	Pass	2986
30	1000	0.1	RMS	947.765	-67.42	-13	54.42	Pass	9701
1000	3000	1	RMS	2984	-54.17	-13	41.17	Pass	2001
3000	3440	1	RMS	3440	-47.05	-13	34.05	Pass	441
3440	3560	1	RMS	3495.8	19.65	60	40.35	Pass	401
3560	7000	1	RMS	3560	-50	-13	37	Pass	3441
7000	26500	1	RMS	26287	-20.76	-13	7.76	Pass	19503




6.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.37	-13	63.37	Pass	401
0.15	30	0.01	RMS	0.16	-75.56	-13	62.56	Pass	2986
30	1000	0.1	RMS	856.005	-67.42	-13	54.42	Pass	9701
1000	3000	1	RMS	2967	-54.14	-13	41.14	Pass	2001
3000	3440	1	RMS	3439	-49.07	-13	36.07	Pass	441
3440	3560	1	RMS	3504.2	19.98	60	40.02	Pass	401
3560	7000	1	RMS	3561	-51.86	-13	38.86	Pass	3441
7000	26500	1	RMS	26486	-20.83	-13	7.83	Pass	19503




6.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-77.34	-13	64.34	Pass	401
0.15	30	0.01	RMS	0.25	-76.66	-13	63.66	Pass	2986
30	1000	0.1	RMS	936.158	-67.22	-13	54.22	Pass	9701
1000	3000	1	RMS	2948	-54.03	-13	41.03	Pass	2001
3000	3440	1	RMS	3163	-50.29	-13	37.29	Pass	441
3440	3560	1	RMS	3547.1	10.88	60	49.12	Pass	401
3560	7000	1	RMS	3560	-36.52	-13	23.52	Pass	3441
7000	26500	1	RMS	26459	-20.74	-13	7.74	Pass	19503




6.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.28	-13	62.28	Pass	401
0.15	30	0.01	RMS	0.31	-74.91	-13	61.91	Pass	2986
30	1000	0.1	RMS	609.7	-67.68	-13	54.68	Pass	9701
1000	3000	1	RMS	3000	-54.02	-13	41.02	Pass	2001
3000	3440	1	RMS	3438	-47.38	-13	34.38	Pass	441
3440	3560	1	RMS	3540.8	20.22	60	39.78	Pass	401
3560	7000	1	RMS	3561	-31.82	-13	18.82	Pass	3441
7000	26500	1	RMS	26498	-20.51	-13	7.51	Pass	19503




6.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.23	-75.79	-13	62.79	Pass	2986
30	1000	0.1	RMS	839	-67.11	-13	54.11	Pass	9701
1000	3000	1	RMS	3000	-54.26	-13	41.26	Pass	2001
3000	3440	1	RMS	3396	-48.18	-13	35.18	Pass	441
3440	3560	1	RMS	3549.2	20.24	60	39.76	Pass	401
3560	7000	1	RMS	3560	-27.42	-13	14.42	Pass	3441
7000	26500	1	RMS	26463	-20.41	-13	7.41	Pass	19503




6.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.23	-13	64.23	Pass	401
0.15	30	0.01	RMS	0.49	-76.95	-13	63.95	Pass	2986
30	1000	0.1	RMS	868.413	-67.36	-13	54.36	Pass	9701
1000	3000	1	RMS	2994	-54.09	-13	41.09	Pass	2001
3000	3440	1	RMS	3440	-28.21	-13	15.21	Pass	441
3440	3560	1	RMS	3452.9	4.16	60	55.84	Pass	401
3560	7000	1	RMS	3560	-42.66	-13	29.66	Pass	3441
7000	26500	1	RMS	26486	-20.88	-13	7.88	Pass	19503




6.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.15	-75.03	-13	62.03	Pass	2986
30	1000	0.1	RMS	930.654	-67.41	-13	54.41	Pass	9701
1000	3000	1	RMS	2992	-54.16	-13	41.16	Pass	2001
3000	3440	1	RMS	3439	-43.84	-13	30.84	Pass	441
3440	3560	1	RMS	3451.4	20.05	60	39.95	Pass	401
3560	7000	1	RMS	3759	-59.24	-13	46.24	Pass	3441
7000	26500	1	RMS	26489	-20.53	-13	7.53	Pass	19503




6.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.72	-13	64.72	Pass	401
0.15	30	0.01	RMS	0.15	-76.74	-13	63.74	Pass	2986
30	1000	0.1	RMS	886.525	-67.95	-13	54.95	Pass	9701
1000	3000	1	RMS	2973	-54.2	-13	41.2	Pass	2001
3000	3440	1	RMS	3439	-45.94	-13	32.94	Pass	441
3440	3560	1	RMS	3498.8	19.94	60	40.06	Pass	401
3560	7000	1	RMS	3565	-47.62	-13	34.62	Pass	3441
7000	26500	1	RMS	25902	-20.62	-13	7.62	Pass	19503




6.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.15	-76.76	-13	63.76	Pass	2986
30	1000	0.1	RMS	977.885	-67.89	-13	54.89	Pass	9701
1000	3000	1	RMS	2979	-54.09	-13	41.09	Pass	2001
3000	3440	1	RMS	3440	-33.93	-13	20.93	Pass	441
3440	3560	1	RMS	3477.8	4.23	60	55.77	Pass	401
3560	7000	1	RMS	3560	-36.73	-13	23.73	Pass	3441
7000	26500	1	RMS	26487	-20.99	-13	7.99	Pass	19503




6.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.12	-13	63.12	Pass	401
0.15	30	0.01	RMS	0.32	-76.87	-13	63.87	Pass	2986
30	1000	0.1	RMS	864.71	-67.96	-13	54.96	Pass	9701
1000	3000	1	RMS	2982	-54.06	-13	41.06	Pass	2001
3000	3440	1	RMS	3429	-48.7	-13	35.7	Pass	441
3440	3560	1	RMS	3476.3	20.05	60	39.95	Pass	401
3560	7000	1	RMS	3567	-58.91	-13	45.91	Pass	3441
7000	26500	1	RMS	26488	-20.49	-13	7.49	Pass	19503




6.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.47	-13	64.47	Pass	401
0.15	30	0.01	RMS	0.25	-74.9	-13	61.9	Pass	2986
30	1000	0.1	RMS	927.152	-67.7	-13	54.7	Pass	9701
1000	3000	1	RMS	2997	-54.1	-13	41.1	Pass	2001
3000	3440	1	RMS	3439	-47.87	-13	34.87	Pass	441
3440	3560	1	RMS	3523.7	19.98	60	40.02	Pass	401
3560	7000	1	RMS	3565	-42	-13	29	Pass	3441
7000	26500	1	RMS	25902	-20.75	-13	7.75	Pass	19503




6.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.86	-13	64.86	Pass	401
0.15	30	0.01	RMS	0.19	-75.34	-13	62.34	Pass	2986
30	1000	0.1	RMS	978.886	-67.48	-13	54.48	Pass	9701
1000	3000	1	RMS	2978	-54.17	-13	41.17	Pass	2001
3000	3440	1	RMS	3440	-41.06	-13	28.06	Pass	441
3440	3560	1	RMS	3503	4.21	60	55.79	Pass	401
3560	7000	1	RMS	3560	-32.18	-13	19.18	Pass	3441
7000	26500	1	RMS	26495	-20.88	-13	7.88	Pass	19503




**6.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.15	-76.32	-13	63.32	Pass	2986
30	1000	0.1	RMS	875.718	-67.45	-13	54.45	Pass	9701
1000	3000	1	RMS	2998	-54.1	-13	41.1	Pass	2001
3000	3440	1	RMS	3440	-46.6	-13	33.6	Pass	441
3440	3560	1	RMS	3501.5	19.98	60	40.02	Pass	401
3560	7000	1	RMS	3573	-47.51	-13	34.51	Pass	3441
7000	26500	1	RMS	26487	-20.39	-13	7.39	Pass	19503




6.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.16	-75.09	-13	62.09	Pass	2986
30	1000	0.1	RMS	823.7	-67.51	-13	54.51	Pass	9701
1000	3000	1	RMS	2955	-54.14	-13	41.14	Pass	2001
3000	3440	1	RMS	3437	-49.29	-13	36.29	Pass	441
3440	3560	1	RMS	3548.9	19.97	60	40.03	Pass	401
3560	7000	1	RMS	3560	-30.51	-13	17.51	Pass	3441
7000	26500	1	RMS	26481	-20.61	-13	7.61	Pass	19503




6.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.98	-13	63.98	Pass	401
0.15	30	0.01	RMS	1.01	-76.96	-13	63.96	Pass	2986
30	1000	0.1	RMS	854.003	-67.34	-13	54.34	Pass	9701
1000	3000	1	RMS	2964	-54.1	-13	41.1	Pass	2001
3000	3440	1	RMS	3427	-29.58	-13	16.58	Pass	441
3440	3560	1	RMS	3452.3	1.44	60	58.56	Pass	401
3560	7000	1	RMS	3563	-34.73	-13	21.73	Pass	3441
7000	26500	1	RMS	25902	-21.04	-13	8.04	Pass	19503




6.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.35	-13	63.35	Pass	401
0.15	30	0.01	RMS	0.25	-76.76	-13	63.76	Pass	2986
30	1000	0.1	RMS	843.1	-67.25	-13	54.25	Pass	9701
1000	3000	1	RMS	2969	-54.17	-13	41.17	Pass	2001
3000	3440	1	RMS	3439	-45.76	-13	32.76	Pass	441
3440	3560	1	RMS	3451.1	19.98	60	40.02	Pass	401
3560	7000	1	RMS	3598	-55.91	-13	42.91	Pass	3441
7000	26500	1	RMS	26465	-20.42	-13	7.42	Pass	19503



6.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.17	-13	64.17	Pass	401
0.15	30	0.01	RMS	2.49	-76.85	-13	63.85	Pass	2986
30	1000	0.1	RMS	865.311	-67.96	-13	54.96	Pass	9701
1000	3000	1	RMS	2960	-54.22	-13	41.22	Pass	2001
3000	3440	1	RMS	3402	-48.63	-13	35.63	Pass	441
3440	3560	1	RMS	3548.9	19.61	60	40.39	Pass	401
3560	7000	1	RMS	3560	-28	-13	15	Pass	3441
7000	26500	1	RMS	26488	-20.62	-13	7.62	Pass	19503



7. n77 (3700-3980)


7.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.15	-13	64.15	Pass	401
0.15	30	0.01	RMS	0.33	-76.95	-13	63.95	Pass	2986
30	1000	0.1	RMS	985.691	-67.1	-13	54.1	Pass	9701
1000	3000	1	RMS	2992	-53.94	-13	40.94	Pass	2001
3000	3690	1	RMS	3690	-32.16	-13	19.16	Pass	691
3690	3990	1	RMS	3702.75	10.71	60	49.29	Pass	401
3990	7000	1	RMS	4009	-66.16	-13	53.16	Pass	3011
7000	26500	1	RMS	26298	-20.86	-13	7.86	Pass	19503




7.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.33	-13	64.33	Pass	401
0.15	30	0.01	RMS	0.8	-76.51	-13	63.51	Pass	2986
30	1000	0.1	RMS	766.2	-67.71	-13	54.71	Pass	9701
1000	3000	1	RMS	2981	-54.06	-13	41.06	Pass	2001
3000	3690	1	RMS	3166	-50.3	-13	37.3	Pass	691
3690	3990	1	RMS	3701.25	16.09	60	43.91	Pass	401
3990	7000	1	RMS	4008	-63.21	-13	50.21	Pass	3011
7000	26500	1	RMS	26494	-20.38	-13	7.38	Pass	19503




7.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.22	-75.46	-13	62.46	Pass	2986
30	1000	0.1	RMS	842.4	-67.79	-13	54.79	Pass	9701
1000	3000	1	RMS	2985	-54.1	-13	41.1	Pass	2001
3000	3690	1	RMS	3157	-50.3	-13	37.3	Pass	691
3690	3990	1	RMS	3709.5	16.15	60	43.85	Pass	401
3990	7000	1	RMS	4016	-65.64	-13	52.64	Pass	3011
7000	26500	1	RMS	25901	-20.43	-13	7.43	Pass	19503




7.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.28	-13	65.28	Pass	401
0.15	30	0.01	RMS	0.17	-75.39	-13	62.39	Pass	2986
30	1000	0.1	RMS	990.093	-67.26	-13	54.26	Pass	9701
1000	3000	1	RMS	2964	-54.07	-13	41.07	Pass	2001
3000	3690	1	RMS	3162	-50.37	-13	37.37	Pass	691
3690	3990	1	RMS	3837.75	10.85	60	49.15	Pass	401
3990	7000	1	RMS	3997	-65.03	-13	52.03	Pass	3011
7000	26500	1	RMS	25906	-20.76	-13	7.76	Pass	19503




7.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.23	-75.26	-13	62.26	Pass	2986
30	1000	0.1	RMS	987.592	-66.91	-13	53.91	Pass	9701
1000	3000	1	RMS	2997	-54.25	-13	41.25	Pass	2001
3000	3690	1	RMS	3682	-50.2	-13	37.2	Pass	691
3690	3990	1	RMS	3836.25	15.98	60	44.02	Pass	401
3990	7000	1	RMS	3990	-60.24	-13	47.24	Pass	3011
7000	26500	1	RMS	26486	-20.86	-13	7.86	Pass	19503




7.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.27	-75.66	-13	62.66	Pass	2986
30	1000	0.1	RMS	847.2	-67.42	-13	54.42	Pass	9701
1000	3000	1	RMS	2993	-54.07	-13	41.07	Pass	2001
3000	3690	1	RMS	3163	-50.31	-13	37.31	Pass	691
3690	3990	1	RMS	3844.5	16.3	60	43.7	Pass	401
3990	7000	1	RMS	3998	-59.55	-13	46.55	Pass	3011
7000	26500	1	RMS	26285	-20.89	-13	7.89	Pass	19503




7.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.42	-13	63.42	Pass	401
0.15	30	0.01	RMS	0.22	-76.08	-13	63.08	Pass	2986
30	1000	0.1	RMS	815.8	-67.66	-13	54.66	Pass	9701
1000	3000	1	RMS	2995	-54.11	-13	41.11	Pass	2001
3000	3690	1	RMS	3160	-50.35	-13	37.35	Pass	691
3690	3990	1	RMS	3976.5	11.51	60	48.49	Pass	401
3990	7000	1	RMS	3992	-31.94	-13	18.94	Pass	3011
7000	26500	1	RMS	25898	-20.9	-13	7.9	Pass	19503




7.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.03	-13	64.03	Pass	401
0.15	30	0.01	RMS	0.46	-77.49	-13	64.49	Pass	2986
30	1000	0.1	RMS	853.403	-67.26	-13	54.26	Pass	9701
1000	3000	1	RMS	2967	-54.15	-13	41.15	Pass	2001
3000	3690	1	RMS	3664	-49.29	-13	36.29	Pass	691
3690	3990	1	RMS	3971.25	16.31	60	43.69	Pass	401
3990	7000	1	RMS	4278	-55.47	-13	42.47	Pass	3011
7000	26500	1	RMS	26281	-20.98	-13	7.98	Pass	19503




7.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.83	-13	63.83	Pass	401
0.15	30	0.01	RMS	0.49	-75.54	-13	62.54	Pass	2986
30	1000	0.1	RMS	839.9	-67.34	-13	54.34	Pass	9701
1000	3000	1	RMS	2977	-54.2	-13	41.2	Pass	2001
3000	3690	1	RMS	3672	-49.31	-13	36.31	Pass	691
3690	3990	1	RMS	3979.5	16.37	60	43.63	Pass	401
3990	7000	1	RMS	3990	-56.39	-13	43.39	Pass	3011
7000	26500	1	RMS	26499	-20.61	-13	7.61	Pass	19503




7.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.52	-13	64.52	Pass	401
0.15	30	0.01	RMS	1.36	-76.37	-13	63.37	Pass	2986
30	1000	0.1	RMS	834.5	-67.74	-13	54.74	Pass	9701
1000	3000	1	RMS	2979	-54.13	-13	41.13	Pass	2001
3000	3690	1	RMS	3689	-25.35	-13	12.35	Pass	691
3690	3990	1	RMS	3705	3.28	60	56.72	Pass	401
3990	7000	1	RMS	6981	-66.23	-13	53.23	Pass	3011
7000	26500	1	RMS	26494	-20.82	-13	7.82	Pass	19503




**7.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.32	-13	65.32	Pass	401
0.15	30	0.01	RMS	0.26	-76.31	-13	63.31	Pass	2986
30	1000	0.1	RMS	873.616	-67.53	-13	54.53	Pass	9701
1000	3000	1	RMS	2961	-54.11	-13	41.11	Pass	2001
3000	3690	1	RMS	3654	-49.55	-13	36.55	Pass	691
3690	3990	1	RMS	3701.25	16.57	60	43.43	Pass	401
3990	7000	1	RMS	4316	-62.11	-13	49.11	Pass	3011
7000	26500	1	RMS	25917	-20.5	-13	7.5	Pass	19503




**7.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.04	-13	64.04	Pass	401
0.15	30	0.01	RMS	0.32	-76.26	-13	63.26	Pass	2986
30	1000	0.1	RMS	783.5	-67.44	-13	54.44	Pass	9701
1000	3000	1	RMS	2984	-54.14	-13	41.14	Pass	2001
3000	3690	1	RMS	3161	-50.34	-13	37.34	Pass	691
3690	3990	1	RMS	3748.5	15.2	60	44.8	Pass	401
3990	7000	1	RMS	4056	-62.4	-13	49.4	Pass	3011
7000	26500	1	RMS	26471	-20.97	-13	7.97	Pass	19503




7.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.32	-75.67	-13	62.67	Pass	2986
30	1000	0.1	RMS	883.823	-67.59	-13	54.59	Pass	9701
1000	3000	1	RMS	2999	-54.07	-13	41.07	Pass	2001
3000	3690	1	RMS	3690	-46.01	-13	33.01	Pass	691
3690	3990	1	RMS	3834.75	3.38	60	56.62	Pass	401
3990	7000	1	RMS	3990	-55.57	-13	42.57	Pass	3011
7000	26500	1	RMS	26493	-20.37	-13	7.37	Pass	19503




7.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.28	-13	62.28	Pass	401
0.15	30	0.01	RMS	0.25	-77.26	-13	64.26	Pass	2986
30	1000	0.1	RMS	991.194	-67.18	-13	54.18	Pass	9701
1000	3000	1	RMS	2971	-54.11	-13	41.11	Pass	2001
3000	3690	1	RMS	3160	-50.28	-13	37.28	Pass	691
3690	3990	1	RMS	3816	15.71	60	44.29	Pass	401
3990	7000	1	RMS	4107	-63.8	-13	50.8	Pass	3011
7000	26500	1	RMS	26466	-20.8	-13	7.8	Pass	19503




7.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.41	-77.13	-13	64.13	Pass	2986
30	1000	0.1	RMS	850.301	-67.08	-13	54.08	Pass	9701
1000	3000	1	RMS	2997	-54.24	-13	41.24	Pass	2001
3000	3690	1	RMS	3158	-50.27	-13	37.27	Pass	691
3690	3990	1	RMS	3864	17.16	60	42.84	Pass	401
3990	7000	1	RMS	4155	-62.18	-13	49.18	Pass	3011
7000	26500	1	RMS	26483	-20.99	-13	7.99	Pass	19503




7.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.91	-13	64.91	Pass	401
0.15	30	0.01	RMS	0.3	-76.75	-13	63.75	Pass	2986
30	1000	0.1	RMS	906.838	-67.84	-13	54.84	Pass	9701
1000	3000	1	RMS	2994	-54.2	-13	41.2	Pass	2001
3000	3690	1	RMS	3164	-50.3	-13	37.3	Pass	691
3690	3990	1	RMS	3943.5	1.82	60	58.18	Pass	401
3990	7000	1	RMS	3990	-31.06	-13	18.06	Pass	3011
7000	26500	1	RMS	26487	-20.61	-13	7.61	Pass	19503




**7.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.15	-76.6	-13	63.6	Pass	2986
30	1000	0.1	RMS	959.973	-67.47	-13	54.47	Pass	9701
1000	3000	1	RMS	2957	-54.23	-13	41.23	Pass	2001
3000	3690	1	RMS	3624	-49.59	-13	36.59	Pass	691
3690	3990	1	RMS	3931.5	16.85	60	43.15	Pass	401
3990	7000	1	RMS	4003	-55.82	-13	42.82	Pass	3011
7000	26500	1	RMS	26298	-20.86	-13	7.86	Pass	19503




**7.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.25	-76.48	-13	63.48	Pass	2986
30	1000	0.1	RMS	778.8	-67.59	-13	54.59	Pass	9701
1000	3000	1	RMS	2971	-53.95	-13	40.95	Pass	2001
3000	3690	1	RMS	3672	-49.43	-13	36.43	Pass	691
3690	3990	1	RMS	3978.75	17.2	60	42.8	Pass	401
3990	7000	1	RMS	4026	-53.96	-13	40.96	Pass	3011
7000	26500	1	RMS	26469	-20.6	-13	7.6	Pass	19503




7.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	1.7	-76.5	-13	63.5	Pass	2986
30	1000	0.1	RMS	901.335	-67.28	-13	54.28	Pass	9701
1000	3000	1	RMS	2968	-54.06	-13	41.06	Pass	2001
3000	3690	1	RMS	3690	-24.88	-13	11.88	Pass	691
3690	3990	1	RMS	3703.5	0.37	60	59.63	Pass	401
3990	7000	1	RMS	3990	-54.05	-13	41.05	Pass	3011
7000	26500	1	RMS	26293	-20.76	-13	7.76	Pass	19503




7.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.53	-13	65.53	Pass	401
0.15	30	0.01	RMS	0.17	-75.32	-13	62.32	Pass	2986
30	1000	0.1	RMS	970.581	-67.28	-13	54.28	Pass	9701
1000	3000	1	RMS	2979	-54.15	-13	41.15	Pass	2001
3000	3690	1	RMS	3652	-49.56	-13	36.56	Pass	691
3690	3990	1	RMS	3701.25	16.48	60	43.52	Pass	401
3990	7000	1	RMS	4008	-64.04	-13	51.04	Pass	3011
7000	26500	1	RMS	26494	-20.74	-13	7.74	Pass	19503




7.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-76.97	-13	63.97	Pass	401
0.15	30	0.01	RMS	0.25	-75.81	-13	62.81	Pass	2986
30	1000	0.1	RMS	802.9	-67.59	-13	54.59	Pass	9701
1000	3000	1	RMS	2974	-54.22	-13	41.22	Pass	2001
3000	3690	1	RMS	3603	-47.85	-13	34.85	Pass	691
3690	3990	1	RMS	3798.75	14.93	60	45.07	Pass	401
3990	7000	1	RMS	4106	-61.71	-13	48.71	Pass	3011
7000	26500	1	RMS	26477	-20.42	-13	7.42	Pass	19503




7.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.71	-13	63.71	Pass	401
0.15	30	0.01	RMS	0.82	-77.31	-13	64.31	Pass	2986
30	1000	0.1	RMS	904.737	-67.82	-13	54.82	Pass	9701
1000	3000	1	RMS	2963	-54.2	-13	41.2	Pass	2001
3000	3690	1	RMS	3688	-34.45	-13	21.45	Pass	691
3690	3990	1	RMS	3801	0.6	60	59.4	Pass	401
3990	7000	1	RMS	3992	-41.22	-13	28.22	Pass	3011
7000	26500	1	RMS	26485	-20.94	-13	7.94	Pass	19503




7.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.41	-13	65.41	Pass	401
0.15	30	0.01	RMS	0.15	-75.15	-13	62.15	Pass	2986
30	1000	0.1	RMS	933.856	-67.29	-13	54.29	Pass	9701
1000	3000	1	RMS	2936	-54.12	-13	41.12	Pass	2001
3000	3690	1	RMS	3163	-50.32	-13	37.32	Pass	691
3690	3990	1	RMS	3791.25	16.18	60	43.82	Pass	401
3990	7000	1	RMS	4082	-62.94	-13	49.94	Pass	3011
7000	26500	1	RMS	26482	-20.82	-13	7.82	Pass	19503




7.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.17	-76.71	-13	63.71	Pass	2986
30	1000	0.1	RMS	957.572	-67.58	-13	54.58	Pass	9701
1000	3000	1	RMS	2998	-54.03	-13	41.03	Pass	2001
3000	3690	1	RMS	3161	-50.31	-13	37.31	Pass	691
3690	3990	1	RMS	3888.75	16.35	60	43.65	Pass	401
3990	7000	1	RMS	4180	-59.84	-13	46.84	Pass	3011
7000	26500	1	RMS	26484	-20.36	-13	7.36	Pass	19503




7.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.7	-77.65	-13	64.65	Pass	2986
30	1000	0.1	RMS	851.001	-67.08	-13	54.08	Pass	9701
1000	3000	1	RMS	2974	-54.22	-13	41.22	Pass	2001
3000	3690	1	RMS	3687	-42.41	-13	29.41	Pass	691
3690	3990	1	RMS	3884.25	2.06	60	57.94	Pass	401
3990	7000	1	RMS	3995	-20.4	-13	7.4	Pass	3011
7000	26500	1	RMS	26312	-21.19	-13	8.19	Pass	19503




7.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.35	-13	64.35	Pass	401
0.15	30	0.01	RMS	0.33	-75.89	-13	62.89	Pass	2986
30	1000	0.1	RMS	987.592	-67.33	-13	54.33	Pass	9701
1000	3000	1	RMS	2980	-54.13	-13	41.13	Pass	2001
3000	3690	1	RMS	3574	-50.18	-13	37.18	Pass	691
3690	3990	1	RMS	3881.25	17.03	60	42.97	Pass	401
3990	7000	1	RMS	4077	-58.07	-13	45.07	Pass	3011
7000	26500	1	RMS	26491	-20.81	-13	7.81	Pass	19503



**7.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.19	-13	64.19	Pass	401
0.15	30	0.01	RMS	0.15	-75.89	-13	62.89	Pass	2986
30	1000	0.1	RMS	837	-67.83	-13	54.83	Pass	9701
1000	3000	1	RMS	2994	-54.07	-13	41.07	Pass	2001
3000	3690	1	RMS	3672	-49.27	-13	36.27	Pass	691
3690	3990	1	RMS	3978.75	15.85	60	44.15	Pass	401
3990	7000	1	RMS	3990	-28.54	-13	15.54	Pass	3011
7000	26500	1	RMS	26476	-20.78	-13	7.78	Pass	19503



8. n78 (3700-3800)


8.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.03	-13	64.03	Pass	401
0.15	30	0.01	RMS	1.26	-76.69	-13	63.69	Pass	2986
30	1000	0.1	RMS	877.319	-67.11	-13	54.11	Pass	9701
1000	3000	1	RMS	3000	-54.1	-13	41.1	Pass	2001
3000	3690	1	RMS	3690	-31.63	-13	18.63	Pass	691
3690	3810	1	RMS	3707.1	11.12	60	48.88	Pass	401
3810	7000	1	RMS	3815	-60.25	-13	47.25	Pass	3191
7000	26500	1	RMS	26475	-20.72	-13	7.72	Pass	19503




8.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.03	-13	65.03	Pass	401
0.15	30	0.01	RMS	0.32	-77.11	-13	64.11	Pass	2986
30	1000	0.1	RMS	825.6	-67.38	-13	54.38	Pass	9701
1000	3000	1	RMS	2965	-54.08	-13	41.08	Pass	2001
3000	3690	1	RMS	3688	-33.98	-13	20.98	Pass	691
3690	3810	1	RMS	3701.1	19.13	60	40.87	Pass	401
3810	7000	1	RMS	3855	-58.42	-13	45.42	Pass	3191
7000	26500	1	RMS	26298	-20.83	-13	7.83	Pass	19503




8.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.55	-77.52	-13	64.52	Pass	2986
30	1000	0.1	RMS	906.338	-67.69	-13	54.69	Pass	9701
1000	3000	1	RMS	2995	-54.07	-13	41.07	Pass	2001
3000	3690	1	RMS	3690	-41.17	-13	28.17	Pass	691
3690	3810	1	RMS	3709.2	19.77	60	40.23	Pass	401
3810	7000	1	RMS	3863	-57.22	-13	44.22	Pass	3191
7000	26500	1	RMS	26481	-20.63	-13	7.63	Pass	19503




8.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.59	-13	64.59	Pass	401
0.15	30	0.01	RMS	1.66	-77.1	-13	64.1	Pass	2986
30	1000	0.1	RMS	802.9	-67.9	-13	54.9	Pass	9701
1000	3000	1	RMS	2990	-54.13	-13	41.13	Pass	2001
3000	3690	1	RMS	3170	-50.3	-13	37.3	Pass	691
3690	3810	1	RMS	3747.9	10.74	60	49.26	Pass	401
3810	7000	1	RMS	3811	-61.83	-13	48.83	Pass	3191
7000	26500	1	RMS	26468	-20.9	-13	7.9	Pass	19503




8.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.4	-13	64.4	Pass	401
0.15	30	0.01	RMS	0.51	-76.21	-13	63.21	Pass	2986
30	1000	0.1	RMS	936.858	-67.26	-13	54.26	Pass	9701
1000	3000	1	RMS	2975	-54.09	-13	41.09	Pass	2001
3000	3690	1	RMS	3689	-49.12	-13	36.12	Pass	691
3690	3810	1	RMS	3746.1	19.38	60	40.62	Pass	401
3810	7000	1	RMS	3900	-58.61	-13	45.61	Pass	3191
7000	26500	1	RMS	26443	-20.81	-13	7.81	Pass	19503




8.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.64	-13	63.64	Pass	401
0.15	30	0.01	RMS	0.36	-76.66	-13	63.66	Pass	2986
30	1000	0.1	RMS	883.823	-67.75	-13	54.75	Pass	9701
1000	3000	1	RMS	2975	-54.09	-13	41.09	Pass	2001
3000	3690	1	RMS	3686	-49.55	-13	36.55	Pass	691
3690	3810	1	RMS	3754.2	19.29	60	40.71	Pass	401
3810	7000	1	RMS	3825	-53.35	-13	40.35	Pass	3191
7000	26500	1	RMS	26464	-20.65	-13	7.65	Pass	19503




8.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.19	-76.51	-13	63.51	Pass	2986
30	1000	0.1	RMS	853.603	-67.61	-13	54.61	Pass	9701
1000	3000	1	RMS	2967	-54.11	-13	41.11	Pass	2001
3000	3690	1	RMS	3159	-50.31	-13	37.31	Pass	691
3690	3810	1	RMS	3792.6	9.7	60	50.3	Pass	401
3810	7000	1	RMS	3810	-30.45	-13	17.45	Pass	3191
7000	26500	1	RMS	26486	-20.67	-13	7.67	Pass	19503




8.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.02	-13	63.02	Pass	401
0.15	30	0.01	RMS	0.17	-75.12	-13	62.12	Pass	2986
30	1000	0.1	RMS	935.557	-67.18	-13	54.18	Pass	9701
1000	3000	1	RMS	2964	-54.04	-13	41.04	Pass	2001
3000	3690	1	RMS	3637	-49.32	-13	36.32	Pass	691
3690	3810	1	RMS	3791.1	18.32	60	41.68	Pass	401
3810	7000	1	RMS	3812	-45.82	-13	32.82	Pass	3191
7000	26500	1	RMS	26480	-20.67	-13	7.67	Pass	19503




8.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.64	-13	63.64	Pass	401
0.15	30	0.01	RMS	0.17	-76.47	-13	63.47	Pass	2986
30	1000	0.1	RMS	972.282	-67.61	-13	54.61	Pass	9701
1000	3000	1	RMS	2966	-54.05	-13	41.05	Pass	2001
3000	3690	1	RMS	3646	-49.79	-13	36.79	Pass	691
3690	3810	1	RMS	3799.2	18.55	60	41.45	Pass	401
3810	7000	1	RMS	3827	-49.19	-13	36.19	Pass	3191
7000	26500	1	RMS	26301	-20.24	-13	7.24	Pass	19503




8.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.33	-76.66	-13	63.66	Pass	2986
30	1000	0.1	RMS	909.64	-67.54	-13	54.54	Pass	9701
1000	3000	1	RMS	2997	-54.06	-13	41.06	Pass	2001
3000	3690	1	RMS	3690	-24.68	-13	11.68	Pass	691
3690	3810	1	RMS	3702.6	3.33	60	56.67	Pass	401
3810	7000	1	RMS	3810	-42.19	-13	29.19	Pass	3191
7000	26500	1	RMS	26461	-20.49	-13	7.49	Pass	19503




8.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.15	-13	64.15	Pass	401
0.15	30	0.01	RMS	0.2	-76.37	-13	63.37	Pass	2986
30	1000	0.1	RMS	951.568	-67.7	-13	54.7	Pass	9701
1000	3000	1	RMS	2992	-54.01	-13	41.01	Pass	2001
3000	3690	1	RMS	3678	-45.67	-13	32.67	Pass	691
3690	3810	1	RMS	3701.4	19.53	60	40.47	Pass	401
3810	7000	1	RMS	4316	-61.04	-13	48.04	Pass	3191
7000	26500	1	RMS	26461	-20.87	-13	7.87	Pass	19503




8.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.51	-75.9	-13	62.9	Pass	2986
30	1000	0.1	RMS	998.399	-67.53	-13	54.53	Pass	9701
1000	3000	1	RMS	2996	-54.07	-13	41.07	Pass	2001
3000	3690	1	RMS	3159	-50.21	-13	37.21	Pass	691
3690	3810	1	RMS	3748.8	19.19	60	40.81	Pass	401
3810	7000	1	RMS	4056	-60.2	-13	47.2	Pass	3191
7000	26500	1	RMS	26450	-20.75	-13	7.75	Pass	19503




8.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-77.5	-13	64.5	Pass	401
0.15	30	0.01	RMS	0.24	-75.53	-13	62.53	Pass	2986
30	1000	0.1	RMS	953.169	-67.42	-13	54.42	Pass	9701
1000	3000	1	RMS	2955	-54.16	-13	41.16	Pass	2001
3000	3690	1	RMS	3690	-30.25	-13	17.25	Pass	691
3690	3810	1	RMS	3727.8	3.24	60	56.76	Pass	401
3810	7000	1	RMS	3810	-31.56	-13	18.56	Pass	3191
7000	26500	1	RMS	26493	-20.8	-13	7.8	Pass	19503




8.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.17	-76.82	-13	63.82	Pass	2986
30	1000	0.1	RMS	835.1	-67.41	-13	54.41	Pass	9701
1000	3000	1	RMS	2978	-54.18	-13	41.18	Pass	2001
3000	3690	1	RMS	3688	-46.22	-13	33.22	Pass	691
3690	3810	1	RMS	3726.3	19.32	60	40.68	Pass	401
3810	7000	1	RMS	3847	-60.31	-13	47.31	Pass	3191
7000	26500	1	RMS	26492	-20.74	-13	7.74	Pass	19503




8.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.89	-13	63.89	Pass	401
0.15	30	0.01	RMS	0.41	-76.62	-13	63.62	Pass	2986
30	1000	0.1	RMS	827.1	-67.58	-13	54.58	Pass	9701
1000	3000	1	RMS	2961	-53.95	-13	40.95	Pass	2001
3000	3690	1	RMS	3159	-50.14	-13	37.14	Pass	691
3690	3810	1	RMS	3774	18.65	60	41.35	Pass	401
3810	7000	1	RMS	3821	-47.55	-13	34.55	Pass	3191
7000	26500	1	RMS	26463	-20.86	-13	7.86	Pass	19503




8.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.42	-13	63.42	Pass	401
0.15	30	0.01	RMS	0.19	-77.2	-13	64.2	Pass	2986
30	1000	0.1	RMS	990.594	-67.22	-13	54.22	Pass	9701
1000	3000	1	RMS	2969	-54.17	-13	41.17	Pass	2001
3000	3690	1	RMS	3690	-37.91	-13	24.91	Pass	691
3690	3810	1	RMS	3752.7	3.17	60	56.83	Pass	401
3810	7000	1	RMS	3810	-22.85	-13	9.85	Pass	3191
7000	26500	1	RMS	26493	-20.66	-13	7.66	Pass	19503




8.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.81	-13	64.81	Pass	401
0.15	30	0.01	RMS	0.24	-77.03	-13	64.03	Pass	2986
30	1000	0.1	RMS	903.836	-67.19	-13	54.19	Pass	9701
1000	3000	1	RMS	2995	-53.9	-13	40.9	Pass	2001
3000	3690	1	RMS	3159	-50.34	-13	37.34	Pass	691
3690	3810	1	RMS	3751.2	18.8	60	41.2	Pass	401
3810	7000	1	RMS	4059	-61.22	-13	48.22	Pass	3191
7000	26500	1	RMS	26480	-20.94	-13	7.94	Pass	19503




8.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.91	-13	64.91	Pass	401
0.15	30	0.01	RMS	0.15	-76.62	-13	63.62	Pass	2986
30	1000	0.1	RMS	886.525	-67.04	-13	54.04	Pass	9701
1000	3000	1	RMS	2970	-54.16	-13	41.16	Pass	2001
3000	3690	1	RMS	3159	-50.31	-13	37.31	Pass	691
3690	3810	1	RMS	3798.9	18.68	60	41.32	Pass	401
3810	7000	1	RMS	3810	-37.41	-13	24.41	Pass	3191
7000	26500	1	RMS	26481	-20.81	-13	7.81	Pass	19503




8.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.82	-13	64.82	Pass	401
0.15	30	0.01	RMS	0.85	-77.77	-13	64.77	Pass	2986
30	1000	0.1	RMS	913.443	-67.38	-13	54.38	Pass	9701
1000	3000	1	RMS	2999	-54.02	-13	41.02	Pass	2001
3000	3690	1	RMS	3689	-25.58	-13	12.58	Pass	691
3690	3810	1	RMS	3703.5	0.41	60	59.59	Pass	401
3810	7000	1	RMS	3810	-26.08	-13	13.08	Pass	3191
7000	26500	1	RMS	26488	-20.75	-13	7.75	Pass	19503



8.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.25	-77.6	-13	64.6	Pass	2986
30	1000	0.1	RMS	939.66	-67.21	-13	54.21	Pass	9701
1000	3000	1	RMS	3000	-54.04	-13	41.04	Pass	2001
3000	3690	1	RMS	3667	-46.49	-13	33.49	Pass	691
3690	3810	1	RMS	3701.1	19.38	60	40.62	Pass	401
3810	7000	1	RMS	3897	-53.08	-13	40.08	Pass	3191
7000	26500	1	RMS	26468	-20.89	-13	7.89	Pass	19503



8.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.13	-13	64.13	Pass	401
0.15	30	0.01	RMS	0.2	-74.63	-13	61.63	Pass	2986
30	1000	0.1	RMS	931.755	-67.67	-13	54.67	Pass	9701
1000	3000	1	RMS	2956	-54.06	-13	41.06	Pass	2001
3000	3690	1	RMS	3603	-47.14	-13	34.14	Pass	691
3690	3810	1	RMS	3799.2	18.41	60	41.59	Pass	401
3810	7000	1	RMS	3815	-37.67	-13	24.67	Pass	3191
7000	26500	1	RMS	26467	-20.62	-13	7.62	Pass	19503

