


Band Edge


5.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.25	17.42	40	22.58	Pass	401
3550	3551	0.2	RMS	3550.01	-18.23	-13	5.23	Pass*	401
3551	3555	0.62	RMS	3551.01	-23.13	-13	10.13	Pass	401
3555	3565	1	RMS	3555.075	-32.77	-13	19.77	Pass	401




5.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3545.325	10.97	40	29.03	Pass	401
3550	3551	0.2	RMS	3550	-23.66	-13	10.66	Pass	401
3551	3555	0.62	RMS	3551	-26.3	-13	13.3	Pass	401
3555	3565	1	RMS	3555	-29.03	-13	16.03	Pass	401




5.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.375	-49.31	-13	36.31	Pass	401
3445	3449	0.62	RMS	3449	-41.6	-13	28.6	Pass	401
3449	3450	0.2	RMS	3450	-34.55	-13	21.55	Pass	401
3450	3500	1	RMS	3451.375	17.46	40	22.54	Pass	401




5.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-26.83	-13	13.83	Pass	401
3445	3449	0.62	RMS	3448.6	-28.25	-13	15.25	Pass	401
3449	3450	0.2	RMS	3450	-32.23	-13	19.23	Pass	401
3450	3500	1	RMS	3452.75	4.14	40	35.86	Pass	401




5.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.875	17.67	40	22.33	Pass	401
3550	3551	0.2	RMS	3550.173	-23.56	-13	10.56	Pass	401
3551	3555	0.62	RMS	3551.21	-24.1	-13	11.1	Pass	401
3555	3605	1	RMS	3555	-32.96	-13	19.96	Pass	401




5.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3502.75	4.03	40	35.97	Pass	401
3550	3551	0.2	RMS	3550.008	-34.53	-13	21.53	Pass	401
3551	3555	0.62	RMS	3551.15	-32.36	-13	19.36	Pass	401
3555	3605	1	RMS	3555	-32.18	-13	19.18	Pass	401




5.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3402	-48.95	-13	35.95	Pass	401
3445	3449	0.62	RMS	3448.99	-39.7	-13	26.7	Pass	401
3449	3450	0.051	RMS	3449.998	-34.25	-13	21.25	Pass	401
3450	3550	1	RMS	3451	17.25	40	22.75	Pass	401




5.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3438.75	-30.02	-13	17.02	Pass	401
3445	3449	0.62	RMS	3445.07	-32.11	-13	19.11	Pass	401
3449	3450	0.2	RMS	3449.983	-35.85	-13	22.85	Pass	401
3450	3550	1	RMS	3452.5	1.29	40	38.71	Pass	401




5.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	17.46	40	22.54	Pass	401
3550	3551	0.2	RMS	3550.003	-20.99	-13	7.99	Pass	401
3551	3555	0.62	RMS	3551.04	-23.53	-13	10.53	Pass	401
3555	3655	1	RMS	3555	-32.54	-13	19.54	Pass	401



5.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3453.25	1.25	40	38.75	Pass	401
3550	3551	0.2	RMS	3550	-37.26	-13	24.26	Pass	401
3551	3555	0.62	RMS	3551	-36.11	-13	23.11	Pass	401
3555	3655	1	RMS	3555.75	-35.22	-13	22.22	Pass	401



6. n77 (3700-3980)


1.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3692.75	-47.58	-13	34.58	Pass	401
3695	3699	0.62	RMS	3699	-36.42	-13	23.42	Pass	401
3699	3700	0.051	RMS	3699.995	-30.8	-13	17.8	Pass	401
3700	3710	1	RMS	3700.925	15.29	40	24.71	Pass	401




1.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-19.84	-13	6.84	Pass	401
3695	3699	0.62	RMS	3699	-14.72	-13	1.72	Pass*	401
3699	3700	0.39	RMS	3700	-15.56	-13	2.56	Pass*	401
3700	3710	1	RMS	3707.25	8.27	40	31.73	Pass	401




1.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.25	14.62	40	25.38	Pass	401
3980	3981	0.051	RMS	3980	-27.41	-13	14.41	Pass	401
3981	3985	0.62	RMS	3981	-38.83	-13	25.83	Pass	401
3985	3995	1	RMS	3985.025	-49.45	-13	36.45	Pass	401




1.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3976.575	8.15	40	31.85	Pass	401
3980	3981	0.39	RMS	3980	-18.98	-13	5.98	Pass*	401
3981	3985	0.62	RMS	3981.04	-20.04	-13	7.04	Pass	401
3985	3995	1	RMS	3985	-25.59	-13	12.59	Pass	401




1.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3653.75	-47.17	-13	34.17	Pass	401
3695	3699	0.62	RMS	3698.99	-41.67	-13	28.67	Pass	401
3699	3700	0.39	RMS	3699.983	-27.99	-13	14.99	Pass	401
3700	3750	1	RMS	3701.375	15.1	40	24.9	Pass	401




1.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.75	-18.59	-13	5.59	Pass*	401
3695	3699	0.62	RMS	3698.92	-19.81	-13	6.81	Pass	401
3699	3700	0.39	RMS	3699.998	-21.49	-13	8.49	Pass	401
3700	3750	1	RMS	3710.875	1.12	40	38.88	Pass	401




1.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.875	14.7	40	25.3	Pass	401
3980	3981	0.39	RMS	3980.008	-25.62	-13	12.62	Pass	401
3981	3985	0.62	RMS	3981.01	-42.5	-13	29.5	Pass	401
3985	4035	1	RMS	4026.5	-49.43	-13	36.43	Pass	401




1.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3937.5	0.83	40	39.17	Pass	401
3980	3981	0.39	RMS	3980.003	-26.32	-13	13.32	Pass	401
3981	3985	0.62	RMS	3981.05	-24.66	-13	11.66	Pass	401
3985	4035	1	RMS	3985	-23.91	-13	10.91	Pass	401




1.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3603.25	-47.95	-13	34.95	Pass	401
3695	3699	0.62	RMS	3698.99	-41.34	-13	28.34	Pass	401
3699	3700	0.051	RMS	3699.995	-35	-13	22	Pass	401
3700	3800	1	RMS	3701.25	14.02	40	25.98	Pass	401




1.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-20.23	-13	7.23	Pass	401
3695	3699	0.62	RMS	3698.86	-21.92	-13	8.92	Pass	401
3699	3700	0.39	RMS	3699	-23.77	-13	10.77	Pass	401
3700	3800	1	RMS	3703.5	-1.75	40	41.75	Pass	401




1.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	14.54	40	25.46	Pass	401
3980	3981	0.051	RMS	3980	-29.56	-13	16.56	Pass	401
3981	3985	0.62	RMS	3981	-38.1	-13	25.1	Pass	401
3985	4085	1	RMS	3985	-48.3	-13	35.3	Pass	401



1.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3884	-1.23	40	41.23	Pass	401
3980	3981	0.39	RMS	3980.725	-30.18	-13	17.18	Pass	401
3981	3985	0.62	RMS	3981.03	-28.72	-13	15.72	Pass	401
3985	4085	1	RMS	3986.25	-27.6	-13	14.6	Pass	401



7. n78 (3700-3800)


7.13 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3692.6	-45.41	-13	32.41	Pass	401
3695	3699	0.62	RMS	3699	-36.58	-13	23.58	Pass	401
3699	3700	0.051	RMS	3700	-30.96	-13	17.96	Pass	401
3700	3710	1	RMS	3700.975	16.93	40	23.07	Pass	401




7.14 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-19.33	-13	6.33	Pass	401
3695	3699	0.62	RMS	3698.99	-14.58	-13	1.58	Pass*	401
3699	3700	0.39	RMS	3700	-15.1	-13	2.1	Pass*	401
3700	3710	1	RMS	3705.625	8.06	40	31.94	Pass	401




7.15 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3799.275	16.29	40	23.71	Pass	401
3800	3801	0.051	RMS	3800	-25.13	-13	12.13	Pass	401
3801	3805	0.62	RMS	3801.01	-33.53	-13	20.53	Pass	401
3805	3815	1	RMS	3807.475	-46.28	-13	33.28	Pass	401




7.16 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3792.4	7.41	40	32.59	Pass	401
3800	3801	0.39	RMS	3800.003	-14.7	-13	1.7	Pass*	401
3801	3805	0.62	RMS	3801.08	-14.71	-13	1.71	Pass*	401
3805	3815	1	RMS	3805	-19.35	-13	6.35	Pass	401




7.17 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3653.75	-44.93	-13	31.93	Pass	401
3695	3699	0.62	RMS	3699	-39.73	-13	26.73	Pass	401
3699	3700	0.39	RMS	3700	-24.4	-13	11.4	Pass	401
3700	3750	1	RMS	3701.375	17.41	40	22.59	Pass	401




7.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.75	-18.32	-13	5.32	Pass*	401
3695	3699	0.62	RMS	3698.97	-19.77	-13	6.77	Pass	401
3699	3700	0.39	RMS	3699.99	-21.64	-13	8.64	Pass	401
3700	3750	1	RMS	3705.375	0.94	40	39.06	Pass	401




7.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.875	16.65	40	23.35	Pass	401
3800	3801	0.39	RMS	3800.003	-22.55	-13	9.55	Pass	401
3801	3805	0.62	RMS	3801.01	-39.25	-13	26.25	Pass	401
3805	3855	1	RMS	3846.375	-45.75	-13	32.75	Pass	401




7.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3752.5	0.93	40	39.07	Pass	401
3800	3801	0.39	RMS	3800.98	-22.14	-13	9.14	Pass	401
3801	3805	0.62	RMS	3801	-21.02	-13	8.02	Pass	401
3805	3855	1	RMS	3805	-20.11	-13	7.11	Pass	401




7.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3603.25	-45.53	-13	32.53	Pass	401
3695	3699	0.62	RMS	3699	-38	-13	25	Pass	401
3699	3700	0.051	RMS	3700	-32.85	-13	19.85	Pass	401
3700	3800	1	RMS	3701.25	16.5	40	23.5	Pass	401




7.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-20.26	-13	7.26	Pass	401
3695	3699	0.62	RMS	3698.92	-21.9	-13	8.9	Pass	401
3699	3700	0.39	RMS	3699	-23.76	-13	10.76	Pass	401
3700	3800	1	RMS	3703.75	-1.86	40	41.86	Pass	401



7.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	16.12	40	23.88	Pass	401
3800	3801	0.051	RMS	3800.015	-27.18	-13	14.18	Pass	401
3801	3805	0.62	RMS	3801	-32.65	-13	19.65	Pass	401
3805	3905	1	RMS	3897	-45.55	-13	32.55	Pass	401



7.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3707.75	-1.99	40	41.99	Pass	401
3800	3801	0.39	RMS	3800.448	-24.96	-13	11.96	Pass	401
3801	3805	0.62	RMS	3803.52	-23.47	-13	10.47	Pass	401
3805	3905	1	RMS	3810.5	-22.54	-13	9.54	Pass	401



8. n78 (3450-3550)


8.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3442.725	-47.64	-13	34.64	Pass	401
3445	3449	0.62	RMS	3449	-38.1	-13	25.1	Pass	401
3449	3450	0.051	RMS	3450	-31.08	-13	18.08	Pass	401
3450	3460	1	RMS	3450.925	17.24	40	22.76	Pass	401




8.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-20.76	-13	7.76	Pass	401
3445	3449	0.62	RMS	3448.99	-15.75	-13	2.75	Pass*	401
3449	3450	0.39	RMS	3449.993	-16.25	-13	3.25	Pass*	401
3450	3460	1	RMS	3455.75	8.46	40	31.54	Pass	401




8.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.225	17.18	40	22.82	Pass	401
3550	3551	0.051	RMS	3550	-27.15	-13	14.15	Pass	401
3551	3555	0.62	RMS	3551.01	-36.26	-13	23.26	Pass	401
3555	3565	1	RMS	3555.025	-49.24	-13	36.24	Pass	401




8.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3547.15	8.28	40	31.72	Pass	401
3550	3551	0.39	RMS	3550	-21.71	-13	8.71	Pass	401
3551	3555	0.62	RMS	3551	-26.15	-13	13.15	Pass	401
3555	3565	1	RMS	3555	-30.86	-13	17.86	Pass	401




8.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3403.75	-47.5	-13	34.5	Pass	401
3445	3449	0.62	RMS	3448.99	-40.45	-13	27.45	Pass	401
3449	3450	0.39	RMS	3449.993	-27.49	-13	14.49	Pass	401
3450	3500	1	RMS	3451.375	17.66	40	22.34	Pass	401




8.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-21.9	-13	8.9	Pass	401
3445	3449	0.62	RMS	3447.61	-23.43	-13	10.43	Pass	401
3449	3450	0.39	RMS	3450	-25.17	-13	12.17	Pass	401
3450	3500	1	RMS	3452.75	1.5	40	38.5	Pass	401




8.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.875	17.53	40	22.47	Pass	401
3550	3551	0.39	RMS	3550	-23.24	-13	10.24	Pass	401
3551	3555	0.62	RMS	3551	-39.55	-13	26.55	Pass	401
3555	3605	1	RMS	3556	-49.57	-13	36.57	Pass	401




8.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3502.75	1.41	40	38.59	Pass	401
3550	3551	0.39	RMS	3550.008	-32.29	-13	19.29	Pass	401
3551	3555	0.62	RMS	3551.05	-31.43	-13	18.43	Pass	401
3555	3605	1	RMS	3555	-31.54	-13	18.54	Pass	401




8.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3353	-47.62	-13	34.62	Pass	401
3445	3449	0.62	RMS	3449	-39.2	-13	26.2	Pass	401
3449	3450	0.051	RMS	3450	-32.19	-13	19.19	Pass	401
3450	3550	1	RMS	3451	17.15	40	22.85	Pass	401




8.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3438.75	-26.6	-13	13.6	Pass	401
3445	3449	0.62	RMS	3448.72	-28.59	-13	15.59	Pass	401
3449	3450	0.39	RMS	3449.778	-29.95	-13	16.95	Pass	401
3450	3550	1	RMS	3453.5	-1.4	40	41.4	Pass	401



8.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	17.31	40	22.69	Pass	401
3550	3551	0.051	RMS	3550.003	-29.54	-13	16.54	Pass	401
3551	3555	0.62	RMS	3551.01	-37.44	-13	24.44	Pass	401
3555	3655	1	RMS	3555	-49.26	-13	36.26	Pass	401



8.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3453.5	-1.39	40	41.39	Pass	401
3550	3551	0.39	RMS	3550.133	-33.25	-13	20.25	Pass	401
3551	3555	0.62	RMS	3551.18	-32.17	-13	19.17	Pass	401
3555	3655	1	RMS	3557.5	-31.07	-13	18.07	Pass	401

