





## DFT-s-OFDM Module 0

## NR Band n260


## Lowest Channel / 100MHz / 16QAM




## Lowest Channel / 100MHz / 64QAM




## Middle Channel / 100MHz / 16QAM




## Middle Channel / 100MHz / 64QAM



## Highest Channel / 100MHz / 16QAM



## Highest Channel / 100MHz / 64QAM







## CP-OFDM Module 0

## NR Band n260


## Lowest Channel / 50MHz / QPSK




## Lowest Channel / 50MHz / 16QAM




## Middle Channel / 50MHz / QPSK




## Middle Channel / 50MHz / 16QAM



## Highest Channel / 50MHz / QPSK



## Highest Channel / 50MHz / 16QAM







## CP-OFDM Module 0

## NR Band n260


## Lowest Channel / 50MHz / 64QAM




## Lowest Channel / 100MHz / QPSK




## Middle Channel / 50MHz / 64QAM




## Middle Channel / 100MHz / QPSK



## Highest Channel / 50MHz / 64QAM



## Highest Channel / 100MHz / QPSK







## CP-OFDM Module 0

## NR Band n260


## Lowest Channel / 100MHz / 16QAM




## Lowest Channel / 100MHz / 64QAM




## Middle Channel / 100MHz / 16QAM




## Middle Channel / 100MHz / 64QAM



## Highest Channel / 100MHz / 16QAM



## Highest Channel / 100MHz / 64QAM



## Radiated Out of Band Emissions

| Mode        |         |       | DFT-s-OFDM Module 0 NR Band n260 : BE (dBm) 1 RB |        |        |        |        |        |        |        |
|-------------|---------|-------|--------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|
| BW          |         |       | 50MHz                                            |        |        |        | 100MHz |        |        |        |
| Limit (dBm) |         |       | BPSK                                             | QPSK   | 16QAM  | 64QAM  | BPSK   | QPSK   | 16QAM  | 64QAM  |
| Low CH      | 0~10%OB | ≤ -5  | -16.17                                           | -17.21 | -18.28 | -20.44 | -11.55 | -12.08 | -13.82 | -14.16 |
|             | >10%OB  | ≤ -13 | -32.49                                           | -32.16 | -33.11 | -33.74 | -30.29 | -30.13 | -31.17 | -31.71 |
| HighCH      | 0~10%OB | ≤ -5  | -12.00                                           | -13.91 | -14.25 | -16.67 | -14.44 | -14.57 | -13.17 | -16.80 |
|             | >10%OB  | ≤ -13 | -25.94                                           | -26.46 | -27.27 | -27.96 | -30.21 | -29.80 | -30.34 | -31.39 |
| Result      |         |       | Compliance                                       |        |        |        |        |        |        |        |

| Mode        |         |       | CP-OFDM Module 0 NR Band n260 : BE (dBm) 1 RB |        |        |        |        |        |
|-------------|---------|-------|-----------------------------------------------|--------|--------|--------|--------|--------|
| BW          |         |       | 50MHz                                         |        |        | 100MHz |        |        |
| Limit (dBm) |         |       | QPSK                                          | 16QAM  | 64QAM  | QPSK   | 16QAM  | 64QAM  |
| Low CH      | 0~10%OB | ≤ -5  | -21.56                                        | -24.35 | -27.33 | -17.75 | -18.72 | -20.66 |
|             | >10%OB  | ≤ -13 | -34.34                                        | -34.46 | -34.79 | -32.33 | -31.90 | -33.27 |
| High CH     | 0~10%OB | ≤ -5  | -17.22                                        | -18.79 | -18.82 | -18.50 | -20.76 | -20.94 |
|             | >10%OB  | ≤ -13 | -29.30                                        | -30.10 | -30.50 | -31.61 | -32.00 | -32.24 |
| Result      |         |       | Compliance                                    |        |        |        |        |        |

| Mode        |         |       | DFT-s-OFDM Module 0 NR Band n260 : BE (dBm) Full RB |        |        |        |        |        |        |        |
|-------------|---------|-------|-----------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|
| BW          |         |       | 50MHz                                               |        |        |        | 100MHz |        |        |        |
| Limit (dBm) |         |       | BPSK                                                | QPSK   | 16QAM  | 64QAM  | BPSK   | QPSK   | 16QAM  | 64QAM  |
| Low CH      | 0~10%OB | ≤ -5  | -12.69                                              | -27.83 | -30.61 | -31.74 | -28.08 | -27.56 | -30.82 | -31.43 |
|             | >10%OB  | ≤ -13 | -29.74                                              | -31.40 | -33.40 | -34.21 | -32.67 | -29.22 | -32.68 | -34.56 |
| HighCH      | 0~10%OB | ≤ -5  | -23.10                                              | -22.14 | -24.73 | -28.83 | -27.93 | -25.45 | -28.99 | -31.80 |
|             | >10%OB  | ≤ -13 | -27.06                                              | -23.66 | -27.05 | -31.24 | -30.55 | -27.74 | -29.79 | -31.95 |
| Result      |         |       | Compliance                                          |        |        |        |        |        |        |        |


| Mode        |         |       | CP-OFDM Module 0 NR Band n260 : BE (dBm) Full RB |        |        |        |        |        |
|-------------|---------|-------|--------------------------------------------------|--------|--------|--------|--------|--------|
| BW          |         |       | 50MHz                                            |        |        | 100MHz |        |        |
| Limit (dBm) |         |       | QPSK                                             | 16QAM  | 64QAM  | QPSK   | 16QAM  | 64QAM  |
| Low CH      | 0~10%OB | ≤ -5  | -31.61                                           | -32.44 | -33.45 | -32.38 | -32.61 | -34.19 |
|             | >10%OB  | ≤ -13 | -33.06                                           | -34.41 | -34.74 | -34.19 | -34.15 | -34.80 |
| High CH     | 0~10%OB | ≤ -5  | -23.76                                           | -27.21 | -30.78 | -29.44 | -29.58 | -32.01 |
|             | >10%OB  | ≤ -13 | -26.12                                           | -29.20 | -31.78 | -29.79 | -30.13 | -32.08 |
| Result      |         |       | Compliance                                       |        |        |        |        |        |




## DFT-s-OFDM Module 0

## NR Band n260 / 50MHz / BPSK

## Lowest Band Edge / 1 RB




## Highest Band Edge / 1 RB




## NR Band n260 / 50MHz / QPSK

## Lowest Band Edge / 1 RB



## Highest Band Edge / 1 RB







## DFT-s-OFDM Module 0

## NR Band n260 / 50MHz / 16QAM

## Lowest Band Edge / 1 RB




## Highest Band Edge / 1 RB




## NR Band n260 / 50MHz / 64QAM

## Lowest Band Edge / 1 RB



## Highest Band Edge / 1 RB







## DFT-s-OFDM Module 0

## NR Band n260 / 100MHz / BPSK

## Lowest Band Edge / 1 RB




## Highest Band Edge / 1 RB




## NR Band n260 / 100MHz / QPSK

## Lowest Band Edge / 1 RB



## Highest Band Edge / 1 RB






## DFT-s-OFDM Module 0


## NR Band n260 / 100MHz / 16QAM

## Lowest Band Edge / 1 RB



20:09:33 14.07.2021


## Highest Band Edge / 1 RB



18:24:29 16.07.2021


## NR Band n260 / 100MHz / 64QAM

## Lowest Band Edge / 1 RB



20:12:42 14.07.2021

## Highest Band Edge / 1 RB




18:25:29 16.07.2021




## CP-OFDM Module 0

## NR Band n260 / 50MHz / QPSK

## Lowest Band Edge / 1 RB




## Highest Band Edge / 1 RB




## NR Band n260 / 50MHz / 16QAM

## Lowest Band Edge / 1 RB



## Highest Band Edge / 1 RB







## CP-OFDM Module 0

## NR Band n260 / 50MHz / 64QAM

## Lowest Band Edge / 1 RB




## Highest Band Edge / 1 RB




## NR Band n260 / 100MHz / QPSK

## Lowest Band Edge / 1 RB



## Highest Band Edge / 1 RB







## CP-OFDM Module 0

## NR Band n260 / 100MHz / 16QAM

## Lowest Band Edge / 1 RB




## Highest Band Edge / 1 RB




## NR Band n260 / 100MHz / 64QAM

## Lowest Band Edge / 1 RB



## Highest Band Edge / 1 RB







## DFT-s-OFDM Module 0

## NR Band n260 / 50MHz / BPSK

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB




## NR Band n260 / 50MHz / QPSK

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## DFT-s-OFDM Module 0

## NR Band n260 / 50MHz / 16QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB




## NR Band n260 / 50MHz / 64QAM

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## DFT-s-OFDM Module 0

## NR Band n260 / 100MHz / BPSK

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB




## NR Band n260 / 100MHz / QPSK

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## DFT-s-OFDM Module 0

## NR Band n260 / 100MHz / 16QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB




## NR Band n260 / 100MHz / 64QAM

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## CP-OFDM Module 0

## NR Band n260 / 50MHz / QPSK

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB




## NR Band n260 / 50MHz / 16QAM

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## CP-OFDM Module 0

## NR Band n260 / 50MHz / 64QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB




## NR Band n260 / 100MHz / QPSK

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB







## CP-OFDM Module 0

## NR Band n260 / 100MHz / 16QAM

## Lowest Band Edge / Full RB




## Highest Band Edge / Full RB




## NR Band n260 / 100MHz / 64QAM

## Lowest Band Edge / Full RB



## Highest Band Edge / Full RB




## Spurious Emission

There is no significant spurious emission signal found for frequency started from 30MHz up to 18GHz.

Only the noise floor is reported.

### NR Band n260 (30MHz-1GHz)


#### Horizontal



Site : 03CH19-HY  
Condition : -13 ERP EIRP\_20210305 HORIZONTAL  
Project : 140849  
: n260 MO

|   | Freq  | Level  | Over   | Limit  | Read   | LISN  | Cable | Preamp | A/Pos | T/Pos | Remark |
|---|-------|--------|--------|--------|--------|-------|-------|--------|-------|-------|--------|
|   | MHz   | dBm    | dB     | dBm    | dBm    | dB    | dB    | dB     | cm    | deg   |        |
| 1 | 30.00 | -67.55 | -54.55 | -13.00 | -79.26 | 47.44 | 0.00  | 35.73  | ---   | ---   | Peak   |

#### Vertical




Site : 03CH19-HY  
Condition : -13 ERP EIRP\_20210305 VERTICAL  
Project : 140849  
: n260 MO

|   | Freq   | Level  | Over   | Limit  | Read   | LISN  | Cable | Preamp | A/Pos | T/Pos | Remark |
|---|--------|--------|--------|--------|--------|-------|-------|--------|-------|-------|--------|
|   | MHz    | dBm    | dB     | dBm    | dBm    | dB    | dB    | dB     | cm    | deg   |        |
| 1 | 948.59 | -71.99 | -58.99 | -13.00 | -81.76 | 42.95 | 0.00  | 33.18  | ---   | ---   | Peak   |



## NR Band n260 (1GHz-18GHz)


## Horizontal



Site : 03CH19-HY  
Condition : -13 ERP EIRP\_20210305 HORIZONTAL  
Project : 140849  
: n260 MO

|   | Freq     | Level  | Over<br>Limit | Limit<br>Line | Read<br>Level | LISN<br>Factor | Cable<br>Loss | Preamp<br>Factor | A/Pos | T/Pos | Remark |
|---|----------|--------|---------------|---------------|---------------|----------------|---------------|------------------|-------|-------|--------|
|   | MHz      | dBm    | dB            | dBm           | dBm           | dB             | dB            | dB               | cm    | deg   |        |
| 1 | 17966.00 | -50.06 | -37.06        | -13.00        | -83.75        | 79.95          | 0.00          | 46.26            | ---   | ---   | Peak   |

## Vertical



Site : 03CH19-HY  
Condition : -13 ERP EIRP\_20210305 VERTICAL  
Project : 140849  
: n260 MO

|   | Freq     | Level  | Over Limit | Limit Line | Read Level | LISN Factor | Cable Loss | Preamp Factor | A/Pos | T/Pos | Remark |
|---|----------|--------|------------|------------|------------|-------------|------------|---------------|-------|-------|--------|
|   | MHz      | dBm    | dB         | dBm        | dBm        | dB          | dB         | dB            | cm    | deg   |        |
| 1 | 17949.00 | -49.84 | -36.84     | -13.00     | -83.22     | 79.61       | 0.00       | 46.23         | ---   | ---   | Peak   |