


Spurious Emission at Antenna Terminals


2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.91	-13	57.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	944.263	-62.85	-13	49.85	Pass	9701
1000	1700	1	RMS	1685	-51.01	-13	38.01	Pass	701
1700	1765	1	RMS	1710.238	17.25	60	42.75	Pass	401
1765	3000	1	RMS	3000	-47.28	-13	34.28	Pass	1236
3000	12000	1	RMS	11901	-36.08	-13	23.08	Pass	9002
12000	20000	1	RMS	17819	-27.82	-13	14.82	Pass	8001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	57.64	Pass	2986
30	1000	0.1	RMS	933.256	-62.91	-13	49.91	Pass	9701
1000	1700	1	RMS	1691	-51	-13	38	Pass	701
1700	1765	1	RMS	1730.225	18.84	60	41.16	Pass	401
1765	3000	1	RMS	2985	-47.29	-13	34.29	Pass	1236
3000	12000	1	RMS	11997	-36.04	-13	23.04	Pass	9002
12000	20000	1	RMS	19491	-27.85	-13	14.85	Pass	8001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	939.56	-62.75	-13	49.75	Pass	9701
1000	1700	1	RMS	1695	-50.99	-13	37.99	Pass	701
1700	1765	1	RMS	1730.225	17.86	60	42.14	Pass	401
1765	3000	1	RMS	2972	-47.3	-13	34.3	Pass	1236
3000	12000	1	RMS	11996	-36.1	-13	23.1	Pass	9002
12000	20000	1	RMS	19347	-27.9	-13	14.9	Pass	8001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.19	-70.93	-13	57.93	Pass	2986
30	1000	0.1	RMS	975.984	-62.78	-13	49.78	Pass	9701
1000	1700	1	RMS	1691	-51.01	-13	38.01	Pass	701
1700	1765	1	RMS	1750.213	19.54	60	40.46	Pass	401
1765	3000	1	RMS	2999	-47.26	-13	34.26	Pass	1236
3000	12000	1	RMS	11994	-36.04	-13	23.04	Pass	9002
12000	20000	1	RMS	19289	-27.86	-13	14.86	Pass	8001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	925.851	-62.88	-13	49.88	Pass	9701
1000	1700	1	RMS	1673	-50.99	-13	37.99	Pass	701
1700	1765	1	RMS	1750.213	18.56	60	41.44	Pass	401
1765	3000	1	RMS	2995	-47.24	-13	34.24	Pass	1236
3000	12000	1	RMS	11994	-36.07	-13	23.07	Pass	9002
12000	20000	1	RMS	19346	-27.87	-13	14.87	Pass	8001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	994.596	-62.87	-13	49.87	Pass	9701
1000	1700	1	RMS	1681	-50.92	-13	37.92	Pass	701
1700	1765	1	RMS	1710.563	17.99	60	42.01	Pass	401
1765	3000	1	RMS	2988	-47.27	-13	34.27	Pass	1236
3000	12000	1	RMS	11906	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	17854	-27.9	-13	14.9	Pass	8001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	57.72	Pass	2986
30	1000	0.1	RMS	931.655	-62.83	-13	49.83	Pass	9701
1000	1700	1	RMS	1694	-50.97	-13	37.97	Pass	701
1700	1765	1	RMS	1710.563	17.23	60	42.77	Pass	401
1765	3000	1	RMS	2973	-47.29	-13	34.29	Pass	1236
3000	12000	1	RMS	11998	-36.05	-13	23.05	Pass	9002
12000	20000	1	RMS	19410	-27.91	-13	14.91	Pass	8001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	57.39	Pass	2986
30	1000	0.1	RMS	983.589	-62.81	-13	49.81	Pass	9701
1000	1700	1	RMS	1683	-50.94	-13	37.94	Pass	701
1700	1765	1	RMS	1727.95	18.74	60	41.26	Pass	401
1765	3000	1	RMS	2998	-47.29	-13	34.29	Pass	1236
3000	12000	1	RMS	11997	-36.01	-13	23.01	Pass	9002
12000	20000	1	RMS	19401	-27.91	-13	14.91	Pass	8001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.23	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	861.108	-62.74	-13	49.74	Pass	9701
1000	1700	1	RMS	1680	-51	-13	38	Pass	701
1700	1765	1	RMS	1727.95	17.82	60	42.18	Pass	401
1765	3000	1	RMS	2995	-47.3	-13	34.3	Pass	1236
3000	12000	1	RMS	12000	-35.95	-13	22.95	Pass	9002
12000	20000	1	RMS	19407	-27.93	-13	14.93	Pass	8001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	994.496	-62.7	-13	49.7	Pass	9701
1000	1700	1	RMS	1678	-50.95	-13	37.95	Pass	701
1700	1765	1	RMS	1745.5	19.14	60	40.86	Pass	401
1765	3000	1	RMS	2997	-47.27	-13	34.27	Pass	1236
3000	12000	1	RMS	11999	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19328	-27.91	-13	14.91	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	887.726	-62.75	-13	49.75	Pass	9701
1000	1700	1	RMS	1692	-51.02	-13	38.02	Pass	701
1700	1765	1	RMS	1745.5	18.66	60	41.34	Pass	401
1765	3000	1	RMS	2986	-47.26	-13	34.26	Pass	1236
3000	12000	1	RMS	11996	-36.01	-13	23.01	Pass	9002
12000	20000	1	RMS	19340	-27.89	-13	14.89	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.17	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	936.058	-62.76	-13	49.76	Pass	9701
1000	1700	1	RMS	1698	-50.55	-13	37.55	Pass	701
1700	1765	1	RMS	1710.725	18.16	60	41.84	Pass	401
1765	3000	1	RMS	2998	-47.23	-13	34.23	Pass	1236
3000	12000	1	RMS	12000	-36.02	-13	23.02	Pass	9002
12000	20000	1	RMS	19341	-27.93	-13	14.93	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.17	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	943.262	-62.63	-13	49.63	Pass	9701
1000	1700	1	RMS	1698	-50.89	-13	37.89	Pass	701
1700	1765	1	RMS	1710.725	17.54	60	42.46	Pass	401
1765	3000	1	RMS	3000	-47.23	-13	34.23	Pass	1236
3000	12000	1	RMS	11900	-36.07	-13	23.07	Pass	9002
12000	20000	1	RMS	17846	-27.88	-13	14.88	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.24	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	938.96	-62.63	-13	49.63	Pass	9701
1000	1700	1	RMS	1679	-50.93	-13	37.93	Pass	701
1700	1765	1	RMS	1725.675	18.51	60	41.49	Pass	401
1765	3000	1	RMS	2993	-47.31	-13	34.31	Pass	1236
3000	12000	1	RMS	11900	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19428	-27.94	-13	14.94	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	862.109	-62.85	-13	49.85	Pass	9701
1000	1700	1	RMS	1694	-51	-13	38	Pass	701
1700	1765	1	RMS	1725.838	17.85	60	42.15	Pass	401
1765	3000	1	RMS	2997	-47.26	-13	34.26	Pass	1236
3000	12000	1	RMS	11998	-36.07	-13	23.07	Pass	9002
12000	20000	1	RMS	19327	-27.88	-13	14.88	Pass	8001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.16	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	960.374	-62.85	-13	49.85	Pass	9701
1000	1700	1	RMS	1680	-50.99	-13	37.99	Pass	701
1700	1765	1	RMS	1740.788	19.17	60	40.83	Pass	401
1765	3000	1	RMS	2998	-47.17	-13	34.17	Pass	1236
3000	12000	1	RMS	11991	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19299	-27.84	-13	14.84	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.26	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	967.178	-62.88	-13	49.88	Pass	9701
1000	1700	1	RMS	1678	-51.02	-13	38.02	Pass	701
1700	1765	1	RMS	1740.788	18.32	60	41.68	Pass	401
1765	3000	1	RMS	2995	-47.25	-13	34.25	Pass	1236
3000	12000	1	RMS	11901	-36.05	-13	23.05	Pass	9002
12000	20000	1	RMS	19411	-27.88	-13	14.88	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-13	57.05	Pass	2986
30	1000	0.1	RMS	973.883	-62.82	-13	49.82	Pass	9701
1000	1700	1	RMS	1693	-50.85	-13	37.85	Pass	701
1700	1765	1	RMS	1711.05	18.18	60	41.82	Pass	401
1765	3000	1	RMS	2982	-47.29	-13	34.29	Pass	1236
3000	12000	1	RMS	11991	-36.09	-13	23.09	Pass	9002
12000	20000	1	RMS	19314	-27.86	-13	14.86	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	964.877	-62.69	-13	49.69	Pass	9701
1000	1700	1	RMS	1693	-50.9	-13	37.9	Pass	701
1700	1765	1	RMS	1710.888	17.26	60	42.74	Pass	401
1765	3000	1	RMS	2998	-47.3	-13	34.3	Pass	1236
3000	12000	1	RMS	11998	-36.08	-13	23.08	Pass	9002
12000	20000	1	RMS	19366	-27.87	-13	14.87	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.36	-13	57.36	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	57.71	Pass	2986
30	1000	0.1	RMS	978.886	-62.77	-13	49.77	Pass	9701
1000	1700	1	RMS	1685	-50.99	-13	37.99	Pass	701
1700	1765	1	RMS	1723.563	18.55	60	41.45	Pass	401
1765	3000	1	RMS	2997	-47.28	-13	34.28	Pass	1236
3000	12000	1	RMS	11896	-36.09	-13	23.09	Pass	9002
12000	20000	1	RMS	19313	-27.89	-13	14.89	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.45	-13	57.45	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	988.993	-62.84	-13	49.84	Pass	9701
1000	1700	1	RMS	1686	-51.01	-13	38.01	Pass	701
1700	1765	1	RMS	1723.563	17.63	60	42.37	Pass	401
1765	3000	1	RMS	2994	-47.29	-13	34.29	Pass	1236
3000	12000	1	RMS	11998	-36.08	-13	23.08	Pass	9002
12000	20000	1	RMS	19388	-27.83	-13	14.83	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.2	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	963.876	-62.73	-13	49.73	Pass	9701
1000	1700	1	RMS	1692	-50.99	-13	37.99	Pass	701
1700	1765	1	RMS	1736.075	19.16	60	40.84	Pass	401
1765	3000	1	RMS	2970	-47.2	-13	34.2	Pass	1236
3000	12000	1	RMS	11999	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19303	-27.88	-13	14.88	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	996.898	-62.89	-13	49.89	Pass	9701
1000	1700	1	RMS	1686	-51.01	-13	38.01	Pass	701
1700	1765	1	RMS	1736.075	17.97	60	42.03	Pass	401
1765	3000	1	RMS	2990	-47.29	-13	34.29	Pass	1236
3000	12000	1	RMS	12000	-36.06	-13	23.06	Pass	9002
12000	20000	1	RMS	19395	-27.9	-13	14.9	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.16	-70.47	-13	57.47	Pass	2986
30	814	0.1	RMS	813.5	-63.25	-13	50.25	Pass	7841
814	860	0.1	RMS	824.2	15.33	60	44.67	Pass	461
860	1000	0.1	RMS	941.1	-62.83	-13	49.83	Pass	1401
1000	3000	1	RMS	2999	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9700	-38.42	-13	25.42	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	814	0.1	RMS	813.8	-63.27	-13	50.27	Pass	7841
814	860	0.1	RMS	824.2	14.53	60	45.47	Pass	461
860	1000	0.1	RMS	869.8	-62.77	-13	49.77	Pass	1401
1000	3000	1	RMS	3000	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	9701	-38.4	-13	25.4	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.92	-13	57.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	810.7	-63.22	-13	50.22	Pass	7841
814	860	0.1	RMS	836	15.37	60	44.63	Pass	461
860	1000	0.1	RMS	993.5	-62.85	-13	49.85	Pass	1401
1000	3000	1	RMS	3000	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9700	-38.43	-13	25.43	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.22	-71.59	-13	58.59	Pass	2986
30	814	0.1	RMS	812.1	-63.34	-13	50.34	Pass	7841
814	860	0.1	RMS	836.1	14.39	60	45.61	Pass	461
860	1000	0.1	RMS	960	-62.86	-13	49.86	Pass	1401
1000	3000	1	RMS	2994	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	9699	-38.48	-13	25.48	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.18	-71.1	-13	58.1	Pass	2986
30	814	0.1	RMS	813.2	-63.33	-13	50.33	Pass	7841
814	860	0.1	RMS	847.9	15.34	60	44.66	Pass	461
860	1000	0.1	RMS	943.5	-62.85	-13	49.85	Pass	1401
1000	3000	1	RMS	2970	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9700	-38.44	-13	25.44	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.19	-70.67	-13	57.67	Pass	2986
30	814	0.1	RMS	811.6	-63.31	-13	50.31	Pass	7841
814	860	0.1	RMS	847.9	14.37	60	45.63	Pass	461
860	1000	0.1	RMS	931.1	-62.83	-13	49.83	Pass	1401
1000	3000	1	RMS	2999	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9711	-38.42	-13	25.42	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.22	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	813.6	-63.29	-13	50.29	Pass	7841
814	860	0.1	RMS	824.2	15.69	60	44.31	Pass	461
860	1000	0.1	RMS	870.8	-62.74	-13	49.74	Pass	1401
1000	3000	1	RMS	2993	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	9701	-38.48	-13	25.48	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	57.77	Pass	2986
30	814	0.1	RMS	813.6	-63.28	-13	50.28	Pass	7841
814	860	0.1	RMS	824.2	14.96	60	45.04	Pass	461
860	1000	0.1	RMS	948.8	-62.84	-13	49.84	Pass	1401
1000	3000	1	RMS	3000	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9706	-38.4	-13	25.4	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	0.21	-71.09	-13	58.09	Pass	2986
30	814	0.1	RMS	799.3	-63.41	-13	50.41	Pass	7841
814	860	0.1	RMS	835.2	15.75	60	44.25	Pass	461
860	1000	0.1	RMS	962.1	-62.84	-13	49.84	Pass	1401
1000	3000	1	RMS	2987	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9698	-38.44	-13	25.44	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	58.05	Pass	2986
30	814	0.1	RMS	739.2	-63.16	-13	50.16	Pass	7841
814	860	0.1	RMS	835.2	14.73	60	45.27	Pass	461
860	1000	0.1	RMS	932.8	-62.84	-13	49.84	Pass	1401
1000	3000	1	RMS	2992	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9702	-38.4	-13	25.4	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	814	0.1	RMS	804.6	-63.2	-13	50.2	Pass	7841
814	860	0.1	RMS	846.2	15.63	60	44.37	Pass	461
860	1000	0.1	RMS	995	-62.78	-13	49.78	Pass	1401
1000	3000	1	RMS	2996	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9702	-38.42	-13	25.42	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.19	-70.78	-13	57.78	Pass	2986
30	814	0.1	RMS	805.3	-63.18	-13	50.18	Pass	7841
814	860	0.1	RMS	846.2	14.65	60	45.35	Pass	461
860	1000	0.1	RMS	977.5	-62.83	-13	49.83	Pass	1401
1000	3000	1	RMS	2998	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9700	-38.42	-13	25.42	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.19	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	812.6	-63.18	-13	50.18	Pass	7841
814	860	0.1	RMS	824.3	15.71	60	44.29	Pass	461
860	1000	0.1	RMS	871	-62.77	-13	49.77	Pass	1401
1000	3000	1	RMS	3000	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9705	-38.44	-13	25.44	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.32	-13	57.32	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	57.97	Pass	2986
30	814	0.1	RMS	812.4	-63.29	-13	50.29	Pass	7841
814	860	0.1	RMS	824.3	14.88	60	45.12	Pass	461
860	1000	0.1	RMS	869.6	-62.71	-13	49.71	Pass	1401
1000	3000	1	RMS	2997	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9706	-38.38	-13	25.38	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.64	-13	57.64	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	813.9	-63.32	-13	50.32	Pass	7841
814	860	0.1	RMS	834.3	15.73	60	44.27	Pass	461
860	1000	0.1	RMS	938.8	-62.8	-13	49.8	Pass	1401
1000	3000	1	RMS	2999	-47.26	-13	34.26	Pass	2001
3000	10000	1	RMS	9696	-38.43	-13	25.43	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.17	-70.94	-13	57.94	Pass	2986
30	814	0.1	RMS	812.1	-63.25	-13	50.25	Pass	7841
814	860	0.1	RMS	834.3	15.22	60	44.78	Pass	461
860	1000	0.1	RMS	965.2	-62.83	-13	49.83	Pass	1401
1000	3000	1	RMS	2999	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	9699	-38.42	-13	25.42	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	58.01	Pass	2986
30	814	0.1	RMS	812.3	-63.09	-13	50.09	Pass	7841
814	860	0.1	RMS	844.3	15.71	60	44.29	Pass	461
860	1000	0.1	RMS	969.1	-62.89	-13	49.89	Pass	1401
1000	3000	1	RMS	2998	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9700	-38.38	-13	25.38	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	814	0.1	RMS	794.6	-63.3	-13	50.3	Pass	7841
814	860	0.1	RMS	844.3	14.71	60	45.29	Pass	461
860	1000	0.1	RMS	986.5	-62.86	-13	49.86	Pass	1401
1000	3000	1	RMS	2993	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	9698	-38.39	-13	25.39	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	58.15	Pass	2986
30	814	0.1	RMS	813.9	-63.11	-13	50.11	Pass	7841
814	860	0.1	RMS	824.6	16.09	60	43.91	Pass	461
860	1000	0.1	RMS	872.3	-62.74	-13	49.74	Pass	1401
1000	3000	1	RMS	2988	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9704	-38.38	-13	25.38	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	57.76	Pass	2986
30	814	0.1	RMS	811.6	-62.95	-13	49.95	Pass	7841
814	860	0.1	RMS	824.6	15.24	60	44.76	Pass	461
860	1000	0.1	RMS	876.1	-62.73	-13	49.73	Pass	1401
1000	3000	1	RMS	2998	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9699	-38.44	-13	25.44	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	58.41	Pass	2986
30	814	0.1	RMS	809.5	-63.32	-13	50.32	Pass	7841
814	860	0.1	RMS	832.1	15.94	60	44.06	Pass	461
860	1000	0.1	RMS	968	-62.77	-13	49.77	Pass	1401
1000	3000	1	RMS	2995	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9700	-38.41	-13	25.41	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	57.9	Pass	2986
30	814	0.1	RMS	768.9	-63.31	-13	50.31	Pass	7841
814	860	0.1	RMS	832.1	15.23	60	44.77	Pass	461
860	1000	0.1	RMS	984.1	-62.88	-13	49.88	Pass	1401
1000	3000	1	RMS	2996	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9703	-38.46	-13	25.46	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.18	-70.38	-13	57.38	Pass	2986
30	814	0.1	RMS	805.5	-63.33	-13	50.33	Pass	7841
814	860	0.1	RMS	839.6	15.99	60	44.01	Pass	461
860	1000	0.1	RMS	992.2	-62.82	-13	49.82	Pass	1401
1000	3000	1	RMS	2999	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	9699	-38.44	-13	25.44	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.19	-71.14	-13	58.14	Pass	2986
30	814	0.1	RMS	812.4	-63.24	-13	50.24	Pass	7841
814	860	0.1	RMS	839.6	15.31	60	44.69	Pass	461
860	1000	0.1	RMS	970.1	-62.84	-13	49.84	Pass	1401
1000	3000	1	RMS	2999	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9702	-38.46	-13	25.46	Pass	7001



4. LTE_Band7


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-25	46.45	Pass	401
0.15	30	0.01	RMS	0.28	-71.37	-25	46.37	Pass	2986
30	1000	0.1	RMS	959.673	-62.79	-25	37.79	Pass	9701
1000	2490	1	RMS	2488	-48.4	-25	23.4	Pass	1491
2490	2580	1	RMS	2500.125	18.32	60	41.68	Pass	401
2580	3000	1	RMS	2985	-47.32	-25	22.32	Pass	421
3000	12000	1	RMS	11998	-56.89	-25	31.89	Pass	9002
12000	26000	1	RMS	25503	-49.67	-25	24.67	Pass	14002




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.67	-25	44.67	Pass	401
0.15	30	0.01	RMS	0.21	-71.43	-25	46.43	Pass	2986
30	1000	0.1	RMS	983.389	-62.81	-25	37.81	Pass	9701
1000	2490	1	RMS	2490	-48.41	-25	23.41	Pass	1491
2490	2580	1	RMS	2500.125	17.43	60	42.57	Pass	401
2580	3000	1	RMS	2999	-47.34	-25	22.34	Pass	421
3000	12000	1	RMS	11997	-56.91	-25	31.91	Pass	9002
12000	26000	1	RMS	25493	-49.8	-25	24.8	Pass	14002




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.94	-25	45.94	Pass	401
0.15	30	0.01	RMS	0.17	-71.22	-25	46.22	Pass	2986
30	1000	0.1	RMS	852.903	-62.89	-25	37.89	Pass	9701
1000	2490	1	RMS	2490	-48.63	-25	23.63	Pass	1491
2490	2580	1	RMS	2532.75	19.06	60	40.94	Pass	401
2580	3000	1	RMS	2655	-47.13	-25	22.13	Pass	421
3000	12000	1	RMS	11996	-56.97	-25	31.97	Pass	9002
12000	26000	1	RMS	25501	-49.75	-25	24.75	Pass	14002




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-25	45.97	Pass	401
0.15	30	0.01	RMS	0.16	-69.8	-25	44.8	Pass	2986
30	1000	0.1	RMS	926.251	-62.86	-25	37.86	Pass	9701
1000	2490	1	RMS	2490	-48.61	-25	23.61	Pass	1491
2490	2580	1	RMS	2532.75	18.11	60	41.89	Pass	401
2580	3000	1	RMS	2654	-47.14	-25	22.14	Pass	421
3000	12000	1	RMS	11998	-56.96	-25	31.96	Pass	9002
12000	26000	1	RMS	25503	-49.72	-25	24.72	Pass	14002




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.13	-25	46.13	Pass	401
0.15	30	0.01	RMS	0.2	-71.21	-25	46.21	Pass	2986
30	1000	0.1	RMS	900.034	-62.82	-25	37.82	Pass	9701
1000	2490	1	RMS	2488	-48.66	-25	23.66	Pass	1491
2490	2580	1	RMS	2565.15	19.71	60	40.29	Pass	401
2580	3000	1	RMS	2999	-47.32	-25	22.32	Pass	421
3000	12000	1	RMS	11998	-57.02	-25	32.02	Pass	9002
12000	26000	1	RMS	25512	-49.71	-25	24.71	Pass	14002




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.77	-25	46.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-25	46.71	Pass	2986
30	1000	0.1	RMS	948.766	-62.74	-25	37.74	Pass	9701
1000	2490	1	RMS	2487	-48.54	-25	23.54	Pass	1491
2490	2580	1	RMS	2565.15	18.89	60	41.11	Pass	401
2580	3000	1	RMS	2992	-47.35	-25	22.35	Pass	421
3000	12000	1	RMS	11900	-56.99	-25	31.99	Pass	9002
12000	26000	1	RMS	25502	-49.7	-25	24.7	Pass	14002




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.06	-25	47.06	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-25	46.68	Pass	2986
30	1000	0.1	RMS	915.344	-62.9	-25	37.9	Pass	9701
1000	2490	1	RMS	2490	-48.35	-25	23.35	Pass	1491
2490	2580	1	RMS	2500.575	18.29	60	41.71	Pass	401
2580	3000	1	RMS	2991	-47.36	-25	22.36	Pass	421
3000	12000	1	RMS	11999	-57.02	-25	32.02	Pass	9002
12000	26000	1	RMS	25509	-49.64	-25	24.64	Pass	14002




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.33	-25	46.33	Pass	401
0.15	30	0.01	RMS	0.21	-71.34	-25	46.34	Pass	2986
30	1000	0.1	RMS	972.782	-62.91	-25	37.91	Pass	9701
1000	2490	1	RMS	2490	-48.49	-25	23.49	Pass	1491
2490	2580	1	RMS	2500.575	17.64	60	42.36	Pass	401
2580	3000	1	RMS	2999	-47.32	-25	22.32	Pass	421
3000	12000	1	RMS	11999	-56.95	-25	31.95	Pass	9002
12000	26000	1	RMS	25500	-49.68	-25	24.68	Pass	14002




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.5	-25	45.5	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-25	45.9	Pass	2986
30	1000	0.1	RMS	954.17	-62.75	-25	37.75	Pass	9701
1000	2490	1	RMS	2486	-48.56	-25	23.56	Pass	1491
2490	2580	1	RMS	2530.5	18.9	60	41.1	Pass	401
2580	3000	1	RMS	2657	-47.13	-25	22.13	Pass	421
3000	12000	1	RMS	11899	-56.96	-25	31.96	Pass	9002
12000	26000	1	RMS	25499	-49.73	-25	24.73	Pass	14002




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-25	45.97	Pass	401
0.15	30	0.01	RMS	0.18	-71.48	-25	46.48	Pass	2986
30	1000	0.1	RMS	937.158	-62.77	-25	37.77	Pass	9701
1000	2490	1	RMS	2489	-48.57	-25	23.57	Pass	1491
2490	2580	1	RMS	2530.5	17.97	60	42.03	Pass	401
2580	3000	1	RMS	2655	-47.11	-25	22.11	Pass	421
3000	12000	1	RMS	11900	-56.91	-25	31.91	Pass	9002
12000	26000	1	RMS	25499	-49.72	-25	24.72	Pass	14002




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-25	46.84	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-25	46.38	Pass	2986
30	1000	0.1	RMS	940.961	-62.94	-25	37.94	Pass	9701
1000	2490	1	RMS	2488	-48.58	-25	23.58	Pass	1491
2490	2580	1	RMS	2560.425	19.54	60	40.46	Pass	401
2580	3000	1	RMS	2998	-47.37	-25	22.37	Pass	421
3000	12000	1	RMS	11890	-56.95	-25	31.95	Pass	9002
12000	26000	1	RMS	25492	-49.67	-25	24.67	Pass	14002




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.75	-25	45.75	Pass	401
0.15	30	0.01	RMS	0.17	-70.24	-25	45.24	Pass	2986
30	1000	0.1	RMS	885.224	-62.69	-25	37.69	Pass	9701
1000	2490	1	RMS	2487	-48.59	-25	23.59	Pass	1491
2490	2580	1	RMS	2560.425	18.81	60	41.19	Pass	401
2580	3000	1	RMS	2999	-47.32	-25	22.32	Pass	421
3000	12000	1	RMS	11995	-57.01	-25	32.01	Pass	9002
12000	26000	1	RMS	25503	-49.7	-25	24.7	Pass	14002




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.23	-25	46.23	Pass	401
0.15	30	0.01	RMS	0.22	-70.86	-25	45.86	Pass	2986
30	1000	0.1	RMS	980.287	-62.85	-25	37.85	Pass	9701
1000	2490	1	RMS	2490	-48.47	-25	23.47	Pass	1491
2490	2580	1	RMS	2500.8	18.25	60	41.75	Pass	401
2580	3000	1	RMS	2995	-47.37	-25	22.37	Pass	421
3000	12000	1	RMS	11899	-56.98	-25	31.98	Pass	9002
12000	26000	1	RMS	25505	-49.7	-25	24.7	Pass	14002




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.11	-25	45.11	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-25	45.92	Pass	2986
30	1000	0.1	RMS	872.516	-62.77	-25	37.77	Pass	9701
1000	2490	1	RMS	2490	-48.48	-25	23.48	Pass	1491
2490	2580	1	RMS	2500.8	17.6	60	42.4	Pass	401
2580	3000	1	RMS	2996	-47.33	-25	22.33	Pass	421
3000	12000	1	RMS	11902	-56.96	-25	31.96	Pass	9002
12000	26000	1	RMS	25516	-49.74	-25	24.74	Pass	14002




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.92	-25	45.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-25	46.44	Pass	2986
30	1000	0.1	RMS	978.686	-62.9	-25	37.9	Pass	9701
1000	2490	1	RMS	2486	-48.63	-25	23.63	Pass	1491
2490	2580	1	RMS	2528.25	19.01	60	40.99	Pass	401
2580	3000	1	RMS	2651	-47.14	-25	22.14	Pass	421
3000	12000	1	RMS	11882	-57	-25	32	Pass	9002
12000	26000	1	RMS	25499	-49.67	-25	24.67	Pass	14002




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-25	46.54	Pass	401
0.15	30	0.01	RMS	0.19	-70.89	-25	45.89	Pass	2986
30	1000	0.1	RMS	979.086	-62.89	-25	37.89	Pass	9701
1000	2490	1	RMS	2485	-48.59	-25	23.59	Pass	1491
2490	2580	1	RMS	2528.25	18.41	60	41.59	Pass	401
2580	3000	1	RMS	2656	-47.17	-25	22.17	Pass	421
3000	12000	1	RMS	11897	-56.97	-25	31.97	Pass	9002
12000	26000	1	RMS	25492	-49.72	-25	24.72	Pass	14002




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-25	46.37	Pass	401
0.15	30	0.01	RMS	0.19	-71.23	-25	46.23	Pass	2986
30	1000	0.1	RMS	972.282	-62.89	-25	37.89	Pass	9701
1000	2490	1	RMS	2487	-48.53	-25	23.53	Pass	1491
2490	2580	1	RMS	2555.7	19.5	60	40.5	Pass	401
2580	3000	1	RMS	2992	-47.32	-25	22.32	Pass	421
3000	12000	1	RMS	11901	-56.93	-25	31.93	Pass	9002
12000	26000	1	RMS	25504	-49.7	-25	24.7	Pass	14002




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.22	-25	46.22	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-25	45.38	Pass	2986
30	1000	0.1	RMS	870.714	-62.83	-25	37.83	Pass	9701
1000	2490	1	RMS	2489	-48.62	-25	23.62	Pass	1491
2490	2580	1	RMS	2555.7	18.58	60	41.42	Pass	401
2580	3000	1	RMS	2990	-47.36	-25	22.36	Pass	421
3000	12000	1	RMS	11900	-56.91	-25	31.91	Pass	9002
12000	26000	1	RMS	25501	-49.73	-25	24.73	Pass	14002




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.4	-25	46.4	Pass	401
0.15	30	0.01	RMS	0.18	-71.14	-25	46.14	Pass	2986
30	1000	0.1	RMS	952.869	-62.89	-25	37.89	Pass	9701
1000	2490	1	RMS	2485	-48.13	-25	23.13	Pass	1491
2490	2580	1	RMS	2501.025	18.59	60	41.41	Pass	401
2580	3000	1	RMS	2997	-47.33	-25	22.33	Pass	421
3000	12000	1	RMS	12000	-56.97	-25	31.97	Pass	9002
12000	26000	1	RMS	25505	-49.71	-25	24.71	Pass	14002




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.33	-25	46.33	Pass	401
0.15	30	0.01	RMS	0.19	-71.15	-25	46.15	Pass	2986
30	1000	0.1	RMS	948.366	-62.91	-25	37.91	Pass	9701
1000	2490	1	RMS	2489	-48.45	-25	23.45	Pass	1491
2490	2580	1	RMS	2501.025	17.4	60	42.6	Pass	401
2580	3000	1	RMS	3000	-47.31	-25	22.31	Pass	421
3000	12000	1	RMS	12000	-56.99	-25	31.99	Pass	9002
12000	26000	1	RMS	25500	-49.71	-25	24.71	Pass	14002




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-25	46.86	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-25	45.74	Pass	2986
30	1000	0.1	RMS	858.906	-62.94	-25	37.94	Pass	9701
1000	2490	1	RMS	2487	-48.56	-25	23.56	Pass	1491
2490	2580	1	RMS	2526	18.82	60	41.18	Pass	401
2580	3000	1	RMS	2652	-47.19	-25	22.19	Pass	421
3000	12000	1	RMS	11996	-56.98	-25	31.98	Pass	9002
12000	26000	1	RMS	25505	-49.69	-25	24.69	Pass	14002



4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.02	-25	46.02	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-25	45.18	Pass	2986
30	1000	0.1	RMS	943.463	-62.84	-25	37.84	Pass	9701
1000	2490	1	RMS	2490	-48.54	-25	23.54	Pass	1491
2490	2580	1	RMS	2526	17.95	60	42.05	Pass	401
2580	3000	1	RMS	2655	-47.15	-25	22.15	Pass	421
3000	12000	1	RMS	11999	-57.01	-25	32.01	Pass	9002
12000	26000	1	RMS	25502	-49.66	-25	24.66	Pass	14002



4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.43	-25	46.43	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-25	46.37	Pass	2986
30	1000	0.1	RMS	988.292	-62.9	-25	37.9	Pass	9701
1000	2490	1	RMS	2486	-48.61	-25	23.61	Pass	1491
2490	2580	1	RMS	2550.975	19.37	60	40.63	Pass	401
2580	3000	1	RMS	2999	-47.32	-25	22.32	Pass	421
3000	12000	1	RMS	11898	-56.95	-25	31.95	Pass	9002
12000	26000	1	RMS	25511	-49.72	-25	24.72	Pass	14002

