Band Edge

1.30 LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.95	-1.4	30	31.4	Pass	401
824	824.0375	0.1	RMS	824.001	-30.76	-20	10.76	Pass	401
824.0375	829	0.1	RMS	824.038	-31.6	-13	18.6	Pass	401



1.31 LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.425	15.03	30	14.97	Pass	401
824	824.0375	0.02	RMS	824.001	-42.56	-20	22.56	Pass	401
824.0375	829	0.1	RMS	824.038	-37.94	-13	24.94	Pass	401



1.32 LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.95	-2.36	30	32.36	Pass	401
824	824.0375	0.1	RMS	824	-33.51	-20	13.51	Pass	401
824.0375	829	0.1	RMS	824.05	-34.09	-13	21.09	Pass	401



1. LTE_Band40(2305-2315)_Part27

1.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.78	-48.62	-40	8.62	Pass	401
2288	2292	1	RMS	2291.96	-47.39	-37	10.39	Pass	401
2292	2296	1	RMS	2294.84	-46.45	-31	15.45	Pass	401
2296	2300	1	RMS	2299.9	-44.2	-25	19.2	Pass	401
2300	2304	1	RMS	2304	-33.38	-13	20.38	Pass	5
2304	2305	0.01	RMS	2304.998	-31.37	-13	18.37	Pass	401
2305	2315	0.1	RMS	2305.375	17.7	60	42.3	Pass	401
2315	2316	0.01	RMS	2315.173	-65.33	-13	52.33	Pass	401
2316	2320	1	RMS	2316.58	-45.67	-13	32.67	Pass	401
2320	2324	1	RMS	2320.2	-47.14	-25	22.14	Pass	401
2324	2328	1	RMS	2324.23	-48.06	-31	17.06	Pass	401
2328	2337	1	RMS	2328.09	-48.86	-37	11.86	Pass	401
2337	2341	1	RMS	2340.01	-48.97	-31	17.97	Pass	401
2341	2345	1	RMS	2344.73	-48.94	-25	23.94	Pass	401
2345	2360	1	RMS	2356.813	-49.15	-13	36.15	Pass	401
2360	2365	1	RMS	2362.35	-49.19	-13	36.19	Pass	401
2365	2395	1	RMS	2395	-49.14	-40	9.14	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.78	-48.64	-40	8.64	Pass	401
2288	2292	1	RMS	2291.67	-47.57	-37	10.57	Pass	401
2292	2296	1	RMS	2295.99	-45.8	-31	14.8	Pass	401
2296	2300	1	RMS	2299.89	-37.8	-25	12.8	Pass	401
2300	2304	1	RMS	2304	-24.89	-13	11.89	Pass	5
2304	2305	0.1	RMS	2304.993	-26.37	-13	13.37	Pass	401
2305	2315	0.1	RMS	2308.15	3.56	60	56.44	Pass	401
2315	2316	0.1	RMS	2315.145	-46.28	-13	33.28	Pass	401
2316	2320	1	RMS	2316.02	-39.06	-13	26.06	Pass	401
2320	2324	1	RMS	2320	-46.66	-25	21.66	Pass	5
2324	2328	1	RMS	2324.09	-47.44	-31	16.44	Pass	401
2328	2337	1	RMS	2328.203	-48.67	-37	11.67	Pass	401
2337	2341	1	RMS	2340.86	-49	-31	18	Pass	401
2341	2345	1	RMS	2344.95	-48.98	-25	23.98	Pass	401
2345	2360	1	RMS	2348.15	-49.19	-13	36.19	Pass	401
2360	2365	1	RMS	2362.813	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2389.975	-49.18	-40	9.18	Pass	401



1.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-48.7	-40	8.7	Pass	401
2288	2292	1	RMS	2291.66	-47.76	-37	10.76	Pass	401
2292	2296	1	RMS	2295.99	-46.49	-31	15.49	Pass	401
2296	2300	1	RMS	2299.22	-44.26	-25	19.26	Pass	401
2300	2304	1	RMS	2304	-34.02	-13	21.02	Pass	5
2304	2305	0.01	RMS	2305	-33.16	-13	20.16	Pass	401
2305	2315	0.1	RMS	2305.325	16.72	60	43.28	Pass	401
2315	2316	0.01	RMS	2315.498	-65.42	-13	52.42	Pass	401
2316	2320	1	RMS	2316.56	-46.14	-13	33.14	Pass	401
2320	2324	1	RMS	2320.34	-47.29	-25	22.29	Pass	401
2324	2328	1	RMS	2324.08	-48.17	-31	17.17	Pass	401
2328	2337	1	RMS	2328.068	-48.98	-37	11.98	Pass	401
2337	2341	1	RMS	2339.13	-49	-31	18	Pass	401
2341	2345	1	RMS	2342.67	-48.95	-25	23.95	Pass	401
2345	2360	1	RMS	2348.75	-49.17	-13	36.17	Pass	401
2360	2365	1	RMS	2362.125	-49.21	-13	36.21	Pass	401
2365	2395	1	RMS	2394.25	-49.16	-40	9.16	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.12	-48.68	-40	8.68	Pass	401
2288	2292	1	RMS	2291.66	-47.93	-37	10.93	Pass	401
2292	2296	1	RMS	2295.71	-46.53	-31	15.53	Pass	401
2296	2300	1	RMS	2299.96	-38.97	-25	13.97	Pass	401
2300	2304	1	RMS	2304	-24.76	-13	11.76	Pass	5
2304	2305	0.1	RMS	2304.985	-26.36	-13	13.36	Pass	401
2305	2315	0.1	RMS	2309.175	2.42	60	57.58	Pass	401
2315	2316	0.1	RMS	2315.108	-48.18	-13	35.18	Pass	401
2316	2320	1	RMS	2316.04	-40.94	-13	27.94	Pass	401
2320	2324	1	RMS	2320	-47.24	-25	22.24	Pass	5
2324	2328	1	RMS	2324.1	-47.73	-31	16.73	Pass	401
2328	2337	1	RMS	2328.023	-48.72	-37	11.72	Pass	401
2337	2341	1	RMS	2337.17	-49.02	-31	18.02	Pass	401
2341	2345	1	RMS	2344.19	-49	-25	24	Pass	401
2345	2360	1	RMS	2358.425	-49.21	-13	36.21	Pass	401
2360	2365	1	RMS	2363.3	-49.24	-13	36.24	Pass	401
2365	2395	1	RMS	2394.25	-49.16	-40	9.16	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-49.13	-40	9.13	Pass	401
2288	2292	1	RMS	2291.71	-48.81	-37	11.81	Pass	401
2292	2296	1	RMS	2295.98	-48.4	-31	17.4	Pass	401
2296	2300	1	RMS	2299.38	-47.75	-25	22.75	Pass	401
2300	2304	1	RMS	2303.67	-46.55	-13	33.55	Pass	401
2304	2305	0.01	RMS	2304.803	-65.77	-13	52.77	Pass	401
2305	2315	0.1	RMS	2314.675	17.31	60	42.69	Pass	401
2315	2316	0.01	RMS	2315	-32.25	-13	19.25	Pass	401
2316.5	2320	1	RMS	2316.509	-30.44	-13	17.44	Pass	401
2320	2324	1	RMS	2320	-44.65	-25	19.65	Pass	5
2324	2328	1	RMS	2324.05	-46.12	-31	15.12	Pass	401
2328	2337	1	RMS	2328.158	-47.52	-37	10.52	Pass	401
2337	2341	1	RMS	2337.1	-48.78	-31	17.78	Pass	401
2341	2345	1	RMS	2341.58	-48.9	-25	23.9	Pass	401
2345	2360	1	RMS	2348.375	-49.15	-13	36.15	Pass	401
2360	2365	1	RMS	2362.788	-49.22	-13	36.22	Pass	401
2365	2395	1	RMS	2394.4	-49.17	-40	9.17	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-49.11	-40	9.11	Pass	401
2288	2292	1	RMS	2291.71	-48.49	-37	11.49	Pass	401
2292	2296	1	RMS	2295.58	-47.78	-31	16.78	Pass	401
2296	2300	1	RMS	2299.24	-46.42	-25	21.42	Pass	401
2300	2304	1	RMS	2304	-41.32	-13	28.32	Pass	5
2304	2305	0.1	RMS	2304.963	-47.37	-13	34.37	Pass	401
2305	2315	0.1	RMS	2313.45	3.67	60	56.33	Pass	401
2315	2316	0.1	RMS	2315.003	-25.7	-13	12.7	Pass	401
2316.5	2320	1	RMS	2316.5	-26.3	-13	13.3	Pass	5
2320	2324	1	RMS	2320	-38.09	-25	13.09	Pass	5
2324	2328	1	RMS	2324.06	-45.38	-31	14.38	Pass	401
2328	2337	1	RMS	2328.495	-47.43	-37	10.43	Pass	401
2337	2341	1	RMS	2337.08	-48.81	-31	17.81	Pass	401
2341	2345	1	RMS	2343.03	-48.97	-25	23.97	Pass	401
2345	2360	1	RMS	2351.938	-49.2	-13	36.2	Pass	401
2360	2365	1	RMS	2360.2	-49.24	-13	36.24	Pass	401
2365	2395	1	RMS	2394.325	-49.15	-40	9.15	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-49.2	-40	9.2	Pass	401
2288	2292	1	RMS	2291.95	-48.83	-37	11.83	Pass	401
2292	2296	1	RMS	2295.81	-48.33	-31	17.33	Pass	401
2296	2300	1	RMS	2298.59	-47.75	-25	22.75	Pass	401
2300	2304	1	RMS	2303.66	-46.14	-13	33.14	Pass	401
2304	2305	0.01	RMS	2304.948	-66.02	-13	53.02	Pass	401
2305	2315	0.1	RMS	2314.65	16.8	60	43.2	Pass	401
2315	2316	0.01	RMS	2315.003	-33.43	-13	20.43	Pass	401
2316.5	2320	1	RMS	2316.5	-30.94	-13	17.94	Pass	401
2320	2324	1	RMS	2320	-45.3	-25	20.3	Pass	5
2324	2328	1	RMS	2324.07	-46.38	-31	15.38	Pass	401
2328	2337	1	RMS	2328.473	-47.75	-37	10.75	Pass	401
2337	2341	1	RMS	2337.76	-48.73	-31	17.73	Pass	401
2341	2345	1	RMS	2343.28	-48.93	-25	23.93	Pass	401
2345	2360	1	RMS	2351.225	-49.13	-13	36.13	Pass	401
2360	2365	1	RMS	2360.35	-49.22	-13	36.22	Pass	401
2365	2395	1	RMS	2394.325	-49.17	-40	9.17	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-49.09	-40	9.09	Pass	401
2288	2292	1	RMS	2291.78	-48.54	-37	11.54	Pass	401
2292	2296	1	RMS	2295.35	-47.8	-31	16.8	Pass	401
2296	2300	1	RMS	2299.65	-46.45	-25	21.45	Pass	401
2300	2304	1	RMS	2304	-42.43	-13	29.43	Pass	5
2304	2305	0.1	RMS	2304.998	-48.9	-13	35.9	Pass	401
2305	2315	0.1	RMS	2312	2.37	60	57.63	Pass	401
2315	2316	0.1	RMS	2315	-26.79	-13	13.79	Pass	401
2316	2320	1	RMS	2316	-18.83	-13	5.83	Pass*	401
2320	2324	1	RMS	2320	-39.86	-25	14.86	Pass	5
2324	2328	1	RMS	2324.08	-45.71	-31	14.71	Pass	401
2328	2337	1	RMS	2328.135	-47.9	-37	10.9	Pass	401
2337	2341	1	RMS	2337.49	-48.93	-31	17.93	Pass	401
2341	2345	1	RMS	2341.49	-49.01	-25	24.01	Pass	401
2345	2360	1	RMS	2350.1	-49.21	-13	36.21	Pass	401
2360	2365	1	RMS	2360.925	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2394.85	-49.17	-40	9.17	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-48.51	-40	8.51	Pass	401
2288	2292	1	RMS	2291.9	-47.7	-37	10.7	Pass	401
2292	2296	1	RMS	2295.96	-46.51	-31	15.51	Pass	401
2296	2300	1	RMS	2299.96	-43.65	-25	18.65	Pass	401
2300	2304	1	RMS	2304	-34.62	-13	21.62	Pass	5
2304	2305	0.01	RMS	2305	-43.23	-13	30.23	Pass	401
2305	2315	0.1	RMS	2305.6	17.15	60	42.85	Pass	401
2315	2316	0.01	RMS	2315.345	-65.15	-13	52.15	Pass	401
2316	2320	1	RMS	2316.08	-45.94	-13	32.94	Pass	401
2320	2324	1	RMS	2320.13	-47.27	-25	22.27	Pass	401
2324	2328	1	RMS	2324.08	-48.15	-31	17.15	Pass	401
2328	2337	1	RMS	2328.428	-48.81	-37	11.81	Pass	401
2337	2341	1	RMS	2337.66	-48.96	-31	17.96	Pass	401
2341	2345	1	RMS	2342.44	-48.97	-25	23.97	Pass	401
2345	2360	1	RMS	2353.175	-49.17	-13	36.17	Pass	401
2360	2365	1	RMS	2361.1	-49.21	-13	36.21	Pass	401
2365	2395	1	RMS	2391.025	-49.18	-40	9.18	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-48.29	-40	8.29	Pass	401
2288	2292	1	RMS	2291.94	-45.39	-37	8.39	Pass	401
2292	2296	1	RMS	2295.99	-40.09	-31	9.09	Pass	401
2296	2300	1	RMS	2299.98	-31.03	-25	6.03	Pass	401
2300	2304	1	RMS	2304	-27.26	-13	14.26	Pass	5
2304	2305	0.1	RMS	2304.99	-32.6	-13	19.6	Pass	401
2305	2315	0.1	RMS	2312.675	0.7	60	59.3	Pass	401
2315	2316	0.1	RMS	2315.03	-32.01	-13	19.01	Pass	401
2316	2320	1	RMS	2316.01	-25.19	-13	12.19	Pass	401
2320	2324	1	RMS	2320	-31.22	-25	6.22	Pass	5
2324	2328	1	RMS	2324.02	-38.27	-31	7.27	Pass	401
2328	2337	1	RMS	2328.045	-44.79	-37	7.79	Pass	401
2337	2341	1	RMS	2337.04	-48.48	-31	17.48	Pass	401
2341	2345	1	RMS	2341.75	-48.94	-25	23.94	Pass	401
2345	2360	1	RMS	2345.413	-49.17	-13	36.17	Pass	401
2360	2365	1	RMS	2361.7	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2393.35	-49.17	-40	9.17	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-48.71	-40	8.71	Pass	401
2288	2292	1	RMS	2291.88	-47.69	-37	10.69	Pass	401
2292	2296	1	RMS	2295.03	-46.6	-31	15.6	Pass	401
2296	2300	1	RMS	2299.8	-43.92	-25	18.92	Pass	401
2300	2304	1	RMS	2304	-35.35	-13	22.35	Pass	5
2304	2305	0.01	RMS	2304.998	-41.78	-13	28.78	Pass	401
2305	2315	0.1	RMS	2305.55	16.73	60	43.27	Pass	401
2315	2316	0.01	RMS	2315.345	-65.14	-13	52.14	Pass	401
2316	2320	1	RMS	2318.27	-45.85	-13	32.85	Pass	401
2320	2324	1	RMS	2320.34	-47.36	-25	22.36	Pass	401
2324	2328	1	RMS	2324.03	-48.25	-31	17.25	Pass	401
2328	2337	1	RMS	2328.225	-48.85	-37	11.85	Pass	401
2337	2341	1	RMS	2338.9	-48.99	-31	17.99	Pass	401
2341	2345	1	RMS	2342.22	-48.98	-25	23.98	Pass	401
2345	2360	1	RMS	2350.363	-49.2	-13	36.2	Pass	401
2360	2365	1	RMS	2361.513	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2394.1	-49.18	-40	9.18	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-48.58	-40	8.58	Pass	401
2288	2292	1	RMS	2291.93	-46.46	-37	9.46	Pass	401
2292	2296	1	RMS	2295.96	-41.83	-31	10.83	Pass	401
2296	2300	1	RMS	2299.92	-31.76	-25	6.76	Pass	401
2300	2304	1	RMS	2304	-27.58	-13	14.58	Pass	5
2304	2305	0.1	RMS	2304.988	-33.02	-13	20.02	Pass	401
2305	2315	0.1	RMS	2311.5	-0.26	60	60.26	Pass	401
2315	2316	0.1	RMS	2315	-32.91	-13	19.91	Pass	401
2316	2320	1	RMS	2316	-25.43	-13	12.43	Pass	401
2320	2324	1	RMS	2320	-31.57	-25	6.57	Pass	5
2324	2328	1	RMS	2324.06	-40.06	-31	9.06	Pass	401
2328	2337	1	RMS	2328.135	-45.82	-37	8.82	Pass	401
2337	2341	1	RMS	2337.25	-48.72	-31	17.72	Pass	401
2341	2345	1	RMS	2342.25	-48.96	-25	23.96	Pass	401
2345	2360	1	RMS	2345.038	-49.21	-13	36.21	Pass	401
2360	2365	1	RMS	2363	-49.26	-13	36.26	Pass	401
2365	2395	1	RMS	2394.1	-49.18	-40	9.18	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-49.2	-40	9.2	Pass	401
2288	2292	1	RMS	2291.99	-48.79	-37	11.79	Pass	401
2292	2296	1	RMS	2295.92	-48.21	-31	17.21	Pass	401
2296	2300	1	RMS	2299.91	-47.49	-25	22.49	Pass	401
2300	2304	1	RMS	2303.57	-46.17	-13	33.17	Pass	401
2304	2305	0.01	RMS	2304.913	-64.58	-13	51.58	Pass	401
2305	2315	0.1	RMS	2314.425	17.8	60	42.2	Pass	401
2315	2316	0.01	RMS	2315.018	-41.9	-13	28.9	Pass	401
2316.5	2320	1	RMS	2316.5	-36.88	-13	23.88	Pass	5
2320	2324	1	RMS	2320	-44.5	-25	19.5	Pass	5
2324	2328	1	RMS	2324.06	-45.78	-31	14.78	Pass	401
2328	2337	1	RMS	2328.383	-47.61	-37	10.61	Pass	401
2337	2341	1	RMS	2337.65	-48.74	-31	17.74	Pass	401
2341	2345	1	RMS	2343.27	-48.92	-25	23.92	Pass	401
2345	2360	1	RMS	2349.425	-49.15	-13	36.15	Pass	401
2360	2365	1	RMS	2364.8	-49.22	-13	36.22	Pass	401
2365	2395	1	RMS	2394.85	-49.17	-40	9.17	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-49.22	-40	9.22	Pass	401
2288	2292	1	RMS	2291.91	-48.76	-37	11.76	Pass	401
2292	2296	1	RMS	2295.9	-48.26	-31	17.26	Pass	401
2296	2300	1	RMS	2299.95	-47.66	-25	22.66	Pass	401
2300	2304	1	RMS	2303.99	-45.95	-13	32.95	Pass	401
2304	2305	0.01	RMS	2304.778	-65.37	-13	52.37	Pass	401
2305	2315	0.1	RMS	2314.4	16.11	60	43.89	Pass	401
2315	2316	0.01	RMS	2315.018	-42.96	-13	29.96	Pass	401
2316.5	2320	1	RMS	2316.693	-35.97	-13	22.97	Pass	401
2320	2324	1	RMS	2320	-45.28	-25	20.28	Pass	5
2324	2328	1	RMS	2324.04	-46.18	-31	15.18	Pass	401
2328	2337	1	RMS	2328.18	-47.36	-37	10.36	Pass	401
2337	2341	1	RMS	2337.32	-48.68	-31	17.68	Pass	401
2341	2345	1	RMS	2341.64	-48.93	-25	23.93	Pass	401
2345	2360	1	RMS	2351.638	-49.2	-13	36.2	Pass	401
2360	2365	1	RMS	2361.225	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2389.675	-49.2	-40	9.2	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-48.37	-40	8.37	Pass	401
2288	2292	1	RMS	2291.75	-45.81	-37	8.81	Pass	401
2292	2296	1	RMS	2295.94	-40.11	-31	9.11	Pass	401
2296	2300	1	RMS	2299.92	-31.24	-25	6.24	Pass	401
2300	2304	1	RMS	2304	-27.25	-13	14.25	Pass	5
2304	2305	0.1	RMS	2304.998	-32.47	-13	19.47	Pass	401
2305	2315	0.1	RMS	2310.6	0.93	60	59.07	Pass	401
2315	2316	0.1	RMS	2315.013	-31.77	-13	18.77	Pass	401
2316	2320	1	RMS	2316.01	-25.12	-13	12.12	Pass	401
2320	2324	1	RMS	2320	-31.06	-25	6.06	Pass	5
2324	2328	1	RMS	2324.01	-38.05	-31	7.05	Pass	401
2328	2337	1	RMS	2328.068	-44.91	-37	7.91	Pass	401
2337	2341	1	RMS	2337.13	-48.43	-31	17.43	Pass	401
2341	2345	1	RMS	2341.44	-48.89	-25	23.89	Pass	401
2345	2360	1	RMS	2349.913	-49.14	-13	36.14	Pass	401
2360	2365	1	RMS	2360.388	-49.2	-13	36.2	Pass	401
2365	2395	1	RMS	2393.125	-49.16	-40	9.16	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



1.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.78	-48.55	-40	8.55	Pass	401
2288	2292	1	RMS	2291.95	-46.2	-37	9.2	Pass	401
2292	2296	1	RMS	2295.92	-41.59	-31	10.59	Pass	401
2296	2300	1	RMS	2300	-31.31	-25	6.31	Pass	401
2300	2304	1	RMS	2304	-27.54	-13	14.54	Pass	5
2304	2305	0.1	RMS	2304.988	-33.01	-13	20.01	Pass	401
2305	2315	0.1	RMS	2313.55	-0.43	60	60.43	Pass	401
2315	2316	0.1	RMS	2315.003	-32.5	-13	19.5	Pass	401
2316	2320	1	RMS	2316.03	-25.7	-13	12.7	Pass	401
2320	2324	1	RMS	2320	-31.34	-25	6.34	Pass	5
2324	2328	1	RMS	2324.09	-40.16	-31	9.16	Pass	401
2328	2337	1	RMS	2328.113	-45.44	-37	8.44	Pass	401
2337	2341	1	RMS	2337.02	-48.63	-31	17.63	Pass	401
2341	2345	1	RMS	2341.9	-48.88	-25	23.88	Pass	401
2345	2360	1	RMS	2351.3	-49.18	-13	36.18	Pass	401
2360	2365	1	RMS	2363.038	-49.23	-13	36.23	Pass	401
2365	2395	1	RMS	2394.625	-49.18	-40	9.18	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2. LTE_Band40(2350-2360)_Part27

2.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.22	-49.23	-40	9.23	Pass	401
2288	2292	1	RMS	2291.39	-49.09	-37	12.09	Pass	401
2292	2296	1	RMS	2293.72	-49.08	-31	18.08	Pass	401
2296	2300	1	RMS	2297.08	-49.08	-25	24.08	Pass	401
2300	2305	1	RMS	2304	-49.7	-13	36.7	Pass	6
2305	2320	1	RMS	2319.85	-49.08	-13	36.08	Pass	401
2320	2324	1	RMS	2323.03	-48.83	-25	23.83	Pass	401
2324	2328	1	RMS	2327.96	-48.6	-31	17.6	Pass	401
2328	2337	1	RMS	2336.955	-46.88	-37	9.88	Pass	401
2337	2341	1	RMS	2340.34	-45.43	-31	14.43	Pass	401
2341	2345	1	RMS	2345	-44.51	-25	19.51	Pass	5
2345	2349	1	RMS	2349	-33.27	-13	20.27	Pass	5
2349	2350	0.01	RMS	2350	-30.88	-13	17.88	Pass	401
2350	2360	0.1	RMS	2350.325	17.2	60	42.8	Pass	401
2360	2361	0.01	RMS	2360.333	-65.35	-13	52.35	Pass	401
2361	2365	1	RMS	2361.68	-46.17	-13	33.17	Pass	401
2365	2395	1	RMS	2366.05	-47.67	-40	7.67	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2285.58	-49.26	-40	9.26	Pass	401
2288	2292	1	RMS	2289.7	-49.1	-37	12.1	Pass	401
2292	2296	1	RMS	2292.76	-49.08	-31	18.08	Pass	401
2296	2300	1	RMS	2297.49	-49.05	-25	24.05	Pass	401
2300	2305	1	RMS	2304	-49.75	-13	36.75	Pass	6
2305	2320	1	RMS	2314.3	-49.14	-13	36.14	Pass	401
2320	2324	1	RMS	2320	-49.6	-25	24.6	Pass	5
2324	2328	1	RMS	2327.45	-48.7	-31	17.7	Pass	401
2328	2337	1	RMS	2336.775	-46.93	-37	9.93	Pass	401
2337	2341	1	RMS	2340.9	-45.07	-31	14.07	Pass	401
2341	2345	1	RMS	2345	-39.49	-25	14.49	Pass	5
2345	2348.5	1	RMS	2348.491	-26.76	-13	13.76	Pass	401
2349	2350	0.1	RMS	2349.998	-26.15	-13	13.15	Pass	401
2350	2360	0.1	RMS	2353.7	2.78	60	57.22	Pass	401
2360	2361	0.1	RMS	2360.01	-47.27	-13	34.27	Pass	401
2361	2365	1	RMS	2361	-41.09	-13	28.09	Pass	5
2365	2395	1	RMS	2365	-46.77	-40	6.77	Pass	31

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.22	-49.23	-40	9.23	Pass	401
2288	2292	1	RMS	2291.85	-49.1	-37	12.1	Pass	401
2292	2296	1	RMS	2292.59	-49.08	-31	18.08	Pass	401
2296	2300	1	RMS	2296.28	-49.06	-25	24.06	Pass	401
2300	2305	1	RMS	2305	-49.72	-13	36.72	Pass	6
2305	2320	1	RMS	2317.675	-49.08	-13	36.08	Pass	401
2320	2324	1	RMS	2323.96	-48.8	-25	23.8	Pass	401
2324	2328	1	RMS	2327.89	-48.57	-31	17.57	Pass	401
2328	2337	1	RMS	2335.875	-47.58	-37	10.58	Pass	401
2337	2341	1	RMS	2340.69	-46.29	-31	15.29	Pass	401
2341	2345	1	RMS	2345	-45.41	-25	20.41	Pass	5
2345	2349	1	RMS	2349	-34.22	-13	21.22	Pass	5
2349	2350	0.01	RMS	2350	-33	-13	20	Pass	401
2350	2360	0.1	RMS	2350.35	16.13	60	43.87	Pass	401
2360	2361	0.01	RMS	2360.55	-65.75	-13	52.75	Pass	401
2361	2365	1	RMS	2361.3	-46.22	-13	33.22	Pass	401
2365	2395	1	RMS	2365.075	-47.44	-40	7.44	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.88	-49.24	-40	9.24	Pass	401
2288	2292	1	RMS	2290.02	-49.08	-37	12.08	Pass	401
2292	2296	1	RMS	2295.32	-49.05	-31	18.05	Pass	401
2296	2300	1	RMS	2299.35	-49.07	-25	24.07	Pass	401
2300	2305	1	RMS	2305	-49.67	-13	36.67	Pass	6
2305	2320	1	RMS	2318.313	-49.14	-13	36.14	Pass	401
2320	2324	1	RMS	2323	-49.65	-25	24.65	Pass	5
2324	2328	1	RMS	2327.88	-48.67	-31	17.67	Pass	401
2328	2337	1	RMS	2336.618	-47.04	-37	10.04	Pass	401
2337	2341	1	RMS	2340.71	-44.56	-31	13.56	Pass	401
2341	2345	1	RMS	2345	-40.79	-25	15.79	Pass	5
2345	2349	1	RMS	2349	-25.95	-13	12.95	Pass	5
2349	2350	0.1	RMS	2349.998	-27.14	-13	14.14	Pass	401
2350	2360	0.1	RMS	2352.925	1.96	60	58.04	Pass	401
2360	2361	0.1	RMS	2360.043	-48.83	-13	35.83	Pass	401
2361	2365	1	RMS	2361	-42.01	-13	29.01	Pass	5
2365	2395	1	RMS	2365	-46.1	-40	6.1	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.22	-49.18	-40	9.18	Pass	401
2288	2292	1	RMS	2290.94	-49.07	-37	12.07	Pass	401
2292	2296	1	RMS	2293.08	-49.05	-31	18.05	Pass	401
2296	2300	1	RMS	2298.29	-49.02	-25	24.02	Pass	401
2300	2305	1	RMS	2304.85	-49.18	-13	36.18	Pass	401
2305	2320	1	RMS	2318.5	-49.1	-13	36.1	Pass	401
2320	2324	1	RMS	2320	-49.63	-25	24.63	Pass	5
2324	2328	1	RMS	2324.28	-48.92	-31	17.92	Pass	401
2328	2337	1	RMS	2336.775	-48.86	-37	11.86	Pass	401
2337	2341	1	RMS	2340.9	-48.06	-31	17.06	Pass	401
2341	2345	1	RMS	2344.74	-47.44	-25	22.44	Pass	401
2345	2349	1	RMS	2348.8	-46.36	-13	33.36	Pass	401
2349	2350	0.01	RMS	2349.808	-65.91	-13	52.91	Pass	401
2350	2360	0.1	RMS	2359.65	17.86	60	42.14	Pass	401
2360	2361	0.01	RMS	2360.003	-31.87	-13	18.87	Pass	401
2361	2365	1	RMS	2361	-33.04	-13	20.04	Pass	5
2365	2395	1	RMS	2365	-44.86	-40	4.86	Pass*	31

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.54	-49.17	-40	9.17	Pass	401
2288	2292	1	RMS	2290.41	-49.04	-37	12.04	Pass	401
2292	2296	1	RMS	2295.12	-49.05	-31	18.05	Pass	401
2296	2300	1	RMS	2298.21	-49.04	-25	24.04	Pass	401
2300	2305	1	RMS	2303	-49.67	-13	36.67	Pass	6
2305	2320	1	RMS	2317	-49.16	-13	36.16	Pass	401
2320	2324	1	RMS	2322	-49.64	-25	24.64	Pass	5
2324	2328	1	RMS	2324.68	-48.98	-31	17.98	Pass	401
2328	2337	1	RMS	2336.663	-49.06	-37	12.06	Pass	401
2337	2341	1	RMS	2341	-48.51	-31	17.51	Pass	401
2341	2345	1	RMS	2345	-48.99	-25	23.99	Pass	5
2345	2349	1	RMS	2349	-45.13	-13	32.13	Pass	401
2349	2350	0.1	RMS	2349.473	-54.55	-13	41.55	Pass	401
2350	2360	0.1	RMS	2358.2	-1.51	60	61.51	Pass	401
2360	2361	0.1	RMS	2360.003	-28.41	-13	15.41	Pass	401
2361	2365	1	RMS	2361	-32.08	-13	19.08	Pass	5
2365	2395	1	RMS	2365	-45.78	-40	5.78	Pass*	31

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.02	-49.19	-40	9.19	Pass	401
2288	2292	1	RMS	2291.03	-49.01	-37	12.01	Pass	401
2292	2296	1	RMS	2293.8	-49.03	-31	18.03	Pass	401
2296	2300	1	RMS	2298.76	-49.01	-25	24.01	Pass	401
2300	2305	1	RMS	2304.1	-49.15	-13	36.15	Pass	401
2305	2320	1	RMS	2308.863	-49.09	-13	36.09	Pass	401
2320	2324	1	RMS	2323	-49.56	-25	24.56	Pass	5
2324	2328	1	RMS	2325.7	-48.89	-31	17.89	Pass	401
2328	2337	1	RMS	2336.528	-48.9	-37	11.9	Pass	401
2337	2341	1	RMS	2340.44	-48.25	-31	17.25	Pass	401
2341	2345	1	RMS	2344.79	-47.38	-25	22.38	Pass	401
2345	2349	1	RMS	2348.86	-46.18	-13	33.18	Pass	401
2349	2350	0.01	RMS	2349.748	-65.58	-13	52.58	Pass	401
2350	2360	0.1	RMS	2359.675	16.86	60	43.14	Pass	401
2360	2361	0.01	RMS	2360	-33.26	-13	20.26	Pass	401
2361	2365	1	RMS	2361	-34.39	-13	21.39	Pass	5
2365	2395	1	RMS	2365	-45.54	-40	5.54	Pass*	31

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.22	-49.18	-40	9.18	Pass	401
2288	2292	1	RMS	2291.53	-49.04	-37	12.04	Pass	401
2292	2296	1	RMS	2293.24	-49.03	-31	18.03	Pass	401
2296	2300	1	RMS	2296.94	-49	-25	24	Pass	401
2300	2305	1	RMS	2304	-49.68	-13	36.68	Pass	6
2305	2320	1	RMS	2313.663	-49.12	-13	36.12	Pass	401
2320	2324	1	RMS	2324	-49.62	-25	24.62	Pass	5
2324	2328	1	RMS	2327.5	-48.92	-31	17.92	Pass	401
2328	2337	1	RMS	2336.82	-48.44	-37	11.44	Pass	401
2337	2341	1	RMS	2340.63	-47.41	-31	16.41	Pass	401
2341	2345	1	RMS	2345	-47.48	-25	22.48	Pass	5
2345	2349	1	RMS	2349	-42.32	-13	29.32	Pass	401
2349	2350	0.1	RMS	2349.953	-50.03	-13	37.03	Pass	401
2350	2360	0.1	RMS	2358.75	1.92	60	58.08	Pass	401
2360	2361	0.1	RMS	2360.003	-27.38	-13	14.38	Pass	401
2361	2365	1	RMS	2361	-26.13	-13	13.13	Pass	5
2365	2395	1	RMS	2365	-40.04	-40	0.04	Pass*	31

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.32	-49.15	-40	9.15	Pass	401
2288	2292	1	RMS	2291.35	-48.98	-37	11.98	Pass	401
2292	2296	1	RMS	2292.27	-49	-31	18	Pass	401
2296	2300	1	RMS	2297.47	-48.97	-25	23.97	Pass	401
2300	2305	1	RMS	2303	-49.68	-13	36.68	Pass	6
2305	2320	1	RMS	2318.575	-48.95	-13	35.95	Pass	401
2320	2324	1	RMS	2323.68	-48.75	-25	23.75	Pass	401
2324	2328	1	RMS	2327.74	-48.5	-31	17.5	Pass	401
2328	2337	1	RMS	2336.618	-47.35	-37	10.35	Pass	401
2337	2341	1	RMS	2340.98	-46.06	-31	15.06	Pass	401
2341	2345	1	RMS	2345	-44.82	-25	19.82	Pass	5
2345	2348.5	1	RMS	2348.439	-36.21	-13	23.21	Pass	401
2349	2350	0.01	RMS	2350	-42.59	-13	29.59	Pass	401
2350	2360	0.1	RMS	2350.6	17.72	60	42.28	Pass	401
2360	2361	0.01	RMS	2360.17	-65.46	-13	52.46	Pass	401
2361	2365	1	RMS	2361.03	-46.05	-13	33.05	Pass	401
2365	2395	1	RMS	2365	-47.64	-40	7.64	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-49.21	-40	9.21	Pass	401
2288	2292	1	RMS	2290.55	-49.08	-37	12.08	Pass	401
2292	2296	1	RMS	2292.95	-49.07	-31	18.07	Pass	401
2296	2300	1	RMS	2296.01	-49.08	-25	24.08	Pass	401
2300	2305	1	RMS	2304	-49.73	-13	36.73	Pass	6
2305	2320	1	RMS	2315.013	-49.19	-13	36.19	Pass	401
2320	2324	1	RMS	2321	-49.68	-25	24.68	Pass	5
2324	2328	1	RMS	2327.29	-48.96	-31	17.96	Pass	401
2328	2337	1	RMS	2336.708	-47.84	-37	10.84	Pass	401
2337	2341	1	RMS	2340.96	-47.1	-31	16.1	Pass	401
2341	2345	1	RMS	2345	-42.01	-25	17.01	Pass	5
2345	2349	1	RMS	2348.99	-35	-13	22	Pass	401
2349	2350	0.1	RMS	2350	-40.84	-13	27.84	Pass	401
2350	2360	0.1	RMS	2356.825	-5.83	60	65.83	Pass	401
2360	2361	0.1	RMS	2360.005	-37.59	-13	24.59	Pass	401
2361	2365	1	RMS	2361	-36.61	-13	23.61	Pass	5
2365	2395	1	RMS	2365.225	-42.21	-40	2.21	Pass*	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.54	-49.18	-40	9.18	Pass	401
2288	2292	1	RMS	2291.2	-49.01	-37	12.01	Pass	401
2292	2296	1	RMS	2292.71	-49.01	-31	18.01	Pass	401
2296	2300	1	RMS	2299.14	-48.98	-25	23.98	Pass	401
2300	2305	1	RMS	2305	-49.64	-13	36.64	Pass	6
2305	2320	1	RMS	2318.238	-49.02	-13	36.02	Pass	401
2320	2324	1	RMS	2323.98	-48.75	-25	23.75	Pass	401
2324	2328	1	RMS	2327.86	-48.53	-31	17.53	Pass	401
2328	2337	1	RMS	2335.92	-47.41	-37	10.41	Pass	401
2337	2341	1	RMS	2340.7	-45.76	-31	14.76	Pass	401
2341	2345	1	RMS	2345	-45.26	-25	20.26	Pass	5
2345	2348.5	1	RMS	2348.395	-36.02	-13	23.02	Pass	401
2349	2350	0.01	RMS	2349.998	-42.58	-13	29.58	Pass	401
2350	2360	0.1	RMS	2350.575	16.26	60	43.74	Pass	401
2360	2361	0.01	RMS	2360.935	-64.62	-13	51.62	Pass	401
2361	2365	1	RMS	2361.09	-45.64	-13	32.64	Pass	401
2365	2395	1	RMS	2365.225	-47.53	-40	7.53	Pass	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-49.14	-40	9.14	Pass	401
2288	2292	1	RMS	2291.19	-49.05	-37	12.05	Pass	401
2292	2296	1	RMS	2294.2	-49.05	-31	18.05	Pass	401
2296	2300	1	RMS	2298.35	-49.03	-25	24.03	Pass	401
2300	2305	1	RMS	2303	-49.71	-13	36.71	Pass	6
2305	2320	1	RMS	2316.625	-49.16	-13	36.16	Pass	401
2320	2324	1	RMS	2324	-49.62	-25	24.62	Pass	5
2324	2328	1	RMS	2327.97	-48.93	-31	17.93	Pass	401
2328	2337	1	RMS	2337	-47.52	-37	10.52	Pass	401
2337	2341	1	RMS	2340.91	-46.3	-31	15.3	Pass	401
2341	2345	1	RMS	2345	-40.62	-25	15.62	Pass	5
2345	2349	1	RMS	2348.99	-34.23	-13	21.23	Pass	401
2349	2350	0.1	RMS	2349.995	-40.79	-13	27.79	Pass	401
2350	2360	0.1	RMS	2358.375	-5.38	60	65.38	Pass	401
2360	2361	0.1	RMS	2360	-38.13	-13	25.13	Pass	401
2361	2365	1	RMS	2361	-34.99	-13	21.99	Pass	5
2365	2395	1	RMS	2365	-40.44	-40	0.44	Pass*	31

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-49.2	-40	9.2	Pass	401
2288	2292	1	RMS	2289.98	-49.04	-37	12.04	Pass	401
2292	2296	1	RMS	2293.83	-49.03	-31	18.03	Pass	401
2296	2300	1	RMS	2296.04	-49.03	-25	24.03	Pass	401
2300	2305	1	RMS	2303.938	-49.16	-13	36.16	Pass	401
2305	2320	1	RMS	2319.1	-49.09	-13	36.09	Pass	401
2320	2324	1	RMS	2320	-49.6	-25	24.6	Pass	5
2324	2328	1	RMS	2324.31	-48.86	-31	17.86	Pass	401
2328	2337	1	RMS	2336.393	-48.75	-37	11.75	Pass	401
2337	2341	1	RMS	2340.8	-47.94	-31	16.94	Pass	401
2341	2345	1	RMS	2344.47	-47.13	-25	22.13	Pass	401
2345	2349	1	RMS	2348.91	-45.78	-13	32.78	Pass	401
2349	2350	0.01	RMS	2349.288	-65.14	-13	52.14	Pass	401
2350	2360	0.1	RMS	2359.4	17.11	60	42.89	Pass	401
2360	2361	0.01	RMS	2360.018	-42.96	-13	29.96	Pass	401
2361	2365	1	RMS	2361	-34.23	-13	21.23	Pass	5
2365	2395	1	RMS	2365	-44	-40	4	Pass*	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-49.21	-40	9.21	Pass	401
2288	2292	1	RMS	2290.19	-49.05	-37	12.05	Pass	401
2292	2296	1	RMS	2294.38	-49.02	-31	18.02	Pass	401
2296	2300	1	RMS	2298.41	-49.03	-25	24.03	Pass	401
2300	2305	1	RMS	2304.038	-49.17	-13	36.17	Pass	401
2305	2320	1	RMS	2316.963	-49.09	-13	36.09	Pass	401
2320	2324	1	RMS	2322	-49.6	-25	24.6	Pass	5
2324	2328	1	RMS	2327.18	-48.89	-31	17.89	Pass	401
2328	2337	1	RMS	2336.955	-48.78	-37	11.78	Pass	401
2337	2341	1	RMS	2340.75	-47.95	-31	16.95	Pass	401
2341	2345	1	RMS	2344.92	-47.13	-25	22.13	Pass	401
2345	2349	1	RMS	2347.81	-46.28	-13	33.28	Pass	401
2349	2350	0.01	RMS	2349.768	-65.13	-13	52.13	Pass	401
2350	2360	0.1	RMS	2359.425	16.98	60	43.02	Pass	401
2360	2361	0.01	RMS	2360.008	-43.01	-13	30.01	Pass	401
2361	2365	1	RMS	2361	-35.01	-13	22.01	Pass	5
2365	2395	1	RMS	2365.675	-44.24	-40	4.24	Pass*	401

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.88	-49.21	-40	9.21	Pass	401
2288	2292	1	RMS	2289.98	-49.07	-37	12.07	Pass	401
2292	2296	1	RMS	2292.26	-49.07	-31	18.07	Pass	401
2296	2300	1	RMS	2298.72	-49.06	-25	24.06	Pass	401
2300	2305	1	RMS	2304	-49.74	-13	36.74	Pass	6
2305	2320	1	RMS	2318.613	-49.13	-13	36.13	Pass	401
2320	2324	1	RMS	2321	-49.62	-25	24.62	Pass	5
2324	2328	1	RMS	2327.82	-48.92	-31	17.92	Pass	401
2328	2337	1	RMS	2336.865	-46.73	-37	9.73	Pass	401
2337	2341	1	RMS	2340.72	-46.28	-31	15.28	Pass	401
2341	2345	1	RMS	2345	-39.79	-25	14.79	Pass	5
2345	2349	1	RMS	2349	-32.5	-13	19.5	Pass	401
2349	2350	0.1	RMS	2349.995	-38.77	-13	25.77	Pass	401
2350	2360	0.1	RMS	2356.625	-4.96	60	64.96	Pass	401
2360	2361	0.1	RMS	2360	-36.12	-13	23.12	Pass	401
2361	2365	1	RMS	2361	-31.02	-13	18.02	Pass	401
2365	2395	1	RMS	2365	-40.06	-40	0.06	Pass*	31

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



2.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-49.2	-40	9.2	Pass	401
2288	2292	1	RMS	2289.43	-49.06	-37	12.06	Pass	401
2292	2296	1	RMS	2294.36	-49.06	-31	18.06	Pass	401
2296	2300	1	RMS	2299.54	-49.08	-25	24.08	Pass	401
2300	2305	1	RMS	2302	-49.74	-13	36.74	Pass	6
2305	2320	1	RMS	2316.775	-49.16	-13	36.16	Pass	401
2320	2324	1	RMS	2323	-49.63	-25	24.63	Pass	5
2324	2328	1	RMS	2327.14	-48.93	-31	17.93	Pass	401
2328	2337	1	RMS	2336.64	-47.45	-37	10.45	Pass	401
2337	2341	1	RMS	2340.99	-45.95	-31	14.95	Pass	401
2341	2345	1	RMS	2345	-40.64	-25	15.64	Pass	5
2345	2349	1	RMS	2348.99	-34.36	-13	21.36	Pass	401
2349	2350	0.1	RMS	2349.998	-40.21	-13	27.21	Pass	401
2350	2360	0.1	RMS	2357.075	-5.96	60	65.96	Pass	401
2360	2361	0.1	RMS	2360	-38.1	-13	25.1	Pass	401
2361	2365	1	RMS	2361	-34.97	-13	21.97	Pass	5
2365	2395	1	RMS	2365	-40.31	-40	0.31	Pass*	31

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point



9. LTE_Band66

9.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.36	-13	33.36	Pass	401
1708	1709	1	RMS	1709	-39.72	-13	26.72	Pass	2
1709	1710	0.02	RMS	1710	-22.3	-13	9.3	Pass	401
1710	1712	0.1	RMS	1710.25	16.13	30	13.87	Pass	401



9.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-38.08	-13	25.08	Pass	401
1708	1709	1	RMS	1709	-24.53	-13	11.53	Pass	2
1709	1710	0.02	RMS	1710	-26.39	-13	13.39	Pass	401
1710	1712	0.1	RMS	1710.865	7.73	30	22.27	Pass	401



9.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-47.23	-13	34.23	Pass	401
1708	1709	1	RMS	1709	-41.94	-13	28.94	Pass	2
1709	1710	0.02	RMS	1710	-23.05	-13	10.05	Pass	401
1710	1712	0.1	RMS	1710.255	15.09	30	14.91	Pass	401



9.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.29	-13	26.29	Pass	401
1708	1709	1	RMS	1709	-26.65	-13	13.65	Pass	2
1709	1710	0.02	RMS	1710	-27.92	-13	14.92	Pass	401
1710	1712	0.1	RMS	1711.025	6.65	30	23.35	Pass	401