



19.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.2	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	811.8	-65.01	-13	52.01	Pass	7841
814	859	0.1	RMS	828.7	16.04	60	43.96	Pass	451
859	1000	0.1	RMS	986.6	-64.85	-13	51.85	Pass	1411
1000	3000	1	RMS	2486	-45.36	-13	32.36	Pass	2001
3000	10000	1	RMS	8739	-63.2	-13	50.2	Pass	7001




**19.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	58.74	Pass	2986
30	814	0.1	RMS	813	-65.02	-13	52.02	Pass	7841
814	859	0.1	RMS	835.3	2.86	60	57.14	Pass	451
859	1000	0.1	RMS	971.5	-64.89	-13	51.89	Pass	1411
1000	3000	1	RMS	2509	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	8743	-63.26	-13	50.26	Pass	7001




**19.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	812.9	-64.67	-13	51.67	Pass	7841
814	859	0.1	RMS	834.4	15.62	60	44.38	Pass	451
859	1000	0.1	RMS	970.1	-64.82	-13	51.82	Pass	1411
1000	3000	1	RMS	2503	-41.64	-13	28.64	Pass	2001
3000	10000	1	RMS	8742	-63.27	-13	50.27	Pass	7001




**19.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	812.9	-64.99	-13	51.99	Pass	7841
814	859	0.1	RMS	838.7	15.93	60	44.07	Pass	451
859	1000	0.1	RMS	924.6	-64.83	-13	51.83	Pass	1411
1000	3000	1	RMS	2516	-41.55	-13	28.55	Pass	2001
3000	10000	1	RMS	8746	-63.25	-13	50.25	Pass	7001




**19.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.32	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	812.6	-65.14	-13	52.14	Pass	7841
814	859	0.1	RMS	845.1	3.71	60	56.29	Pass	451
859	1000	0.1	RMS	929	-64.93	-13	51.93	Pass	1411
1000	3000	1	RMS	2999	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8744	-63.27	-13	50.27	Pass	7001




**19.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.17	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	814	-65.16	-13	52.16	Pass	7841
814	859	0.1	RMS	844.4	16.33	60	43.67	Pass	451
859	1000	0.1	RMS	862.4	-64.9	-13	51.9	Pass	1411
1000	3000	1	RMS	2976	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8739	-63.26	-13	50.26	Pass	7001




**19.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813.6	-65.23	-13	52.23	Pass	7841
814	859	0.1	RMS	848.7	16.54	60	43.46	Pass	451
859	1000	0.1	RMS	950.5	-64.9	-13	51.9	Pass	1411
1000	3000	1	RMS	3000	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8750	-63.26	-13	50.26	Pass	7001




**19.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:165800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	814	-48.97	-13	35.97	Pass	7841
814	859	0.1	RMS	825.4	0.76	60	59.24	Pass	451
859	1000	0.1	RMS	928.9	-64.83	-13	51.83	Pass	1411
1000	3000	1	RMS	2998	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8746	-63.24	-13	50.24	Pass	7001




**19.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:165800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.22	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	813.1	-62.2	-13	49.2	Pass	7841
814	859	0.1	RMS	824.4	17.04	60	42.96	Pass	451
859	1000	0.1	RMS	981	-64.82	-13	51.82	Pass	1411
1000	3000	1	RMS	2999	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8746	-63.28	-13	50.28	Pass	7001




**19.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:165800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	813.6	-64.81	-13	51.81	Pass	7841
814	859	0.1	RMS	833.6	17.05	60	42.95	Pass	451
859	1000	0.1	RMS	969	-64.96	-13	51.96	Pass	1411
1000	3000	1	RMS	2997	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8742	-63.23	-13	50.23	Pass	7001




**19.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	813.3	-58.75	-13	45.75	Pass	7841
814	859	0.1	RMS	832.4	0.76	60	59.24	Pass	451
859	1000	0.1	RMS	976.2	-64.8	-13	51.8	Pass	1411
1000	3000	1	RMS	2998	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8749	-63.21	-13	50.21	Pass	7001




**19.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	811.9	-64.79	-13	51.79	Pass	7841
814	859	0.1	RMS	831.9	16.89	60	43.11	Pass	451
859	1000	0.1	RMS	993.1	-64.9	-13	51.9	Pass	1411
1000	3000	1	RMS	2998	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8745	-63.25	-13	50.25	Pass	7001




**19.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	813.8	-64.79	-13	51.79	Pass	7841
814	859	0.1	RMS	841.1	17.07	60	42.93	Pass	451
859	1000	0.1	RMS	994.1	-64.91	-13	51.91	Pass	1411
1000	3000	1	RMS	2976	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8755	-63.3	-13	50.3	Pass	7001




**19.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.8	-63.32	-13	50.32	Pass	7841
814	859	0.1	RMS	842.7	0.7	60	59.3	Pass	451
859	1000	0.1	RMS	936.6	-64.95	-13	51.95	Pass	1411
1000	3000	1	RMS	2968	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8743	-63.25	-13	50.25	Pass	7001




**19.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	812.9	-64.73	-13	51.73	Pass	7841
814	859	0.1	RMS	839.4	16.88	60	43.12	Pass	451
859	1000	0.1	RMS	942.1	-64.88	-13	51.88	Pass	1411
1000	3000	1	RMS	1782	-48.16	-13	35.16	Pass	2001
3000	10000	1	RMS	8741	-63.22	-13	50.22	Pass	7001




**19.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.8	-64.98	-13	51.98	Pass	7841
814	859	0.1	RMS	848.6	17	60	43	Pass	451
859	1000	0.1	RMS	988.4	-64.92	-13	51.92	Pass	1411
1000	3000	1	RMS	2998	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8746	-63.32	-13	50.32	Pass	7001




**19.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.18	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	814	-43.62	-13	30.62	Pass	7841
814	859	0.1	RMS	825.3	-0.74	60	60.74	Pass	451
859	1000	0.1	RMS	995	-64.78	-13	51.78	Pass	1411
1000	3000	1	RMS	2962	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8745	-63.26	-13	50.26	Pass	7001




**19.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.23	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	813.6	-63.48	-13	50.48	Pass	7841
814	859	0.1	RMS	824.5	17.24	60	42.76	Pass	451
859	1000	0.1	RMS	959.8	-64.73	-13	51.73	Pass	1411
1000	3000	1	RMS	2999	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8741	-63.22	-13	50.22	Pass	7001




**19.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	814	0.1	RMS	812.5	-64.98	-13	51.98	Pass	7841
814	859	0.1	RMS	838.5	16.59	60	43.41	Pass	451
859	1000	0.1	RMS	990.1	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	2998	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8736	-63.27	-13	50.27	Pass	7001




**19.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	813.8	-49.95	-13	36.95	Pass	7841
814	859	0.1	RMS	829.7	-0.9	60	60.9	Pass	451
859	1000	0.1	RMS	968.7	-64.87	-13	51.87	Pass	1411
1000	3000	1	RMS	2998	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8746	-63.19	-13	50.19	Pass	7001




**19.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	814	-64.5	-13	51.5	Pass	7841
814	859	0.1	RMS	829.5	17.14	60	42.86	Pass	451
859	1000	0.1	RMS	943.5	-64.79	-13	51.79	Pass	1411
1000	3000	1	RMS	2999	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8745	-63.27	-13	50.27	Pass	7001




**19.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	812.3	-65.02	-13	52.02	Pass	7841
814	859	0.1	RMS	843.5	16.54	60	43.46	Pass	451
859	1000	0.1	RMS	967.7	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	2966	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8742	-63.23	-13	50.23	Pass	7001




**19.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.22	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	813.8	-54.85	-13	41.85	Pass	7841
814	859	0.1	RMS	835.4	-1.04	60	61.04	Pass	451
859	1000	0.1	RMS	982.6	-64.89	-13	51.89	Pass	1411
1000	3000	1	RMS	2998	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8735	-63.26	-13	50.26	Pass	7001




**19.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	812.6	-64.77	-13	51.77	Pass	7841
814	859	0.1	RMS	834.5	17.14	60	42.86	Pass	451
859	1000	0.1	RMS	977.1	-64.84	-13	51.84	Pass	1411
1000	3000	1	RMS	3000	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8727	-63.31	-13	50.31	Pass	7001




**19.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	813	-64.72	-13	51.72	Pass	7841
814	859	0.1	RMS	848.5	16.58	60	43.42	Pass	451
859	1000	0.1	RMS	964.8	-64.82	-13	51.82	Pass	1411
1000	3000	1	RMS	2997	-50	-13	37	Pass	2001
3000	10000	1	RMS	8751	-63.26	-13	50.26	Pass	7001




**19.28 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813.4	-42.44	-13	29.44	Pass	7841
814	859	0.1	RMS	825.2	-1.96	60	61.96	Pass	451
859	1000	0.1	RMS	981.9	-64.85	-13	51.85	Pass	1411
1000	3000	1	RMS	2971	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8745	-63.23	-13	50.23	Pass	7001




**19.29 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	813.3	-62.21	-13	49.21	Pass	7841
814	859	0.1	RMS	824.6	16.85	60	43.15	Pass	451
859	1000	0.1	RMS	996.8	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	2964	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8740	-63.21	-13	50.21	Pass	7001




**19.30 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	811.8	-64.77	-13	51.77	Pass	7841
814	859	0.1	RMS	843.5	16.71	60	43.29	Pass	451
859	1000	0.1	RMS	944.5	-64.84	-13	51.84	Pass	1411
1000	3000	1	RMS	2982	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8726	-63.28	-13	50.28	Pass	7001




**19.31 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	813.9	-43.56	-13	30.56	Pass	7841
814	859	0.1	RMS	827.6	-1.84	60	61.84	Pass	451
859	1000	0.1	RMS	960.6	-64.69	-13	51.69	Pass	1411
1000	3000	1	RMS	2999	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8726	-63.26	-13	50.26	Pass	7001




**19.32 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.18	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	813.1	-63.44	-13	50.44	Pass	7841
814	859	0.1	RMS	827.1	16.9	60	43.1	Pass	451
859	1000	0.1	RMS	964.3	-64.88	-13	51.88	Pass	1411
1000	3000	1	RMS	2977	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8742	-63.21	-13	50.21	Pass	7001




**19.33 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	812.1	-64.8	-13	51.8	Pass	7841
814	859	0.1	RMS	846	16.76	60	43.24	Pass	451
859	1000	0.1	RMS	971.8	-64.83	-13	51.83	Pass	1411
1000	3000	1	RMS	2971	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8735	-63.24	-13	50.24	Pass	7001




**19.34 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.21	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	813.9	-47.22	-13	34.22	Pass	7841
814	859	0.1	RMS	829.6	-1.99	60	61.99	Pass	451
859	1000	0.1	RMS	859.1	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	2971	-50	-13	37	Pass	2001
3000	10000	1	RMS	8746	-63.1	-13	50.1	Pass	7001




**19.35 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.18	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	813.5	-63.97	-13	50.97	Pass	7841
814	859	0.1	RMS	829.6	17.02	60	42.98	Pass	451
859	1000	0.1	RMS	888.9	-64.81	-13	51.81	Pass	1411
1000	3000	1	RMS	3000	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	8738	-63.19	-13	50.19	Pass	7001



**19.36 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	812.7	-64.82	-13	51.82	Pass	7841
814	859	0.1	RMS	848.5	16.74	60	43.26	Pass	451
859	1000	0.1	RMS	973.8	-64.8	-13	51.8	Pass	1411
1000	3000	1	RMS	2988	-50	-13	37	Pass	2001
3000	10000	1	RMS	8735	-63.26	-13	50.26	Pass	7001




20. n14 15kHz

20.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	58.51	Pass	2986
30	778	0.1	RMS	778	-56.54	-13	43.54	Pass	7481
778	808	0.1	RMS	791.95	4.42	60	55.58	Pass	401
808	1000	0.1	RMS	808.1	-63.4	-13	50.4	Pass	1921
1000	3000	1	RMS	2962	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8743	-63.27	-13	50.27	Pass	7001




20.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	778	0.1	RMS	777	-63.24	-13	50.24	Pass	7481
778	808	0.1	RMS	788.35	17.52	60	42.48	Pass	401
808	1000	0.1	RMS	862.7	-64.87	-13	51.87	Pass	1921
1000	3000	1	RMS	2999	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8744	-63.21	-13	50.21	Pass	7001




20.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.19	-71.22	-13	58.22	Pass	2986
30	778	0.1	RMS	760.3	-65.21	-13	52.21	Pass	7481
778	808	0.1	RMS	792.7	17.43	60	42.57	Pass	401
808	1000	0.1	RMS	992.8	-64.69	-13	51.69	Pass	1921
1000	3000	1	RMS	3000	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8747	-63.21	-13	50.21	Pass	7001




**20.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	778	0.1	RMS	778	-61.58	-13	48.58	Pass	7481
778	808	0.1	RMS	794.35	4.36	60	55.64	Pass	401
808	1000	0.1	RMS	808	-61.7	-13	48.7	Pass	1921
1000	3000	1	RMS	3000	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8743	-63.26	-13	50.26	Pass	7001




**20.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	59.17	Pass	2986
30	778	0.1	RMS	777.2	-60.21	-13	47.21	Pass	7481
778	808	0.1	RMS	790.825	17.22	60	42.78	Pass	401
808	1000	0.1	RMS	993.1	-64.8	-13	51.8	Pass	1921
1000	3000	1	RMS	2971	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8744	-63.25	-13	50.25	Pass	7001




**20.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	778	0.1	RMS	749.2	-65.25	-13	52.25	Pass	7481
778	808	0.1	RMS	795.175	17.51	60	42.49	Pass	401
808	1000	0.1	RMS	992.1	-64.77	-13	51.77	Pass	1921
1000	3000	1	RMS	2976	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8738	-63.21	-13	50.21	Pass	7001




**20.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:159100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	778	0.1	RMS	777.9	-64.59	-13	51.59	Pass	7481
778	808	0.1	RMS	794.125	4.18	60	55.82	Pass	401
808	1000	0.1	RMS	808.2	-56.94	-13	43.94	Pass	1921
1000	3000	1	RMS	2966	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8747	-63.24	-13	50.24	Pass	7001




**20.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:159100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-13	58.77	Pass	2986
30	778	0.1	RMS	777.1	-65.31	-13	52.31	Pass	7481
778	808	0.1	RMS	793.375	17.52	60	42.48	Pass	401
808	1000	0.1	RMS	962.5	-64.66	-13	51.66	Pass	1921
1000	3000	1	RMS	2999	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	8746	-63.26	-13	50.26	Pass	7001




**20.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	57.41	Pass	2986
30	778	0.1	RMS	742	-65.04	-13	52.04	Pass	7481
778	808	0.1	RMS	797.65	17.47	60	42.53	Pass	401
808	1000	0.1	RMS	808.5	-64.73	-13	51.73	Pass	1921
1000	3000	1	RMS	2973	-50	-13	37	Pass	2001
3000	10000	1	RMS	8748	-63.2	-13	50.2	Pass	7001




**20.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-70.46	-13	57.46	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	58.07	Pass	2986
30	778	0.1	RMS	777.9	-49.69	-13	36.69	Pass	7481
778	808	0.1	RMS	795.325	1.32	60	58.68	Pass	401
808	1000	0.1	RMS	808.1	-48.33	-13	35.33	Pass	1921
1000	3000	1	RMS	3000	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8744	-63.22	-13	50.22	Pass	7001




**20.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	778	0.1	RMS	777.7	-64.64	-13	51.64	Pass	7481
778	808	0.1	RMS	788.425	17.42	60	42.58	Pass	401
808	1000	0.1	RMS	901.6	-64.81	-13	51.81	Pass	1921
1000	3000	1	RMS	2957	-50.08	-13	37.08	Pass	2001
3000	10000	1	RMS	8746	-63.25	-13	50.25	Pass	7001



**20.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	778	0.1	RMS	777.4	-65.37	-13	52.37	Pass	7481
778	808	0.1	RMS	797.575	17.33	60	42.67	Pass	401
808	1000	0.1	RMS	808.8	-64.69	-13	51.69	Pass	1921
1000	3000	1	RMS	2995	-50.07	-13	37.07	Pass	2001
3000	10000	1	RMS	8746	-63.2	-13	50.2	Pass	7001




21. n30 15kHz

21.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.72	-40	29.72	Pass	401
0.15	30	0.01	RMS	0.32	-69.94	-40	29.94	Pass	2986
30	1000	0.1	RMS	962.275	-62.21	-40	22.21	Pass	9701
1000	2295	1	RMS	2295	-51.97	-40	11.97	Pass	1296
2295	2325	1	RMS	2308.5	9.25	60	50.75	Pass	401
2325	3000	1	RMS	2985	-50.04	-40	10.04	Pass	676
3000	7000	1	RMS	6980	-63.22	-40	23.22	Pass	4001
7000	24000	1	RMS	23607	-51.51	-40	11.51	Pass	17003




21.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.27	-40	31.27	Pass	401
0.15	30	0.01	RMS	0.2	-70.64	-40	30.64	Pass	2986
30	1000	0.1	RMS	855.804	-61.68	-40	21.68	Pass	9701
1000	2295	1	RMS	2184	-51.98	-40	11.98	Pass	1296
2295	2325	1	RMS	2305.425	15.09	60	44.91	Pass	401
2325	3000	1	RMS	2970	-50.07	-40	10.07	Pass	676
3000	7000	1	RMS	6993	-62.95	-40	22.95	Pass	4001
7000	24000	1	RMS	23447	-51.41	-40	11.41	Pass	17003




21.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.7	-40	30.7	Pass	401
0.15	30	0.01	RMS	0.28	-70.49	-40	30.49	Pass	2986
30	1000	0.1	RMS	860.608	-62.01	-40	22.01	Pass	9701
1000	2295	1	RMS	2194	-52.02	-40	12.02	Pass	1296
2295	2325	1	RMS	2309.7	15.05	60	44.95	Pass	401
2325	3000	1	RMS	2996	-50.04	-40	10.04	Pass	676
3000	7000	1	RMS	6975	-63.11	-40	23.11	Pass	4001
7000	24000	1	RMS	23953	-51.85	-40	11.85	Pass	17003




**21.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:462000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.63	-40	29.63	Pass	401
0.15	30	0.01	RMS	0.15	-69.91	-40	29.91	Pass	2986
30	1000	0.1	RMS	584.8	-62.22	-40	22.22	Pass	9701
1000	2295	1	RMS	2264	-51.9	-40	11.9	Pass	1296
2295	2325	1	RMS	2311.275	9.1	60	50.9	Pass	401
2325	3000	1	RMS	2980	-49.98	-40	9.98	Pass	676
3000	7000	1	RMS	6984	-63.21	-40	23.21	Pass	4001
7000	24000	1	RMS	23839	-51.8	-40	11.8	Pass	17003




**21.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:462000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.69	-40	29.69	Pass	401
0.15	30	0.01	RMS	0.15	-67.93	-40	27.93	Pass	2986
30	1000	0.1	RMS	842.9	-61.11	-40	21.11	Pass	9701
1000	2295	1	RMS	2162	-52.02	-40	12.02	Pass	1296
2295	2325	1	RMS	2307.9	15.1	60	44.9	Pass	401
2325	3000	1	RMS	2999	-49.95	-40	9.95	Pass	676
3000	7000	1	RMS	6976	-63	-40	23	Pass	4001
7000	24000	1	RMS	23905	-51.85	-40	11.85	Pass	17003




**21.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:462000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.78	-40	30.78	Pass	401
0.15	30	0.01	RMS	0.15	-70.11	-40	30.11	Pass	2986
30	1000	0.1	RMS	979.987	-62.1	-40	22.1	Pass	9701
1000	2295	1	RMS	2258	-52.01	-40	12.01	Pass	1296
2295	2325	1	RMS	2312.25	15.05	60	44.95	Pass	401
2325	3000	1	RMS	2962	-49.99	-40	9.99	Pass	676
3000	7000	1	RMS	6979	-63.31	-40	23.31	Pass	4001
7000	24000	1	RMS	23558	-51.41	-40	11.41	Pass	17003




**21.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:462500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.25	-40	31.25	Pass	401
0.15	30	0.01	RMS	0.17	-70.51	-40	30.51	Pass	2986
30	1000	0.1	RMS	983.489	-62.17	-40	22.17	Pass	9701
1000	2295	1	RMS	2165	-52.01	-40	12.01	Pass	1296
2295	2325	1	RMS	2313.3	9	60	51	Pass	401
2325	3000	1	RMS	2973	-49.99	-40	9.99	Pass	676
3000	7000	1	RMS	6979	-63.2	-40	23.2	Pass	4001
7000	24000	1	RMS	23479	-51.76	-40	11.76	Pass	17003




**21.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:462500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.31	-40	31.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.05	-40	31.05	Pass	2986
30	1000	0.1	RMS	941.962	-62.01	-40	22.01	Pass	9701
1000	2295	1	RMS	2178	-51.95	-40	11.95	Pass	1296
2295	2325	1	RMS	2310.375	15.12	60	44.88	Pass	401
2325	3000	1	RMS	3000	-50.04	-40	10.04	Pass	676
3000	7000	1	RMS	6982	-63.32	-40	23.32	Pass	4001
7000	24000	1	RMS	23865	-51.7	-40	11.7	Pass	17003




**21.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:462500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.02	-40	30.02	Pass	401
0.15	30	0.01	RMS	0.28	-69.91	-40	24.91	Pass	2986
30	1000	0.1	RMS	933.756	-62.41	-40	22.41	Pass	9701
1000	2295	1	RMS	2273	-52.06	-40	12.06	Pass	1296
2295	2325	1	RMS	2314.725	15.1	60	44.9	Pass	401
2325	3000	1	RMS	2964	-50.01	-40	10.01	Pass	676
3000	7000	1	RMS	6976	-63.28	-40	23.28	Pass	4001
7000	24000	1	RMS	23865	-51.94	-40	11.94	Pass	17003




**21.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:462000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.64	-40	30.64	Pass	401
0.15	30	0.01	RMS	0.17	-70.39	-40	30.39	Pass	2986
30	1000	0.1	RMS	971.481	-62.4	-40	22.4	Pass	9701
1000	2295	1	RMS	2295	-49.83	-40	9.83	Pass	1296
2295	2325	1	RMS	2311.875	6.07	60	53.93	Pass	401
2325	3000	1	RMS	2325	-47.53	-40	7.53	Pass	676
3000	7000	1	RMS	6979	-63.29	-40	23.29	Pass	4001
7000	24000	1	RMS	23830	-51.49	-40	11.49	Pass	17003




**21.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:462000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.63	-40	30.63	Pass	401
0.15	30	0.01	RMS	0.93	-70.21	-40	30.21	Pass	2986
30	1000	0.1	RMS	846.7	-62.15	-40	22.15	Pass	9701
1000	2295	1	RMS	2199	-52.03	-40	12.03	Pass	1296
2295	2325	1	RMS	2305.5	15.08	60	44.92	Pass	401
2325	3000	1	RMS	2974	-49.96	-40	9.96	Pass	676
3000	7000	1	RMS	6979	-63.19	-40	23.19	Pass	4001
7000	24000	1	RMS	23509	-51.43	-40	11.43	Pass	17003



**21.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:462000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.97	-40	28.97	Pass	401
0.15	30	0.01	RMS	0.24	-68.95	-40	28.95	Pass	2986
30	1000	0.1	RMS	926.351	-62.07	-40	22.07	Pass	9701
1000	2295	1	RMS	2160	-51.89	-40	11.89	Pass	1296
2295	2325	1	RMS	2314.725	15.14	60	44.86	Pass	401
2325	3000	1	RMS	2984	-49.99	-40	9.99	Pass	676
3000	7000	1	RMS	6977	-63.19	-40	23.19	Pass	4001
7000	24000	1	RMS	23895	-51.84	-40	11.84	Pass	17003



22. n66 15kHz


**22.1 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	980.187	-64.85	-13	51.85	Pass	9701
1000	1700	1	RMS	1700	-53.21	-13	40.21	Pass	701
1700	1790	1	RMS	1713.5	8.77	60	51.23	Pass	401
1790	3000	1	RMS	2966	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6979	-63.47	-13	50.47	Pass	4001
7000	20000	1	RMS	19900	-20.93	-13	7.93	Pass	13002




22.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.26	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	957.372	-64.94	-13	51.94	Pass	9701
1000	1700	1	RMS	1700	-53.29	-13	40.29	Pass	701
1700	1790	1	RMS	1710.35	14.62	60	45.38	Pass	401
1790	3000	1	RMS	2970	-50.08	-13	37.08	Pass	1211
3000	7000	1	RMS	6981	-63.5	-13	50.5	Pass	4001
7000	20000	1	RMS	19899	-20.89	-13	7.89	Pass	13002




22.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.2	-72.8	-13	59.8	Pass	2986
30	1000	0.1	RMS	854.504	-64.94	-13	51.94	Pass	9701
1000	1700	1	RMS	1680	-53.32	-13	40.32	Pass	701
1700	1790	1	RMS	1714.625	14.79	60	45.21	Pass	401
1790	3000	1	RMS	2999	-50.05	-13	37.05	Pass	1211
3000	7000	1	RMS	6980	-63.44	-13	50.44	Pass	4001
7000	20000	1	RMS	19901	-20.95	-13	7.95	Pass	13002




**22.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	958.773	-64.88	-13	51.88	Pass	9701
1000	1700	1	RMS	1683	-53.33	-13	40.33	Pass	701
1700	1790	1	RMS	1745.9	8.45	60	51.55	Pass	401
1790	3000	1	RMS	3000	-50.06	-13	37.06	Pass	1211
3000	7000	1	RMS	6976	-63.39	-13	50.39	Pass	4001
7000	20000	1	RMS	19901	-20.81	-13	7.81	Pass	13002




**22.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	999.4	-64.8	-13	51.8	Pass	9701
1000	1700	1	RMS	1676	-53.33	-13	40.33	Pass	701
1700	1790	1	RMS	1742.75	14.5	60	45.5	Pass	401
1790	3000	1	RMS	2967	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6979	-63.42	-13	50.42	Pass	4001
7000	20000	1	RMS	19899	-20.94	-13	7.94	Pass	13002




22.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	883.523	-64.91	-13	51.91	Pass	9701
1000	1700	1	RMS	1682	-53.33	-13	40.33	Pass	701
1700	1790	1	RMS	1747.025	14.54	60	45.46	Pass	401
1790	3000	1	RMS	2972	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6980	-63.43	-13	50.43	Pass	4001
7000	20000	1	RMS	19901	-20.93	-13	7.93	Pass	13002




22.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	970.08	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1682	-53.37	-13	40.37	Pass	701
1700	1790	1	RMS	1776.275	8.68	60	51.32	Pass	401
1790	3000	1	RMS	2987	-50.06	-13	37.06	Pass	1211
3000	7000	1	RMS	6978	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19902	-20.82	-13	7.82	Pass	13002




22.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	849.1	-64.94	-13	51.94	Pass	9701
1000	1700	1	RMS	1681	-53.27	-13	40.27	Pass	701
1700	1790	1	RMS	1775.375	14.6	60	45.4	Pass	401
1790	3000	1	RMS	2970	-50.07	-13	37.07	Pass	1211
3000	7000	1	RMS	6977	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19903	-20.92	-13	7.92	Pass	13002




22.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	969.48	-64.7	-13	51.7	Pass	9701
1000	1700	1	RMS	1691	-53.35	-13	40.35	Pass	701
1700	1790	1	RMS	1779.65	14.77	60	45.23	Pass	401
1790	3000	1	RMS	2980	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6979	-63.44	-13	50.44	Pass	4001
7000	20000	1	RMS	19907	-20.89	-13	7.89	Pass	13002




**22.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	986.591	-64.77	-13	51.77	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	37.59	Pass	701
1700	1790	1	RMS	1728.35	2.57	60	57.43	Pass	401
1790	3000	1	RMS	2961	-50.03	-13	37.03	Pass	1211
3000	7000	1	RMS	6978	-63.51	-13	50.51	Pass	4001
7000	20000	1	RMS	19897	-20.93	-13	7.93	Pass	13002




**22.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	933.656	-64.78	-13	51.78	Pass	9701
1000	1700	1	RMS	1682	-53.32	-13	40.32	Pass	701
1700	1790	1	RMS	1710.575	14.58	60	45.42	Pass	401
1790	3000	1	RMS	2976	-50.07	-13	37.07	Pass	1211
3000	7000	1	RMS	6979	-63.48	-13	50.48	Pass	4001
7000	20000	1	RMS	19901	-20.9	-13	7.9	Pass	13002




**22.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	951.268	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1681	-53.33	-13	40.33	Pass	701
1700	1790	1	RMS	1729.475	14.5	60	45.5	Pass	401
1790	3000	1	RMS	2978	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6979	-63.38	-13	50.38	Pass	4001
7000	20000	1	RMS	19901	-20.94	-13	7.94	Pass	13002




**22.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	998.299	-64.95	-13	51.95	Pass	9701
1000	1700	1	RMS	1699	-53.3	-13	40.3	Pass	701
1700	1790	1	RMS	1738.925	2.19	60	57.81	Pass	401
1790	3000	1	RMS	2979	-50.1	-13	37.1	Pass	1211
3000	7000	1	RMS	6979	-63.47	-13	50.47	Pass	4001
7000	20000	1	RMS	19899	-20.87	-13	7.87	Pass	13002




**22.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	989.093	-64.89	-13	51.89	Pass	9701
1000	1700	1	RMS	1687	-53.35	-13	40.35	Pass	701
1700	1790	1	RMS	1735.55	14.46	60	45.54	Pass	401
1790	3000	1	RMS	2977	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6979	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19904	-20.88	-13	7.88	Pass	13002




**22.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.18	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	930.354	-64.87	-13	51.87	Pass	9701
1000	1700	1	RMS	1682	-53.36	-13	40.36	Pass	701
1700	1790	1	RMS	1754.45	14.6	60	45.4	Pass	401
1790	3000	1	RMS	2998	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6979	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19898	-20.89	-13	7.89	Pass	13002




**22.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	971.481	-64.82	-13	51.82	Pass	9701
1000	1700	1	RMS	1680	-53.33	-13	40.33	Pass	701
1700	1790	1	RMS	1763.675	2.45	60	57.55	Pass	401
1790	3000	1	RMS	1790	-48.55	-13	35.55	Pass	1211
3000	7000	1	RMS	6979	-63.39	-13	50.39	Pass	4001
7000	20000	1	RMS	19901	-20.86	-13	7.86	Pass	13002




**22.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	982.789	-64.87	-13	51.87	Pass	9701
1000	1700	1	RMS	1686	-53.36	-13	40.36	Pass	701
1700	1790	1	RMS	1760.525	14.65	60	45.35	Pass	401
1790	3000	1	RMS	2969	-50.07	-13	37.07	Pass	1211
3000	7000	1	RMS	6979	-63.42	-13	50.42	Pass	4001
7000	20000	1	RMS	19904	-20.96	-13	7.96	Pass	13002




**22.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	973.482	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1686	-53.33	-13	40.33	Pass	701
1700	1790	1	RMS	1779.425	14.74	60	45.26	Pass	401
1790	3000	1	RMS	2966	-50.08	-13	37.08	Pass	1211
3000	7000	1	RMS	6980	-63.44	-13	50.44	Pass	4001
7000	20000	1	RMS	19896	-20.84	-13	7.84	Pass	13002




**22.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	994.496	-64.95	-13	51.95	Pass	9701
1000	1700	1	RMS	1700	-51.36	-13	38.36	Pass	701
1700	1790	1	RMS	1746.575	-0.28	60	60.28	Pass	401
1790	3000	1	RMS	2965	-50.05	-13	37.05	Pass	1211
3000	7000	1	RMS	6979	-63.46	-13	50.46	Pass	4001
7000	20000	1	RMS	19902	-20.93	-13	7.93	Pass	13002




**22.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	963.076	-64.89	-13	51.89	Pass	9701
1000	1700	1	RMS	1700	-53.12	-13	40.12	Pass	701
1700	1790	1	RMS	1710.575	14.79	60	45.21	Pass	401
1790	3000	1	RMS	2977	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6980	-63.48	-13	50.48	Pass	4001
7000	20000	1	RMS	19903	-20.9	-13	7.9	Pass	13002




**22.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	956.671	-64.98	-13	51.98	Pass	9701
1000	1700	1	RMS	1689	-53.32	-13	40.32	Pass	701
1700	1790	1	RMS	1749.275	14.6	60	45.4	Pass	401
1790	3000	1	RMS	2999	-50.01	-13	37.01	Pass	1211
3000	7000	1	RMS	6981	-63.44	-13	50.44	Pass	4001
7000	20000	1	RMS	19904	-20.9	-13	7.9	Pass	13002




**22.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	962.275	-64.87	-13	51.87	Pass	9701
1000	1700	1	RMS	1700	-52.05	-13	39.05	Pass	701
1700	1790	1	RMS	1740.725	-0.62	60	60.62	Pass	401
1790	3000	1	RMS	2974	-50.05	-13	37.05	Pass	1211
3000	7000	1	RMS	6974	-63.49	-13	50.49	Pass	4001
7000	20000	1	RMS	19906	-20.94	-13	7.94	Pass	13002




**22.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	871.615	-64.93	-13	51.93	Pass	9701
1000	1700	1	RMS	1692	-53.3	-13	40.3	Pass	701
1700	1790	1	RMS	1725.65	14.64	60	45.36	Pass	401
1790	3000	1	RMS	2966	-50.07	-13	37.07	Pass	1211
3000	7000	1	RMS	6980	-63.42	-13	50.42	Pass	4001
7000	20000	1	RMS	19899	-20.82	-13	7.82	Pass	13002




**22.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.24	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	844.8	-64.9	-13	51.9	Pass	9701
1000	1700	1	RMS	1686	-53.32	-13	40.32	Pass	701
1700	1790	1	RMS	1764.35	14.82	60	45.18	Pass	401
1790	3000	1	RMS	2966	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6979	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19900	-20.9	-13	7.9	Pass	13002




**22.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	951.868	-64.93	-13	51.93	Pass	9701
1000	1700	1	RMS	1700	-52.88	-13	39.88	Pass	701
1700	1790	1	RMS	1746.35	-0.42	60	60.42	Pass	401
1790	3000	1	RMS	1790	-48.36	-13	35.36	Pass	1211
3000	7000	1	RMS	6980	-63.48	-13	50.48	Pass	4001
7000	20000	1	RMS	19899	-20.86	-13	7.86	Pass	13002




**22.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	973.983	-64.95	-13	51.95	Pass	9701
1000	1700	1	RMS	1680	-53.34	-13	40.34	Pass	701
1700	1790	1	RMS	1740.5	14.5	60	45.5	Pass	401
1790	3000	1	RMS	2986	-50.09	-13	37.09	Pass	1211
3000	7000	1	RMS	6979	-63.41	-13	50.41	Pass	4001
7000	20000	1	RMS	19900	-20.73	-13	7.73	Pass	13002



**22.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-13	59.78	Pass	2986
30	1000	0.1	RMS	935.657	-64.95	-13	51.95	Pass	9701
1000	1700	1	RMS	1697	-53.34	-13	40.34	Pass	701
1700	1790	1	RMS	1779.2	14.84	60	45.16	Pass	401
1790	3000	1	RMS	2977	-50.1	-13	37.1	Pass	1211
3000	7000	1	RMS	6980	-63.45	-13	50.45	Pass	4001
7000	20000	1	RMS	19901	-20.87	-13	7.87	Pass	13002



23. n77 30kHz(3450-3550)


**23.1 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.33	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	864.21	-62.94	-13	49.94	Pass	9701
1000	3000	1	RMS	2998	-49.93	-13	36.93	Pass	2001
3000	3440	1	RMS	3440	-38.89	-13	25.89	Pass	441
3440	3560	1	RMS	3456.2	14.8	60	45.2	Pass	401
3560	7000	1	RMS	6913	-62.1	-13	49.1	Pass	3441
7000	26500	1	RMS	25501	-49.85	-13	36.85	Pass	19503




23.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.25	-70.17	-13	57.17	Pass	2986
30	1000	0.1	RMS	999.6	-62.34	-13	49.34	Pass	9701
1000	3000	1	RMS	2998	-50.01	-13	37.01	Pass	2001
3000	3440	1	RMS	3424	-44.75	-13	31.75	Pass	441
3440	3560	1	RMS	3451.1	22.72	60	37.28	Pass	401
3560	7000	1	RMS	6902	-57.11	-13	44.11	Pass	3441
7000	26500	1	RMS	25495	-49.71	-13	36.71	Pass	19503




23.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.23	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	995.997	-62.4	-13	49.4	Pass	9701
1000	3000	1	RMS	2998	-49.92	-13	36.92	Pass	2001
3000	3440	1	RMS	3432	-44.23	-13	31.23	Pass	441
3440	3560	1	RMS	3459.2	22.98	60	37.02	Pass	401
3560	7000	1	RMS	6918	-57.89	-13	44.89	Pass	3441
7000	26500	1	RMS	25501	-49.87	-13	36.87	Pass	19503




**23.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.21	-70.35	-13	57.35	Pass	2986
30	1000	0.1	RMS	968.679	-62.42	-13	49.42	Pass	9701
1000	3000	1	RMS	2978	-49.74	-13	36.74	Pass	2001
3000	3440	1	RMS	3019	-46.59	-13	33.59	Pass	441
3440	3560	1	RMS	3499.4	14.77	60	45.23	Pass	401
3560	7000	1	RMS	6999	-61.13	-13	48.13	Pass	3441
7000	26500	1	RMS	25849	-49.79	-13	36.79	Pass	19503




**23.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	0.58	-70.88	-13	57.88	Pass	2986
30	1000	0.1	RMS	966.678	-62.18	-13	49.18	Pass	9701
1000	3000	1	RMS	2996	-49.93	-13	36.93	Pass	2001
3000	3440	1	RMS	3000	-46.59	-13	33.59	Pass	441
3440	3560	1	RMS	3495.8	22.8	60	37.2	Pass	401
3560	7000	1	RMS	6992	-57	-13	44	Pass	3441
7000	26500	1	RMS	25600	-49.88	-13	36.88	Pass	19503




**23.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.85	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	856.205	-62.28	-13	49.28	Pass	9701
1000	3000	1	RMS	2956	-49.83	-13	36.83	Pass	2001
3000	3440	1	RMS	3011	-46.52	-13	33.52	Pass	441
3440	3560	1	RMS	3504.2	23.06	60	36.94	Pass	401
3560	7000	1	RMS	3811	-59.3	-13	46.3	Pass	3441
7000	26500	1	RMS	25860	-49.88	-13	36.88	Pass	19503




**23.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-13	55.36	Pass	2986
30	1000	0.1	RMS	830.3	-61.82	-13	48.82	Pass	9701
1000	3000	1	RMS	2850	-49.91	-13	36.91	Pass	2001
3000	3440	1	RMS	3009	-46.53	-13	33.53	Pass	441
3440	3560	1	RMS	3546.2	14.88	60	45.12	Pass	401
3560	7000	1	RMS	3560	-36.78	-13	23.78	Pass	3441
7000	26500	1	RMS	25494	-49.7	-13	36.7	Pass	19503




**23.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.29	-71	-13	58	Pass	2986
30	1000	0.1	RMS	498.1	-62.21	-13	49.21	Pass	9701
1000	3000	1	RMS	2979	-49.91	-13	36.91	Pass	2001
3000	3440	1	RMS	3023	-46.62	-13	33.62	Pass	441
3440	3560	1	RMS	3540.8	22.79	60	37.21	Pass	401
3560	7000	1	RMS	3567	-47.48	-13	34.48	Pass	3441
7000	26500	1	RMS	25857	-49.7	-13	36.7	Pass	19503




**23.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.09	-13	56.09	Pass	401
0.15	30	0.01	RMS	0.47	-70.58	-13	57.58	Pass	2986
30	1000	0.1	RMS	978.186	-62.05	-13	49.05	Pass	9701
1000	3000	1	RMS	2947	-49.83	-13	36.83	Pass	2001
3000	3440	1	RMS	3006	-46.59	-13	33.59	Pass	441
3440	3560	1	RMS	3549.2	23.23	60	36.77	Pass	401
3560	7000	1	RMS	3578	-48.09	-13	35.09	Pass	3441
7000	26500	1	RMS	25482	-50.02	-13	37.02	Pass	19503




**23.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.56	-13	56.56	Pass	401
0.15	30	0.01	RMS	0.54	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	887.726	-62.12	-13	49.12	Pass	9701
1000	3000	1	RMS	2997	-49.96	-13	36.96	Pass	2001
3000	3440	1	RMS	3440	-29.86	-13	16.86	Pass	441
3440	3560	1	RMS	3494.9	7.56	60	52.44	Pass	401
3560	7000	1	RMS	3560	-42.44	-13	29.44	Pass	3441
7000	26500	1	RMS	25460	-49.96	-13	36.96	Pass	19503




**23.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.9	-13	57.9	Pass	401
0.15	30	0.01	RMS	0.26	-70.4	-13	57.4	Pass	2986
30	1000	0.1	RMS	772.1	-62.8	-13	49.8	Pass	9701
1000	3000	1	RMS	2994	-49.9	-13	36.9	Pass	2001
3000	3440	1	RMS	3424	-44.72	-13	31.72	Pass	441
3440	3560	1	RMS	3451.4	23.04	60	36.96	Pass	401
3560	7000	1	RMS	4066	-55.1	-13	42.1	Pass	3441
7000	26500	1	RMS	25791	-49.56	-13	36.56	Pass	19503




**23.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.43	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	911.842	-62.57	-13	49.57	Pass	9701
1000	3000	1	RMS	2999	-49.96	-13	36.96	Pass	2001
3000	3440	1	RMS	3013	-46.54	-13	33.54	Pass	441
3440	3560	1	RMS	3498.8	23.21	60	36.79	Pass	401
3560	7000	1	RMS	6998	-55.62	-13	42.62	Pass	3441
7000	26500	1	RMS	25498	-49.69	-13	36.69	Pass	19503




**23.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	0.18	-70.27	-13	57.27	Pass	2986
30	1000	0.1	RMS	851.602	-62.47	-13	49.47	Pass	9701
1000	3000	1	RMS	2997	-49.95	-13	36.95	Pass	2001
3000	3440	1	RMS	3440	-35.64	-13	22.64	Pass	441
3440	3560	1	RMS	3513.2	7.5	60	52.5	Pass	401
3560	7000	1	RMS	3560	-32.88	-13	19.88	Pass	3441
7000	26500	1	RMS	25509	-49.86	-13	36.86	Pass	19503




**23.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-13	56.55	Pass	2986
30	1000	0.1	RMS	992.595	-62.48	-13	49.48	Pass	9701
1000	3000	1	RMS	2949	-50.02	-13	37.02	Pass	2001
3000	3440	1	RMS	3013	-46.57	-13	33.57	Pass	441
3440	3560	1	RMS	3476.3	23.19	60	36.81	Pass	401
3560	7000	1	RMS	4091	-55.06	-13	42.06	Pass	3441
7000	26500	1	RMS	25538	-49.65	-13	36.65	Pass	19503




**23.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70	-13	57	Pass	401
0.15	30	0.01	RMS	0.32	-70.58	-13	57.58	Pass	2986
30	1000	0.1	RMS	940.661	-62.65	-13	49.65	Pass	9701
1000	3000	1	RMS	2962	-49.89	-13	36.89	Pass	2001
3000	3440	1	RMS	3005	-46.61	-13	33.61	Pass	441
3440	3560	1	RMS	3524	23.21	60	36.79	Pass	401
3560	7000	1	RMS	3562	-55.03	-13	42.03	Pass	3441
7000	26500	1	RMS	25877	-49.71	-13	36.71	Pass	19503




**23.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.18	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	926.551	-62.4	-13	49.4	Pass	9701
1000	3000	1	RMS	2974	-49.93	-13	36.93	Pass	2001
3000	3440	1	RMS	3440	-43.47	-13	30.47	Pass	441
3440	3560	1	RMS	3523.4	7.62	60	52.38	Pass	401
3560	7000	1	RMS	3560	-25.33	-13	12.33	Pass	3441
7000	26500	1	RMS	25557	-49.84	-13	36.84	Pass	19503




**23.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-13	57.74	Pass	2986
30	1000	0.1	RMS	911.742	-62.66	-13	49.66	Pass	9701
1000	3000	1	RMS	3000	-49.84	-13	36.84	Pass	2001
3000	3440	1	RMS	3007	-46.52	-13	33.52	Pass	441
3440	3560	1	RMS	3501.5	22.99	60	37.01	Pass	401
3560	7000	1	RMS	4116	-54.88	-13	41.88	Pass	3441
7000	26500	1	RMS	25511	-49.68	-13	36.68	Pass	19503




**23.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.63	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	943.563	-62.66	-13	49.66	Pass	9701
1000	3000	1	RMS	2980	-49.97	-13	36.97	Pass	2001
3000	3440	1	RMS	3014	-46.57	-13	33.57	Pass	441
3440	3560	1	RMS	3548.9	23.36	60	36.64	Pass	401
3560	7000	1	RMS	3576	-47.85	-13	34.85	Pass	3441
7000	26500	1	RMS	25547	-49.46	-13	36.46	Pass	19503




**23.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.34	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	920.347	-62.57	-13	49.57	Pass	9701
1000	3000	1	RMS	2993	-49.89	-13	36.89	Pass	2001
3000	3440	1	RMS	3439	-30.37	-13	17.37	Pass	441
3440	3560	1	RMS	3528.5	4.37	60	55.63	Pass	401
3560	7000	1	RMS	3564	-28.02	-13	15.02	Pass	3441
7000	26500	1	RMS	25544	-49.48	-13	36.48	Pass	19503




**23.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	946.865	-62.63	-13	49.63	Pass	9701
1000	3000	1	RMS	2983	-49.83	-13	36.83	Pass	2001
3000	3440	1	RMS	3424	-44.58	-13	31.58	Pass	441
3440	3560	1	RMS	3451.1	23.16	60	36.84	Pass	401
3560	7000	1	RMS	3647	-51.93	-13	38.93	Pass	3441
7000	26500	1	RMS	25555	-49.82	-13	36.82	Pass	19503



**23.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.59	-69.98	-13	56.98	Pass	2986
30	1000	0.1	RMS	928.553	-62.62	-13	49.62	Pass	9701
1000	3000	1	RMS	2916	-49.92	-13	36.92	Pass	2001
3000	3440	1	RMS	3353	-41.81	-13	28.81	Pass	441
3440	3560	1	RMS	3549.2	23.25	60	36.75	Pass	401
3560	7000	1	RMS	3578	-47.34	-13	34.34	Pass	3441
7000	26500	1	RMS	25487	-49.24	-13	36.24	Pass	19503




24. n77 30kHz(3700-3980)

24.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.2	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	856.605	-62.82	-13	49.82	Pass	9701
1000	3000	1	RMS	2971	-50.06	-13	37.06	Pass	2001
3000	3690	1	RMS	3690	-37.02	-13	24.02	Pass	691
3690	3990	1	RMS	3705.75	14.95	60	45.05	Pass	401
3990	7000	1	RMS	4015	-62.69	-13	49.69	Pass	3011
7000	26500	1	RMS	25509	-50.01	-13	37.01	Pass	19503




24.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.19	-70.18	-13	57.18	Pass	2986
30	1000	0.1	RMS	947.665	-62.45	-13	49.45	Pass	9701
1000	3000	1	RMS	2978	-50.09	-13	37.09	Pass	2001
3000	3690	1	RMS	3674	-44.35	-13	31.35	Pass	691
3690	3990	1	RMS	3701.25	22.08	60	37.92	Pass	401
3990	7000	1	RMS	4008	-59.46	-13	46.46	Pass	3011
7000	26500	1	RMS	25905	-49.47	-13	36.47	Pass	19503




24.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-13	57.56	Pass	401
0.15	30	0.01	RMS	0.16	-70.88	-13	57.88	Pass	2986
30	1000	0.1	RMS	875.618	-62.41	-13	49.41	Pass	9701
1000	3000	1	RMS	2967	-49.87	-13	36.87	Pass	2001
3000	3690	1	RMS	3683	-44.51	-13	31.51	Pass	691
3690	3990	1	RMS	3709.5	22.25	60	37.75	Pass	401
3990	7000	1	RMS	4016	-57.64	-13	44.64	Pass	3011
7000	26500	1	RMS	25877	-50.03	-13	37.03	Pass	19503




34.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.8	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	967.679	-62.36	-13	49.36	Pass	9701
1000	3000	1	RMS	2985	-49.97	-13	36.97	Pass	2001
3000	3690	1	RMS	3011	-46.63	-13	33.63	Pass	691
3690	3990	1	RMS	3838.5	14.95	60	45.05	Pass	401
3990	7000	1	RMS	4129	-62.49	-13	49.49	Pass	3011
7000	26500	1	RMS	25883	-49.97	-13	36.97	Pass	19503




**24.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.18	-69.74	-13	56.74	Pass	2986
30	1000	0.1	RMS	997.198	-62.71	-13	49.71	Pass	9701
1000	3000	1	RMS	2999	-50.04	-13	37.04	Pass	2001
3000	3690	1	RMS	3005	-46.64	-13	33.64	Pass	691
3690	3990	1	RMS	3836.25	22.03	60	37.97	Pass	401
3990	7000	1	RMS	4127	-57.91	-13	44.91	Pass	3011
7000	26500	1	RMS	25488	-49.84	-13	36.84	Pass	19503




**24.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.5	-70.19	-13	57.19	Pass	2986
30	1000	0.1	RMS	845.6	-62.46	-13	49.46	Pass	9701
1000	3000	1	RMS	2995	-49.92	-13	36.92	Pass	2001
3000	3690	1	RMS	3002	-46.6	-13	33.6	Pass	691
3690	3990	1	RMS	3844.5	22.25	60	37.75	Pass	401
3990	7000	1	RMS	4135	-58.55	-13	45.55	Pass	3011
7000	26500	1	RMS	25876	-49.98	-13	36.98	Pass	19503




**24.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.77	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	942.562	-62.11	-13	49.11	Pass	9701
1000	3000	1	RMS	2847	-50	-13	37	Pass	2001
3000	3690	1	RMS	3013	-46.59	-13	33.59	Pass	691
3690	3990	1	RMS	3974.25	14.98	60	45.02	Pass	401
3990	7000	1	RMS	3990	-34.66	-13	21.66	Pass	3011
7000	26500	1	RMS	25509	-49.91	-13	36.91	Pass	19503




**24.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.2	-70.57	-13	57.57	Pass	2986
30	1000	0.1	RMS	846.3	-62.6	-13	49.6	Pass	9701
1000	3000	1	RMS	2979	-49.84	-13	36.84	Pass	2001
3000	3690	1	RMS	3010	-46.5	-13	33.5	Pass	691
3690	3990	1	RMS	3971.25	22.05	60	37.95	Pass	401
3990	7000	1	RMS	3998	-46.03	-13	33.03	Pass	3011
7000	26500	1	RMS	25511	-49.95	-13	36.95	Pass	19503




**24.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.2	-70.67	-13	57.67	Pass	2986
30	1000	0.1	RMS	913.343	-62.42	-13	49.42	Pass	9701
1000	3000	1	RMS	2867	-49.9	-13	36.9	Pass	2001
3000	3690	1	RMS	3013	-46.61	-13	33.61	Pass	691
3690	3990	1	RMS	3979.5	22.33	60	37.67	Pass	401
3990	7000	1	RMS	4006	-45.97	-13	32.97	Pass	3011
7000	26500	1	RMS	25460	-49.86	-13	36.86	Pass	19503




**24.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.39	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	839.9	-62.55	-13	49.55	Pass	9701
1000	3000	1	RMS	2961	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3690	-26.86	-13	13.86	Pass	691
3690	3990	1	RMS	3703.5	7.89	60	52.11	Pass	401
3990	7000	1	RMS	6981	-63.38	-13	50.38	Pass	3011
7000	26500	1	RMS	25497	-49.78	-13	36.78	Pass	19503




**24.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.15	-68.65	-13	55.65	Pass	2986
30	1000	0.1	RMS	933.556	-62.75	-13	49.75	Pass	9701
1000	3000	1	RMS	2956	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3677	-44.07	-13	31.07	Pass	691
3690	3990	1	RMS	3701.25	22.76	60	37.24	Pass	401
3990	7000	1	RMS	4316	-58.36	-13	45.36	Pass	3011
7000	26500	1	RMS	26471	-50.09	-13	37.09	Pass	19503




**24.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	1.24	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	841.2	-62.17	-13	49.17	Pass	9701
1000	3000	1	RMS	2969	-49.86	-13	36.86	Pass	2001
3000	3690	1	RMS	3013	-46.55	-13	33.55	Pass	691
3690	3990	1	RMS	3749.25	21.74	60	38.26	Pass	401
3990	7000	1	RMS	4056	-57.74	-13	44.74	Pass	3011
7000	26500	1	RMS	25540	-49.8	-13	36.8	Pass	19503




**24.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.26	-13	58.26	Pass	401
0.15	30	0.01	RMS	1.13	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	922.649	-62.48	-13	49.48	Pass	9701
1000	3000	1	RMS	3000	-49.94	-13	36.94	Pass	2001
3000	3690	1	RMS	3005	-46.51	-13	33.51	Pass	691
3690	3990	1	RMS	3819.75	7.72	60	52.28	Pass	401
3990	7000	1	RMS	3990	-61.99	-13	48.99	Pass	3011
7000	26500	1	RMS	25521	-49.63	-13	36.63	Pass	19503




**24.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	1.61	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	849.8	-62.17	-13	49.17	Pass	9701
1000	3000	1	RMS	2965	-49.9	-13	36.9	Pass	2001
3000	3690	1	RMS	3011	-46.5	-13	33.5	Pass	691
3690	3990	1	RMS	3816	21.82	60	38.18	Pass	401
3990	7000	1	RMS	4431	-58.13	-13	45.13	Pass	3011
7000	26500	1	RMS	25897	-49.28	-13	36.28	Pass	19503




**24.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.28	-70.2	-13	57.2	Pass	2986
30	1000	0.1	RMS	820.1	-62.58	-13	49.58	Pass	9701
1000	3000	1	RMS	2954	-49.84	-13	36.84	Pass	2001
3000	3690	1	RMS	3008	-46.51	-13	33.51	Pass	691
3690	3990	1	RMS	3864	22.83	60	37.17	Pass	401
3990	7000	1	RMS	4155	-58.09	-13	45.09	Pass	3011
7000	26500	1	RMS	25489	-49.69	-13	36.69	Pass	19503




**24.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.55	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	956.571	-61.92	-13	48.92	Pass	9701
1000	3000	1	RMS	2986	-49.91	-13	36.91	Pass	2001
3000	3690	1	RMS	3012	-46.49	-13	33.49	Pass	691
3690	3990	1	RMS	3968.25	7.68	60	52.32	Pass	401
3990	7000	1	RMS	3990	-26.79	-13	13.79	Pass	3011
7000	26500	1	RMS	25495	-49.72	-13	36.72	Pass	19503




**24.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.86	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	853.103	-62.69	-13	49.69	Pass	9701
1000	3000	1	RMS	2833	-49.99	-13	36.99	Pass	2001
3000	3690	1	RMS	3011	-46.47	-13	33.47	Pass	691
3690	3990	1	RMS	3931.5	22.64	60	37.36	Pass	401
3990	7000	1	RMS	4026	-52.04	-13	39.04	Pass	3011
7000	26500	1	RMS	25489	-49.8	-13	36.8	Pass	19503




**24.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	0.35	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	833.1	-62.21	-13	49.21	Pass	9701
1000	3000	1	RMS	2952	-49.91	-13	36.91	Pass	2001
3000	3690	1	RMS	3014	-46.46	-13	33.46	Pass	691
3690	3990	1	RMS	3978.75	22.98	60	37.02	Pass	401
3990	7000	1	RMS	4007	-44.78	-13	31.78	Pass	3011
7000	26500	1	RMS	25446	-50.08	-13	37.08	Pass	19503




**24.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	2.55	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	883.223	-62.44	-13	49.44	Pass	9701
1000	3000	1	RMS	3000	-49.9	-13	36.9	Pass	2001
3000	3690	1	RMS	3689	-28.99	-13	15.99	Pass	691
3690	3990	1	RMS	3704.25	5.18	60	54.82	Pass	401
3990	7000	1	RMS	3993	-60.69	-13	47.69	Pass	3011
7000	26500	1	RMS	25928	-49.9	-13	36.9	Pass	19503




**24.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-13	57.4	Pass	401
0.15	30	0.01	RMS	0.29	-70.07	-13	57.07	Pass	2986
30	1000	0.1	RMS	870.314	-62.4	-13	49.4	Pass	9701
1000	3000	1	RMS	2998	-49.96	-13	36.96	Pass	2001
3000	3690	1	RMS	3673	-43.71	-13	30.71	Pass	691
3690	3990	1	RMS	3701.25	22.8	60	37.2	Pass	401
3990	7000	1	RMS	4008	-59.77	-13	46.77	Pass	3011
7000	26500	1	RMS	25497	-49.56	-13	36.56	Pass	19503




**24.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.26	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	908.94	-62.81	-13	49.81	Pass	9701
1000	3000	1	RMS	2988	-49.88	-13	36.88	Pass	2001
3000	3690	1	RMS	3603	-40.4	-13	27.4	Pass	691
3690	3990	1	RMS	3798.75	21.85	60	38.15	Pass	401
3990	7000	1	RMS	3995	-53.92	-13	40.92	Pass	3011
7000	26500	1	RMS	25466	-49.8	-13	36.8	Pass	19503




**24.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.36	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	915.844	-62.45	-13	49.45	Pass	9701
1000	3000	1	RMS	2953	-49.9	-13	36.9	Pass	2001
3000	3690	1	RMS	3690	-41.69	-13	28.69	Pass	691
3690	3990	1	RMS	3801	4.55	60	55.45	Pass	401
3990	7000	1	RMS	3992	-43.66	-13	30.66	Pass	3011
7000	26500	1	RMS	25520	-49.96	-13	36.96	Pass	19503




**24.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.37	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	927.552	-62.26	-13	49.26	Pass	9701
1000	3000	1	RMS	2938	-49.9	-13	36.9	Pass	2001
3000	3690	1	RMS	3007	-46.54	-13	33.54	Pass	691
3690	3990	1	RMS	3791.25	22.55	60	37.45	Pass	401
3990	7000	1	RMS	4082	-58.37	-13	45.37	Pass	3011
7000	26500	1	RMS	25487	-49.67	-13	36.67	Pass	19503




**24.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	0.25	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	944.663	-62.42	-13	49.42	Pass	9701
1000	3000	1	RMS	2968	-49.91	-13	36.91	Pass	2001
3000	3690	1	RMS	3003	-46.51	-13	33.51	Pass	691
3690	3990	1	RMS	3888.75	22.06	60	37.94	Pass	401
3990	7000	1	RMS	4085	-53.44	-13	40.44	Pass	3011
7000	26500	1	RMS	25879	-49.65	-13	36.65	Pass	19503




**24.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.34	-13	57.34	Pass	401
0.15	30	0.01	RMS	0.2	-69.92	-13	56.92	Pass	2986
30	1000	0.1	RMS	733.7	-62.62	-13	49.62	Pass	9701
1000	3000	1	RMS	2969	-49.92	-13	36.92	Pass	2001
3000	3690	1	RMS	3005	-46.53	-13	33.53	Pass	691
3690	3990	1	RMS	3887.25	4.57	60	55.43	Pass	401
3990	7000	1	RMS	3993	-30.28	-13	17.28	Pass	3011
7000	26500	1	RMS	25508	-49.65	-13	36.65	Pass	19503




**24.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.16	-68.77	-13	55.77	Pass	2986
30	1000	0.1	RMS	820.6	-62.32	-13	49.32	Pass	9701
1000	3000	1	RMS	2969	-49.94	-13	36.94	Pass	2001
3000	3690	1	RMS	3004	-46.44	-13	33.44	Pass	691
3690	3990	1	RMS	3881.25	22.79	60	37.21	Pass	401
3990	7000	1	RMS	4077	-50.31	-13	37.31	Pass	3011
7000	26500	1	RMS	25480	-49.68	-13	36.68	Pass	19503



**24.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.41	-70.74	-13	57.74	Pass	2986
30	1000	0.1	RMS	993.095	-62.17	-13	49.17	Pass	9701
1000	3000	1	RMS	2988	-49.74	-13	36.74	Pass	2001
3000	3690	1	RMS	3010	-46.46	-13	33.46	Pass	691
3690	3990	1	RMS	3978.75	22.02	60	37.98	Pass	401
3990	7000	1	RMS	4006	-44.8	-13	31.8	Pass	3011
7000	26500	1	RMS	25844	-49.84	-13	36.84	Pass	19503



--BLANK BELOW--