

Annex A.3 Occupied Bandwidth

1. LTE_Band48

1.1 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3552.5	99	26	0.1	Peak	4.503	5.237	5	Pass




1.2 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3552.5	99	26	0.1	Peak	4.506	5.265	5	Pass



1.3 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.1	Peak	4.493	5.089	5	Pass




1.4 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.1	Peak	4.508	5.122	5	Pass



1.5 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




1.6 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




1.7 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.985	10.298	10	Pass




1.8 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.968	10.334	10	Pass




1.9 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.2	Peak	8.982	10.324	10	Pass




1.10 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.2	Peak	8.982	10.196	10	Pass




1.11 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3695	99	26	0.2	Peak	8.947	10.241	10	Pass




1.12 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3695	99	26	0.2	Peak	8.985	10.301	10	Pass




1.13 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.5	99	26	0.3	Peak	13.454	16.015	15	Pass




1.14 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




1.15 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.3	Peak	13.477	15.244	15	Pass




1.16 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.3	Peak	13.477	15.393	15	Pass




1.17 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.5	99	26	0.3	Peak	13.461	15.131	15	Pass




1.18 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.5	99	26	0.3	Peak	13.495	15.1	15	Pass




1.19 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560	99	26	0.39	Peak	17.952	20.583	20	Pass




1.20 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560	99	26	0.39	Peak	17.915	20.428	20	Pass




1.21 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.39	Peak	17.955	20.186	20	Pass




1.22 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3625	99	26	0.39	Peak	17.921	20.115	20	Pass



1.23 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




1.24 LTE Occupied Bandwidth_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




2. n48 30kHz

2.1 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




2.2 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.2	Peak	8.66	10.25	10	Pass




2.3 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.2	Peak	8.64	10.17	10	Pass




2.4 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.67	10.35	10	Pass




2.5 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.2	Peak	8.67	10.46	10	Pass




2.6 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.2	Peak	8.67	10.31	10	Pass




2.7 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.68	10.41	10	Pass




2.8 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.2	Peak	8.69	10.7	10	Pass




2.9 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.2	Peak	8.69	10.19	10	Pass




2.10 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3555	99	26	0.2	Peak	8.67	10.42	10	Pass




2.11 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.2	Peak	8.67	10.2	10	Pass




2.12 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3694.98	99	26	0.2	Peak	8.67	10.36	10	Pass




2.13 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.52	99	26	0.3	Peak	13.69	15.56	15	Pass




2.14 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.3	Peak	13.7	15.52	15	Pass




2.15 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.49	99	26	0.3	Peak	13.68	15.51	15	Pass




2.16 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.52	99	26	0.3	Peak	13.71	15.45	15	Pass




2.17 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.3	Peak	13.69	15.46	15	Pass




2.18 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.49	99	26	0.3	Peak	13.66	15.57	15	Pass




2.19 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.52	99	26	0.3	Peak	13.68	15.38	15	Pass




2.20 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.3	Peak	13.68	15.33	15	Pass




2.21 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.49	99	26	0.3	Peak	13.65	15.38	15	Pass




2.22 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3557.52	99	26	0.3	Peak	13.67	15.43	15	Pass




2.23 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.3	Peak	13.67	15.4	15	Pass




2.24 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3692.49	99	26	0.3	Peak	13.63	15.4	15	Pass




2.25 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.39	Peak	18.31	20.35	20	Pass




2.26 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.39	Peak	18.32	20.41	20	Pass




2.27 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	18.3	20.13	20	Pass




2.28 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.39	Peak	18.31	20.13	20	Pass




2.29 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.39	Peak	18.33	20.29	20	Pass




2.30 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	18.29	20.28	20	Pass




2.31 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.39	Peak	18.49	20.33	20	Pass




2.32 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.39	Peak	18.44	20.09	20	Pass




2.33 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	18.42	20.25	20	Pass




2.34 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3560.01	99	26	0.39	Peak	18.34	20.25	20	Pass




2.35 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	0.39	Peak	18.33	20.18	20	Pass




2.36 Occupied Bandwidth for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3690	99	26	0.39	Peak	18.32	20.36	20	Pass




2.37 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3565.02	99	26	1	Peak	28.29	31.03	30	Pass




2.38 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	28.36	31.06	30	Pass




2.39 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3684.99	99	26	1	Peak	28.24	31.99	30	Pass




2.40 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3565.02	99	26	1	Peak	28.25	31.95	30	Pass




2.41 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	28.27	31.87	30	Pass




2.42 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3684.99	99	26	1	Peak	28.32	31.03	30	Pass




2.43 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3565.02	99	26	1	Peak	28.3	31.36	30	Pass




2.44 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	28.31	31.37	30	Pass




2.45 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3684.99	99	26	1	Peak	28.28	31.23	30	Pass




2.46 Occupied Bandwidth for SA_Part96(NTNV)(Channel:637668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3565.02	99	26	1	Peak	28.24	31.88	30	Pass




2.47 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	28.29	31.14	30	Pass




2.48 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3684.99	99	26	1	Peak	28.25	31.04	30	Pass




2.49 Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.11	41.01	40	Pass




2.50 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.05	40.92	40	Pass




2.51 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.05	40.82	40	Pass




2.52 Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.14	41.18	40	Pass




2.53 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.15	41.33	40	Pass




2.54 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.09	41.16	40	Pass




2.55 Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.2	41.42	40	Pass




2.56 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.19	41.17	40	Pass




2.57 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.18	41.1	40	Pass




2.58 Occupied Bandwidth for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3570	99	26	1	Peak	38.08	41.07	40	Pass




2.59 Occupied Bandwidth for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3624.99	99	26	1	Peak	38.09	41.1	40	Pass



2.60 Occupied Bandwidth for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3679.98	99	26	1	Peak	38.1	41.04	40	Pass



--BLANK BELOW--