

Spurious Emission at Antenna Terminals


3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.17	-78.08	-13	65.08	Pass	2986
30	689	0.1	RMS	688.9	-70.38	-13	57.38	Pass	6591
689	726	0.1	RMS	699.545	13.01	60	46.99	Pass	401
726	1000	0.1	RMS	938.1	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1399	-47.56	-13	34.56	Pass	2001
3000	10000	1	RMS	9698	-45.51	-13	32.51	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.16	-77.29	-13	64.29	Pass	2986
30	689	0.1	RMS	688.8	-70.77	-13	57.77	Pass	6591
689	726	0.1	RMS	703.06	14.05	60	45.95	Pass	401
726	1000	0.1	RMS	865.9	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1406	-45.09	-13	32.09	Pass	2001
3000	10000	1	RMS	9701	-45.39	-13	32.39	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.19	-78.37	-13	65.37	Pass	2986
30	689	0.1	RMS	658.4	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	703.06	13.52	60	46.48	Pass	401
726	1000	0.1	RMS	936.1	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	1406	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	9696	-45.47	-13	32.47	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.67	-13	64.67	Pass	401
0.15	30	0.01	RMS	0.18	-78.76	-13	65.76	Pass	2986
30	689	0.1	RMS	689	-70.33	-13	57.33	Pass	6591
689	726	0.1	RMS	706.575	14.63	60	45.37	Pass	401
726	1000	0.1	RMS	988.4	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1413	-45.26	-13	32.26	Pass	2001
3000	10000	1	RMS	9705	-45.37	-13	32.37	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.69	-13	64.69	Pass	401
0.15	30	0.01	RMS	0.2	-78.01	-13	65.01	Pass	2986
30	689	0.1	RMS	689	-70.36	-13	57.36	Pass	6591
689	726	0.1	RMS	706.575	13.92	60	46.08	Pass	401
726	1000	0.1	RMS	994.5	-69.58	-13	56.58	Pass	2741
1000	3000	1	RMS	1413	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	9699	-45.43	-13	32.43	Pass	7001



4. LTE_Band25


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.15	-78.58	-13	65.58	Pass	2986
30	1000	0.1	RMS	905.437	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1840	-57.35	-13	44.35	Pass	841
1840	1925	1	RMS	1850.2	18.18	60	41.82	Pass	401
1925	3000	1	RMS	2997	-54.26	-13	41.26	Pass	1076
3000	12000	1	RMS	11998	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19381	-34.88	-13	21.88	Pass	8001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	1000	0.1	RMS	974.083	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-57.41	-13	44.41	Pass	841
1840	1925	1	RMS	1850.2	17.21	60	42.79	Pass	401
1925	3000	1	RMS	2993	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11995	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19305	-34.89	-13	21.89	Pass	8001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.16	-77.89	-13	64.89	Pass	2986
30	1000	0.1	RMS	952.969	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1839	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1881.863	17.84	60	42.16	Pass	401
1925	3000	1	RMS	2992	-54.24	-13	41.24	Pass	1076
3000	12000	1	RMS	11998	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19443	-34.91	-13	21.91	Pass	8001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.96	-13	64.96	Pass	401
0.15	30	0.01	RMS	0.15	-78.56	-13	65.56	Pass	2986
30	1000	0.1	RMS	938.059	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1837	-57.65	-13	44.65	Pass	841
1840	1925	1	RMS	1881.863	16.93	60	43.07	Pass	401
1925	3000	1	RMS	2960	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11993	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19382	-34.93	-13	21.93	Pass	8001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.78	-13	64.78	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-13	64.88	Pass	2986
30	1000	0.1	RMS	934.256	-69.76	-13	56.76	Pass	9701
1000	1840	1	RMS	1838	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1913.738	17.95	60	42.05	Pass	401
1925	3000	1	RMS	2996	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11994	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19329	-34.93	-13	21.93	Pass	8001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.18	-78.26	-13	65.26	Pass	2986
30	1000	0.1	RMS	906.438	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1839	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1913.738	17.13	60	42.87	Pass	401
1925	3000	1	RMS	2998	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11999	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19429	-34.93	-13	21.93	Pass	8001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.16	-77.87	-13	64.87	Pass	2986
30	1000	0.1	RMS	828.5	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-57.32	-13	44.32	Pass	841
1840	1925	1	RMS	1850.2	17.97	60	42.03	Pass	401
1925	3000	1	RMS	2993	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11987	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19344	-34.91	-13	21.91	Pass	8001




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.58	-13	65.58	Pass	401
0.15	30	0.01	RMS	0.16	-78.12	-13	65.12	Pass	2986
30	1000	0.1	RMS	937.058	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1839	-57.45	-13	44.45	Pass	841
1840	1925	1	RMS	1850.2	16.93	60	43.07	Pass	401
1925	3000	1	RMS	2999	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11993	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	17844	-34.91	-13	21.91	Pass	8001




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.25	-13	65.25	Pass	401
0.15	30	0.01	RMS	0.15	-78.25	-13	65.25	Pass	2986
30	1000	0.1	RMS	953.669	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1881.225	17.61	60	42.39	Pass	401
1925	3000	1	RMS	2986	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11999	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19416	-34.9	-13	21.9	Pass	8001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.76	-13	65.76	Pass	401
0.15	30	0.01	RMS	0.17	-77.5	-13	64.5	Pass	2986
30	1000	0.1	RMS	936.858	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1832	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1881.225	17.04	60	42.96	Pass	401
1925	3000	1	RMS	2998	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11999	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19383	-34.94	-13	21.94	Pass	8001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-79.22	-13	66.22	Pass	401
0.15	30	0.01	RMS	0.21	-78.52	-13	65.52	Pass	2986
30	1000	0.1	RMS	849.5	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1839	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1912.038	18.03	60	41.97	Pass	401
1925	3000	1	RMS	2990	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11999	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19360	-34.88	-13	21.88	Pass	8001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.32	-13	65.32	Pass	401
0.15	30	0.01	RMS	0.15	-77.38	-13	64.38	Pass	2986
30	1000	0.1	RMS	954.17	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1837	-57.65	-13	44.65	Pass	841
1840	1925	1	RMS	1912.038	16.95	60	43.05	Pass	401
1925	3000	1	RMS	2995	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11999	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19356	-34.87	-13	21.87	Pass	8001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.18	-78.09	-13	65.09	Pass	2986
30	1000	0.1	RMS	962.675	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-57.32	-13	44.32	Pass	841
1840	1925	1	RMS	1850.2	17.99	60	42.01	Pass	401
1925	3000	1	RMS	2996	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	12000	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19310	-34.89	-13	21.89	Pass	8001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.58	-13	65.58	Pass	401
0.15	30	0.01	RMS	0.17	-78.22	-13	65.22	Pass	2986
30	1000	0.1	RMS	964.777	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-57.38	-13	44.38	Pass	841
1840	1925	1	RMS	1850.2	16.5	60	43.5	Pass	401
1925	3000	1	RMS	2999	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11998	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19357	-34.94	-13	21.94	Pass	8001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.23	-13	65.23	Pass	401
0.15	30	0.01	RMS	0.15	-77.92	-13	64.92	Pass	2986
30	1000	0.1	RMS	963.076	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1837	-57.68	-13	44.68	Pass	841
1840	1925	1	RMS	1880.163	17.85	60	42.15	Pass	401
1925	3000	1	RMS	3000	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11999	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19310	-34.93	-13	21.93	Pass	8001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.83	-13	65.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.84	-13	64.84	Pass	2986
30	1000	0.1	RMS	942.262	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1838	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1880.163	17.37	60	42.63	Pass	401
1925	3000	1	RMS	2999	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11900	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19432	-34.93	-13	21.93	Pass	8001




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.29	-13	65.29	Pass	401
0.15	30	0.01	RMS	0.17	-78.07	-13	65.07	Pass	2986
30	1000	0.1	RMS	833.7	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1910.338	17.8	60	42.2	Pass	401
1925	3000	1	RMS	2991	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11996	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19320	-34.98	-13	21.98	Pass	8001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.2	-13	65.2	Pass	401
0.15	30	0.01	RMS	0.16	-78.33	-13	65.33	Pass	2986
30	1000	0.1	RMS	987.692	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1840	-57.62	-13	44.62	Pass	841
1840	1925	1	RMS	1910.338	16.73	60	43.27	Pass	401
1925	3000	1	RMS	2999	-54.38	-13	41.38	Pass	1076
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19336	-34.92	-13	21.92	Pass	8001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.55	-13	64.55	Pass	401
0.15	30	0.01	RMS	0.16	-78.24	-13	65.24	Pass	2986
30	1000	0.1	RMS	932.155	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1840	-57.12	-13	44.12	Pass	841
1840	1925	1	RMS	1850.413	18.12	60	41.88	Pass	401
1925	3000	1	RMS	2989	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11895	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19318	-34.92	-13	21.92	Pass	8001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.15	-78.14	-13	65.14	Pass	2986
30	1000	0.1	RMS	971.981	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-57.35	-13	44.35	Pass	841
1840	1925	1	RMS	1850.413	17.05	60	42.95	Pass	401
1925	3000	1	RMS	2988	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11997	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19385	-34.91	-13	21.91	Pass	8001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.15	-78.04	-13	65.04	Pass	2986
30	1000	0.1	RMS	999.099	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1839	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1878.038	17.71	60	42.29	Pass	401
1925	3000	1	RMS	2970	-54.38	-13	41.38	Pass	1076
3000	12000	1	RMS	11996	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19339	-34.94	-13	21.94	Pass	8001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.88	-13	64.88	Pass	401
0.15	30	0.01	RMS	0.16	-77.66	-13	64.66	Pass	2986
30	1000	0.1	RMS	939.26	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1840	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1878.038	17.26	60	42.74	Pass	401
1925	3000	1	RMS	2988	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19349	-34.97	-13	21.97	Pass	8001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.25	-13	65.25	Pass	401
0.15	30	0.01	RMS	0.16	-78.07	-13	65.07	Pass	2986
30	1000	0.1	RMS	939.56	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1839	-57.69	-13	44.69	Pass	841
1840	1925	1	RMS	1905.45	18.19	60	41.81	Pass	401
1925	3000	1	RMS	2973	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	12000	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19317	-34.95	-13	21.95	Pass	8001




4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.99	-13	64.99	Pass	401
0.15	30	0.01	RMS	0.16	-78.13	-13	65.13	Pass	2986
30	1000	0.1	RMS	992.395	-69.78	-13	56.78	Pass	9701
1000	1840	1	RMS	1839	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1905.45	17.48	60	42.52	Pass	401
1925	3000	1	RMS	2997	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11899	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19391	-34.92	-13	21.92	Pass	8001




4.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.71	-13	64.71	Pass	2986
30	1000	0.1	RMS	930.454	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1838	-50.57	-13	37.57	Pass	841
1840	1925	1	RMS	1850.838	17.79	60	42.21	Pass	401
1925	3000	1	RMS	2990	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11999	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19389	-34.93	-13	21.93	Pass	8001




4.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.2	-78.12	-13	65.12	Pass	2986
30	1000	0.1	RMS	989.193	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1838	-51.65	-13	38.65	Pass	841
1840	1925	1	RMS	1850.838	16.97	60	43.03	Pass	401
1925	3000	1	RMS	2977	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11998	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19361	-34.96	-13	21.96	Pass	8001




4.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.15	-77.28	-13	64.28	Pass	2986
30	1000	0.1	RMS	923.349	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1840	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1875.7	17.61	60	42.39	Pass	401
1925	3000	1	RMS	2999	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11999	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19372	-34.89	-13	21.89	Pass	8001




4.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.16	-78.07	-13	65.07	Pass	2986
30	1000	0.1	RMS	980.187	-69.99	-13	56.99	Pass	9701
1000	1840	1	RMS	1839	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1875.7	17.25	60	42.75	Pass	401
1925	3000	1	RMS	2996	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11900	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19394	-34.94	-13	21.94	Pass	8001




4.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.47	-13	64.47	Pass	401
0.15	30	0.01	RMS	0.15	-78.62	-13	65.62	Pass	2986
30	1000	0.1	RMS	850.401	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1837	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1900.775	17.88	60	42.12	Pass	401
1925	3000	1	RMS	3000	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11898	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19401	-34.91	-13	21.91	Pass	8001




4.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.49	-13	65.49	Pass	401
0.15	30	0.01	RMS	0.16	-77.73	-13	64.73	Pass	2986
30	1000	0.1	RMS	997.999	-69.97	-13	56.97	Pass	9701
1000	1840	1	RMS	1840	-57.66	-13	44.66	Pass	841
1840	1925	1	RMS	1900.775	16.85	60	43.15	Pass	401
1925	3000	1	RMS	2992	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11999	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19329	-34.89	-13	21.89	Pass	8001




4.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.96	-13	65.96	Pass	401
0.15	30	0.01	RMS	0.16	-78.36	-13	65.36	Pass	2986
30	1000	0.1	RMS	980.987	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1833	-55.1	-13	42.1	Pass	841
1840	1925	1	RMS	1851.05	17.86	60	42.14	Pass	401
1925	3000	1	RMS	2999	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11987	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19399	-34.91	-13	21.91	Pass	8001




4.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-78.86	-13	65.86	Pass	401
0.15	30	0.01	RMS	0.17	-77.61	-13	64.61	Pass	2986
30	1000	0.1	RMS	962.975	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1833	-55.65	-13	42.65	Pass	841
1840	1925	1	RMS	1851.05	17.14	60	42.86	Pass	401
1925	3000	1	RMS	2994	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11991	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19306	-34.94	-13	21.94	Pass	8001




4.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.18	-78.3	-13	65.3	Pass	2986
30	1000	0.1	RMS	919.347	-69.96	-13	56.96	Pass	9701
1000	1840	1	RMS	1838	-57.39	-13	44.39	Pass	841
1840	1925	1	RMS	1873.575	17.82	60	42.18	Pass	401
1925	3000	1	RMS	2984	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11999	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	17848	-34.92	-13	21.92	Pass	8001




4.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.1	-13	64.1	Pass	401
0.15	30	0.01	RMS	0.16	-78.49	-13	65.49	Pass	2986
30	1000	0.1	RMS	993.696	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1838	-57.55	-13	44.55	Pass	841
1840	1925	1	RMS	1873.575	16.66	60	43.34	Pass	401
1925	3000	1	RMS	2971	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11996	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19351	-34.93	-13	21.93	Pass	8001




4.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-78.29	-13	65.29	Pass	2986
30	1000	0.1	RMS	835.8	-69.75	-13	56.75	Pass	9701
1000	1840	1	RMS	1838	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1895.888	17.8	60	42.2	Pass	401
1925	3000	1	RMS	2995	-54.38	-13	41.38	Pass	1076
3000	12000	1	RMS	11995	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19311	-34.96	-13	21.96	Pass	8001



4.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.27	-13	65.27	Pass	401
0.15	30	0.01	RMS	0.17	-78	-13	65	Pass	2986
30	1000	0.1	RMS	851.702	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1839	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1895.888	17.19	60	42.81	Pass	401
1925	3000	1	RMS	2998	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11997	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19410	-34.99	-13	21.99	Pass	8001



5. LTE_Band66


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.91	-13	63.91	Pass	401
0.15	30	0.01	RMS	0.17	-78.22	-13	65.22	Pass	2986
30	1000	0.1	RMS	989.993	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1700	-57.69	-13	44.69	Pass	701
1700	1790	1	RMS	1710.125	18.45	60	41.55	Pass	401
1790	3000	1	RMS	2978	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	3421	-35.81	-13	22.81	Pass	9002
12000	20000	1	RMS	19311	-34.95	-13	21.95	Pass	8001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.17	-77.48	-13	64.48	Pass	2986
30	1000	0.1	RMS	959.973	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1700	-57.88	-13	44.88	Pass	701
1700	1790	1	RMS	1710.125	17.29	60	42.71	Pass	401
1790	3000	1	RMS	2428	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	3420	-36.67	-13	23.67	Pass	9002
12000	20000	1	RMS	19448	-34.93	-13	21.93	Pass	8001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.19	-78.36	-13	65.36	Pass	2986
30	1000	0.1	RMS	928.052	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1673	-58.09	-13	45.09	Pass	701
1700	1790	1	RMS	1744.55	18.11	60	41.89	Pass	401
1790	3000	1	RMS	2973	-54.38	-13	41.38	Pass	1211
3000	12000	1	RMS	3489	-39.01	-13	26.01	Pass	9002
12000	20000	1	RMS	19419	-34.92	-13	21.92	Pass	8001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.29	-13	65.29	Pass	401
0.15	30	0.01	RMS	0.17	-78.02	-13	65.02	Pass	2986
30	1000	0.1	RMS	999.6	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1686	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1744.55	17.33	60	42.67	Pass	401
1790	3000	1	RMS	2968	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	3489	-39.73	-13	26.73	Pass	9002
12000	20000	1	RMS	19341	-34.95	-13	21.95	Pass	8001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.16	-78.33	-13	65.33	Pass	2986
30	1000	0.1	RMS	937.859	-69.96	-13	56.96	Pass	9701
1000	1700	1	RMS	1686	-58.11	-13	45.11	Pass	701
1700	1790	1	RMS	1778.75	18.3	60	41.7	Pass	401
1790	3000	1	RMS	3000	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3558	-41.63	-13	28.63	Pass	9002
12000	20000	1	RMS	19325	-34.96	-13	21.96	Pass	8001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.62	-13	65.62	Pass	401
0.15	30	0.01	RMS	0.16	-78.02	-13	65.02	Pass	2986
30	1000	0.1	RMS	951.268	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1682	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1778.75	17.23	60	42.77	Pass	401
1790	3000	1	RMS	2997	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	3558	-42.47	-13	29.47	Pass	9002
12000	20000	1	RMS	19374	-34.95	-13	21.95	Pass	8001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.82	-13	64.82	Pass	401
0.15	30	0.01	RMS	0.16	-78.63	-13	65.63	Pass	2986
30	1000	0.1	RMS	929.653	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1700	-57.74	-13	44.74	Pass	701
1700	1790	1	RMS	1710.125	18.28	60	41.72	Pass	401
1790	3000	1	RMS	2997	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	3420	-35.78	-13	22.78	Pass	9002
12000	20000	1	RMS	19372	-34.96	-13	21.96	Pass	8001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.3	-13	65.3	Pass	401
0.15	30	0.01	RMS	0.16	-78.61	-13	65.61	Pass	2986
30	1000	0.1	RMS	969.48	-69.99	-13	56.99	Pass	9701
1000	1700	1	RMS	1700	-57.86	-13	44.86	Pass	701
1700	1790	1	RMS	1710.125	17.14	60	42.86	Pass	401
1790	3000	1	RMS	2995	-54.38	-13	41.38	Pass	1211
3000	12000	1	RMS	3420	-36.87	-13	23.87	Pass	9002
12000	20000	1	RMS	19482	-34.95	-13	21.95	Pass	8001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.8	-13	65.8	Pass	401
0.15	30	0.01	RMS	0.15	-77.79	-13	64.79	Pass	2986
30	1000	0.1	RMS	949.166	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1693	-58.11	-13	45.11	Pass	701
1700	1790	1	RMS	1743.65	18.22	60	41.78	Pass	401
1790	3000	1	RMS	2997	-54.38	-13	41.38	Pass	1211
3000	12000	1	RMS	3487	-40.33	-13	27.33	Pass	9002
12000	20000	1	RMS	17852	-34.89	-13	21.89	Pass	8001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.76	-13	64.76	Pass	401
0.15	30	0.01	RMS	0.15	-77.61	-13	64.61	Pass	2986
30	1000	0.1	RMS	849.4	-69.95	-13	56.95	Pass	9701
1000	1700	1	RMS	1684	-58.07	-13	45.07	Pass	701
1700	1790	1	RMS	1743.65	17.84	60	42.16	Pass	401
1790	3000	1	RMS	2982	-54.36	-13	41.36	Pass	1211
3000	12000	1	RMS	3487	-40.6	-13	27.6	Pass	9002
12000	20000	1	RMS	19400	-34.98	-13	21.98	Pass	8001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.17	-77.56	-13	64.56	Pass	2986
30	1000	0.1	RMS	940.36	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1679	-58.1	-13	45.1	Pass	701
1700	1790	1	RMS	1777.175	18.45	60	41.55	Pass	401
1790	3000	1	RMS	2989	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3554	-41.65	-13	28.65	Pass	9002
12000	20000	1	RMS	19347	-34.93	-13	21.93	Pass	8001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.43	-13	65.43	Pass	401
0.15	30	0.01	RMS	0.15	-77.63	-13	64.63	Pass	2986
30	1000	0.1	RMS	951.568	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1700	-58.11	-13	45.11	Pass	701
1700	1790	1	RMS	1777.175	17.38	60	42.62	Pass	401
1790	3000	1	RMS	2999	-54.38	-13	41.38	Pass	1211
3000	12000	1	RMS	11897	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19340	-34.92	-13	21.92	Pass	8001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.2	-13	65.2	Pass	401
0.15	30	0.01	RMS	0.16	-78.19	-13	65.19	Pass	2986
30	1000	0.1	RMS	931.154	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1700	-57.73	-13	44.73	Pass	701
1700	1790	1	RMS	1710.125	17.82	60	42.18	Pass	401
1790	3000	1	RMS	2997	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3421	-35.08	-13	22.08	Pass	9002
12000	20000	1	RMS	19307	-34.92	-13	21.92	Pass	8001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.73	-13	65.73	Pass	401
0.15	30	0.01	RMS	0.15	-78.07	-13	65.07	Pass	2986
30	1000	0.1	RMS	990.694	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1700	-57.83	-13	44.83	Pass	701
1700	1790	1	RMS	1710.125	16.94	60	43.06	Pass	401
1790	3000	1	RMS	2985	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3421	-36.24	-13	23.24	Pass	9002
12000	20000	1	RMS	19383	-34.95	-13	21.95	Pass	8001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.85	-13	65.85	Pass	401
0.15	30	0.01	RMS	0.17	-77.44	-13	64.44	Pass	2986
30	1000	0.1	RMS	980.887	-69.95	-13	56.95	Pass	9701
1000	1700	1	RMS	1680	-58.12	-13	45.12	Pass	701
1700	1790	1	RMS	1742.75	18.11	60	41.89	Pass	401
1790	3000	1	RMS	3000	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3486	-39.41	-13	26.41	Pass	9002
12000	20000	1	RMS	19344	-34.92	-13	21.92	Pass	8001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-78.12	-13	65.12	Pass	2986
30	1000	0.1	RMS	959.773	-69.92	-13	56.92	Pass	9701
1000	1700	1	RMS	1679	-58.12	-13	45.12	Pass	701
1700	1790	1	RMS	1742.75	17.85	60	42.15	Pass	401
1790	3000	1	RMS	3000	-54.39	-13	41.39	Pass	1211
3000	12000	1	RMS	3486	-39.56	-13	26.56	Pass	9002
12000	20000	1	RMS	19354	-34.9	-13	21.9	Pass	8001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.16	-78.05	-13	65.05	Pass	2986
30	1000	0.1	RMS	988.392	-69.77	-13	56.77	Pass	9701
1000	1700	1	RMS	1680	-58.1	-13	45.1	Pass	701
1700	1790	1	RMS	1775.15	18.28	60	41.72	Pass	401
1790	3000	1	RMS	2428	-54.08	-13	41.08	Pass	1211
3000	12000	1	RMS	3551	-40.23	-13	27.23	Pass	9002
12000	20000	1	RMS	19397	-34.93	-13	21.93	Pass	8001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.15	-78.12	-13	65.12	Pass	2986
30	1000	0.1	RMS	938.759	-69.97	-13	56.97	Pass	9701
1000	1700	1	RMS	1680	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1775.15	17.17	60	42.83	Pass	401
1790	3000	1	RMS	2966	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3551	-41.72	-13	28.72	Pass	9002
12000	20000	1	RMS	19352	-34.94	-13	21.94	Pass	8001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.56	-13	65.56	Pass	401
0.15	30	0.01	RMS	0.15	-77.87	-13	64.87	Pass	2986
30	1000	0.1	RMS	968.979	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1700	-56.81	-13	43.81	Pass	701
1700	1790	1	RMS	1710.575	18.26	60	41.74	Pass	401
1790	3000	1	RMS	2999	-54.37	-13	41.37	Pass	1211
3000	12000	1	RMS	3421	-34.45	-13	21.45	Pass	9002
12000	20000	1	RMS	19432	-34.93	-13	21.93	Pass	8001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	896.732	-69.75	-13	56.75	Pass	9701
1000	1700	1	RMS	1700	-57.25	-13	44.25	Pass	701
1700	1790	1	RMS	1710.575	17.01	60	42.99	Pass	401
1790	3000	1	RMS	2999	-54.37	-13	41.37	Pass	1211
3000	12000	1	RMS	3421	-35.6	-13	22.6	Pass	9002
12000	20000	1	RMS	19465	-34.93	-13	21.93	Pass	8001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.15	-78.14	-13	65.14	Pass	2986
30	1000	0.1	RMS	962.375	-69.73	-13	56.73	Pass	9701
1000	1700	1	RMS	1698	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1740.5	18.25	60	41.75	Pass	401
1790	3000	1	RMS	3000	-54.37	-13	41.37	Pass	1211
3000	12000	1	RMS	3481	-37.5	-13	24.5	Pass	9002
12000	20000	1	RMS	19302	-34.97	-13	21.97	Pass	8001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.52	-13	65.52	Pass	401
0.15	30	0.01	RMS	0.15	-77.51	-13	64.51	Pass	2986
30	1000	0.1	RMS	866.311	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1673	-58.11	-13	45.11	Pass	701
1700	1790	1	RMS	1740.5	17.9	60	42.1	Pass	401
1790	3000	1	RMS	2999	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	3481	-38.2	-13	25.2	Pass	9002
12000	20000	1	RMS	19340	-34.96	-13	21.96	Pass	8001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.15	-77.82	-13	64.82	Pass	2986
30	1000	0.1	RMS	972.182	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1680	-58.12	-13	45.12	Pass	701
1700	1790	1	RMS	1770.425	18.33	60	41.67	Pass	401
1790	3000	1	RMS	2998	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	3541	-38.54	-13	25.54	Pass	9002
12000	20000	1	RMS	19375	-34.98	-13	21.98	Pass	8001




5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.4	-13	65.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.27	-13	64.27	Pass	2986
30	1000	0.1	RMS	976.084	-69.96	-13	56.96	Pass	9701
1000	1700	1	RMS	1681	-58.09	-13	45.09	Pass	701
1700	1790	1	RMS	1770.425	17.26	60	42.74	Pass	401
1790	3000	1	RMS	2992	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	3541	-39.64	-13	26.64	Pass	9002
12000	20000	1	RMS	19301	-34.9	-13	21.9	Pass	8001




5.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.16	-78.4	-13	65.4	Pass	2986
30	1000	0.1	RMS	964.577	-69.98	-13	56.98	Pass	9701
1000	1700	1	RMS	1698	-42.03	-13	29.03	Pass	701
1700	1790	1	RMS	1710.8	18.19	60	41.81	Pass	401
1790	3000	1	RMS	3000	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	3422	-35.06	-13	22.06	Pass	9002
12000	20000	1	RMS	19314	-34.95	-13	21.95	Pass	8001




5.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.67	-13	65.67	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	1000	0.1	RMS	936.358	-69.75	-13	56.75	Pass	9701
1000	1700	1	RMS	1698	-43.74	-13	30.74	Pass	701
1700	1790	1	RMS	1710.8	17.11	60	42.89	Pass	401
1790	3000	1	RMS	2998	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	3422	-36.03	-13	23.03	Pass	9002
12000	20000	1	RMS	19387	-34.96	-13	21.96	Pass	8001




5.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.61	-13	65.61	Pass	401
0.15	30	0.01	RMS	0.16	-77.4	-13	64.4	Pass	2986
30	1000	0.1	RMS	976.484	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1690	-58.1	-13	45.1	Pass	701
1700	1790	1	RMS	1738.25	18.37	60	41.63	Pass	401
1790	3000	1	RMS	2989	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	3477	-37.13	-13	24.13	Pass	9002
12000	20000	1	RMS	19333	-34.92	-13	21.92	Pass	8001




5.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.9	-13	65.9	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	1000	0.1	RMS	941.361	-69.94	-13	56.94	Pass	9701
1000	1700	1	RMS	1700	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1738.25	18.11	60	41.89	Pass	401
1790	3000	1	RMS	2990	-54.37	-13	41.37	Pass	1211
3000	12000	1	RMS	3477	-37.2	-13	24.2	Pass	9002
12000	20000	1	RMS	19362	-34.93	-13	21.93	Pass	8001




5.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.12	-13	65.12	Pass	401
0.15	30	0.01	RMS	0.15	-78.41	-13	65.41	Pass	2986
30	1000	0.1	RMS	862.809	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1683	-58.1	-13	45.1	Pass	701
1700	1790	1	RMS	1765.7	18.14	60	41.86	Pass	401
1790	3000	1	RMS	1792	-46.02	-13	33.02	Pass	1211
3000	12000	1	RMS	3532	-39.2	-13	26.2	Pass	9002
12000	20000	1	RMS	19339	-34.96	-13	21.96	Pass	8001




5.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.75	-13	65.75	Pass	401
0.15	30	0.01	RMS	0.17	-78.64	-13	65.64	Pass	2986
30	1000	0.1	RMS	972.682	-69.97	-13	56.97	Pass	9701
1000	1700	1	RMS	1685	-58.11	-13	45.11	Pass	701
1700	1790	1	RMS	1765.7	16.99	60	43.01	Pass	401
1790	3000	1	RMS	1792	-47.16	-13	34.16	Pass	1211
3000	12000	1	RMS	3532	-40.09	-13	27.09	Pass	9002
12000	20000	1	RMS	19330	-34.97	-13	21.97	Pass	8001




5.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.22	-78.6	-13	65.6	Pass	2986
30	1000	0.1	RMS	929.653	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1693	-48.61	-13	35.61	Pass	701
1700	1790	1	RMS	1711.025	18.18	60	41.82	Pass	401
1790	3000	1	RMS	2998	-54.36	-13	41.36	Pass	1211
3000	12000	1	RMS	3422	-34.97	-13	21.97	Pass	9002
12000	20000	1	RMS	19331	-34.92	-13	21.92	Pass	8001




5.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.88	-13	65.88	Pass	401
0.15	30	0.01	RMS	0.17	-78.13	-13	65.13	Pass	2986
30	1000	0.1	RMS	826	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1693	-49.89	-13	36.89	Pass	701
1700	1790	1	RMS	1711.025	17.36	60	42.64	Pass	401
1790	3000	1	RMS	2984	-54.37	-13	41.37	Pass	1211
3000	12000	1	RMS	3422	-35.68	-13	22.68	Pass	9002
12000	20000	1	RMS	19387	-34.96	-13	21.96	Pass	8001




5.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.39	-13	65.39	Pass	401
0.15	30	0.01	RMS	0.16	-77.81	-13	64.81	Pass	2986
30	1000	0.1	RMS	929.854	-69.97	-13	56.97	Pass	9701
1000	1700	1	RMS	1700	-53.62	-13	40.62	Pass	701
1700	1790	1	RMS	1736	18.62	60	41.38	Pass	401
1790	3000	1	RMS	2973	-54.38	-13	41.38	Pass	1211
3000	12000	1	RMS	3472	-36.05	-13	23.05	Pass	9002
12000	20000	1	RMS	19296	-34.91	-13	21.91	Pass	8001




5.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.67	-13	64.67	Pass	401
0.15	30	0.01	RMS	0.15	-78.33	-13	65.33	Pass	2986
30	1000	0.1	RMS	838.2	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1700	-55.57	-13	42.57	Pass	701
1700	1790	1	RMS	1736	17.55	60	42.45	Pass	401
1790	3000	1	RMS	3000	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	3472	-37.3	-13	24.3	Pass	9002
12000	20000	1	RMS	19386	-34.91	-13	21.91	Pass	8001




5.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.15	-78.25	-13	65.25	Pass	2986
30	1000	0.1	RMS	936.458	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1684	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1760.975	18.74	60	41.26	Pass	401
1790	3000	1	RMS	1797	-52.35	-13	39.35	Pass	1211
3000	12000	1	RMS	3522	-39.37	-13	26.37	Pass	9002
12000	20000	1	RMS	19367	-34.96	-13	21.96	Pass	8001



5.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.48	-13	64.48	Pass	401
0.15	30	0.01	RMS	0.16	-77.81	-13	64.81	Pass	2986
30	1000	0.1	RMS	994.797	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1682	-58.12	-13	45.12	Pass	701
1700	1790	1	RMS	1760.975	17.62	60	42.38	Pass	401
1790	3000	1	RMS	1797	-54.39	-13	41.39	Pass	1211
3000	12000	1	RMS	3522	-40.05	-13	27.05	Pass	9002
12000	20000	1	RMS	19394	-34.95	-13	21.95	Pass	8001



6. LTE_Band71


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.46	-13	64.46	Pass	401
0.15	30	0.01	RMS	0.16	-78.15	-13	65.15	Pass	2986
30	653	0.1	RMS	652.6	-70.88	-13	57.88	Pass	6231
653	709	0.1	RMS	663.3	14.72	60	45.28	Pass	561
709	1000	0.1	RMS	931.3	-69.72	-13	56.72	Pass	2911
1000	3000	1	RMS	3000	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9697	-45.53	-13	32.53	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.22	-13	64.22	Pass	401
0.15	30	0.01	RMS	0.17	-77.98	-13	64.98	Pass	2986
30	653	0.1	RMS	652.7	-70.67	-13	57.67	Pass	6231
653	709	0.1	RMS	663.3	13.63	60	46.37	Pass	561
709	1000	0.1	RMS	970.4	-69.76	-13	56.76	Pass	2911
1000	3000	1	RMS	2971	-54.37	-13	41.37	Pass	2001
3000	10000	1	RMS	9698	-45.55	-13	32.55	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.17	-78.2	-13	65.2	Pass	2986
30	653	0.1	RMS	608.2	-70.98	-13	57.98	Pass	6231
653	709	0.1	RMS	678.3	15.05	60	44.95	Pass	561
709	1000	0.1	RMS	939.9	-69.7	-13	56.7	Pass	2911
1000	3000	1	RMS	3000	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9706	-45.5	-13	32.5	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.54	-13	65.54	Pass	401
0.15	30	0.01	RMS	0.16	-78.41	-13	65.41	Pass	2986
30	653	0.1	RMS	649.7	-71.05	-13	58.05	Pass	6231
653	709	0.1	RMS	678.3	14.54	60	45.46	Pass	561
709	1000	0.1	RMS	992.9	-69.65	-13	56.65	Pass	2911
1000	3000	1	RMS	3000	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9702	-45.49	-13	32.49	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.12	-13	65.12	Pass	401
0.15	30	0.01	RMS	0.16	-78.09	-13	65.09	Pass	2986
30	653	0.1	RMS	642.1	-70.96	-13	57.96	Pass	6231
653	709	0.1	RMS	693.3	14.97	60	45.03	Pass	561
709	1000	0.1	RMS	937.8	-69.63	-13	56.63	Pass	2911
1000	3000	1	RMS	1386	-53.89	-13	40.89	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.68	-13	65.68	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	653	0.1	RMS	613.9	-71	-13	58	Pass	6231
653	709	0.1	RMS	693.3	13.61	60	46.39	Pass	561
709	1000	0.1	RMS	940.1	-69.65	-13	56.65	Pass	2911
1000	3000	1	RMS	2970	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9699	-45.52	-13	32.52	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.19	-77.47	-13	64.47	Pass	2986
30	653	0.1	RMS	652.9	-70.2	-13	57.2	Pass	6231
653	709	0.1	RMS	663.6	15.4	60	44.6	Pass	561
709	1000	0.1	RMS	941.4	-69.64	-13	56.64	Pass	2911
1000	3000	1	RMS	2996	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9706	-45.55	-13	32.55	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.16	-78.44	-13	65.44	Pass	2986
30	653	0.1	RMS	652.9	-70.82	-13	57.82	Pass	6231
653	709	0.1	RMS	663.6	14.32	60	45.68	Pass	561
709	1000	0.1	RMS	827.3	-69.71	-13	56.71	Pass	2911
1000	3000	1	RMS	3000	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9700	-45.5	-13	32.5	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.5	-13	64.5	Pass	401
0.15	30	0.01	RMS	0.19	-78.16	-13	65.16	Pass	2986
30	653	0.1	RMS	617.5	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	676.1	15.57	60	44.43	Pass	561
709	1000	0.1	RMS	925.2	-69.84	-13	56.84	Pass	2911
1000	3000	1	RMS	2995	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	9702	-45.44	-13	32.44	Pass	7001



6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.59	-13	65.59	Pass	401
0.15	30	0.01	RMS	0.16	-78.61	-13	65.61	Pass	2986
30	653	0.1	RMS	604	-70.93	-13	57.93	Pass	6231
653	709	0.1	RMS	676.1	15.02	60	44.98	Pass	561
709	1000	0.1	RMS	1000	-69.75	-13	56.75	Pass	2911
1000	3000	1	RMS	2975	-54.38	-13	41.38	Pass	2001
3000	10000	1	RMS	9702	-45.57	-13	32.57	Pass	7001



6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.36	-78.22	-13	65.22	Pass	2986
30	653	0.1	RMS	612.1	-70.92	-13	57.92	Pass	6231
653	709	0.1	RMS	688.6	15.6	60	44.4	Pass	561
709	1000	0.1	RMS	937.4	-69.66	-13	56.66	Pass	2911
1000	3000	1	RMS	1377	-52.47	-13	39.47	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001

