

Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band66


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.87	-13	41.87	Pass	401
0.15	30	0.01	RMS	0.155	-58.56	-13	45.56	Pass	5971
30	1000	0.1	RMS	911.05	-61.31	-13	48.31	Pass	19401
1000	1700	1	RMS	1700	-50.32	-13	37.32	Pass	1401
1700	1790	1	RMS	1710.35	22.9	60	37.1	Pass	401
1790	3000	1	RMS	2695.5	-47.11	-13	34.11	Pass	2421
3000	12000	1	RMS	11950	-39.98	-13	26.98	Pass	18001
12000	20000	1	RMS	19934.5	-28.09	-13	15.09	Pass	16001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.42	-13	41.42	Pass	401
0.15	30	0.01	RMS	0.15	-58.32	-13	45.32	Pass	5971
30	1000	0.1	RMS	881.35	-61.35	-13	48.35	Pass	19401
1000	1700	1	RMS	1699.5	-50.33	-13	37.33	Pass	1401
1700	1790	1	RMS	1710.35	21.89	60	38.11	Pass	401
1790	3000	1	RMS	2680	-47.11	-13	34.11	Pass	2421
3000	12000	1	RMS	11946.5	-39.91	-13	26.91	Pass	18001
12000	20000	1	RMS	19949.5	-28.15	-13	15.15	Pass	16001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.67	-13	41.67	Pass	401
0.15	30	0.01	RMS	0.16	-57.28	-13	44.28	Pass	5971
30	1000	0.1	RMS	996.45	-61.29	-13	48.29	Pass	19401
1000	1700	1	RMS	1695.5	-50.49	-13	37.49	Pass	1401
1700	1790	1	RMS	1744.55	22.95	60	37.05	Pass	401
1790	3000	1	RMS	2688	-47.07	-13	34.07	Pass	2421
3000	12000	1	RMS	11944	-39.87	-13	26.87	Pass	18001
12000	20000	1	RMS	19955.5	-28.17	-13	15.17	Pass	16001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	40.74	Pass	401
0.15	30	0.01	RMS	0.15	-56.64	-13	43.64	Pass	5971
30	1000	0.1	RMS	899.2	-61.19	-13	48.19	Pass	19401
1000	1700	1	RMS	1700	-50.37	-13	37.37	Pass	1401
1700	1790	1	RMS	1744.55	22.21	60	37.79	Pass	401
1790	3000	1	RMS	2681	-46.95	-13	33.95	Pass	2421
3000	12000	1	RMS	11952.5	-39.73	-13	26.73	Pass	18001
12000	20000	1	RMS	19960	-28.08	-13	15.08	Pass	16001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-13	42.4	Pass	401
0.15	30	0.01	RMS	0.17	-57.87	-13	44.87	Pass	5971
30	1000	0.1	RMS	859.95	-61.28	-13	48.28	Pass	19401
1000	1700	1	RMS	1578.5	-50.31	-13	37.31	Pass	1401
1700	1790	1	RMS	1778.75	23.19	60	36.81	Pass	401
1790	3000	1	RMS	2695.5	-46.91	-13	33.91	Pass	2421
3000	12000	1	RMS	11946	-39.84	-13	26.84	Pass	18001
12000	20000	1	RMS	19932	-28.09	-13	15.09	Pass	16001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-13	42.58	Pass	401
0.15	30	0.01	RMS	0.155	-57.52	-13	44.52	Pass	5971
30	1000	0.1	RMS	916.5	-61.26	-13	48.26	Pass	19401
1000	1700	1	RMS	1569.5	-50.32	-13	37.32	Pass	1401
1700	1790	1	RMS	1778.75	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2682	-46.95	-13	33.95	Pass	2421
3000	12000	1	RMS	11951	-39.85	-13	26.85	Pass	18001
12000	20000	1	RMS	19926	-28.11	-13	15.11	Pass	16001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.71	-13	41.71	Pass	401
0.15	30	0.01	RMS	0.155	-57.44	-13	44.44	Pass	5971
30	1000	0.1	RMS	921	-61.17	-13	48.17	Pass	19401
1000	1700	1	RMS	1700	-49.9	-13	36.9	Pass	1401
1700	1790	1	RMS	1710.125	22.96	60	37.04	Pass	401
1790	3000	1	RMS	2682.5	-46.91	-13	33.91	Pass	2421
3000	12000	1	RMS	11949	-39.78	-13	26.78	Pass	18001
12000	20000	1	RMS	19955	-28.1	-13	15.1	Pass	16001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-13	41.35	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	44.51	Pass	5971
30	1000	0.1	RMS	930.15	-61.19	-13	48.19	Pass	19401
1000	1700	1	RMS	1700	-49.91	-13	36.91	Pass	1401
1700	1790	1	RMS	1710.125	22.07	60	37.93	Pass	401
1790	3000	1	RMS	2686	-46.93	-13	33.93	Pass	2421
3000	12000	1	RMS	11939	-39.76	-13	26.76	Pass	18001
12000	20000	1	RMS	19958	-28.15	-13	15.15	Pass	16001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.28	-13	41.28	Pass	401
0.15	30	0.01	RMS	0.15	-57.5	-13	44.5	Pass	5971
30	1000	0.1	RMS	919.15	-61.3	-13	48.3	Pass	19401
1000	1700	1	RMS	1694.5	-50.31	-13	37.31	Pass	1401
1700	1790	1	RMS	1743.65	22.95	60	37.05	Pass	401
1790	3000	1	RMS	2694.5	-46.95	-13	33.95	Pass	2421
3000	12000	1	RMS	11953	-39.82	-13	26.82	Pass	18001
12000	20000	1	RMS	19936	-28.07	-13	15.07	Pass	16001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.76	-13	41.76	Pass	401
0.15	30	0.01	RMS	0.15	-57.61	-13	44.61	Pass	5971
30	1000	0.1	RMS	869.55	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1700	-50.36	-13	37.36	Pass	1401
1700	1790	1	RMS	1743.65	21.96	60	38.04	Pass	401
1790	3000	1	RMS	2686.5	-46.97	-13	33.97	Pass	2421
3000	12000	1	RMS	11949.5	-39.82	-13	26.82	Pass	18001
12000	20000	1	RMS	19938.5	-28.06	-13	15.06	Pass	16001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.11	-13	41.11	Pass	401
0.15	30	0.01	RMS	0.155	-57.27	-13	44.27	Pass	5971
30	1000	0.1	RMS	883.05	-61.22	-13	48.22	Pass	19401
1000	1700	1	RMS	1572.5	-50.28	-13	37.28	Pass	1401
1700	1790	1	RMS	1777.175	23.11	60	36.89	Pass	401
1790	3000	1	RMS	2686.5	-46.93	-13	33.93	Pass	2421
3000	12000	1	RMS	11956	-39.83	-13	26.83	Pass	18001
12000	20000	1	RMS	19943.5	-27.97	-13	14.97	Pass	16001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.28	-13	42.28	Pass	401
0.15	30	0.01	RMS	0.155	-56.88	-13	43.88	Pass	5971
30	1000	0.1	RMS	919.55	-61.23	-13	48.23	Pass	19401
1000	1700	1	RMS	1575	-50.34	-13	37.34	Pass	1401
1700	1790	1	RMS	1777.175	22.23	60	37.77	Pass	401
1790	3000	1	RMS	2681.5	-46.89	-13	33.89	Pass	2421
3000	12000	1	RMS	11961.5	-39.79	-13	26.79	Pass	18001
12000	20000	1	RMS	19943	-28.1	-13	15.1	Pass	16001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.47	-13	41.47	Pass	401
0.15	30	0.01	RMS	0.16	-56.52	-13	43.52	Pass	5971
30	1000	0.1	RMS	902.3	-61.12	-13	48.12	Pass	19401
1000	1700	1	RMS	1700	-50.05	-13	37.05	Pass	1401
1700	1790	1	RMS	1710.35	23.28	60	36.72	Pass	401
1790	3000	1	RMS	2669.5	-46.89	-13	33.89	Pass	2421
3000	12000	1	RMS	11947.5	-39.81	-13	26.81	Pass	18001
12000	20000	1	RMS	19949	-28.03	-13	15.03	Pass	16001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.61	-13	41.61	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-13	43.75	Pass	5971
30	1000	0.1	RMS	880.15	-61.06	-13	48.06	Pass	19401
1000	1700	1	RMS	1700	-50.14	-13	37.14	Pass	1401
1700	1790	1	RMS	1710.35	22.33	60	37.67	Pass	401
1790	3000	1	RMS	2677.5	-46.95	-13	33.95	Pass	2421
3000	12000	1	RMS	11939.5	-39.8	-13	26.8	Pass	18001
12000	20000	1	RMS	19930	-28.03	-13	15.03	Pass	16001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.37	-13	42.37	Pass	401
0.15	30	0.01	RMS	0.155	-58.22	-13	45.22	Pass	5971
30	1000	0.1	RMS	881.6	-61.07	-13	48.07	Pass	19401
1000	1700	1	RMS	1574.5	-50.31	-13	37.31	Pass	1401
1700	1790	1	RMS	1742.75	23.2	60	36.8	Pass	401
1790	3000	1	RMS	2677	-46.93	-13	33.93	Pass	2421
3000	12000	1	RMS	11950.5	-39.82	-13	26.82	Pass	18001
12000	20000	1	RMS	19923	-28.04	-13	15.04	Pass	16001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.49	-13	42.49	Pass	401
0.15	30	0.01	RMS	0.15	-58.16	-13	45.16	Pass	5971
30	1000	0.1	RMS	883.85	-61.05	-13	48.05	Pass	19401
1000	1700	1	RMS	1567	-50.34	-13	37.34	Pass	1401
1700	1790	1	RMS	1742.75	22.34	60	37.66	Pass	401
1790	3000	1	RMS	2671.5	-46.93	-13	33.93	Pass	2421
3000	12000	1	RMS	11953	-39.75	-13	26.75	Pass	18001
12000	20000	1	RMS	19937.5	-28.04	-13	15.04	Pass	16001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.03	-13	42.03	Pass	401
0.15	30	0.01	RMS	0.15	-58.53	-13	45.53	Pass	5971
30	1000	0.1	RMS	913.45	-61.13	-13	48.13	Pass	19401
1000	1700	1	RMS	1575.5	-50.31	-13	37.31	Pass	1401
1700	1790	1	RMS	1775.375	23.32	60	36.68	Pass	401
1790	3000	1	RMS	2680	-46.93	-13	33.93	Pass	2421
3000	12000	1	RMS	11951	-39.91	-13	26.91	Pass	18001
12000	20000	1	RMS	19934	-28.07	-13	15.07	Pass	16001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	42.03	Pass	401
0.15	30	0.01	RMS	0.165	-57.59	-13	44.59	Pass	5971
30	1000	0.1	RMS	880	-61.18	-13	48.18	Pass	19401
1000	1700	1	RMS	1559	-50.32	-13	37.32	Pass	1401
1700	1790	1	RMS	1775.375	22.55	60	37.45	Pass	401
1790	3000	1	RMS	2688	-46.88	-13	33.88	Pass	2421
3000	12000	1	RMS	11943.5	-39.81	-13	26.81	Pass	18001
12000	20000	1	RMS	19928	-28.12	-13	15.12	Pass	16001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-13	41.52	Pass	401
0.15	30	0.01	RMS	0.155	-58.78	-13	45.78	Pass	5971
30	1000	0.1	RMS	891.05	-61.02	-13	48.02	Pass	19401
1000	1700	1	RMS	1693	-44.95	-13	31.95	Pass	1401
1700	1790	1	RMS	1710.575	23.4	60	36.6	Pass	401
1790	3000	1	RMS	2682	-46.94	-13	33.94	Pass	2421
3000	12000	1	RMS	11927	-39.82	-13	26.82	Pass	18001
12000	20000	1	RMS	19945	-28	-13	15	Pass	16001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	41	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	44.38	Pass	5971
30	1000	0.1	RMS	909.3	-60.98	-13	47.98	Pass	19401
1000	1700	1	RMS	1693	-46.14	-13	33.14	Pass	1401
1700	1790	1	RMS	1710.575	22.51	60	37.49	Pass	401
1790	3000	1	RMS	2695.5	-46.92	-13	33.92	Pass	2421
3000	12000	1	RMS	11951.5	-39.75	-13	26.75	Pass	18001
12000	20000	1	RMS	19940.5	-28.04	-13	15.04	Pass	16001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.08	-13	41.08	Pass	401
0.15	30	0.01	RMS	0.15	-56.82	-13	43.82	Pass	5971
30	1000	0.1	RMS	882.95	-61.26	-13	48.26	Pass	19401
1000	1700	1	RMS	1573.5	-50.34	-13	37.34	Pass	1401
1700	1790	1	RMS	1740.5	23.25	60	36.75	Pass	401
1790	3000	1	RMS	2676	-46.84	-13	33.84	Pass	2421
3000	12000	1	RMS	11944.5	-39.9	-13	26.9	Pass	18001
12000	20000	1	RMS	19930	-27.98	-13	14.98	Pass	16001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55	-13	42	Pass	401
0.15	30	0.01	RMS	0.15	-58.07	-13	45.07	Pass	5971
30	1000	0.1	RMS	872.35	-61.24	-13	48.24	Pass	19401
1000	1700	1	RMS	1571	-50.28	-13	37.28	Pass	1401
1700	1790	1	RMS	1740.5	22.25	60	37.75	Pass	401
1790	3000	1	RMS	2678	-46.89	-13	33.89	Pass	2421
3000	12000	1	RMS	11955.5	-39.88	-13	26.88	Pass	18001
12000	20000	1	RMS	19933	-28.06	-13	15.06	Pass	16001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.11	-13	42.11	Pass	401
0.15	30	0.01	RMS	0.165	-57.74	-13	44.74	Pass	5971
30	1000	0.1	RMS	898.3	-61.24	-13	48.24	Pass	19401
1000	1700	1	RMS	1694	-50.28	-13	37.28	Pass	1401
1700	1790	1	RMS	1770.65	23.41	60	36.59	Pass	401
1790	3000	1	RMS	2675.5	-46.93	-13	33.93	Pass	2421
3000	12000	1	RMS	11949.5	-39.83	-13	26.83	Pass	18001
12000	20000	1	RMS	19929.5	-27.98	-13	14.98	Pass	16001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.5	-13	42.5	Pass	401
0.15	30	0.01	RMS	0.15	-57.43	-13	44.43	Pass	5971
30	1000	0.1	RMS	897.4	-61.08	-13	48.08	Pass	19401
1000	1700	1	RMS	1569.5	-50.32	-13	37.32	Pass	1401
1700	1790	1	RMS	1770.65	22.46	60	37.54	Pass	401
1790	3000	1	RMS	2682.5	-46.95	-13	33.95	Pass	2421
3000	12000	1	RMS	11949	-39.88	-13	26.88	Pass	18001
12000	20000	1	RMS	19939.5	-27.94	-13	14.94	Pass	16001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.12	-13	42.12	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	44.19	Pass	5971
30	1000	0.1	RMS	891.6	-61.09	-13	48.09	Pass	19401
1000	1700	1	RMS	1697.5	-38.56	-13	25.56	Pass	1401
1700	1790	1	RMS	1710.8	23.32	60	36.68	Pass	401
1790	3000	1	RMS	2681.5	-46.89	-13	33.89	Pass	2421
3000	12000	1	RMS	11949	-39.86	-13	26.86	Pass	18001
12000	20000	1	RMS	19953.5	-28.04	-13	15.04	Pass	16001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.08	-13	43.08	Pass	401
0.15	30	0.01	RMS	0.155	-58.67	-13	45.67	Pass	5971
30	1000	0.1	RMS	920	-61.3	-13	48.3	Pass	19401
1000	1700	1	RMS	1697.5	-40.63	-13	27.63	Pass	1401
1700	1790	1	RMS	1710.8	22.5	60	37.5	Pass	401
1790	3000	1	RMS	2696	-46.96	-13	33.96	Pass	2421
3000	12000	1	RMS	11951.5	-39.88	-13	26.88	Pass	18001
12000	20000	1	RMS	19943.5	-28.07	-13	15.07	Pass	16001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.05	-13	42.05	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-13	43.95	Pass	5971
30	1000	0.1	RMS	897.65	-61.13	-13	48.13	Pass	19401
1000	1700	1	RMS	1698	-50.33	-13	37.33	Pass	1401
1700	1790	1	RMS	1738.25	23.21	60	36.79	Pass	401
1790	3000	1	RMS	2685	-46.93	-13	33.93	Pass	2421
3000	12000	1	RMS	11957.5	-39.88	-13	26.88	Pass	18001
12000	20000	1	RMS	19944.5	-28.02	-13	15.02	Pass	16001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.25	-13	42.25	Pass	401
0.15	30	0.01	RMS	0.15	-56.71	-13	43.71	Pass	5971
30	1000	0.1	RMS	879.75	-61.25	-13	48.25	Pass	19401
1000	1700	1	RMS	1583.5	-50.35	-13	37.35	Pass	1401
1700	1790	1	RMS	1738.25	22.21	60	37.79	Pass	401
1790	3000	1	RMS	2669.5	-46.87	-13	33.87	Pass	2421
3000	12000	1	RMS	11946.5	-39.83	-13	26.83	Pass	18001
12000	20000	1	RMS	19950.5	-27.96	-13	14.96	Pass	16001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.01	-13	42.01	Pass	401
0.15	30	0.01	RMS	0.155	-57.79	-13	44.79	Pass	5971
30	1000	0.1	RMS	894.85	-60.86	-13	47.86	Pass	19401
1000	1700	1	RMS	1615	-50.32	-13	37.32	Pass	1401
1700	1790	1	RMS	1765.925	23.28	60	36.72	Pass	401
1790	3000	1	RMS	1792.5	-35.21	-13	22.21	Pass	2421
3000	12000	1	RMS	11951.5	-39.88	-13	26.88	Pass	18001
12000	20000	1	RMS	19961.5	-28.04	-13	15.04	Pass	16001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.4	-13	42.4	Pass	401
0.15	30	0.01	RMS	0.15	-57.74	-13	44.74	Pass	5971
30	1000	0.1	RMS	894.6	-61.22	-13	48.22	Pass	19401
1000	1700	1	RMS	1586.5	-50.38	-13	37.38	Pass	1401
1700	1790	1	RMS	1765.925	22.42	60	37.58	Pass	401
1790	3000	1	RMS	1792.5	-36.16	-13	23.16	Pass	2421
3000	12000	1	RMS	11956	-39.89	-13	26.89	Pass	18001
12000	20000	1	RMS	19961	-28.03	-13	15.03	Pass	16001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.64	-13	41.64	Pass	401
0.15	30	0.01	RMS	0.16	-56.84	-13	43.84	Pass	5971
30	1000	0.1	RMS	857.9	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1699.5	-40.85	-13	27.85	Pass	1401
1700	1790	1	RMS	1711.025	23.23	60	36.77	Pass	401
1790	3000	1	RMS	2678	-46.93	-13	33.93	Pass	2421
3000	12000	1	RMS	11942	-39.76	-13	26.76	Pass	18001
12000	20000	1	RMS	19946	-28.02	-13	15.02	Pass	16001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-13	40.82	Pass	401
0.15	30	0.01	RMS	0.15	-56.56	-13	43.56	Pass	5971
30	1000	0.1	RMS	888.85	-61.14	-13	48.14	Pass	19401
1000	1700	1	RMS	1699	-43.17	-13	30.17	Pass	1401
1700	1790	1	RMS	1711.025	22.36	60	37.64	Pass	401
1790	3000	1	RMS	2676	-46.97	-13	33.97	Pass	2421
3000	12000	1	RMS	11950	-39.84	-13	26.84	Pass	18001
12000	20000	1	RMS	19946	-28.05	-13	15.05	Pass	16001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.02	-13	42.02	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	44.24	Pass	5971
30	1000	0.1	RMS	875.3	-61.32	-13	48.32	Pass	19401
1000	1700	1	RMS	1700	-43.88	-13	30.88	Pass	1401
1700	1790	1	RMS	1736	23.12	60	36.88	Pass	401
1790	3000	1	RMS	2677	-46.91	-13	33.91	Pass	2421
3000	12000	1	RMS	11951	-39.87	-13	26.87	Pass	18001
12000	20000	1	RMS	19955	-28.05	-13	15.05	Pass	16001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	40.66	Pass	401
0.15	30	0.01	RMS	0.15	-58.05	-13	45.05	Pass	5971
30	1000	0.1	RMS	883.2	-61.24	-13	48.24	Pass	19401
1000	1700	1	RMS	1700	-45.04	-13	32.04	Pass	1401
1700	1790	1	RMS	1736	22.1	60	37.9	Pass	401
1790	3000	1	RMS	2674	-46.95	-13	33.95	Pass	2421
3000	12000	1	RMS	11950.5	-39.89	-13	26.89	Pass	18001
12000	20000	1	RMS	19932	-28.01	-13	15.01	Pass	16001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-13	41.54	Pass	401
0.15	30	0.01	RMS	0.15	-56.85	-13	43.85	Pass	5971
30	1000	0.1	RMS	916.7	-61.22	-13	48.22	Pass	19401
1000	1700	1	RMS	1690	-49.7	-13	36.7	Pass	1401
1700	1790	1	RMS	1760.975	23.24	60	36.76	Pass	401
1790	3000	1	RMS	1792	-40.4	-13	27.4	Pass	2421
3000	12000	1	RMS	11963	-39.83	-13	26.83	Pass	18001
12000	20000	1	RMS	19958	-28.06	-13	15.06	Pass	16001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-13	41.48	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	44.15	Pass	5971
30	1000	0.1	RMS	890.15	-61.05	-13	48.05	Pass	19401
1000	1700	1	RMS	1690	-50	-13	37	Pass	1401
1700	1790	1	RMS	1761.2	22.25	60	37.75	Pass	401
1790	3000	1	RMS	1792	-40.87	-13	27.87	Pass	2421
3000	12000	1	RMS	11938.5	-39.8	-13	26.8	Pass	18001
12000	20000	1	RMS	19951	-28.1	-13	15.1	Pass	16001



2. LTE_Band12


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.43	-13	41.43	Pass	401
0.15	30	0.01	RMS	0.155	-58.58	-13	45.58	Pass	5971
30	689	0.1	RMS	496.05	-62.34	-13	49.34	Pass	13181
689	726	0.1	RMS	699.25	20.81	60	39.19	Pass	741
726	1000	0.1	RMS	899.85	-60.78	-13	47.78	Pass	5481
1000	3000	1	RMS	1398.5	-42.91	-13	29.91	Pass	4001
3000	10000	1	RMS	7590	-41.53	-13	28.53	Pass	14001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.91	-13	42.91	Pass	401
0.15	30	0.01	RMS	0.16	-57.43	-13	44.43	Pass	5971
30	689	0.1	RMS	501.7	-62.33	-13	49.33	Pass	13181
689	726	0.1	RMS	699.25	19.98	60	40.02	Pass	741
726	1000	0.1	RMS	908.05	-61.1	-13	48.1	Pass	5481
1000	3000	1	RMS	1398.5	-43.93	-13	30.93	Pass	4001
3000	10000	1	RMS	7598.5	-41.59	-13	28.59	Pass	14001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	40.36	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	44.38	Pass	5971
30	689	0.1	RMS	523.9	-62.35	-13	49.35	Pass	13181
689	726	0.1	RMS	707.05	21.07	60	38.93	Pass	741
726	1000	0.1	RMS	879.05	-60.86	-13	47.86	Pass	5481
1000	3000	1	RMS	1414	-45.25	-13	32.25	Pass	4001
3000	10000	1	RMS	7586.5	-41.57	-13	28.57	Pass	14001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.82	-13	41.82	Pass	401
0.15	30	0.01	RMS	0.16	-57.86	-13	44.86	Pass	5971
30	689	0.1	RMS	686.55	-62.5	-13	49.5	Pass	13181
689	726	0.1	RMS	707.05	19.76	60	40.24	Pass	741
726	1000	0.1	RMS	923.65	-61.1	-13	48.1	Pass	5481
1000	3000	1	RMS	1414	-46.2	-13	33.2	Pass	4001
3000	10000	1	RMS	7595	-41.58	-13	28.58	Pass	14001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.94	-13	41.94	Pass	401
0.15	30	0.01	RMS	0.15	-58.16	-13	45.16	Pass	5971
30	689	0.1	RMS	507	-62.34	-13	49.34	Pass	13181
689	726	0.1	RMS	714.85	20.97	60	39.03	Pass	741
726	1000	0.1	RMS	907.45	-60.98	-13	47.98	Pass	5481
1000	3000	1	RMS	1429.5	-43	-13	30	Pass	4001
3000	10000	1	RMS	7599.5	-41.65	-13	28.65	Pass	14001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.88	-13	41.88	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	44.51	Pass	5971
30	689	0.1	RMS	517.65	-62.49	-13	49.49	Pass	13181
689	726	0.1	RMS	714.85	19.96	60	40.04	Pass	741
726	1000	0.1	RMS	909.7	-61.04	-13	48.04	Pass	5481
1000	3000	1	RMS	1429.5	-44.13	-13	31.13	Pass	4001
3000	10000	1	RMS	7587.5	-41.56	-13	28.56	Pass	14001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.99	-13	42.99	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	43.36	Pass	5971
30	689	0.1	RMS	498.8	-62.27	-13	49.27	Pass	13181
689	726	0.1	RMS	699.25	20.78	60	39.22	Pass	741
726	1000	0.1	RMS	885.05	-60.94	-13	47.94	Pass	5481
1000	3000	1	RMS	1398.5	-43.03	-13	30.03	Pass	4001
3000	10000	1	RMS	7585.5	-41.54	-13	28.54	Pass	14001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-13	42.19	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-13	43.59	Pass	5971
30	689	0.1	RMS	504.7	-62.48	-13	49.48	Pass	13181
689	726	0.1	RMS	699.25	19.89	60	40.11	Pass	741
726	1000	0.1	RMS	897	-61.11	-13	48.11	Pass	5481
1000	3000	1	RMS	1398.5	-43.84	-13	30.84	Pass	4001
3000	10000	1	RMS	7591	-41.56	-13	28.56	Pass	14001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.77	-13	42.77	Pass	401
0.15	30	0.01	RMS	0.165	-57.9	-13	44.9	Pass	5971
30	689	0.1	RMS	504.1	-62.34	-13	49.34	Pass	13181
689	726	0.1	RMS	706.25	20.96	60	39.04	Pass	741
726	1000	0.1	RMS	939.95	-60.92	-13	47.92	Pass	5481
1000	3000	1	RMS	1412.5	-44.55	-13	31.55	Pass	4001
3000	10000	1	RMS	7589	-41.64	-13	28.64	Pass	14001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	40.66	Pass	401
0.15	30	0.01	RMS	0.155	-56.97	-13	43.97	Pass	5971
30	689	0.1	RMS	498.35	-62.42	-13	49.42	Pass	13181
689	726	0.1	RMS	706.25	19.98	60	40.02	Pass	741
726	1000	0.1	RMS	908.7	-61.03	-13	48.03	Pass	5481
1000	3000	1	RMS	1412.5	-45.65	-13	32.65	Pass	4001
3000	10000	1	RMS	7590.5	-41.63	-13	28.63	Pass	14001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.77	-13	41.77	Pass	401
0.15	30	0.01	RMS	0.16	-57.4	-13	44.4	Pass	5971
30	689	0.1	RMS	494.7	-62.32	-13	49.32	Pass	13181
689	726	0.1	RMS	713.25	20.73	60	39.27	Pass	741
726	1000	0.1	RMS	894.7	-61.12	-13	48.12	Pass	5481
1000	3000	1	RMS	1426.5	-43.33	-13	30.33	Pass	4001
3000	10000	1	RMS	7598.5	-41.58	-13	28.58	Pass	14001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-13	41.21	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	44.45	Pass	5971
30	689	0.1	RMS	512.1	-62.49	-13	49.49	Pass	13181
689	726	0.1	RMS	713.25	20	60	40	Pass	741
726	1000	0.1	RMS	866.7	-61.03	-13	48.03	Pass	5481
1000	3000	1	RMS	1426.5	-44.33	-13	31.33	Pass	4001
3000	10000	1	RMS	7592	-41.63	-13	28.63	Pass	14001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.91	-13	41.91	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	44.46	Pass	5971
30	689	0.1	RMS	494.8	-62.16	-13	49.16	Pass	13181
689	726	0.1	RMS	699.35	20.75	60	39.25	Pass	741
726	1000	0.1	RMS	871.6	-60.83	-13	47.83	Pass	5481
1000	3000	1	RMS	1398.5	-42.77	-13	29.77	Pass	4001
3000	10000	1	RMS	7582.5	-41.54	-13	28.54	Pass	14001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.72	-13	41.72	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	44.68	Pass	5971
30	689	0.1	RMS	487.45	-62.35	-13	49.35	Pass	13181
689	726	0.1	RMS	699.35	20.06	60	39.94	Pass	741
726	1000	0.1	RMS	898.9	-61	-13	48	Pass	5481
1000	3000	1	RMS	1398.5	-43.74	-13	30.74	Pass	4001
3000	10000	1	RMS	7597	-41.54	-13	28.54	Pass	14001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.95	-13	41.95	Pass	401
0.15	30	0.01	RMS	0.165	-57.5	-13	44.5	Pass	5971
30	689	0.1	RMS	506.9	-62.27	-13	49.27	Pass	13181
689	726	0.1	RMS	705.35	20.89	60	39.11	Pass	741
726	1000	0.1	RMS	909.6	-60.9	-13	47.9	Pass	5481
1000	3000	1	RMS	1410.5	-42.87	-13	29.87	Pass	4001
3000	10000	1	RMS	7602.5	-41.55	-13	28.55	Pass	14001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.16	-57.28	-13	44.28	Pass	5971
30	689	0.1	RMS	505.35	-62.27	-13	49.27	Pass	13181
689	726	0.1	RMS	705.35	20.15	60	39.85	Pass	741
726	1000	0.1	RMS	888.45	-61.21	-13	48.21	Pass	5481
1000	3000	1	RMS	1410.5	-43.84	-13	30.84	Pass	4001
3000	10000	1	RMS	7594	-41.51	-13	28.51	Pass	14001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.83	-13	40.83	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-13	43.45	Pass	5971
30	689	0.1	RMS	510.75	-62.3	-13	49.3	Pass	13181
689	726	0.1	RMS	711.35	20.76	60	39.24	Pass	741
726	1000	0.1	RMS	887.1	-61.04	-13	48.04	Pass	5481
1000	3000	1	RMS	1422.5	-45.67	-13	32.67	Pass	4001
3000	10000	1	RMS	7585.5	-41.57	-13	28.57	Pass	14001




**2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	40.91	Pass	401
0.15	30	0.01	RMS	0.16	-57.19	-13	44.19	Pass	5971
30	689	0.1	RMS	684.2	-62.19	-13	49.19	Pass	13181
689	726	0.1	RMS	711.35	20.2	60	39.8	Pass	741
726	1000	0.1	RMS	914.2	-61.01	-13	48.01	Pass	5481
1000	3000	1	RMS	2684	-46.38	-13	33.38	Pass	4001
3000	10000	1	RMS	7588.5	-41.55	-13	28.55	Pass	14001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.58	-13	41.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	44.31	Pass	5971
30	689	0.1	RMS	501.7	-62.29	-13	49.29	Pass	13181
689	726	0.1	RMS	699.6	20.96	60	39.04	Pass	741
726	1000	0.1	RMS	887.9	-61.2	-13	48.2	Pass	5481
1000	3000	1	RMS	1399	-42.64	-13	29.64	Pass	4001
3000	10000	1	RMS	7589.5	-41.61	-13	28.61	Pass	14001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.22	-13	41.22	Pass	401
0.15	30	0.01	RMS	0.155	-57.17	-13	44.17	Pass	5971
30	689	0.1	RMS	501.25	-62.24	-13	49.24	Pass	13181
689	726	0.1	RMS	699.6	20.16	60	39.84	Pass	741
726	1000	0.1	RMS	870.35	-61	-13	48	Pass	5481
1000	3000	1	RMS	1399	-43.44	-13	30.44	Pass	4001
3000	10000	1	RMS	7593.5	-41.61	-13	28.61	Pass	14001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.13	-13	41.13	Pass	401
0.15	30	0.01	RMS	0.16	-58	-13	45	Pass	5971
30	689	0.1	RMS	495.35	-62.14	-13	49.14	Pass	13181
689	726	0.1	RMS	703.1	21.05	60	38.95	Pass	741
726	1000	0.1	RMS	908.9	-61.08	-13	48.08	Pass	5481
1000	3000	1	RMS	1406	-42.17	-13	29.17	Pass	4001
3000	10000	1	RMS	7594.5	-41.58	-13	28.58	Pass	14001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.38	-13	42.38	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	43.04	Pass	5971
30	689	0.1	RMS	485.4	-62.42	-13	49.42	Pass	13181
689	726	0.1	RMS	703.1	20.01	60	39.99	Pass	741
726	1000	0.1	RMS	885.9	-60.98	-13	47.98	Pass	5481
1000	3000	1	RMS	1406	-43.27	-13	30.27	Pass	4001
3000	10000	1	RMS	7597	-41.55	-13	28.55	Pass	14001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.34	-13	42.34	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-13	44.27	Pass	5971
30	689	0.1	RMS	500.65	-62.15	-13	49.15	Pass	13181
689	726	0.1	RMS	706.6	20.99	60	39.01	Pass	741
726	1000	0.1	RMS	881.6	-60.99	-13	47.99	Pass	5481
1000	3000	1	RMS	1413	-44.96	-13	31.96	Pass	4001
3000	10000	1	RMS	7594	-41.59	-13	28.59	Pass	14001



2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	41.16	Pass	401
0.15	30	0.01	RMS	0.17	-57.91	-13	44.91	Pass	5971
30	689	0.1	RMS	509	-62.23	-13	49.23	Pass	13181
689	726	0.1	RMS	706.6	20.03	60	39.97	Pass	741
726	1000	0.1	RMS	915.65	-60.82	-13	47.82	Pass	5481
1000	3000	1	RMS	1413	-45.78	-13	32.78	Pass	4001
3000	10000	1	RMS	7581	-41.56	-13	28.56	Pass	14001



3. LTE_Band17


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	40.85	Pass	401
0.15	30	0.01	RMS	0.155	-58.04	-13	45.04	Pass	5971
30	694	0.1	RMS	693.8	-62.14	-13	49.14	Pass	13281
694	726	0.1	RMS	704.35	20.49	60	39.51	Pass	641
726	1000	0.1	RMS	918.85	-61.09	-13	48.09	Pass	5481
1000	3000	1	RMS	1408.5	-42.97	-13	29.97	Pass	4001
3000	10000	1	RMS	7595.5	-41.54	-13	28.54	Pass	14001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.63	-13	42.63	Pass	401
0.15	30	0.01	RMS	0.155	-56.65	-13	43.65	Pass	5971
30	694	0.1	RMS	505.3	-62.33	-13	49.33	Pass	13281
694	726	0.1	RMS	704.35	19.68	60	40.32	Pass	641
726	1000	0.1	RMS	882.35	-61.02	-13	48.02	Pass	5481
1000	3000	1	RMS	1408.5	-43.72	-13	30.72	Pass	4001
3000	10000	1	RMS	7600	-41.39	-13	28.39	Pass	14001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	42.32	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-13	45.38	Pass	5971
30	694	0.1	RMS	693.7	-62.23	-13	49.23	Pass	13281
694	726	0.1	RMS	707.85	20.51	60	39.49	Pass	641
726	1000	0.1	RMS	899.15	-60.93	-13	47.93	Pass	5481
1000	3000	1	RMS	2123.5	-46.03	-13	33.03	Pass	4001
3000	10000	1	RMS	7585	-41.55	-13	28.55	Pass	14001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-13	42.37	Pass	401
0.15	30	0.01	RMS	0.155	-56.27	-13	43.27	Pass	5971
30	694	0.1	RMS	693.45	-62.11	-13	49.11	Pass	13281
694	726	0.1	RMS	707.85	20.01	60	39.99	Pass	641
726	1000	0.1	RMS	889.5	-61.09	-13	48.09	Pass	5481
1000	3000	1	RMS	2675	-46.36	-13	33.36	Pass	4001
3000	10000	1	RMS	7586.5	-41.57	-13	28.57	Pass	14001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.08	-13	42.08	Pass	401
0.15	30	0.01	RMS	0.155	-56.79	-13	43.79	Pass	5971
30	694	0.1	RMS	693.2	-62.08	-13	49.08	Pass	13281
694	726	0.1	RMS	711.35	20.62	60	39.38	Pass	641
726	1000	0.1	RMS	843.35	-60.77	-13	47.77	Pass	5481
1000	3000	1	RMS	1422.5	-45.79	-13	32.79	Pass	4001
3000	10000	1	RMS	7579.5	-41.59	-13	28.59	Pass	14001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.28	-13	42.28	Pass	401
0.15	30	0.01	RMS	0.155	-58.18	-13	45.18	Pass	5971
30	694	0.1	RMS	495.55	-62.35	-13	49.35	Pass	13281
694	726	0.1	RMS	711.35	20.05	60	39.95	Pass	641
726	1000	0.1	RMS	892.2	-60.97	-13	47.97	Pass	5481
1000	3000	1	RMS	2670	-46.32	-13	33.32	Pass	4001
3000	10000	1	RMS	7591	-41.56	-13	28.56	Pass	14001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.03	-13	42.03	Pass	401
0.15	30	0.01	RMS	0.155	-56.89	-13	43.89	Pass	5971
30	694	0.1	RMS	693.95	-51.13	-13	38.13	Pass	13281
694	726	0.1	RMS	704.6	20.57	60	39.43	Pass	641
726	1000	0.1	RMS	908.3	-61.11	-13	48.11	Pass	5481
1000	3000	1	RMS	1409	-43.25	-13	30.25	Pass	4001
3000	10000	1	RMS	7581.5	-41.54	-13	28.54	Pass	14001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.32	-13	41.32	Pass	401
0.15	30	0.01	RMS	0.16	-58.71	-13	45.71	Pass	5971
30	694	0.1	RMS	693.95	-51.84	-13	38.84	Pass	13281
694	726	0.1	RMS	704.6	19.74	60	40.26	Pass	641
726	1000	0.1	RMS	870.8	-61.09	-13	48.09	Pass	5481
1000	3000	1	RMS	1409	-43.85	-13	30.85	Pass	4001
3000	10000	1	RMS	7576.5	-41.56	-13	28.56	Pass	14001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.38	-13	40.38	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	43.96	Pass	5971
30	694	0.1	RMS	693.9	-61.55	-13	48.55	Pass	13281
694	726	0.1	RMS	705.6	20.61	60	39.39	Pass	641
726	1000	0.1	RMS	859.35	-61.14	-13	48.14	Pass	5481
1000	3000	1	RMS	1411	-43.9	-13	30.9	Pass	4001
3000	10000	1	RMS	7581.5	-41.63	-13	28.63	Pass	14001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.61	-13	41.61	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	43.14	Pass	5971
30	694	0.1	RMS	694	-61.42	-13	48.42	Pass	13281
694	726	0.1	RMS	705.6	19.56	60	40.44	Pass	641
726	1000	0.1	RMS	888.9	-60.99	-13	47.99	Pass	5481
1000	3000	1	RMS	1411	-44.8	-13	31.8	Pass	4001
3000	10000	1	RMS	7579.5	-41.57	-13	28.57	Pass	14001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	40.42	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	43.55	Pass	5971
30	694	0.1	RMS	693.3	-61.88	-13	48.88	Pass	13281
694	726	0.1	RMS	706.6	20.61	60	39.39	Pass	641
726	1000	0.1	RMS	897.05	-60.7	-13	47.7	Pass	5481
1000	3000	1	RMS	1413	-45.37	-13	32.37	Pass	4001
3000	10000	1	RMS	7588	-41.47	-13	28.47	Pass	14001



3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	40.54	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	43.26	Pass	5971
30	694	0.1	RMS	693.8	-61.86	-13	48.86	Pass	13281
694	726	0.1	RMS	706.6	19.94	60	40.06	Pass	641
726	1000	0.1	RMS	913.75	-61.16	-13	48.16	Pass	5481
1000	3000	1	RMS	1413.5	-46.36	-13	33.36	Pass	4001
3000	10000	1	RMS	7591	-41.56	-13	28.56	Pass	14001



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.39	-13	43.39	Pass	282
0.15	30	0.01	RMS	0.15	-58.36	-13	45.36	Pass	5971
30	1000	0.1	RMS	840.45	-61.3	-13	48.3	Pass	19401
1000	1840	1	RMS	1840	-49.71	-13	36.71	Pass	1681
1840	1920	1	RMS	1850	22.56	60	37.44	Pass	161
1920	3000	1	RMS	2671.5	-47.07	-13	34.07	Pass	2161
3000	12000	1	RMS	11997.5	-38.29	-13	25.29	Pass	18001
12000	20000	1	RMS	19943.5	-26.67	-13	13.67	Pass	16001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55	-13	42	Pass	282
0.15	30	0.01	RMS	0.165	-57.18	-13	44.18	Pass	5971
30	1000	0.1	RMS	880.7	-60.89	-13	47.89	Pass	19401
1000	1840	1	RMS	1840	-49.77	-13	36.77	Pass	1681
1840	1920	1	RMS	1850	21.55	60	38.45	Pass	161
1920	3000	1	RMS	2672.5	-47.02	-13	34.02	Pass	2161
3000	12000	1	RMS	11988.5	-38.32	-13	25.32	Pass	18001
12000	20000	1	RMS	19958.5	-26.63	-13	13.63	Pass	16001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.82	-13	42.82	Pass	282
0.15	30	0.01	RMS	0.15	-56.16	-13	43.16	Pass	5971
30	1000	0.1	RMS	880.85	-61.09	-13	48.09	Pass	19401
1000	1840	1	RMS	1839	-49.85	-13	36.85	Pass	1681
1840	1920	1	RMS	1879.5	23.22	60	36.78	Pass	161
1920	3000	1	RMS	2671	-47.03	-13	34.03	Pass	2161
3000	12000	1	RMS	11990.5	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19955	-26.67	-13	13.67	Pass	16001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.56	-13	42.56	Pass	282
0.15	30	0.01	RMS	0.16	-58.27	-13	45.27	Pass	5971
30	1000	0.1	RMS	844.45	-61.3	-13	48.3	Pass	19401
1000	1840	1	RMS	1833.5	-49.77	-13	36.77	Pass	1681
1840	1920	1	RMS	1879.5	22.25	60	37.75	Pass	161
1920	3000	1	RMS	2673.5	-47.05	-13	34.05	Pass	2161
3000	12000	1	RMS	11988.5	-38.39	-13	25.39	Pass	18001
12000	20000	1	RMS	19941	-26.72	-13	13.72	Pass	16001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-13	41.42	Pass	282
0.15	30	0.01	RMS	0.15	-57	-13	44	Pass	5971
30	1000	0.1	RMS	857.3	-61.2	-13	48.2	Pass	19401
1000	1840	1	RMS	1821.5	-49.85	-13	36.85	Pass	1681
1840	1920	1	RMS	1909	23.01	60	36.99	Pass	161
1920	3000	1	RMS	2672.5	-47	-13	34	Pass	2161
3000	12000	1	RMS	11977	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19952.5	-26.74	-13	13.74	Pass	16001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-13	41.09	Pass	282
0.15	30	0.01	RMS	0.155	-57.46	-13	44.46	Pass	5971
30	1000	0.1	RMS	869.1	-61.35	-13	48.35	Pass	19401
1000	1840	1	RMS	1821	-49.82	-13	36.82	Pass	1681
1840	1920	1	RMS	1909	22.08	60	37.92	Pass	161
1920	3000	1	RMS	2672.5	-47	-13	34	Pass	2161
3000	12000	1	RMS	11996	-38.21	-13	25.21	Pass	18001
12000	20000	1	RMS	19946.5	-26.64	-13	13.64	Pass	16001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.13	-13	42.13	Pass	282
0.15	30	0.01	RMS	0.16	-57.27	-13	44.27	Pass	5971
30	1000	0.1	RMS	870.75	-61.25	-13	48.25	Pass	19401
1000	1840	1	RMS	1840	-49.64	-13	36.64	Pass	1681
1840	1920	1	RMS	1850	22.46	60	37.54	Pass	161
1920	3000	1	RMS	2666.5	-47.03	-13	34.03	Pass	2161
3000	12000	1	RMS	11987	-38.16	-13	25.16	Pass	18001
12000	20000	1	RMS	19946.5	-26.71	-13	13.71	Pass	16001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.61	-13	41.61	Pass	282
0.15	30	0.01	RMS	0.15	-56.49	-13	43.49	Pass	5971
30	1000	0.1	RMS	910.75	-61.25	-13	48.25	Pass	19401
1000	1840	1	RMS	1840	-49.6	-13	36.6	Pass	1681
1840	1920	1	RMS	1850	21.61	60	38.39	Pass	161
1920	3000	1	RMS	2670.5	-47.03	-13	34.03	Pass	2161
3000	12000	1	RMS	11990.5	-38.21	-13	25.21	Pass	18001
12000	20000	1	RMS	19949	-26.71	-13	13.71	Pass	16001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.17	-13	42.17	Pass	282
0.15	30	0.01	RMS	0.15	-58.22	-13	45.22	Pass	5971
30	1000	0.1	RMS	885.7	-61.2	-13	48.2	Pass	19401
1000	1840	1	RMS	1837.5	-49.83	-13	36.83	Pass	1681
1840	1920	1	RMS	1878.5	22.54	60	37.46	Pass	161
1920	3000	1	RMS	2676.5	-47.02	-13	34.02	Pass	2161
3000	12000	1	RMS	11980.5	-38.29	-13	25.29	Pass	18001
12000	20000	1	RMS	19938.5	-26.7	-13	13.7	Pass	16001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.62	-13	42.62	Pass	282
0.15	30	0.01	RMS	0.15	-57.43	-13	44.43	Pass	5971
30	1000	0.1	RMS	870.8	-61.38	-13	48.38	Pass	19401
1000	1840	1	RMS	1822.5	-49.86	-13	36.86	Pass	1681
1840	1920	1	RMS	1878.5	21.6	60	38.4	Pass	161
1920	3000	1	RMS	2669	-47	-13	34	Pass	2161
3000	12000	1	RMS	11955	-38.33	-13	25.33	Pass	18001
12000	20000	1	RMS	19923	-26.75	-13	13.75	Pass	16001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.15	-13	42.15	Pass	282
0.15	30	0.01	RMS	0.15	-57.93	-13	44.93	Pass	5971
30	1000	0.1	RMS	863.25	-61.28	-13	48.28	Pass	19401
1000	1840	1	RMS	1819.5	-49.88	-13	36.88	Pass	1681
1840	1920	1	RMS	1907	22.57	60	37.43	Pass	161
1920	3000	1	RMS	2672	-46.94	-13	33.94	Pass	2161
3000	12000	1	RMS	11970	-38.28	-13	25.28	Pass	18001
12000	20000	1	RMS	19953.5	-26.64	-13	13.64	Pass	16001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.03	-13	42.03	Pass	282
0.15	30	0.01	RMS	0.165	-57.85	-13	44.85	Pass	5971
30	1000	0.1	RMS	903.85	-61.1	-13	48.1	Pass	19401
1000	1840	1	RMS	1839	-49.83	-13	36.83	Pass	1681
1840	1920	1	RMS	1907	21.68	60	38.32	Pass	161
1920	3000	1	RMS	2676	-46.99	-13	33.99	Pass	2161
3000	12000	1	RMS	11998	-38.24	-13	25.24	Pass	18001
12000	20000	1	RMS	19944	-26.67	-13	13.67	Pass	16001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.85	-13	41.85	Pass	282
0.15	30	0.01	RMS	0.15	-57.07	-13	44.07	Pass	5971
30	1000	0.1	RMS	920.7	-61.28	-13	48.28	Pass	19401
1000	1840	1	RMS	1837.5	-49.71	-13	36.71	Pass	1681
1840	1920	1	RMS	1850.5	23.01	60	36.99	Pass	161
1920	3000	1	RMS	2668	-47	-13	34	Pass	2161
3000	12000	1	RMS	11997	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19968	-26.67	-13	13.67	Pass	16001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.04	-13	43.04	Pass	282
0.15	30	0.01	RMS	0.15	-57.22	-13	44.22	Pass	5971
30	1000	0.1	RMS	895.35	-61.12	-13	48.12	Pass	19401
1000	1840	1	RMS	1837.5	-49.74	-13	36.74	Pass	1681
1840	1920	1	RMS	1850.5	22.05	60	37.95	Pass	161
1920	3000	1	RMS	2675	-47.02	-13	34.02	Pass	2161
3000	12000	1	RMS	11983	-38.25	-13	25.25	Pass	18001
12000	20000	1	RMS	19950.5	-26.67	-13	13.67	Pass	16001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.11	-13	42.11	Pass	282
0.15	30	0.01	RMS	0.155	-57.41	-13	44.41	Pass	5971
30	1000	0.1	RMS	904.4	-61.22	-13	48.22	Pass	19401
1000	1840	1	RMS	1824.5	-49.79	-13	36.79	Pass	1681
1840	1920	1	RMS	1878	23.08	60	36.92	Pass	161
1920	3000	1	RMS	2674	-46.97	-13	33.97	Pass	2161
3000	12000	1	RMS	11994.5	-38.29	-13	25.29	Pass	18001
12000	20000	1	RMS	19955.5	-26.64	-13	13.64	Pass	16001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.26	-13	42.26	Pass	282
0.15	30	0.01	RMS	0.15	-57.32	-13	44.32	Pass	5971
30	1000	0.1	RMS	913	-61.38	-13	48.38	Pass	19401
1000	1840	1	RMS	1840	-49.81	-13	36.81	Pass	1681
1840	1920	1	RMS	1878	22.29	60	37.71	Pass	161
1920	3000	1	RMS	2672.5	-47.02	-13	34.02	Pass	2161
3000	12000	1	RMS	11970	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19959	-26.65	-13	13.65	Pass	16001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.26	-13	42.26	Pass	282
0.15	30	0.01	RMS	0.155	-58.08	-13	45.08	Pass	5971
30	1000	0.1	RMS	886.15	-61.11	-13	48.11	Pass	19401
1000	1840	1	RMS	1821.5	-49.82	-13	36.82	Pass	1681
1840	1920	1	RMS	1905.5	23.06	60	36.94	Pass	161
1920	3000	1	RMS	2681.5	-47.05	-13	34.05	Pass	2161
3000	12000	1	RMS	11992.5	-38.23	-13	25.23	Pass	18001
12000	20000	1	RMS	19942	-26.68	-13	13.68	Pass	16001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.17	-13	43.17	Pass	282
0.15	30	0.01	RMS	0.15	-57.81	-13	44.81	Pass	5971
30	1000	0.1	RMS	899.85	-61.2	-13	48.2	Pass	19401
1000	1840	1	RMS	1823.5	-49.78	-13	36.78	Pass	1681
1840	1920	1	RMS	1905.5	22.35	60	37.65	Pass	161
1920	3000	1	RMS	2676.5	-47.02	-13	34.02	Pass	2161
3000	12000	1	RMS	11978	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19955.5	-26.68	-13	13.68	Pass	16001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-13	41.7	Pass	282
0.15	30	0.01	RMS	0.15	-58.43	-13	45.43	Pass	5971
30	1000	0.1	RMS	992.65	-61.19	-13	48.19	Pass	19401
1000	1840	1	RMS	1840	-47.06	-13	34.06	Pass	1681
1840	1920	1	RMS	1850.5	23.32	60	36.68	Pass	161
1920	3000	1	RMS	2671.5	-47.02	-13	34.02	Pass	2161
3000	12000	1	RMS	11996.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19933	-26.67	-13	13.67	Pass	16001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.89	-13	41.89	Pass	282
0.15	30	0.01	RMS	0.15	-58.69	-13	45.69	Pass	5971
30	1000	0.1	RMS	895.7	-61.27	-13	48.27	Pass	19401
1000	1840	1	RMS	1840	-47.35	-13	34.35	Pass	1681
1840	1920	1	RMS	1850.5	22.45	60	37.55	Pass	161
1920	3000	1	RMS	2671	-47.01	-13	34.01	Pass	2161
3000	12000	1	RMS	11991	-38.34	-13	25.34	Pass	18001
12000	20000	1	RMS	19940	-26.66	-13	13.66	Pass	16001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-13	41.21	Pass	282
0.15	30	0.01	RMS	0.15	-56.85	-13	43.85	Pass	5971
30	1000	0.1	RMS	889.55	-61.32	-13	48.32	Pass	19401
1000	1840	1	RMS	1819.5	-49.78	-13	36.78	Pass	1681
1840	1920	1	RMS	1875.5	23.37	60	36.63	Pass	161
1920	3000	1	RMS	2679.5	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	12000	-38.33	-13	25.33	Pass	18001
12000	20000	1	RMS	19932.5	-26.67	-13	13.67	Pass	16001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.38	-13	42.38	Pass	282
0.15	30	0.01	RMS	0.155	-57.55	-13	44.55	Pass	5971
30	1000	0.1	RMS	932.25	-60.98	-13	47.98	Pass	19401
1000	1840	1	RMS	1839.5	-49.81	-13	36.81	Pass	1681
1840	1920	1	RMS	1875.5	22.43	60	37.57	Pass	161
1920	3000	1	RMS	2694	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11969	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19940	-26.65	-13	13.65	Pass	16001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.72	-13	42.72	Pass	282
0.15	30	0.01	RMS	0.155	-57.48	-13	44.48	Pass	5971
30	1000	0.1	RMS	870.35	-61.23	-13	48.23	Pass	19401
1000	1840	1	RMS	1838	-49.82	-13	36.82	Pass	1681
1840	1920	1	RMS	1900.5	23.43	60	36.57	Pass	161
1920	3000	1	RMS	2679	-47.04	-13	34.04	Pass	2161
3000	12000	1	RMS	11997.5	-38.33	-13	25.33	Pass	18001
12000	20000	1	RMS	19929.5	-26.74	-13	13.74	Pass	16001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	282
0.15	30	0.01	RMS	0.15	-57.58	-13	44.58	Pass	5971
30	1000	0.1	RMS	989.4	-61.08	-13	48.08	Pass	19401
1000	1840	1	RMS	1838.5	-49.83	-13	36.83	Pass	1681
1840	1920	1	RMS	1900.5	22.55	60	37.45	Pass	161
1920	3000	1	RMS	2677.5	-47.04	-13	34.04	Pass	2161
3000	12000	1	RMS	11993	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19971.5	-26.75	-13	13.75	Pass	16001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.4	-13	42.4	Pass	282
0.15	30	0.01	RMS	0.15	-58.08	-13	45.08	Pass	5971
30	1000	0.1	RMS	862.05	-61.23	-13	48.23	Pass	19401
1000	1840	1	RMS	1840	-41.93	-13	28.93	Pass	1681
1840	1920	1	RMS	1851	23.05	60	36.95	Pass	161
1920	3000	1	RMS	2669	-47	-13	34	Pass	2161
3000	12000	1	RMS	11996.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19930.5	-26.66	-13	13.66	Pass	16001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.08	-13	43.08	Pass	282
0.15	30	0.01	RMS	0.15	-57.28	-13	44.28	Pass	5971
30	1000	0.1	RMS	989.4	-61.21	-13	48.21	Pass	19401
1000	1840	1	RMS	1840	-43.78	-13	30.78	Pass	1681
1840	1920	1	RMS	1851	22.18	60	37.82	Pass	161
1920	3000	1	RMS	2694	-47.08	-13	34.08	Pass	2161
3000	12000	1	RMS	11951.5	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19931.5	-26.63	-13	13.63	Pass	16001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	41	Pass	282
0.15	30	0.01	RMS	0.15	-57.11	-13	44.11	Pass	5971
30	1000	0.1	RMS	853.6	-61.05	-13	48.05	Pass	19401
1000	1840	1	RMS	1838.5	-49.71	-13	36.71	Pass	1681
1840	1920	1	RMS	1873.5	23.11	60	36.89	Pass	161
1920	3000	1	RMS	2673	-47.03	-13	34.03	Pass	2161
3000	12000	1	RMS	11994	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19941	-26.7	-13	13.7	Pass	16001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.37	-13	42.37	Pass	282
0.15	30	0.01	RMS	0.155	-57.89	-13	44.89	Pass	5971
30	1000	0.1	RMS	899.9	-61.29	-13	48.29	Pass	19401
1000	1840	1	RMS	1839.5	-49.8	-13	36.8	Pass	1681
1840	1920	1	RMS	1873.5	22.17	60	37.83	Pass	161
1920	3000	1	RMS	2673.5	-46.92	-13	33.92	Pass	2161
3000	12000	1	RMS	11988.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19935.5	-26.63	-13	13.63	Pass	16001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.09	-13	42.09	Pass	282
0.15	30	0.01	RMS	0.15	-57.38	-13	44.38	Pass	5971
30	1000	0.1	RMS	886.35	-61.11	-13	48.11	Pass	19401
1000	1840	1	RMS	1835	-49.83	-13	36.83	Pass	1681
1840	1920	1	RMS	1896	23.16	60	36.84	Pass	161
1920	3000	1	RMS	1922.5	-39.98	-13	26.98	Pass	2161
3000	12000	1	RMS	11970.5	-38.25	-13	25.25	Pass	18001
12000	20000	1	RMS	19935	-26.7	-13	13.7	Pass	16001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.79	-13	42.79	Pass	282
0.15	30	0.01	RMS	0.15	-56.56	-13	43.56	Pass	5971
30	1000	0.1	RMS	865.75	-61.2	-13	48.2	Pass	19401
1000	1840	1	RMS	1826.5	-49.85	-13	36.85	Pass	1681
1840	1920	1	RMS	1896	22.34	60	37.66	Pass	161
1920	3000	1	RMS	1922.5	-40.9	-13	27.9	Pass	2161
3000	12000	1	RMS	11989.5	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19939.5	-26.55	-13	13.55	Pass	16001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.89	-13	41.89	Pass	282
0.15	30	0.01	RMS	0.16	-57.55	-13	44.55	Pass	5971
30	1000	0.1	RMS	887.35	-61.29	-13	48.29	Pass	19401
1000	1840	1	RMS	1840	-43.39	-13	30.39	Pass	1681
1840	1920	1	RMS	1851	23.19	60	36.81	Pass	161
1920	3000	1	RMS	2677	-47	-13	34	Pass	2161
3000	12000	1	RMS	11986.5	-38.36	-13	25.36	Pass	18001
12000	20000	1	RMS	19950	-26.71	-13	13.71	Pass	16001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.51	-13	42.51	Pass	282
0.15	30	0.01	RMS	0.15	-58.67	-13	45.67	Pass	5971
30	1000	0.1	RMS	852.05	-61.03	-13	48.03	Pass	19401
1000	1840	1	RMS	1840	-44.52	-13	31.52	Pass	1681
1840	1920	1	RMS	1851	22.35	60	37.65	Pass	161
1920	3000	1	RMS	2672	-47.03	-13	34.03	Pass	2161
3000	12000	1	RMS	11983.5	-38.39	-13	25.39	Pass	18001
12000	20000	1	RMS	19932.5	-26.65	-13	13.65	Pass	16001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.35	-13	42.35	Pass	282
0.15	30	0.01	RMS	0.15	-57.19	-13	44.19	Pass	5971
30	1000	0.1	RMS	898.65	-61.27	-13	48.27	Pass	19401
1000	1840	1	RMS	1835.5	-45.93	-13	32.93	Pass	1681
1840	1920	1	RMS	1871	23.24	60	36.76	Pass	161
1920	3000	1	RMS	2677	-47.01	-13	34.01	Pass	2161
3000	12000	1	RMS	11997	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19965	-26.74	-13	13.74	Pass	16001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-13	41.32	Pass	282
0.15	30	0.01	RMS	0.155	-57.44	-13	44.44	Pass	5971
30	1000	0.1	RMS	857.65	-61.21	-13	48.21	Pass	19401
1000	1840	1	RMS	1835.5	-46.97	-13	33.97	Pass	1681
1840	1920	1	RMS	1871	22.3	60	37.7	Pass	161
1920	3000	1	RMS	2669.5	-47.01	-13	34.01	Pass	2161
3000	12000	1	RMS	11990.5	-38.24	-13	25.24	Pass	18001
12000	20000	1	RMS	19968	-26.78	-13	13.78	Pass	16001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.06	-13	42.06	Pass	282
0.15	30	0.01	RMS	0.155	-56.5	-13	43.5	Pass	5971
30	1000	0.1	RMS	914.95	-61.2	-13	48.2	Pass	19401
1000	1840	1	RMS	1838	-49.79	-13	36.79	Pass	1681
1840	1920	1	RMS	1891	23.29	60	36.71	Pass	161
1920	3000	1	RMS	1922	-42	-13	29	Pass	2161
3000	12000	1	RMS	11982	-38.33	-13	25.33	Pass	18001
12000	20000	1	RMS	19930.5	-26.69	-13	13.69	Pass	16001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.36	-13	42.36	Pass	282
0.15	30	0.01	RMS	0.16	-57.85	-13	44.85	Pass	5971
30	1000	0.1	RMS	994.45	-61.12	-13	48.12	Pass	19401
1000	1840	1	RMS	1823.5	-49.81	-13	36.81	Pass	1681
1840	1920	1	RMS	1891	22.33	60	37.67	Pass	161
1920	3000	1	RMS	1922	-42.9	-13	29.9	Pass	2161
3000	12000	1	RMS	11998.5	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19945.5	-26.7	-13	13.7	Pass	16001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.51	-13	42.51	Pass	282
0.15	30	0.01	RMS	0.155	-56.53	-13	43.53	Pass	5971
30	1000	0.1	RMS	874.5	-61.14	-13	48.14	Pass	19401
1000	1700	1	RMS	1700	-50.04	-13	37.04	Pass	1401
1700	1765	1	RMS	1710	22.61	60	37.39	Pass	131
1765	3000	1	RMS	2672.5	-46.82	-13	33.82	Pass	2471
3000	12000	1	RMS	11981	-38.26	-13	25.26	Pass	18001
12000	20000	1	RMS	19935.5	-26.67	-13	13.67	Pass	16001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.37	-13	42.37	Pass	282
0.15	30	0.01	RMS	0.155	-57.52	-13	44.52	Pass	5971
30	1000	0.1	RMS	900.4	-61.12	-13	48.12	Pass	19401
1000	1700	1	RMS	1700	-50.11	-13	37.11	Pass	1401
1700	1765	1	RMS	1710	21.59	60	38.41	Pass	131
1765	3000	1	RMS	2669	-46.76	-13	33.76	Pass	2471
3000	12000	1	RMS	11998	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19923.5	-26.67	-13	13.67	Pass	16001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.01	-13	43.01	Pass	282
0.15	30	0.01	RMS	0.155	-57.3	-13	44.3	Pass	5971
30	1000	0.1	RMS	946.55	-61.21	-13	48.21	Pass	19401
1000	1700	1	RMS	1598	-50.17	-13	37.17	Pass	1401
1700	1765	1	RMS	1732	23.16	60	36.84	Pass	131
1765	3000	1	RMS	2672	-46.73	-13	33.73	Pass	2471
3000	12000	1	RMS	11994	-38.28	-13	25.28	Pass	18001
12000	20000	1	RMS	19933.5	-26.67	-13	13.67	Pass	16001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.82	-13	42.82	Pass	282
0.15	30	0.01	RMS	0.15	-57.65	-13	44.65	Pass	5971
30	1000	0.1	RMS	871.85	-60.92	-13	47.92	Pass	19401
1000	1700	1	RMS	1586.5	-50.26	-13	37.26	Pass	1401
1700	1765	1	RMS	1732	22.19	60	37.81	Pass	131
1765	3000	1	RMS	2677.5	-46.73	-13	33.73	Pass	2471
3000	12000	1	RMS	11982	-38.26	-13	25.26	Pass	18001
12000	20000	1	RMS	19932.5	-26.67	-13	13.67	Pass	16001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.74	-13	41.74	Pass	282
0.15	30	0.01	RMS	0.15	-58.46	-13	45.46	Pass	5971
30	1000	0.1	RMS	879.65	-61.16	-13	48.16	Pass	19401
1000	1700	1	RMS	1600	-50.23	-13	37.23	Pass	1401
1700	1765	1	RMS	1754	22.96	60	37.04	Pass	131
1765	3000	1	RMS	2674.5	-46.76	-13	33.76	Pass	2471
3000	12000	1	RMS	11992	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19935	-26.68	-13	13.68	Pass	16001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.59	-13	42.59	Pass	282
0.15	30	0.01	RMS	0.15	-57.39	-13	44.39	Pass	5971
30	1000	0.1	RMS	847.25	-61.15	-13	48.15	Pass	19401
1000	1700	1	RMS	1592.5	-50.24	-13	37.24	Pass	1401
1700	1765	1	RMS	1754	22.08	60	37.92	Pass	131
1765	3000	1	RMS	2669.5	-46.71	-13	33.71	Pass	2471
3000	12000	1	RMS	11995.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19939	-26.69	-13	13.69	Pass	16001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.19	-13	42.19	Pass	282
0.15	30	0.01	RMS	0.15	-57.76	-13	44.76	Pass	5971
30	1000	0.1	RMS	895.6	-61.05	-13	48.05	Pass	19401
1000	1700	1	RMS	1700	-49.83	-13	36.83	Pass	1401
1700	1765	1	RMS	1710	22.53	60	37.47	Pass	131
1765	3000	1	RMS	2677	-46.74	-13	33.74	Pass	2471
3000	12000	1	RMS	11991.5	-38.23	-13	25.23	Pass	18001
12000	20000	1	RMS	19936	-26.74	-13	13.74	Pass	16001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.33	-13	42.33	Pass	282
0.15	30	0.01	RMS	0.15	-57.7	-13	44.7	Pass	5971
30	1000	0.1	RMS	886.6	-61.15	-13	48.15	Pass	19401
1000	1700	1	RMS	1700	-49.85	-13	36.85	Pass	1401
1700	1765	1	RMS	1710	21.66	60	38.34	Pass	131
1765	3000	1	RMS	2672.5	-46.76	-13	33.76	Pass	2471
3000	12000	1	RMS	11998.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19940	-26.68	-13	13.68	Pass	16001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56	-13	43	Pass	282
0.15	30	0.01	RMS	0.15	-57.54	-13	44.54	Pass	5971
30	1000	0.1	RMS	985.95	-61.23	-13	48.23	Pass	19401
1000	1700	1	RMS	1600	-50.22	-13	37.22	Pass	1401
1700	1765	1	RMS	1731	22.5	60	37.5	Pass	131
1765	3000	1	RMS	2668	-46.72	-13	33.72	Pass	2471
3000	12000	1	RMS	11991	-38.24	-13	25.24	Pass	18001
12000	20000	1	RMS	19967.5	-26.69	-13	13.69	Pass	16001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.11	-13	41.11	Pass	282
0.15	30	0.01	RMS	0.155	-57.27	-13	44.27	Pass	5971
30	1000	0.1	RMS	897.1	-61.21	-13	48.21	Pass	19401
1000	1700	1	RMS	1587	-50.22	-13	37.22	Pass	1401
1700	1765	1	RMS	1731	21.54	60	38.46	Pass	131
1765	3000	1	RMS	2673.5	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11991	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19931.5	-26.63	-13	13.63	Pass	16001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.69	-13	41.69	Pass	282
0.15	30	0.01	RMS	0.155	-57.11	-13	44.11	Pass	5971
30	1000	0.1	RMS	862.8	-61.14	-13	48.14	Pass	19401
1000	1700	1	RMS	1594	-50.17	-13	37.17	Pass	1401
1700	1765	1	RMS	1752	22.53	60	37.47	Pass	131
1765	3000	1	RMS	2668.5	-46.8	-13	33.8	Pass	2471
3000	12000	1	RMS	11996	-38.32	-13	25.32	Pass	18001
12000	20000	1	RMS	19936	-26.73	-13	13.73	Pass	16001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.35	-13	42.35	Pass	282
0.15	30	0.01	RMS	0.155	-57.09	-13	44.09	Pass	5971
30	1000	0.1	RMS	897.15	-61.1	-13	48.1	Pass	19401
1000	1700	1	RMS	1594.5	-50.26	-13	37.26	Pass	1401
1700	1765	1	RMS	1752	21.65	60	38.35	Pass	131
1765	3000	1	RMS	2682.5	-46.81	-13	33.81	Pass	2471
3000	12000	1	RMS	11991	-38.12	-13	25.12	Pass	18001
12000	20000	1	RMS	19942.5	-26.7	-13	13.7	Pass	16001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.97	-13	41.97	Pass	282
0.15	30	0.01	RMS	0.15	-57.12	-13	44.12	Pass	5971
30	1000	0.1	RMS	888.6	-61.29	-13	48.29	Pass	19401
1000	1700	1	RMS	1700	-49.98	-13	36.98	Pass	1401
1700	1765	1	RMS	1710.5	23.01	60	36.99	Pass	131
1765	3000	1	RMS	2683	-46.78	-13	33.78	Pass	2471
3000	12000	1	RMS	11960.5	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19951	-26.73	-13	13.73	Pass	16001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.1	-13	42.1	Pass	282
0.15	30	0.01	RMS	0.15	-57.67	-13	44.67	Pass	5971
30	1000	0.1	RMS	916.95	-61.21	-13	48.21	Pass	19401
1000	1700	1	RMS	1700	-50.12	-13	37.12	Pass	1401
1700	1765	1	RMS	1710.5	22.07	60	37.93	Pass	131
1765	3000	1	RMS	2671	-46.79	-13	33.79	Pass	2471
3000	12000	1	RMS	11999	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19950.5	-26.73	-13	13.73	Pass	16001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.97	-13	41.97	Pass	282
0.15	30	0.01	RMS	0.15	-57.17	-13	44.17	Pass	5971
30	1000	0.1	RMS	891.2	-61.2	-13	48.2	Pass	19401
1000	1700	1	RMS	1572.5	-50.22	-13	37.22	Pass	1401
1700	1765	1	RMS	1730.5	23	60	37	Pass	131
1765	3000	1	RMS	2694	-46.79	-13	33.79	Pass	2471
3000	12000	1	RMS	11980.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19934.5	-26.73	-13	13.73	Pass	16001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.89	-13	41.89	Pass	282
0.15	30	0.01	RMS	0.155	-57.33	-13	44.33	Pass	5971
30	1000	0.1	RMS	875.95	-61.25	-13	48.25	Pass	19401
1000	1700	1	RMS	1593	-50.22	-13	37.22	Pass	1401
1700	1765	1	RMS	1730.5	22.21	60	37.79	Pass	131
1765	3000	1	RMS	2672	-46.78	-13	33.78	Pass	2471
3000	12000	1	RMS	11997.5	-38.25	-13	25.25	Pass	18001
12000	20000	1	RMS	19954	-26.73	-13	13.73	Pass	16001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.9	-13	42.9	Pass	282
0.15	30	0.01	RMS	0.165	-57.15	-13	44.15	Pass	5971
30	1000	0.1	RMS	876.95	-61.23	-13	48.23	Pass	19401
1000	1700	1	RMS	1588	-50.21	-13	37.21	Pass	1401
1700	1765	1	RMS	1750.5	23.01	60	36.99	Pass	131
1765	3000	1	RMS	2673.5	-46.78	-13	33.78	Pass	2471
3000	12000	1	RMS	11986.5	-38.22	-13	25.22	Pass	18001
12000	20000	1	RMS	19931	-26.65	-13	13.65	Pass	16001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.17	-13	42.17	Pass	282
0.15	30	0.01	RMS	0.16	-57.47	-13	44.47	Pass	5971
30	1000	0.1	RMS	864.85	-61.18	-13	48.18	Pass	19401
1000	1700	1	RMS	1586	-50.23	-13	37.23	Pass	1401
1700	1765	1	RMS	1750.5	22.28	60	37.72	Pass	131
1765	3000	1	RMS	2670	-46.75	-13	33.75	Pass	2471
3000	12000	1	RMS	11989	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19944.5	-26.72	-13	13.72	Pass	16001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.37	-13	43.37	Pass	282
0.15	30	0.01	RMS	0.15	-57.23	-13	44.23	Pass	5971
30	1000	0.1	RMS	863.8	-61.29	-13	48.29	Pass	19401
1000	1700	1	RMS	1693	-43.89	-13	30.89	Pass	1401
1700	1765	1	RMS	1710.5	23.33	60	36.67	Pass	131
1765	3000	1	RMS	2675	-46.76	-13	33.76	Pass	2471
3000	12000	1	RMS	11995	-38.28	-13	25.28	Pass	18001
12000	20000	1	RMS	19930.5	-26.74	-13	13.74	Pass	16001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.28	-13	43.28	Pass	282
0.15	30	0.01	RMS	0.165	-58.4	-13	45.4	Pass	5971
30	1000	0.1	RMS	909.1	-61.21	-13	48.21	Pass	19401
1000	1700	1	RMS	1693	-45.08	-13	32.08	Pass	1401
1700	1765	1	RMS	1710.5	22.46	60	37.54	Pass	131
1765	3000	1	RMS	2690.5	-46.78	-13	33.78	Pass	2471
3000	12000	1	RMS	11992.5	-38.32	-13	25.32	Pass	18001
12000	20000	1	RMS	19958	-26.67	-13	13.67	Pass	16001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.62	-13	42.62	Pass	282
0.15	30	0.01	RMS	0.15	-57.47	-13	44.47	Pass	5971
30	1000	0.1	RMS	857.1	-61.26	-13	48.26	Pass	19401
1000	1700	1	RMS	1692.5	-50.13	-13	37.13	Pass	1401
1700	1765	1	RMS	1728	23.32	60	36.68	Pass	131
1765	3000	1	RMS	2670.5	-46.73	-13	33.73	Pass	2471
3000	12000	1	RMS	11982	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19953	-26.62	-13	13.62	Pass	16001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-13	42.58	Pass	282
0.15	30	0.01	RMS	0.155	-57.21	-13	44.21	Pass	5971
30	1000	0.1	RMS	897	-61.16	-13	48.16	Pass	19401
1000	1700	1	RMS	1592.5	-50.21	-13	37.21	Pass	1401
1700	1765	1	RMS	1728	22.39	60	37.61	Pass	131
1765	3000	1	RMS	2695	-46.8	-13	33.8	Pass	2471
3000	12000	1	RMS	11990	-38.36	-13	25.36	Pass	18001
12000	20000	1	RMS	19955	-26.72	-13	13.72	Pass	16001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.43	-13	41.43	Pass	282
0.15	30	0.01	RMS	0.15	-57.53	-13	44.53	Pass	5971
30	1000	0.1	RMS	865.3	-61.09	-13	48.09	Pass	19401
1000	1700	1	RMS	1585	-50.18	-13	37.18	Pass	1401
1700	1765	1	RMS	1745.5	23.34	60	36.66	Pass	131
1765	3000	1	RMS	2672	-46.75	-13	33.75	Pass	2471
3000	12000	1	RMS	11998	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19948.5	-26.69	-13	13.69	Pass	16001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.59	-13	42.59	Pass	282
0.15	30	0.01	RMS	0.155	-58.06	-13	45.06	Pass	5971
30	1000	0.1	RMS	864.05	-61.24	-13	48.24	Pass	19401
1000	1700	1	RMS	1598	-50.23	-13	37.23	Pass	1401
1700	1765	1	RMS	1745.5	22.42	60	37.58	Pass	131
1765	3000	1	RMS	2671	-46.73	-13	33.73	Pass	2471
3000	12000	1	RMS	11983	-38.28	-13	25.28	Pass	18001
12000	20000	1	RMS	19929	-26.68	-13	13.68	Pass	16001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.22	-13	42.22	Pass	282
0.15	30	0.01	RMS	0.15	-56.15	-13	43.15	Pass	5971
30	1000	0.1	RMS	917.35	-61.13	-13	48.13	Pass	19401
1000	1700	1	RMS	1700	-39.1	-13	26.1	Pass	1401
1700	1765	1	RMS	1711	23.03	60	36.97	Pass	131
1765	3000	1	RMS	2673.5	-46.74	-13	33.74	Pass	2471
3000	12000	1	RMS	11991.5	-38.38	-13	25.38	Pass	18001
12000	20000	1	RMS	19937.5	-26.7	-13	13.7	Pass	16001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-13	41.65	Pass	282
0.15	30	0.01	RMS	0.15	-56.77	-13	43.77	Pass	5971
30	1000	0.1	RMS	931.5	-61.22	-13	48.22	Pass	19401
1000	1700	1	RMS	1697.5	-41.3	-13	28.3	Pass	1401
1700	1765	1	RMS	1711	22.16	60	37.84	Pass	131
1765	3000	1	RMS	2671	-46.77	-13	33.77	Pass	2471
3000	12000	1	RMS	11959.5	-38.3	-13	25.3	Pass	18001
12000	20000	1	RMS	19939	-26.71	-13	13.71	Pass	16001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.74	-13	42.74	Pass	282
0.15	30	0.01	RMS	0.165	-58.1	-13	45.1	Pass	5971
30	1000	0.1	RMS	902.4	-61.06	-13	48.06	Pass	19401
1000	1700	1	RMS	1699	-40.53	-13	27.53	Pass	1401
1700	1765	1	RMS	1726	23.05	60	36.95	Pass	131
1765	3000	1	RMS	2678	-46.72	-13	33.72	Pass	2471
3000	12000	1	RMS	11998.5	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19948.5	-26.75	-13	13.75	Pass	16001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.1	-13	42.1	Pass	282
0.15	30	0.01	RMS	0.15	-58.07	-13	45.07	Pass	5971
30	1000	0.1	RMS	875.6	-61.11	-13	48.11	Pass	19401
1000	1700	1	RMS	1699	-41.61	-13	28.61	Pass	1401
1700	1765	1	RMS	1726	22.07	60	37.93	Pass	131
1765	3000	1	RMS	2675	-46.7	-13	33.7	Pass	2471
3000	12000	1	RMS	11985.5	-38.24	-13	25.24	Pass	18001
12000	20000	1	RMS	19936.5	-26.75	-13	13.75	Pass	16001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.38	-13	42.38	Pass	282
0.15	30	0.01	RMS	0.15	-58.16	-13	45.16	Pass	5971
30	1000	0.1	RMS	894.7	-61.22	-13	48.22	Pass	19401
1000	1700	1	RMS	1601	-50.22	-13	37.22	Pass	1401
1700	1765	1	RMS	1741	23.04	60	36.96	Pass	131
1765	3000	1	RMS	1767.5	-28.93	-13	15.93	Pass	2471
3000	12000	1	RMS	11982.5	-38.27	-13	25.27	Pass	18001
12000	20000	1	RMS	19948.5	-26.69	-13	13.69	Pass	16001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.18	-13	42.18	Pass	282
0.15	30	0.01	RMS	0.15	-57.83	-13	44.83	Pass	5971
30	1000	0.1	RMS	865.7	-61.19	-13	48.19	Pass	19401
1000	1700	1	RMS	1592	-50.22	-13	37.22	Pass	1401
1700	1765	1	RMS	1741	22.18	60	37.82	Pass	131
1765	3000	1	RMS	1767.5	-29.71	-13	16.71	Pass	2471
3000	12000	1	RMS	11995	-38.25	-13	25.25	Pass	18001
12000	20000	1	RMS	19939	-26.71	-13	13.71	Pass	16001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.24	-13	43.24	Pass	282
0.15	30	0.01	RMS	0.15	-58.23	-13	45.23	Pass	5971
30	1000	0.1	RMS	908	-61.08	-13	48.08	Pass	19401
1000	1700	1	RMS	1700	-40.29	-13	27.29	Pass	1401
1700	1765	1	RMS	1711	23.16	60	36.84	Pass	131
1765	3000	1	RMS	1782.5	-45.33	-13	32.33	Pass	2471
3000	12000	1	RMS	11983	-38.29	-13	25.29	Pass	18001
12000	20000	1	RMS	19933	-26.73	-13	13.73	Pass	16001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.77	-13	41.77	Pass	282
0.15	30	0.01	RMS	0.16	-57.28	-13	44.28	Pass	5971
30	1000	0.1	RMS	856.4	-61.22	-13	48.22	Pass	19401
1000	1700	1	RMS	1699.5	-42.47	-13	29.47	Pass	1401
1700	1765	1	RMS	1711	22.31	60	37.69	Pass	131
1765	3000	1	RMS	1782.5	-46.2	-13	33.2	Pass	2471
3000	12000	1	RMS	11983	-38.31	-13	25.31	Pass	18001
12000	20000	1	RMS	19955.5	-26.69	-13	13.69	Pass	16001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.09	-13	42.09	Pass	282
0.15	30	0.01	RMS	0.155	-57.51	-13	44.51	Pass	5971
30	1000	0.1	RMS	869.9	-61.09	-13	48.09	Pass	19401
1000	1700	1	RMS	1688	-46.94	-13	33.94	Pass	1401
1700	1765	1	RMS	1723.5	23.18	60	36.82	Pass	131
1765	3000	1	RMS	2672	-46.68	-13	33.68	Pass	2471
3000	12000	1	RMS	11962.5	-38.21	-13	25.21	Pass	18001
12000	20000	1	RMS	19936.5	-26.68	-13	13.68	Pass	16001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.51	-13	41.51	Pass	282
0.15	30	0.01	RMS	0.15	-56.11	-13	43.11	Pass	5971
30	1000	0.1	RMS	879.7	-61.19	-13	48.19	Pass	19401
1000	1700	1	RMS	1688	-47.74	-13	34.74	Pass	1401
1700	1765	1	RMS	1723.5	22.24	60	37.76	Pass	131
1765	3000	1	RMS	2669	-46.75	-13	33.75	Pass	2471
3000	12000	1	RMS	11990	-38.32	-13	25.32	Pass	18001
12000	20000	1	RMS	19933	-26.71	-13	13.71	Pass	16001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.64	-13	42.64	Pass	282
0.15	30	0.01	RMS	0.15	-56.77	-13	43.77	Pass	5971
30	1000	0.1	RMS	888.15	-60.96	-13	47.96	Pass	19401
1000	1700	1	RMS	1700	-43.19	-13	30.19	Pass	1401
1700	1765	1	RMS	1736	23.16	60	36.84	Pass	131
1765	3000	1	RMS	1771.5	-28.1	-13	15.1	Pass	2471
3000	12000	1	RMS	11999	-38.24	-13	25.24	Pass	18001
12000	20000	1	RMS	19957	-26.65	-13	13.65	Pass	16001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.66	-13	41.66	Pass	282
0.15	30	0.01	RMS	0.155	-58.69	-13	45.69	Pass	5971
30	1000	0.1	RMS	899.8	-60.95	-13	47.95	Pass	19401
1000	1700	1	RMS	1700	-44.21	-13	31.21	Pass	1401
1700	1765	1	RMS	1736	22.17	60	37.83	Pass	131
1765	3000	1	RMS	1771.5	-29.2	-13	16.2	Pass	2471
3000	12000	1	RMS	11988	-38.29	-13	25.29	Pass	18001
12000	20000	1	RMS	19947.5	-26.69	-13	13.69	Pass	16001



1. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.77	-13	41.77	Pass	401
0.15	30	0.01	RMS	0.165	-57.87	-13	44.87	Pass	5971
30	814	0.1	RMS	812.5	-61.55	-13	48.55	Pass	15681
814	860	0.1	RMS	824.25	20.95	60	39.05	Pass	921
860	1000	0.1	RMS	884.6	-61.61	-13	48.61	Pass	2801
1000	3000	1	RMS	2473	-46.09	-13	33.09	Pass	4001
3000	10000	1	RMS	7591	-41.74	-13	28.74	Pass	14001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.77	-13	41.77	Pass	401
0.15	30	0.01	RMS	0.16	-58.64	-13	45.64	Pass	5971
30	814	0.1	RMS	812.9	-61.34	-13	48.34	Pass	15681
814	860	0.1	RMS	824.25	19.99	60	40.01	Pass	921
860	1000	0.1	RMS	887.45	-61.72	-13	48.72	Pass	2801
1000	3000	1	RMS	2676.5	-46.47	-13	33.47	Pass	4001
3000	10000	1	RMS	7592.5	-41.7	-13	28.7	Pass	14001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.26	-13	42.26	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-13	45.28	Pass	5971
30	814	0.1	RMS	773.3	-61.65	-13	48.65	Pass	15681
814	860	0.1	RMS	836.05	20.82	60	39.18	Pass	921
860	1000	0.1	RMS	873	-61.5	-13	48.5	Pass	2801
1000	3000	1	RMS	2508	-46.01	-13	33.01	Pass	4001
3000	10000	1	RMS	7590	-41.72	-13	28.72	Pass	14001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	42.32	Pass	401
0.15	30	0.01	RMS	0.15	-58.01	-13	45.01	Pass	5971
30	814	0.1	RMS	795.3	-61.58	-13	48.58	Pass	15681
814	860	0.1	RMS	836.05	19.73	60	40.27	Pass	921
860	1000	0.1	RMS	896.4	-61.7	-13	48.7	Pass	2801
1000	3000	1	RMS	2508	-46.36	-13	33.36	Pass	4001
3000	10000	1	RMS	7581	-41.81	-13	28.81	Pass	14001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.76	-13	42.76	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	44.23	Pass	5971
30	814	0.1	RMS	751.1	-61.57	-13	48.57	Pass	15681
814	860	0.1	RMS	847.85	20.66	60	39.34	Pass	921
860	1000	0.1	RMS	887	-61.43	-13	48.43	Pass	2801
1000	3000	1	RMS	2543.5	-45.41	-13	32.41	Pass	4001
3000	10000	1	RMS	7591.5	-41.81	-13	28.81	Pass	14001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.57	-13	41.57	Pass	401
0.15	30	0.01	RMS	0.15	-56.87	-13	43.87	Pass	5971
30	814	0.1	RMS	795.05	-61.66	-13	48.66	Pass	15681
814	860	0.1	RMS	847.85	19.6	60	40.4	Pass	921
860	1000	0.1	RMS	898.6	-61.59	-13	48.59	Pass	2801
1000	3000	1	RMS	2543.5	-45.89	-13	32.89	Pass	4001
3000	10000	1	RMS	7597.5	-41.75	-13	28.75	Pass	14001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.16	-13	42.16	Pass	401
0.15	30	0.01	RMS	0.16	-57.52	-13	44.52	Pass	5971
30	814	0.1	RMS	811.2	-60.78	-13	47.78	Pass	15681
814	860	0.1	RMS	824.25	20.78	60	39.22	Pass	921
860	1000	0.1	RMS	865.7	-61.52	-13	48.52	Pass	2801
1000	3000	1	RMS	2472.5	-46.13	-13	33.13	Pass	4001
3000	10000	1	RMS	7585	-41.8	-13	28.8	Pass	14001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.47	-13	41.47	Pass	401
0.15	30	0.01	RMS	0.155	-57.93	-13	44.93	Pass	5971
30	814	0.1	RMS	811.25	-60.79	-13	47.79	Pass	15681
814	860	0.1	RMS	824.25	19.83	60	40.17	Pass	921
860	1000	0.1	RMS	878.45	-61.57	-13	48.57	Pass	2801
1000	3000	1	RMS	2688	-46.45	-13	33.45	Pass	4001
3000	10000	1	RMS	7578.5	-41.8	-13	28.8	Pass	14001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	40.45	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	44.45	Pass	5971
30	814	0.1	RMS	773.6	-61.69	-13	48.69	Pass	15681
814	860	0.1	RMS	835.25	20.8	60	39.2	Pass	921
860	1000	0.1	RMS	892.25	-61.51	-13	48.51	Pass	2801
1000	3000	1	RMS	2505.5	-46.18	-13	33.18	Pass	4001
3000	10000	1	RMS	7586	-41.75	-13	28.75	Pass	14001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.95	-13	40.95	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-13	44.12	Pass	5971
30	814	0.1	RMS	797.1	-61.65	-13	48.65	Pass	15681
814	860	0.1	RMS	835.25	19.76	60	40.24	Pass	921
860	1000	0.1	RMS	893.3	-61.56	-13	48.56	Pass	2801
1000	3000	1	RMS	2676.5	-46.53	-13	33.53	Pass	4001
3000	10000	1	RMS	7583	-41.81	-13	28.81	Pass	14001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.61	-13	42.61	Pass	401
0.15	30	0.01	RMS	0.155	-57.56	-13	44.56	Pass	5971
30	814	0.1	RMS	809.85	-61.65	-13	48.65	Pass	15681
814	860	0.1	RMS	846.25	20.71	60	39.29	Pass	921
860	1000	0.1	RMS	904.45	-61.36	-13	48.36	Pass	2801
1000	3000	1	RMS	2538.5	-45.79	-13	32.79	Pass	4001
3000	10000	1	RMS	7580.5	-41.71	-13	28.71	Pass	14001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-13	41.1	Pass	401
0.15	30	0.01	RMS	0.155	-56.89	-13	43.89	Pass	5971
30	814	0.1	RMS	788.75	-61.69	-13	48.69	Pass	15681
814	860	0.1	RMS	846.25	19.56	60	40.44	Pass	921
860	1000	0.1	RMS	890.05	-61.12	-13	48.12	Pass	2801
1000	3000	1	RMS	2538.5	-46.5	-13	33.5	Pass	4001
3000	10000	1	RMS	7586	-41.7	-13	28.7	Pass	14001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.68	-13	41.68	Pass	401
0.15	30	0.01	RMS	0.165	-57.63	-13	44.63	Pass	5971
30	814	0.1	RMS	810.45	-61.58	-13	48.58	Pass	15681
814	860	0.1	RMS	824.35	20.32	60	39.68	Pass	921
860	1000	0.1	RMS	896.7	-61.57	-13	48.57	Pass	2801
1000	3000	1	RMS	2473	-46.27	-13	33.27	Pass	4001
3000	10000	1	RMS	7591	-41.8	-13	28.8	Pass	14001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.01	-13	42.01	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	44.54	Pass	5971
30	814	0.1	RMS	812.45	-61.44	-13	48.44	Pass	15681
814	860	0.1	RMS	824.35	19.5	60	40.5	Pass	921
860	1000	0.1	RMS	938.35	-61.64	-13	48.64	Pass	2801
1000	3000	1	RMS	2677.5	-46.52	-13	33.52	Pass	4001
3000	10000	1	RMS	7580	-41.77	-13	28.77	Pass	14001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.38	-13	42.38	Pass	401
0.15	30	0.01	RMS	0.155	-57.24	-13	44.24	Pass	5971
30	814	0.1	RMS	798	-61.64	-13	48.64	Pass	15681
814	860	0.1	RMS	834.35	20.39	60	39.61	Pass	921
860	1000	0.1	RMS	886	-61.54	-13	48.54	Pass	2801
1000	3000	1	RMS	2503	-46.39	-13	33.39	Pass	4001
3000	10000	1	RMS	7602.5	-41.73	-13	28.73	Pass	14001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.75	-13	42.75	Pass	401
0.15	30	0.01	RMS	0.155	-57.94	-13	44.94	Pass	5971
30	814	0.1	RMS	780.8	-61.55	-13	48.55	Pass	15681
814	860	0.1	RMS	834.35	19.62	60	40.38	Pass	921
860	1000	0.1	RMS	893.95	-61.66	-13	48.66	Pass	2801
1000	3000	1	RMS	2673	-46.58	-13	33.58	Pass	4001
3000	10000	1	RMS	7578.5	-41.7	-13	28.7	Pass	14001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.78	-13	41.78	Pass	401
0.15	30	0.01	RMS	0.155	-57.28	-13	44.28	Pass	5971
30	814	0.1	RMS	774.95	-61.63	-13	48.63	Pass	15681
814	860	0.1	RMS	844.35	20.18	60	39.82	Pass	921
860	1000	0.1	RMS	998.3	-61.61	-13	48.61	Pass	2801
1000	3000	1	RMS	2533	-45.95	-13	32.95	Pass	4001
3000	10000	1	RMS	7586.5	-41.78	-13	28.78	Pass	14001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	41.85	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	44.82	Pass	5971
30	814	0.1	RMS	813.15	-61.64	-13	48.64	Pass	15681
814	860	0.1	RMS	844.35	19.32	60	40.68	Pass	921
860	1000	0.1	RMS	891.1	-61.58	-13	48.58	Pass	2801
1000	3000	1	RMS	2533	-46.43	-13	33.43	Pass	4001
3000	10000	1	RMS	7584.5	-41.76	-13	28.76	Pass	14001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.96	-13	41.96	Pass	401
0.15	30	0.01	RMS	0.15	-56.81	-13	43.81	Pass	5971
30	814	0.1	RMS	813.95	-51.26	-13	38.26	Pass	15681
814	860	0.1	RMS	824.6	20.47	60	39.53	Pass	921
860	1000	0.1	RMS	892.2	-61.65	-13	48.65	Pass	2801
1000	3000	1	RMS	2679.5	-46.54	-13	33.54	Pass	4001
3000	10000	1	RMS	7585.5	-41.66	-13	28.66	Pass	14001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.63	-13	42.63	Pass	401
0.15	30	0.01	RMS	0.15	-58.58	-13	45.58	Pass	5971
30	814	0.1	RMS	814	-51.74	-13	38.74	Pass	15681
814	860	0.1	RMS	824.6	19.56	60	40.44	Pass	921
860	1000	0.1	RMS	899.4	-61.55	-13	48.55	Pass	2801
1000	3000	1	RMS	2670	-46.51	-13	33.51	Pass	4001
3000	10000	1	RMS	7585.5	-41.73	-13	28.73	Pass	14001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.58	-13	41.58	Pass	401
0.15	30	0.01	RMS	0.155	-58.59	-13	45.59	Pass	5971
30	814	0.1	RMS	812.65	-61.6	-13	48.6	Pass	15681
814	860	0.1	RMS	832.1	20.51	60	39.49	Pass	921
860	1000	0.1	RMS	887.55	-61.52	-13	48.52	Pass	2801
1000	3000	1	RMS	2496.5	-46.39	-13	33.39	Pass	4001
3000	10000	1	RMS	7585.5	-41.73	-13	28.73	Pass	14001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-13	42.21	Pass	401
0.15	30	0.01	RMS	0.15	-58.53	-13	45.53	Pass	5971
30	814	0.1	RMS	802.9	-61.65	-13	48.65	Pass	15681
814	860	0.1	RMS	832.1	19.54	60	40.46	Pass	921
860	1000	0.1	RMS	883.6	-61.63	-13	48.63	Pass	2801
1000	3000	1	RMS	2675.5	-46.51	-13	33.51	Pass	4001
3000	10000	1	RMS	7594	-41.7	-13	28.7	Pass	14001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.13	-13	41.13	Pass	401
0.15	30	0.01	RMS	0.15	-58.05	-13	45.05	Pass	5971
30	814	0.1	RMS	811.4	-61.65	-13	48.65	Pass	15681
814	860	0.1	RMS	839.6	20.39	60	39.61	Pass	921
860	1000	0.1	RMS	861.65	-61.6	-13	48.6	Pass	2801
1000	3000	1	RMS	2519	-46.41	-13	33.41	Pass	4001
3000	10000	1	RMS	7590	-41.7	-13	28.7	Pass	14001



1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.79	-13	41.79	Pass	401
0.15	30	0.01	RMS	0.15	-57.88	-13	44.88	Pass	5971
30	814	0.1	RMS	801.2	-61.67	-13	48.67	Pass	15681
814	860	0.1	RMS	839.6	19.51	60	40.49	Pass	921
860	1000	0.1	RMS	895.4	-61.64	-13	48.64	Pass	2801
1000	3000	1	RMS	2693.5	-46.55	-13	33.55	Pass	4001
3000	10000	1	RMS	7586.5	-41.78	-13	28.78	Pass	14001



2. LTE_Band7


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.3	-25	29.3	Pass	401
0.15	30	0.01	RMS	0.155	-57.6	-25	32.6	Pass	5971
30	1000	0.1	RMS	889.55	-61.21	-25	36.21	Pass	19401
1000	2490	1	RMS	2447	-47.55	-25	22.55	Pass	2981
2490	2580	1	RMS	2500.35	22.61	60	37.39	Pass	401
2580	3000	1	RMS	2678.5	-47.32	-25	22.32	Pass	841
3000	12000	1	RMS	11946	-63.14	-25	38.14	Pass	18001
12000	26000	1	RMS	25549.5	-41.66	-25	16.66	Pass	28001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.56	-25	30.56	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-25	31.09	Pass	5971
30	1000	0.1	RMS	930.65	-61.29	-25	36.29	Pass	19401
1000	2490	1	RMS	2427.5	-47.56	-25	22.56	Pass	2981
2490	2580	1	RMS	2500.35	21.63	60	38.37	Pass	401
2580	3000	1	RMS	2674.5	-47.34	-25	22.34	Pass	841
3000	12000	1	RMS	11949.5	-63.13	-25	38.13	Pass	18001
12000	26000	1	RMS	25556.5	-41.3	-25	16.3	Pass	28001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.1	-25	30.1	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-25	32.23	Pass	5971
30	1000	0.1	RMS	897.5	-61.26	-25	36.26	Pass	19401
1000	2490	1	RMS	2431	-47.51	-25	22.51	Pass	2981
2490	2580	1	RMS	2532.75	22.48	60	37.52	Pass	401
2580	3000	1	RMS	2684.5	-47.36	-25	22.36	Pass	841
3000	12000	1	RMS	11937.5	-63.2	-25	38.2	Pass	18001
12000	26000	1	RMS	25558	-41.26	-25	16.26	Pass	28001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.01	-25	30.01	Pass	401
0.15	30	0.01	RMS	0.15	-58.32	-25	33.32	Pass	5971
30	1000	0.1	RMS	909.5	-61.31	-25	36.31	Pass	19401
1000	2490	1	RMS	2445.5	-47.58	-25	22.58	Pass	2981
2490	2580	1	RMS	2532.75	21.66	60	38.34	Pass	401
2580	3000	1	RMS	2676	-47.33	-25	22.33	Pass	841
3000	12000	1	RMS	11953.5	-63.09	-25	38.09	Pass	18001
12000	26000	1	RMS	25531	-41.31	-25	16.31	Pass	28001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.3	-25	30.3	Pass	401
0.15	30	0.01	RMS	0.15	-57.13	-25	32.13	Pass	5971
30	1000	0.1	RMS	862.75	-61.22	-25	36.22	Pass	19401
1000	2490	1	RMS	2431	-47.53	-25	22.53	Pass	2981
2490	2580	1	RMS	2565.375	22.66	60	37.34	Pass	401
2580	3000	1	RMS	2687	-47.28	-25	22.28	Pass	841
3000	12000	1	RMS	5130.5	-61.91	-25	36.91	Pass	18001
12000	26000	1	RMS	25561.5	-41.33	-25	16.33	Pass	28001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.3	-25	30.3	Pass	401
0.15	30	0.01	RMS	0.155	-57.85	-25	32.85	Pass	5971
30	1000	0.1	RMS	894.25	-61.23	-25	36.23	Pass	19401
1000	2490	1	RMS	2428.5	-47.54	-25	22.54	Pass	2981
2490	2580	1	RMS	2565.375	21.89	60	38.11	Pass	401
2580	3000	1	RMS	2679	-47.34	-25	22.34	Pass	841
3000	12000	1	RMS	5130.5	-62.74	-25	37.74	Pass	18001
12000	26000	1	RMS	25543	-41.13	-25	16.13	Pass	28001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-25	29.21	Pass	401
0.15	30	0.01	RMS	0.155	-58.49	-25	33.49	Pass	5971
30	1000	0.1	RMS	901.3	-61.23	-25	36.23	Pass	19401
1000	2490	1	RMS	2490	-45.33	-25	20.33	Pass	2981
2490	2580	1	RMS	2500.575	22.72	60	37.28	Pass	401
2580	3000	1	RMS	2689	-47.3	-25	22.3	Pass	841
3000	12000	1	RMS	11963	-63.13	-25	38.13	Pass	18001
12000	26000	1	RMS	25573.5	-41.24	-25	16.24	Pass	28001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-25	30.37	Pass	401
0.15	30	0.01	RMS	0.16	-57.41	-25	32.41	Pass	5971
30	1000	0.1	RMS	875.1	-61.08	-25	36.08	Pass	19401
1000	2490	1	RMS	2490	-45.31	-25	20.31	Pass	2981
2490	2580	1	RMS	2500.575	21.89	60	38.11	Pass	401
2580	3000	1	RMS	2693	-47.32	-25	22.32	Pass	841
3000	12000	1	RMS	11955.5	-63.2	-25	38.2	Pass	18001
12000	26000	1	RMS	25574.5	-41.31	-25	16.31	Pass	28001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-25	29.08	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-25	32.75	Pass	5971
30	1000	0.1	RMS	914.75	-61.38	-25	36.38	Pass	19401
1000	2490	1	RMS	2432.5	-47.52	-25	22.52	Pass	2981
2490	2580	1	RMS	2530.5	22.63	60	37.37	Pass	401
2580	3000	1	RMS	2687.5	-47.34	-25	22.34	Pass	841
3000	12000	1	RMS	11939.5	-63.01	-25	38.01	Pass	18001
12000	26000	1	RMS	25576.5	-41.18	-25	16.18	Pass	28001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.28	-25	29.28	Pass	401
0.15	30	0.01	RMS	0.15	-58.26	-25	33.26	Pass	5971
30	1000	0.1	RMS	886.25	-61.32	-25	36.32	Pass	19401
1000	2490	1	RMS	2430	-47.51	-25	22.51	Pass	2981
2490	2580	1	RMS	2530.5	21.57	60	38.43	Pass	401
2580	3000	1	RMS	2680.5	-47.36	-25	22.36	Pass	841
3000	12000	1	RMS	11949.5	-63.07	-25	38.07	Pass	18001
12000	26000	1	RMS	25573.5	-41.23	-25	16.23	Pass	28001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.21	-25	30.21	Pass	401
0.15	30	0.01	RMS	0.155	-57.5	-25	32.5	Pass	5971
30	1000	0.1	RMS	913.95	-61.35	-25	36.35	Pass	19401
1000	2490	1	RMS	2448	-47.52	-25	22.52	Pass	2981
2490	2580	1	RMS	2560.65	22.82	60	37.18	Pass	401
2580	3000	1	RMS	2580	-46.53	-25	21.53	Pass	841
3000	12000	1	RMS	5121	-61.83	-25	36.83	Pass	18001
12000	26000	1	RMS	25567.5	-41.19	-25	16.19	Pass	28001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-25	28.59	Pass	401
0.15	30	0.01	RMS	0.17	-58.14	-25	33.14	Pass	5971
30	1000	0.1	RMS	875.5	-61.42	-25	36.42	Pass	19401
1000	2490	1	RMS	2431	-47.54	-25	22.54	Pass	2981
2490	2580	1	RMS	2560.65	21.88	60	38.12	Pass	401
2580	3000	1	RMS	2580	-46.63	-25	21.63	Pass	841
3000	12000	1	RMS	11957	-63.1	-25	38.1	Pass	18001
12000	26000	1	RMS	25564	-41.25	-25	16.25	Pass	28001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.24	-25	30.24	Pass	401
0.15	30	0.01	RMS	0.16	-58.13	-25	33.13	Pass	5971
30	1000	0.1	RMS	864.1	-61.39	-25	36.39	Pass	19401
1000	2490	1	RMS	2489	-42.93	-25	17.93	Pass	2981
2490	2580	1	RMS	2500.8	22.69	60	37.31	Pass	401
2580	3000	1	RMS	2687	-47.34	-25	22.34	Pass	841
3000	12000	1	RMS	11941	-63.15	-25	38.15	Pass	18001
12000	26000	1	RMS	25581	-41.26	-25	16.26	Pass	28001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.85	-25	29.85	Pass	401
0.15	30	0.01	RMS	0.15	-56.5	-25	31.5	Pass	5971
30	1000	0.1	RMS	886.7	-61.21	-25	36.21	Pass	19401
1000	2490	1	RMS	2490	-43.54	-25	18.54	Pass	2981
2490	2580	1	RMS	2500.8	21.75	60	38.25	Pass	401
2580	3000	1	RMS	2686	-47.34	-25	22.34	Pass	841
3000	12000	1	RMS	11960	-63.11	-25	38.11	Pass	18001
12000	26000	1	RMS	25508	-41.34	-25	16.34	Pass	28001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.94	-25	28.94	Pass	401
0.15	30	0.01	RMS	0.16	-57.45	-25	32.45	Pass	5971
30	1000	0.1	RMS	896.2	-61.24	-25	36.24	Pass	19401
1000	2490	1	RMS	2447	-47.44	-25	22.44	Pass	2981
2490	2580	1	RMS	2528.25	22.53	60	37.47	Pass	401
2580	3000	1	RMS	2681	-47.33	-25	22.33	Pass	841
3000	12000	1	RMS	11953	-63.08	-25	38.08	Pass	18001
12000	26000	1	RMS	25533	-41.28	-25	16.28	Pass	28001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.87	-25	29.87	Pass	401
0.15	30	0.01	RMS	0.16	-57.59	-25	32.59	Pass	5971
30	1000	0.1	RMS	870.55	-61.3	-25	36.3	Pass	19401
1000	2490	1	RMS	2452	-47.5	-25	22.5	Pass	2981
2490	2580	1	RMS	2528.25	21.57	60	38.43	Pass	401
2580	3000	1	RMS	2676	-47.27	-25	22.27	Pass	841
3000	12000	1	RMS	11950	-63.09	-25	38.09	Pass	18001
12000	26000	1	RMS	25540.5	-41.17	-25	16.17	Pass	28001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.46	-25	30.46	Pass	401
0.15	30	0.01	RMS	0.15	-58.12	-25	33.12	Pass	5971
30	1000	0.1	RMS	882.7	-61.33	-25	36.33	Pass	19401
1000	2490	1	RMS	2434.5	-47.56	-25	22.56	Pass	2981
2490	2580	1	RMS	2555.925	22.71	60	37.29	Pass	401
2580	3000	1	RMS	2582.5	-36.78	-25	11.78	Pass	841
3000	12000	1	RMS	11941	-63.12	-25	38.12	Pass	18001
12000	26000	1	RMS	25513.5	-41.25	-25	16.25	Pass	28001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.01	-25	29.01	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-25	33.04	Pass	5971
30	1000	0.1	RMS	918.5	-61.26	-25	36.26	Pass	19401
1000	2490	1	RMS	2435	-47.48	-25	22.48	Pass	2981
2490	2580	1	RMS	2555.925	21.84	60	38.16	Pass	401
2580	3000	1	RMS	2582.5	-37.41	-25	12.41	Pass	841
3000	12000	1	RMS	11945.5	-63.13	-25	38.13	Pass	18001
12000	26000	1	RMS	25579.5	-41.24	-25	16.24	Pass	28001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.81	-25	29.81	Pass	401
0.15	30	0.01	RMS	0.155	-56.63	-25	31.63	Pass	5971
30	1000	0.1	RMS	913	-61.36	-25	36.36	Pass	19401
1000	2490	1	RMS	2489	-43.78	-25	18.78	Pass	2981
2490	2580	1	RMS	2501.025	22.53	60	37.47	Pass	401
2580	3000	1	RMS	2688.5	-47.36	-25	22.36	Pass	841
3000	12000	1	RMS	11951.5	-63.15	-25	38.15	Pass	18001
12000	26000	1	RMS	25534	-41.27	-25	16.27	Pass	28001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.53	-25	29.53	Pass	401
0.15	30	0.01	RMS	0.16	-58.26	-25	33.26	Pass	5971
30	1000	0.1	RMS	898.45	-61.38	-25	36.38	Pass	19401
1000	2490	1	RMS	2489	-44.32	-25	19.32	Pass	2981
2490	2580	1	RMS	2501.025	21.72	60	38.28	Pass	401
2580	3000	1	RMS	2677.5	-47.35	-25	22.35	Pass	841
3000	12000	1	RMS	11946.5	-63.14	-25	38.14	Pass	18001
12000	26000	1	RMS	25540.5	-41.33	-25	16.33	Pass	28001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.09	-25	29.09	Pass	401
0.15	30	0.01	RMS	0.16	-57.42	-25	32.42	Pass	5971
30	1000	0.1	RMS	914.8	-61.22	-25	36.22	Pass	19401
1000	2490	1	RMS	2490	-46.83	-25	21.83	Pass	2981
2490	2580	1	RMS	2526	22.44	60	37.56	Pass	401
2580	3000	1	RMS	2680	-47.34	-25	22.34	Pass	841
3000	12000	1	RMS	11951	-62.99	-25	37.99	Pass	18001
12000	26000	1	RMS	25522	-41.22	-25	16.22	Pass	28001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-25	29.83	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-25	32.21	Pass	5971
30	1000	0.1	RMS	881.95	-61.11	-25	36.11	Pass	19401
1000	2490	1	RMS	2490	-47.43	-25	22.43	Pass	2981
2490	2580	1	RMS	2526	21.47	60	38.53	Pass	401
2580	3000	1	RMS	2669	-47.36	-25	22.36	Pass	841
3000	12000	1	RMS	11956	-63.19	-25	38.19	Pass	18001
12000	26000	1	RMS	25520.5	-41.3	-25	16.3	Pass	28001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-25	30.3	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-25	32.75	Pass	5971
30	1000	0.1	RMS	929.2	-61.18	-25	36.18	Pass	19401
1000	2490	1	RMS	2433.5	-47.5	-25	22.5	Pass	2981
2490	2580	1	RMS	2550.975	22.83	60	37.17	Pass	401
2580	3000	1	RMS	2582	-38.48	-25	13.48	Pass	841
3000	12000	1	RMS	11951	-63.14	-25	38.14	Pass	18001
12000	26000	1	RMS	25557.5	-41.22	-25	16.22	Pass	28001



2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.54	-25	30.54	Pass	401
0.15	30	0.01	RMS	0.16	-58.21	-25	33.21	Pass	5971
30	1000	0.1	RMS	874.55	-61.25	-25	36.25	Pass	19401
1000	2490	1	RMS	2446	-47.56	-25	22.56	Pass	2981
2490	2580	1	RMS	2550.975	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2582	-38.66	-25	13.66	Pass	841
3000	12000	1	RMS	11946.5	-63.13	-25	38.13	Pass	18001
12000	26000	1	RMS	25553.5	-41.25	-25	16.25	Pass	28001



3. LTE_Band13


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.38	-13	41.38	Pass	401
0.15	30	0.01	RMS	0.15	-58	-13	45	Pass	5971
30	767	0.1	RMS	757.4	-61.75	-13	48.75	Pass	14741
767	797	0.1	RMS	777.35	20.63	60	39.37	Pass	601
797	1000	0.1	RMS	920.4	-61.31	-13	48.31	Pass	4061
1000	3000	1	RMS	2669	-46.6	-13	33.6	Pass	4001
3000	10000	1	RMS	7599	-41.77	-13	28.77	Pass	14001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.9	-13	41.9	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	43.76	Pass	5971
30	767	0.1	RMS	765.85	-61.81	-13	48.81	Pass	14741
767	797	0.1	RMS	777.35	19.99	60	40.01	Pass	601
797	1000	0.1	RMS	998.45	-61.63	-13	48.63	Pass	4061
1000	3000	1	RMS	2677	-46.59	-13	33.59	Pass	4001
3000	10000	1	RMS	7585	-41.73	-13	28.73	Pass	14001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.13	-13	42.13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	44.67	Pass	5971
30	767	0.1	RMS	765.95	-61.78	-13	48.78	Pass	14741
767	797	0.1	RMS	779.85	20.76	60	39.24	Pass	601
797	1000	0.1	RMS	976.25	-61.46	-13	48.46	Pass	4061
1000	3000	1	RMS	1559.5	-46.4	-13	33.4	Pass	4001
3000	10000	1	RMS	7587	-41.78	-13	28.78	Pass	14001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.72	-13	41.72	Pass	401
0.15	30	0.01	RMS	0.15	-58.8	-13	45.8	Pass	5971
30	767	0.1	RMS	735.2	-61.92	-13	48.92	Pass	14741
767	797	0.1	RMS	779.85	19.98	60	40.02	Pass	601
797	1000	0.1	RMS	858.4	-61.42	-13	48.42	Pass	4061
1000	3000	1	RMS	2694	-46.59	-13	33.59	Pass	4001
3000	10000	1	RMS	7584	-41.79	-13	28.79	Pass	14001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-13	41.35	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-13	45.57	Pass	5971
30	767	0.1	RMS	764.05	-61.71	-13	48.71	Pass	14741
767	797	0.1	RMS	782.35	20.69	60	39.31	Pass	601
797	1000	0.1	RMS	997.2	-61.49	-13	48.49	Pass	4061
1000	3000	1	RMS	1564.5	-46.13	-13	33.13	Pass	4001
3000	10000	1	RMS	7585.5	-41.73	-13	28.73	Pass	14001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.83	-13	41.83	Pass	401
0.15	30	0.01	RMS	0.16	-57.28	-13	44.28	Pass	5971
30	767	0.1	RMS	735.05	-61.71	-13	48.71	Pass	14741
767	797	0.1	RMS	782.35	20.1	60	39.9	Pass	601
797	1000	0.1	RMS	885	-61.52	-13	48.52	Pass	4061
1000	3000	1	RMS	2677.5	-46.59	-13	33.59	Pass	4001
3000	10000	1	RMS	7585.5	-41.8	-13	28.8	Pass	14001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-13	42.21	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	45.06	Pass	5971
30	767	0.1	RMS	762.25	-61.67	-13	48.67	Pass	14741
767	797	0.1	RMS	777.6	20.97	60	39.03	Pass	601
797	1000	0.1	RMS	797.25	-61.4	-13	48.4	Pass	4061
1000	3000	1	RMS	2672.5	-46.59	-13	33.59	Pass	4001
3000	10000	1	RMS	7583	-41.74	-13	28.74	Pass	14001



3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-13	41.54	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	44.99	Pass	5971
30	767	0.1	RMS	764.45	-61.72	-13	48.72	Pass	14741
767	797	0.1	RMS	777.6	20.1	60	39.9	Pass	601
797	1000	0.1	RMS	905.4	-61.41	-13	48.41	Pass	4061
1000	3000	1	RMS	2672	-46.61	-13	33.61	Pass	4001
3000	10000	1	RMS	7585.5	-41.74	-13	28.74	Pass	14001



--BLANK BELOW--