






### 10MHz Channel Bandwidth - Full RB


#### Low Channel ACP



#### Middle Channel ACP




#### High Channel ACP




### 20MHz Channel Bandwidth - Full RB


#### Low Channel ACP



#### Middle Channel ACP




#### High Channel ACP




### 30MHz Channel Bandwidth - Full RB


#### Low Channel ACP



#### Middle Channel ACP




#### High Channel ACP




### 40MHz Channel Bandwidth - Full RB


#### Low Channel ACP



#### Middle Channel ACP



#### High Channel ACP




### A.5 Conducted Spurious Emissions Test Result

|           |            |               |           |
|-----------|------------|---------------|-----------|
| Test Site | SIP-SR1    | Test Engineer | Candy Luo |
| Test Date | 2022-10-14 | Test Band     | n48_SA    |


| Frequency<br>(MHz) | Channel<br>Bandwidth<br>(MHz) | Frequency Range<br>(MHz) | Max Spurious<br>Emissions<br>(dBm/MHz) | Limit<br>(dBm/<br>MHz) | Result |
|--------------------|-------------------------------|--------------------------|----------------------------------------|------------------------|--------|
| QPSK               |                               |                          |                                        |                        |        |
| 3555.00            | 10                            | 30 ~ 38000               | -41.14                                 | $\leq -40.00$          | Pass   |
| 3624.99            | 10                            | 30 ~ 38000               | -42.21                                 | $\leq -40.00$          | Pass   |
| 3694.98            | 10                            | 30 ~ 38000               | -42.04                                 | $\leq -40.00$          | Pass   |
| 3560.01            | 20                            | 30 ~ 38000               | -42.23                                 | $\leq -40.00$          | Pass   |
| 3624.99            | 20                            | 30 ~ 38000               | -42.19                                 | $\leq -40.00$          | Pass   |
| 3690.00            | 20                            | 30 ~ 38000               | -42.20                                 | $\leq -40.00$          | Pass   |
| 3565.02            | 30                            | 30 ~ 38000               | -42.15                                 | $\leq -40.00$          | Pass   |
| 3624.99            | 30                            | 30 ~ 38000               | -42.24                                 | $\leq -40.00$          | Pass   |
| 3684.99            | 30                            | 30 ~ 38000               | -42.16                                 | $\leq -40.00$          | Pass   |
| 3570.00            | 40                            | 30 ~ 38000               | -42.14                                 | $\leq -40.00$          | Pass   |
| 3624.99            | 40                            | 30 ~ 38000               | -42.20                                 | $\leq -40.00$          | Pass   |
| 3679.98            | 40                            | 30 ~ 38000               | -42.09                                 | $\leq -40.00$          | Pass   |

## 10MHz Channel Bandwidth


### Low Channel



### Middle Channel




### High Channel




## 20MHz Channel Bandwidth


### Low Channel



### Middle Channel




### High Channel




### 30MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 40MHz Channel Bandwidth


#### Low Channel



#### Middle Channel



#### High Channel




|           |            |               |           |
|-----------|------------|---------------|-----------|
| Test Site | SIP-SR1    | Test Engineer | Candy Luo |
| Test Date | 2022-10-14 | Test Band     | n48_ENDC  |


| Frequency<br>(MHz) | Channel<br>Bandwidth<br>(MHz) | Frequency Range<br>(MHz) | Max Spurious<br>Emissions<br>(dBm/MHz) | Limit<br>(dBm/<br>MHz) | Result |
|--------------------|-------------------------------|--------------------------|----------------------------------------|------------------------|--------|
| QPSK               |                               |                          |                                        |                        |        |
| 3555.00            | 10                            | 30 ~ 38000               | -42.14                                 | $\leq -40.00$          | Pass   |
| 3624.99            | 10                            | 30 ~ 38000               | -42.03                                 | $\leq -40.00$          | Pass   |
| 3694.98            | 10                            | 30 ~ 38000               | -42.20                                 | $\leq -40.00$          | Pass   |
| 3560.01            | 20                            | 30 ~ 38000               | -42.26                                 | $\leq -40.00$          | Pass   |
| 3624.99            | 20                            | 30 ~ 38000               | -42.08                                 | $\leq -40.00$          | Pass   |
| 3690.00            | 20                            | 30 ~ 38000               | -42.13                                 | $\leq -40.00$          | Pass   |
| 3565.02            | 30                            | 30 ~ 38000               | -42.11                                 | $\leq -40.00$          | Pass   |
| 3624.99            | 30                            | 30 ~ 38000               | -42.19                                 | $\leq -40.00$          | Pass   |
| 3684.99            | 30                            | 30 ~ 38000               | -42.29                                 | $\leq -40.00$          | Pass   |
| 3570.00            | 40                            | 30 ~ 38000               | -42.16                                 | $\leq -40.00$          | Pass   |
| 3624.99            | 40                            | 30 ~ 38000               | -42.21                                 | $\leq -40.00$          | Pass   |
| 3679.98            | 40                            | 30 ~ 38000               | -42.21                                 | $\leq -40.00$          | Pass   |

## 10MHz Channel Bandwidth


### Low Channel



### Middle Channel




### High Channel




## 20MHz Channel Bandwidth


### Low Channel



### Middle Channel




### High Channel




### 30MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 40MHz Channel Bandwidth


#### Low Channel



#### Middle Channel



#### High Channel




|           |            |               |                      |
|-----------|------------|---------------|----------------------|
| Test Site | SIP-SR1    | Test Engineer | Candy Luo            |
| Test Date | 2022-10-14 | Test Band     | n48_UL MIMO (Port 0) |


| Frequency<br>(MHz) | Channel<br>Bandwidth<br>(MHz) | Frequency Range<br>(MHz) | Max Spurious<br>Emissions<br>(dBm/MHz) | Limit<br>(dBm/<br>MHz) | Result |
|--------------------|-------------------------------|--------------------------|----------------------------------------|------------------------|--------|
| QPSK               |                               |                          |                                        |                        |        |
| 3555.00            | 10                            | 30 ~ 38000               | -46.18                                 | $\leq -43.01$          | Pass   |
| 3624.99            | 10                            | 30 ~ 38000               | -46.20                                 | $\leq -43.01$          | Pass   |
| 3694.98            | 10                            | 30 ~ 38000               | -46.27                                 | $\leq -43.01$          | Pass   |
| 3560.01            | 20                            | 30 ~ 38000               | -46.21                                 | $\leq -43.01$          | Pass   |
| 3624.99            | 20                            | 30 ~ 38000               | -46.12                                 | $\leq -43.01$          | Pass   |
| 3690.00            | 20                            | 30 ~ 38000               | -46.12                                 | $\leq -43.01$          | Pass   |
| 3565.02            | 30                            | 30 ~ 38000               | -46.11                                 | $\leq -43.01$          | Pass   |
| 3624.99            | 30                            | 30 ~ 38000               | -46.34                                 | $\leq -43.01$          | Pass   |
| 3684.99            | 30                            | 30 ~ 38000               | -46.19                                 | $\leq -43.01$          | Pass   |
| 3570.00            | 40                            | 30 ~ 38000               | -46.13                                 | $\leq -43.01$          | Pass   |
| 3624.99            | 40                            | 30 ~ 38000               | -46.16                                 | $\leq -43.01$          | Pass   |
| 3679.98            | 40                            | 30 ~ 38000               | -46.10                                 | $\leq -43.01$          | Pass   |

## 10MHz Channel Bandwidth


### Low Channel



### Middle Channel




### High Channel




## 20MHz Channel Bandwidth


### Low Channel



### Middle Channel




### High Channel




### 30MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 40MHz Channel Bandwidth


#### Low Channel



#### Middle Channel



#### High Channel




|           |            |               |                      |
|-----------|------------|---------------|----------------------|
| Test Site | SIP-SR1    | Test Engineer | Candy Luo            |
| Test Date | 2022-10-14 | Test Band     | n48_UL MIMO (Port 3) |


| Frequency<br>(MHz) | Channel<br>Bandwidth<br>(MHz) | Frequency Range<br>(MHz) | Max Spurious<br>Emissions<br>(dBm/MHz) | Limit<br>(dBm/<br>MHz) | Result |
|--------------------|-------------------------------|--------------------------|----------------------------------------|------------------------|--------|
| QPSK               |                               |                          |                                        |                        |        |
| 3555.00            | 10                            | 30 ~ 38000               | -46.17                                 | $\leq -43.01$          | Pass   |
| 3624.99            | 10                            | 30 ~ 38000               | -45.92                                 | $\leq -43.01$          | Pass   |
| 3694.98            | 10                            | 30 ~ 38000               | -46.29                                 | $\leq -43.01$          | Pass   |
| 3560.01            | 20                            | 30 ~ 38000               | -46.19                                 | $\leq -43.01$          | Pass   |
| 3624.99            | 20                            | 30 ~ 38000               | -46.05                                 | $\leq -43.01$          | Pass   |
| 3690.00            | 20                            | 30 ~ 38000               | -46.04                                 | $\leq -43.01$          | Pass   |
| 3565.02            | 30                            | 30 ~ 38000               | -46.21                                 | $\leq -43.01$          | Pass   |
| 3624.99            | 30                            | 30 ~ 38000               | -46.05                                 | $\leq -43.01$          | Pass   |
| 3684.99            | 30                            | 30 ~ 38000               | -46.15                                 | $\leq -43.01$          | Pass   |
| 3570.00            | 40                            | 30 ~ 38000               | -46.17                                 | $\leq -43.01$          | Pass   |
| 3624.99            | 40                            | 30 ~ 38000               | -46.29                                 | $\leq -43.01$          | Pass   |
| 3679.98            | 40                            | 30 ~ 38000               | -46.05                                 | $\leq -43.01$          | Pass   |

## 10MHz Channel Bandwidth


### Low Channel



### Middle Channel




### High Channel




## 20MHz Channel Bandwidth


### Low Channel



### Middle Channel




### High Channel




### 30MHz Channel Bandwidth


#### Low Channel



#### Middle Channel




#### High Channel




### 40MHz Channel Bandwidth


#### Low Channel



#### Middle Channel



#### High Channel



### A.6 Radiated Spurious Emissions Test Result

|           |                         |               |                    |
|-----------|-------------------------|---------------|--------------------|
| Test Site | WZ-AC2                  | Test Engineer | Bob Zhang          |
| Test Date | 2022-09-27 ~ 2022-09-29 | Test Band     | n48_SA, 10MHz, 1RB |

| Frequency<br>(MHz) | Reading Level<br>(dBμV) | Factor<br>(dB/m) | Measure<br>Level(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Detector | Polarization |
|--------------------|-------------------------|------------------|--------------------------|-------------------|----------------|----------|--------------|
| Bottom Channel     |                         |                  |                          |                   |                |          |              |
| 53.8               | 3.5                     | 20.4             | 23.9                     | 55.3              | -31.4          | Peak     | Horizontal   |
| 841.4              | 3.2                     | 30.3             | 33.5                     | 55.3              | -21.8          | Peak     | Horizontal   |
| 57.6               | 17.4                    | 20.0             | 37.4                     | 55.3              | -17.9          | Peak     | Vertical     |
| 714.8              | 3.6                     | 28.5             | 32.1                     | 55.3              | -23.2          | Peak     | Vertical     |
| 8828.5             | 33.4                    | 13.3             | 46.7                     | 55.3              | -8.6           | Peak     | Horizontal   |
| 12832.0            | 31.2                    | 17.8             | 49.0                     | 55.3              | -6.3           | Peak     | Horizontal   |
| 9415.0             | 33.1                    | 14.0             | 47.1                     | 55.3              | -8.2           | Peak     | Vertical     |
| 15722.0            | 31.5                    | 17.8             | 49.3                     | 55.3              | -6.0           | Peak     | Vertical     |
| Middle Channel     |                         |                  |                          |                   |                |          |              |
| 54.3               | 4.9                     | 20.3             | 25.2                     | 55.3              | -30.1          | Peak     | Horizontal   |
| 757.5              | 2.8                     | 29.5             | 32.3                     | 55.3              | -23.0          | Peak     | Horizontal   |
| 53.8               | 17.6                    | 20.4             | 38.0                     | 55.3              | -17.3          | Peak     | Vertical     |
| 676.5              | 3.2                     | 28.1             | 31.3                     | 55.3              | -24.0          | Peak     | Vertical     |
| 8531.0             | 33.4                    | 12.4             | 45.8                     | 55.3              | -9.5           | Peak     | Horizontal   |
| 12262.5            | 31.5                    | 17.8             | 49.3                     | 55.3              | -6.0           | Peak     | Horizontal   |
| 10350.0            | 32.8                    | 15.3             | 48.1                     | 55.3              | -7.2           | Peak     | Vertical     |
| 13537.5            | 30.4                    | 18.9             | 49.3                     | 55.3              | -6.0           | Peak     | Vertical     |
| Top Channel        |                         |                  |                          |                   |                |          |              |
| 53.3               | 5.0                     | 20.4             | 25.4                     | 55.3              | -29.9          | Peak     | Horizontal   |
| 945.7              | 3.1                     | 31.5             | 34.6                     | 55.3              | -20.7          | Peak     | Horizontal   |
| 52.8               | 18.1                    | 20.4             | 38.5                     | 55.3              | -16.8          | Peak     | Vertical     |
| 694.9              | 2.8                     | 28.5             | 31.3                     | 55.3              | -24.0          | Peak     | Vertical     |
| 8199.5             | 33.5                    | 11.4             | 44.9                     | 55.3              | -10.4          | Peak     | Horizontal   |
| 12237.0            | 30.9                    | 17.9             | 48.8                     | 55.3              | -6.5           | Peak     | Horizontal   |
| 8760.5             | 32.7                    | 13.1             | 45.8                     | 55.3              | -9.5           | Peak     | Vertical     |
| 12160.5            | 32.0                    | 17.5             | 49.5                     | 55.3              | -5.8           | Peak     | Vertical     |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

|           |                         |               |                      |
|-----------|-------------------------|---------------|----------------------|
| Test Site | WZ-AC2                  | Test Engineer | Bob Zhang            |
| Test Date | 2022-09-27 ~ 2022-09-29 | Test Band     | n48_ENDC, 10MHz, 1RB |

| Frequency<br>(MHz)                                                   | Reading Level<br>(dBμV) | Factor<br>(dB/m) | Measure<br>Level(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Detector | Polarization |
|----------------------------------------------------------------------|-------------------------|------------------|--------------------------|-------------------|----------------|----------|--------------|
| Bottom Channel                                                       |                         |                  |                          |                   |                |          |              |
| 52.3                                                                 | 1.4                     | 20.4             | 21.8                     | 55.3              | -33.5          | Peak     | Horizontal   |
| 721.6                                                                | 3.6                     | 28.7             | 32.3                     | 55.3              | -23.0          | Peak     | Horizontal   |
| 58.6                                                                 | 14.1                    | 19.8             | 33.9                     | 55.3              | -21.4          | Peak     | Vertical     |
| 917.6                                                                | 2.8                     | 31.2             | 34.0                     | 55.3              | -21.3          | Peak     | Vertical     |
| 7511.0                                                               | 32.6                    | 11.5             | 44.1                     | 55.3              | -11.2          | Peak     | Horizontal   |
| 10528.5                                                              | 32.8                    | 15.7             | 48.5                     | 55.3              | -6.8           | Peak     | Horizontal   |
| 9211.0                                                               | 32.3                    | 14.0             | 46.3                     | 55.3              | -9.0           | Peak     | Vertical     |
| 13733.0                                                              | 29.2                    | 19.8             | 49.0                     | 55.3              | -6.3           | Peak     | Vertical     |
| Middle Channel                                                       |                         |                  |                          |                   |                |          |              |
| 53.3                                                                 | 2.2                     | 20.4             | 22.6                     | 55.3              | -32.7          | Peak     | Horizontal   |
| 727.4                                                                | 2.9                     | 28.9             | 31.8                     | 55.3              | -23.5          | Peak     | Horizontal   |
| 52.8                                                                 | 14.9                    | 20.4             | 35.3                     | 55.3              | -20.0          | Peak     | Vertical     |
| 687.2                                                                | 3.3                     | 28.3             | 31.6                     | 55.3              | -23.7          | Peak     | Vertical     |
| 7349.5                                                               | 32.4                    | 11.5             | 43.9                     | 55.3              | -11.4          | Peak     | Horizontal   |
| 11667.5                                                              | 30.8                    | 17.7             | 48.5                     | 55.3              | -6.8           | Peak     | Horizontal   |
| 9534.0                                                               | 33.7                    | 13.5             | 47.2                     | 55.3              | -8.1           | Peak     | Vertical     |
| 12203.0                                                              | 31.1                    | 17.6             | 48.7                     | 55.3              | -6.6           | Peak     | Vertical     |
| Top Channel                                                          |                         |                  |                          |                   |                |          |              |
| 52.3                                                                 | 3.9                     | 20.4             | 24.3                     | 55.3              | -31.0          | Peak     | Horizontal   |
| 795.3                                                                | 3.0                     | 29.6             | 32.6                     | 55.3              | -22.7          | Peak     | Horizontal   |
| 52.3                                                                 | 3.9                     | 20.4             | 24.3                     | 55.3              | -31.0          | Peak     | Vertical     |
| 795.3                                                                | 3.0                     | 29.6             | 32.6                     | 55.3              | -22.7          | Peak     | Vertical     |
| 10766.5                                                              | 31.8                    | 16.4             | 48.2                     | 55.3              | -7.1           | Peak     | Horizontal   |
| 13214.5                                                              | 30.0                    | 18.5             | 48.5                     | 55.3              | -6.8           | Peak     | Horizontal   |
| 7766.0                                                               | 32.0                    | 11.2             | 43.2                     | 55.3              | -12.1          | Peak     | Vertical     |
| 13240.0                                                              | 30.5                    | 18.4             | 48.9                     | 55.3              | -6.4           | Peak     | Vertical     |
| Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m). |                         |                  |                          |                   |                |          |              |

|           |                         |               |                      |
|-----------|-------------------------|---------------|----------------------|
| Test Site | WZ-AC2                  | Test Engineer | Bob Zhang            |
| Test Date | 2022-09-27 ~ 2022-09-29 | Test Band     | n48_MIMO, 10MHz, 1RB |

| Frequency<br>(MHz)                                                  | Reading Level<br>(dBμV) | Factor<br>(dB/m) | Measure<br>Level(dBμV/m) | Limit<br>(dBμV/m) | Margin<br>(dB) | Detector | Polarization |
|---------------------------------------------------------------------|-------------------------|------------------|--------------------------|-------------------|----------------|----------|--------------|
| Bottom Channel                                                      |                         |                  |                          |                   |                |          |              |
| 54.3                                                                | 5.4                     | 20.3             | 25.7                     | 55.3              | -29.6          | Peak     | Horizontal   |
| 719.7                                                               | 3.0                     | 28.6             | 31.6                     | 55.3              | -23.7          | Peak     | Horizontal   |
| 58.1                                                                | 19.3                    | 19.9             | 39.2                     | 55.3              | -16.1          | Peak     | Vertical     |
| 729.9                                                               | 3.5                     | 28.9             | 32.4                     | 55.3              | -22.9          | Peak     | Vertical     |
| 8148.5                                                              | 33.3                    | 12.0             | 45.3                     | 55.3              | -10.0          | Peak     | Horizontal   |
| 12160.5                                                             | 30.9                    | 17.5             | 48.4                     | 55.3              | -6.9           | Peak     | Horizontal   |
| 7842.5                                                              | 32.4                    | 11.1             | 43.5                     | 55.3              | -11.8          | Peak     | Vertical     |
| 11489.0                                                             | 32.0                    | 17.5             | 49.5                     | 55.3              | -5.8           | Peak     | Vertical     |
| Middle Channel                                                      |                         |                  |                          |                   |                |          |              |
| 54.3                                                                | 5.3                     | 20.3             | 25.6                     | 55.3              | -29.7          | Peak     | Horizontal   |
| 765.3                                                               | 3.0                     | 29.5             | 32.5                     | 55.3              | -22.8          | Peak     | Horizontal   |
| 53.8                                                                | 18.0                    | 20.4             | 38.4                     | 55.3              | -16.9          | Peak     | Vertical     |
| 728.9                                                               | 3.5                     | 28.9             | 32.4                     | 55.3              | -22.9          | Peak     | Vertical     |
| 7298.5                                                              | 32.9                    | 11.2             | 44.1                     | 55.3              | -11.2          | Peak     | Horizontal   |
| 10418.0                                                             | 33.1                    | 15.6             | 48.7                     | 55.3              | -6.6           | Peak     | Horizontal   |
| 7205.0                                                              | 32.3                    | 11.3             | 43.6                     | 55.3              | -11.7          | Peak     | Vertical     |
| 12704.5                                                             | 30.6                    | 17.3             | 47.9                     | 55.3              | -7.4           | Peak     | Vertical     |
| Top Channel                                                         |                         |                  |                          |                   |                |          |              |
| 53.8                                                                | 4.8                     | 20.4             | 25.2                     | 55.3              | -30.1          | Peak     | Horizontal   |
| 915.1                                                               | 3.3                     | 31.2             | 34.5                     | 55.3              | -20.8          | Peak     | Horizontal   |
| 57.2                                                                | 18.0                    | 20.0             | 38.0                     | 55.3              | -17.3          | Peak     | Vertical     |
| 854.0                                                               | 2.3                     | 30.5             | 32.8                     | 55.3              | -22.5          | Peak     | Vertical     |
| 8854.0                                                              | 32.2                    | 13.5             | 45.7                     | 55.3              | -9.6           | Peak     | Horizontal   |
| 12721.5                                                             | 31.3                    | 17.2             | 48.5                     | 55.3              | -6.8           | Peak     | Horizontal   |
| 9126.0                                                              | 33.4                    | 13.6             | 47.0                     | 55.3              | -8.3           | Peak     | Vertical     |
| 12789.5                                                             | 31.2                    | 17.3             | 48.5                     | 55.3              | -6.8           | Peak     | Vertical     |
| Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor(dB/m). |                         |                  |                          |                   |                |          |              |

### A.7 End User Device Additional Requirement (CBSD Protocol) Test Result

|           |            |               |                                     |
|-----------|------------|---------------|-------------------------------------|
| Test Site | WZ-SR6     | Test Engineer | Jone Zhang                          |
| Test Date | 2022-09-26 | Test Band     | CBSD transmit at 3580MHz (20MHz BW) |



Marker 1: CBSD sends instructions to discontinue NR operations.

Marker 2: EUT discontinues operation.

Marker 3: 10 seconds elapsed time from CBSD sending instructions to EUT.

|           |            |               |                                     |
|-----------|------------|---------------|-------------------------------------|
| Test Site | WZ-SR6     | Test Engineer | Jone Zhang                          |
| Test Date | 2022-09-26 | Test Band     | CBSD transmit at 3680MHz (20MHz BW) |



Marker 1: CBSD sends instructions to discontinue NR operations.

Marker 2: EUT discontinues operation.

Marker 3: 10 seconds elapsed time from CBSD sending instructions to EUT.

## **Appendix B - Test Setup Photograph**

Refer to “2209RSU052-UT” file.

## **Appendix C - EUT Photograph**

Refer to “2209RSU052-UE” file.